



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 21, 2024 – 09:36 AM EST

PDB ID : 4O4L
Title : Tubulin-Peloruside A-Epothilone A complex
Authors : Prota, A.E.; Bargsten, K.; Northcote, P.T.; Marsh, M.; Altmann, K.H.; Miller, J.H.; Diaz, J.F.; Steinmetz, M.O.
Deposited on : 2013-12-18
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	 90% 7% .
1	C	451	 89% 8% .
2	B	445	 87% 9% . .
2	D	445	 86% 11% .
3	E	143	 82% . . 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	 <p>A horizontal bar chart showing the quality of chain. The bar is divided into four segments: red (43%), green (75%), yellow (15%), and grey (9%). The segments are stacked from left to right, with the red segment being the largest and the grey segment being the smallest.</p>

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 18663 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	439	Total	C	N	O	S	0	13	0
			3489	2217	585	662	25			
1	C	440	Total	C	N	O	S	0	22	0
			3536	2245	588	676	27			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	428	Total	C	N	O	S	0	15	0
			3435	2164	580	662	29			
2	D	431	Total	C	N	O	S	0	6	0
			3411	2143	580	660	28			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	123	Total	C	N	O	S	0	6	0
			1046	647	188	205	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	ILE	cloning artifact	UNP P63043
E	4	ALA	SER	cloning artifact	UNP P63043

- Molecule 4 is a protein called Tubulin-tyrosine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	F	351	Total	C	N	O	S	0	9	0
			2902	1870	490	528	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		


- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	B	2	Total Ca 2 2	0	0

- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C N O P 28 10 5 11 2	0	0
8	D	1	Total C N O P 28 10 5 11 2	0	0

- Molecule 9 is Peloruside A (three-letter code: POU) (formula: C₂₇H₄₈O₁₁).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	1	Total	C	O		0	0
			38	27	11			
9	D	1	Total	C	O		0	0
			38	27	11			

- Molecule 10 is EPOTHILONE A (three-letter code: EP) (formula: $C_{26}H_{39}NO_6S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	S	0	0
			34	26	1	6	1		
10	D	1	Total	C	N	O	S	0	0
			34	26	1	6	1		

- Molecule 11 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
11	B	1	12	6	1	4	1	0	0


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	130	Total	O	0	0
			130	130		
12	B	127	Total	O	0	0
			127	127		
12	C	204	Total	O	0	0
			204	204		
12	D	44	Total	O	0	0
			44	44		
12	E	30	Total	O	0	0
			30	30		
12	F	26	Total	O	0	0
			26	26		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain



- Molecule 2: Tubulin beta-2B chain



- Molecule 2: Tubulin beta-2B chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.40Å 156.33Å 180.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	59.10 – 2.20 78.23 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (59.10-2.20) 99.9 (78.23-2.20)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.186 , 0.224 0.187 , 0.224	Depositor DCC
R_{free} test set	7516 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	53.7	Xtriage
Anisotropy	0.217	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	18663	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, MG, POU, MES, EP, GDP, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.22	0/3606	0.42	0/4896
1	C	0.23	0/3678	0.43	0/4997
2	B	0.23	0/3552	0.42	0/4809
2	D	0.22	0/3504	0.40	0/4748
3	E	0.21	0/1073	0.36	0/1425
4	F	0.21	0/2992	0.41	0/4042
All	All	0.22	0/18405	0.41	0/24917

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3489	0	3442	18	0
1	C	3536	0	3485	22	0
2	B	3435	0	3355	23	0
2	D	3411	0	3306	28	0
3	E	1046	0	1072	3	0
4	F	2902	0	2921	33	0
5	A	32	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	1	0	0	0	0
7	B	2	0	0	0	0
8	B	28	0	12	0	0
8	D	28	0	12	1	0
9	B	38	0	48	1	0
9	D	38	0	48	3	0
10	B	34	0	39	1	0
10	D	34	0	39	2	0
11	B	12	0	12	2	0
12	A	130	0	0	0	0
12	B	127	0	0	2	0
12	C	204	0	0	2	0
12	D	44	0	0	2	0
12	E	30	0	0	0	0
12	F	26	0	0	0	0
All	All	18663	0	17815	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:286:LEU:HD13	2:B:373:MET:HG2	1.65	0.76
4:F:138:ARG:NH1	4:F:143:GLU:OE1	2.20	0.74
2:D:240[B]:THR:HG21	2:D:320:ARG:HD2	1.69	0.73
2:D:311:ARG:NH1	2:D:436:GLN:O	2.22	0.73
2:B:90:ASP:N	2:B:90:ASP:OD1	2.21	0.72
2:B:248:LEU:HD21	2:B:352:LYS:HB3	1.74	0.69
3:E:44:ASP:OD1	3:E:44:ASP:N	2.24	0.68
2:D:276:THR:OG1	2:D:284:ARG:NH1	2.31	0.63
4:F:74:LYS:HZ3	4:F:331:GLU:HB3	1.63	0.63
4:F:213:ILE:HB	4:F:378[A]:LEU:HB2	1.83	0.61
4:F:320:MET:HG2	4:F:330:ILE:HD11	1.83	0.59
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.20	0.59
2:D:173:PRO:HG2	2:D:187:ALA:HB2	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:356[A]:ASN:ND2	12:C:643:HOH:O	2.35	0.59
4:F:157:GLY:HA3	4:F:245:ILE:HD11	1.85	0.59
4:F:213:ILE:HB	4:F:378[B]:LEU:HB2	1.85	0.58
4:F:101:TYR:N	4:F:126:ASP:OD1	2.31	0.58
2:B:286:LEU:H	2:B:286:LEU:HD12	1.69	0.58
1:A:438:ASP:N	1:A:438:ASP:OD1	2.38	0.57
4:F:225:SER:OG	4:F:252:ASN:O	2.23	0.57
1:C:285:GLN:OE1	1:C:372:GLN:NE2	2.37	0.56
2:D:315:VAL:HB	2:D:351:VAL:HG22	1.87	0.56
1:C:270:ALA:HB3	1:C:302[B]:MET:HE2	1.88	0.55
2:D:397:ALA:O	2:D:401:ARG:NH1	2.40	0.55
4:F:283:ILE:HD11	4:F:325:LEU:HD22	1.90	0.54
2:B:158:ARG:CZ	11:B:507:MES:H21	2.37	0.54
2:B:147[A]:SER:OG	2:B:190:SER:OG	2.23	0.53
2:D:12:CYS:HB2	8:D:501:GDP:C8	2.43	0.53
4:F:155:ALA:O	4:F:157:GLY:N	2.39	0.53
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.90	0.53
2:B:334:ASN:HB2	2:B:338:LYS:HD2	1.89	0.53
1:A:88:HIS:CE1	1:A:90:GLU:HB2	2.43	0.52
4:F:74:LYS:NZ	4:F:331:GLU:HB3	2.23	0.52
2:B:16[B]:ILE:HD13	2:B:231:VAL:HG11	1.91	0.52
1:C:7:ILE:HG21	1:C:153:LEU:HD21	1.91	0.52
1:A:209[B]:ILE:HD13	1:A:231:ILE:HD11	1.91	0.51
2:D:304:ALA:HB3	2:D:390:ARG:HH12	1.76	0.51
4:F:138:ARG:HB3	4:F:143:GLU:HB2	1.92	0.51
2:D:391:ILE:HB	2:D:425:MET:HE2	1.93	0.51
2:D:248:LEU:HD21	2:D:352:LYS:HB3	1.92	0.50
1:C:4[A]:CYS:SG	1:C:136:LEU:HG	2.51	0.50
1:C:93:ILE:HD11	1:C:121:ARG:HG3	1.94	0.50
2:D:185:TYR:OH	2:D:398:MET:O	2.23	0.50
2:D:1:MET:SD	2:D:50:ASN:HB2	2.51	0.50
4:F:162:ILE:HD11	4:F:240:LEU:HD23	1.94	0.50
2:B:204:ILE:HD13	2:B:231:VAL:HG13	1.94	0.50
2:B:311:ARG:NH1	12:B:638:HOH:O	2.43	0.49
1:C:334:THR:O	1:C:338:LYS:HG2	2.13	0.49
1:A:210:TYR:CE2	1:A:214:ARG:HD2	2.47	0.49
2:D:309:HIS:O	2:D:436:GLN:NE2	2.46	0.49
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.94	0.48
1:A:68[B]:VAL:HG12	1:A:93:ILE:HB	1.93	0.48
1:A:98:ASP:HB2	5:A:501:GTP:O1G	2.13	0.48
2:D:2:ARG:HG3	2:D:133:GLN:HB3	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:221:ARG:HG3	2:D:325:MET:HG2	1.94	0.48
1:C:320:ARG:HG3	1:C:360:PRO:HG3	1.96	0.48
3:E:72:LEU:O	3:E:76:ARG:HG2	2.13	0.48
4:F:151:SER:HG	4:F:180:HIS:CD2	2.32	0.47
4:F:192:LEU:HB3	4:F:197:ARG:HG3	1.97	0.47
2:B:56:ALA:HB3	2:B:60:LYS:HB2	1.97	0.47
2:B:136:GLN:HA	2:B:167:ASN:O	2.14	0.47
4:F:371:PRO:HA	4:F:372:THR:HA	1.72	0.47
2:D:167:ASN:ND2	12:D:619:HOH:O	2.48	0.47
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.50	0.46
2:B:295[B]:MET:HG2	2:B:377:PHE:HB2	1.96	0.46
4:F:148:ILE:HG13	4:F:162:ILE:HG12	1.97	0.46
1:A:357:TYR:CE2	3:E:17:GLY:HA2	2.50	0.46
4:F:160:ILE:HD12	4:F:240:LEU:HD13	1.98	0.46
4:F:242:ASN:O	4:F:244:CYS:N	2.42	0.46
2:B:274:PRO:HG3	2:B:286:LEU:HD23	1.97	0.46
2:D:136:GLN:HA	2:D:167:ASN:O	2.14	0.46
2:B:199:ASP:OD2	11:B:507:MES:H52	2.15	0.46
1:A:90:GLU:HG2	1:A:124:LYS:NZ	2.31	0.45
1:A:274:PRO:HB3	1:A:286:LEU:HD12	1.98	0.45
1:C:211[A]:ASP:OD2	1:C:304:LYS:NZ	2.42	0.45
9:D:503:POU:H46	9:D:503:POU:H40	1.85	0.45
4:F:167:SER:HA	4:F:170:LEU:HG	1.98	0.45
2:D:217:LEU:HD22	10:D:504:EP:H721	1.98	0.45
4:F:128:ARG:NH2	4:F:174:ASP:OD1	2.50	0.45
4:F:8:ASP:OD2	4:F:44:ARG:NH1	2.51	0.45
1:C:172:TYR:HB3	1:C:205:ASP:HA	1.99	0.44
2:B:106:GLY:O	2:B:111:GLY:HA3	2.18	0.44
1:C:209:ILE:HG22	1:C:227:LEU:HD22	1.99	0.44
1:C:36:MET:HB3	1:C:61:HIS:CE1	2.53	0.44
2:B:165:ILE:HG21	2:B:252:LEU:HB3	2.00	0.44
4:F:338:CYS:SG	4:F:339:ALA:N	2.91	0.43
1:A:209[B]:ILE:HD12	1:A:227:LEU:HB3	2.00	0.43
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.37	0.43
1:C:210:TYR:CE1	1:C:222:PRO:HG2	2.52	0.43
1:C:285:GLN:NE2	12:C:772:HOH:O	2.50	0.43
4:F:339:ALA:HB3	4:F:342:LEU:HD12	2.01	0.43
1:A:119:LEU:HD11	1:A:156:ARG:HB3	2.00	0.43
1:C:41:THR:O	1:C:41:THR:OG1	2.36	0.43
1:C:71:GLU:HG2	1:C:98:ASP:HB3	2.00	0.42
1:C:234:ILE:HG21	1:C:302[B]:MET:SD	2.59	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:87:LEU:O	4:F:90:SER:OG	2.35	0.42
9:D:503:POU:H27	9:D:503:POU:O15	2.19	0.42
2:D:284:ARG:HD3	10:D:504:EP:H161	2.00	0.42
4:F:135:TYR:CZ	4:F:166:ALA:HB2	2.55	0.42
1:A:206:ASN:OD1	1:A:209[B]:ILE:HD11	2.19	0.42
2:B:238[B]:VAL:HG22	2:B:378:ILE:HD11	2.01	0.42
2:D:304:ALA:HB3	2:D:390:ARG:NH1	2.35	0.42
1:C:406:HIS:CD2	2:D:263:PRO:HD3	2.55	0.41
2:D:316:ALA:HB3	2:D:378:ILE:HB	2.02	0.41
4:F:61:LEU:HD11	4:F:312:PHE:HD2	1.85	0.41
4:F:8:ASP:HB2	4:F:43:GLU:HA	2.01	0.41
2:B:50[B]:ASN:H	2:B:50[B]:ASN:ND2	2.19	0.41
4:F:256:TYR:HB2	4:F:257:GLU:OE2	2.20	0.41
1:A:172:TYR:CE2	1:A:391:LEU:HD22	2.55	0.41
2:D:287:THR:HB	2:D:289:PRO:HD2	2.00	0.41
1:A:209[A]:ILE:HG23	1:A:230:LEU:HD23	2.02	0.41
1:C:358[B]:GLN:HA	1:C:359:PRO:HD3	1.92	0.41
1:C:391:LEU:HD12	1:C:391:LEU:HA	1.92	0.41
4:F:271[A]:LEU:HD12	4:F:271[A]:LEU:HA	1.87	0.41
2:B:288:VAL:HG12	2:B:331:GLN:HG3	2.03	0.41
1:C:209:ILE:HD11	1:C:302[A]:MET:HG3	2.03	0.41
2:D:347:ILE:HG22	2:D:350:ASN:HB3	2.03	0.41
4:F:22:LEU:HD12	4:F:22:LEU:HA	1.96	0.41
9:B:503:POU:H17	9:B:503:POU:O8	2.21	0.41
2:D:432:TYR:OH	12:D:644:HOH:O	2.21	0.41
2:B:159:GLU:OE2	12:B:696:HOH:O	2.22	0.40
2:D:88:ARG:HA	2:D:89:PRO:HD2	1.87	0.40
4:F:242:ASN:HB2	4:F:245:ILE:HD12	2.03	0.40
2:B:229:HIS:ND1	10:B:504:EP:H321	2.37	0.40
2:D:236:SER:O	2:D:240[B]:THR:HG23	2.21	0.40
1:A:298:PRO:HA	1:A:301:GLN:CD	2.42	0.40
9:D:503:POU:H12	9:D:503:POU:H45	1.84	0.40
4:F:20:LEU:O	4:F:24:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/451 (100%)	436 (97%)	14 (3%)	0	100	100
1	C	460/451 (102%)	452 (98%)	8 (2%)	0	100	100
2	B	441/445 (99%)	427 (97%)	14 (3%)	0	100	100
2	D	435/445 (98%)	420 (97%)	14 (3%)	1 (0%)	47	55
3	E	125/143 (87%)	120 (96%)	5 (4%)	0	100	100
4	F	353/384 (92%)	314 (89%)	35 (10%)	4 (1%)	14	12
All	All	2264/2319 (98%)	2169 (96%)	90 (4%)	5 (0%)	47	55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	F	156	LYS
4	F	243	HIS
4	F	155	ALA
4	F	232	ASN
2	D	73	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	383/379 (101%)	378 (99%)	5 (1%)	69	81
1	C	393/379 (104%)	387 (98%)	6 (2%)	65	78
2	B	385/383 (100%)	373 (97%)	12 (3%)	40	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	378/383 (99%)	370 (98%)	8 (2%)	53	67
3	E	116/127 (91%)	113 (97%)	3 (3%)	46	58
4	F	322/342 (94%)	309 (96%)	13 (4%)	31	40
All	All	1977/1993 (99%)	1930 (98%)	47 (2%)	49	62

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	THR
1	A	71	GLU
1	A	221	ARG
1	A	250	VAL
1	A	438	ASP
2	B	42	LEU
2	B	90	ASP
2	B	139	HIS
2	B	229	HIS
2	B	232	SER
2	B	276	THR
2	B	281	GLN
2	B	286	LEU
2	B	334	ASN
2	B	369	ARG
2	B	414	ASP
2	B	416	MET
1	C	71	GLU
1	C	179	THR
1	C	221	ARG
1	C	347[A]	CYS
1	C	347[B]	CYS
1	C	381	THR
2	D	1	MET
2	D	2	ARG
2	D	47	GLU
2	D	110	GLU
2	D	139	HIS
2	D	159	GLU
2	D	345	GLU
2	D	414	ASP
3	E	44	ASP
3	E	70	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	88	GLU
4	F	22	LEU
4	F	70	LYS
4	F	186	LEU
4	F	218	GLU
4	F	222	ARG
4	F	224	SER
4	F	233	PHE
4	F	240	LEU
4	F	256	TYR
4	F	258	GLU
4	F	341	LYS
4	F	353[A]	VAL
4	F	353[B]	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	301	GLN
2	B	293	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 7 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	GDP	D	501	6	24,30,30	0.94	1 (4%)	30,47,47	1.13	3 (10%)
9	POU	B	503	-	37,39,39	2.09	4 (10%)	44,57,57	1.81	11 (25%)
10	EP	B	504	-	32,36,36	1.27	3 (9%)	39,53,53	2.43	12 (30%)
9	POU	D	503	-	37,39,39	2.27	7 (18%)	44,57,57	2.00	11 (25%)
5	GTP	A	501	6	26,34,34	1.14	2 (7%)	32,54,54	1.48	7 (21%)
11	MES	B	507	-	12,12,12	2.25	1 (8%)	14,16,16	2.14	3 (21%)
10	EP	D	504	-	32,36,36	1.28	3 (9%)	39,53,53	2.37	12 (30%)
5	GTP	C	501	6	26,34,34	1.12	2 (7%)	32,54,54	1.41	6 (18%)
8	GDP	B	501	6	24,30,30	0.94	1 (4%)	30,47,47	1.10	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GDP	D	501	6	-	3/12/32/32	0/3/3/3
9	POU	B	503	-	-	7/54/76/76	0/1/2/2
10	EP	B	504	-	-	5/49/55/55	0/2/3/3
9	POU	D	503	-	-	6/54/76/76	0/1/2/2
5	GTP	A	501	6	-	7/18/38/38	0/3/3/3
11	MES	B	507	-	-	3/6/14/14	0/1/1/1
10	EP	D	504	-	-	13/49/55/55	0/2/3/3
5	GTP	C	501	6	-	6/18/38/38	0/3/3/3
8	GDP	B	501	6	-	5/12/32/32	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	D	503	POU	C22-C21	10.04	1.54	1.33
9	B	503	POU	C22-C21	9.28	1.53	1.33
11	B	507	MES	C8-S	-7.51	1.66	1.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	D	503	POU	C2-C1	-5.25	1.38	1.52
9	B	503	POU	C2-C1	-5.07	1.39	1.52
10	D	504	EP	O2-C75	4.29	1.46	1.34
10	B	504	EP	O2-C75	4.25	1.46	1.34
10	D	504	EP	C27-C24	4.07	1.53	1.46
10	B	504	EP	C27-C24	4.03	1.53	1.46
5	A	501	GTP	C5-C6	-4.02	1.39	1.47
5	C	501	GTP	C5-C6	-3.93	1.39	1.47
9	B	503	POU	C9-C8	3.32	1.56	1.53
9	D	503	POU	O91-C9	3.19	1.45	1.39
9	D	503	POU	C14-C15	2.55	1.57	1.53
9	B	503	POU	C14-C15	2.48	1.57	1.53
9	D	503	POU	C12-C11	-2.34	1.50	1.53
8	D	501	GDP	C6-N1	-2.25	1.34	1.37
8	B	501	GDP	C6-N1	-2.22	1.34	1.37
5	A	501	GTP	C2-N3	2.16	1.38	1.33
10	D	504	EP	C13-S1	2.16	1.74	1.70
9	D	503	POU	C14-C13	2.10	1.57	1.52
5	C	501	GTP	C2-N3	2.06	1.38	1.33
9	D	503	POU	O9-C9	2.01	1.46	1.42
10	B	504	EP	C13-S1	2.01	1.73	1.70

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	504	EP	C32-C27-C24	-6.58	114.36	123.31
9	D	503	POU	C13-C12-C11	-6.51	104.39	114.37
10	D	504	EP	C32-C27-C24	-6.29	114.75	123.31
11	B	507	MES	C5-N4-C3	6.17	122.72	108.83
10	D	504	EP	C27-O26-C24	6.11	65.10	60.69
10	B	504	EP	C27-O26-C24	6.11	65.09	60.69
10	B	504	EP	C21-C24-C27	-5.45	114.46	124.78
10	D	504	EP	C21-C24-C27	-5.24	114.86	124.78
9	B	503	POU	C15-O15-C1	5.17	126.53	116.67
9	D	503	POU	O9-C9-C8	5.12	112.94	105.50
9	D	503	POU	C15-O15-C1	4.58	125.40	116.67
10	B	504	EP	O26-C27-C32	-4.14	110.27	116.57
10	D	504	EP	O26-C24-C21	-4.07	107.72	116.33
9	B	503	POU	O15-C15-C21	4.02	120.49	109.48
10	B	504	EP	C16-C15-S1	-3.97	114.78	120.12
10	B	504	EP	O26-C24-C21	-3.95	107.98	116.33
10	D	504	EP	O26-C27-C32	-3.89	110.66	116.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	503	POU	O9-C9-C8	3.67	110.83	105.50
10	D	504	EP	C16-C15-S1	-3.54	115.36	120.12
9	B	503	POU	C13-C12-C11	-3.49	109.02	114.37
10	D	504	EP	O26-C24-C27	-3.46	57.44	59.65
10	B	504	EP	O26-C24-C27	-3.45	57.45	59.65
10	B	504	EP	O26-C27-C24	-3.43	57.46	59.65
10	D	504	EP	O26-C27-C24	-3.42	57.47	59.65
9	D	503	POU	O15-C15-C21	3.38	118.74	109.48
9	D	503	POU	C3-C4-C5	-3.26	107.21	114.76
10	B	504	EP	C16-C15-N20	3.21	132.22	123.80
9	B	503	POU	O13-C13-C12	3.18	116.01	108.27
5	A	501	GTP	PA-O3A-PB	-3.16	121.98	132.83
5	A	501	GTP	C5-C6-N1	3.15	119.51	113.95
5	C	501	GTP	C8-N7-C5	3.13	108.96	102.99
10	D	504	EP	O2-C75-C72	3.11	117.17	111.46
5	C	501	GTP	C5-C6-N1	3.01	119.27	113.95
10	B	504	EP	O2-C75-C72	3.00	116.96	111.46
5	A	501	GTP	C8-N7-C5	2.99	108.68	102.99
10	D	504	EP	C16-C15-N20	2.94	131.52	123.80
8	D	501	GDP	PA-O3A-PB	-2.91	122.85	132.83
5	A	501	GTP	C2-N1-C6	-2.78	119.98	125.10
5	C	501	GTP	PB-O3B-PG	-2.77	123.31	132.83
5	A	501	GTP	PB-O3B-PG	-2.75	123.40	132.83
8	B	501	GDP	PA-O3A-PB	-2.74	123.41	132.83
9	B	503	POU	C25-C21-C22	-2.74	116.24	123.45
9	D	503	POU	O15-C15-C14	2.72	112.65	106.64
9	B	503	POU	O9-C5-C6	2.70	114.02	108.94
5	C	501	GTP	PA-O3A-PB	-2.65	123.72	132.83
9	B	503	POU	O15-C15-C14	2.61	112.40	106.64
5	C	501	GTP	C2-N1-C6	-2.57	120.37	125.10
9	B	503	POU	O13-C13-C14	2.57	114.51	108.27
10	D	504	EP	C53-C51-C47	-2.52	108.17	112.37
9	D	503	POU	O91-C9-O9	-2.51	103.38	109.54
10	B	504	EP	C21-C3-C5	-2.47	110.07	113.50
9	D	503	POU	O9-C5-C6	2.46	113.57	108.94
10	B	504	EP	C53-C51-C47	-2.38	108.40	112.37
8	B	501	GDP	C8-N7-C5	2.37	107.50	102.99
11	B	507	MES	O2S-S-C8	2.35	109.75	106.92
8	B	501	GDP	C5-C6-N1	2.34	118.08	113.95
8	D	501	GDP	C8-N7-C5	2.33	107.42	102.99
5	A	501	GTP	O6-C6-C5	-2.27	119.93	124.37
9	D	503	POU	C25-C21-C22	-2.24	117.56	123.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	D	501	GDP	C5-C6-N1	2.23	117.88	113.95
9	D	503	POU	O13-C13-C12	2.21	113.65	108.27
9	B	503	POU	C3-C4-C5	-2.19	109.70	114.76
10	D	504	EP	C21-C3-C5	-2.18	110.46	113.50
11	B	507	MES	O3S-S-C8	2.15	109.24	105.77
9	D	503	POU	C17-O7-C7	-2.11	108.35	114.03
5	C	501	GTP	O6-C6-C5	-2.06	120.36	124.37
9	B	503	POU	O15-C1-O1	2.01	127.69	123.94
5	A	501	GTP	O2G-PG-O3B	2.00	111.36	104.64

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
8	B	501	GDP	C5'-O5'-PA-O1A
8	B	501	GDP	C5'-O5'-PA-O2A
8	D	501	GDP	C5'-O5'-PA-O1A
8	D	501	GDP	C5'-O5'-PA-O2A
10	B	504	EP	C5-C10-C12-N20
10	B	504	EP	C24-C21-C3-C5
10	B	504	EP	C24-C21-C3-O2
10	D	504	EP	C5-C10-C12-N20
10	D	504	EP	C24-C21-C3-C5
10	D	504	EP	C24-C21-C3-O2
10	D	504	EP	C60-C59-C68-O70
11	B	507	MES	C7-C8-S-O2S
11	B	507	MES	C7-C8-S-O3S
9	D	503	POU	C8-C7-O7-C17
9	B	503	POU	C15-C21-C22-C23
9	D	503	POU	C15-C21-C22-C23
10	B	504	EP	C41-C47-C51-C57
9	B	503	POU	C25-C21-C22-C23
9	D	503	POU	C25-C21-C22-C23
10	D	504	EP	C68-C72-C75-O2
10	D	504	EP	C68-C72-C75-O76
10	D	504	EP	C21-C3-C5-C6
9	B	503	POU	C13-C14-C15-O15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
9	B	503	POU	C14-C13-O13-C20
9	D	503	POU	C14-C13-O13-C20
10	D	504	EP	C64-C59-C68-O70
10	D	504	EP	C64-C59-C68-C72
10	D	504	EP	C60-C59-C68-C72
5	A	501	GTP	C5'-O5'-PA-O2A
11	B	507	MES	C7-C8-S-O1S
9	B	503	POU	C4-C3-O3-C16
5	A	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3A-PA-O2A
10	D	504	EP	C21-C3-C5-C10
10	D	504	EP	C32-C35-C38-C41
9	D	503	POU	C21-C15-O15-C1
9	B	503	POU	C8-C7-O7-C17
8	B	501	GDP	PB-O3A-PA-O2A
9	B	503	POU	C6-C7-O7-C17
10	B	504	EP	C68-C72-C75-O2
5	A	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	C5'-O5'-PA-O3A
8	B	501	GDP	C5'-O5'-PA-O3A
8	D	501	GDP	C5'-O5'-PA-O3A
5	C	501	GTP	PB-O3A-PA-O1A
8	B	501	GDP	PB-O3A-PA-O1A
10	D	504	EP	C57-C59-C68-C72
5	A	501	GTP	PB-O3B-PG-O1G
9	D	503	POU	C6-C7-O7-C17


There are no ring outliers.


7 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	501	GDP	1	0
9	B	503	POU	1	0
10	B	504	EP	1	0
9	D	503	POU	3	0
5	A	501	GTP	1	0
11	B	507	MES	2	0
10	D	504	EP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In



addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	439/451 (97%)	-0.01	3 (0%) 87 86	31, 48, 83, 158	0
1	C	440/451 (97%)	0.05	2 (0%) 91 90	25, 38, 66, 97	0
2	B	428/445 (96%)	0.17	9 (2%) 63 61	25, 44, 83, 159	2 (0%)
2	D	431/445 (96%)	0.20	15 (3%) 44 42	35, 67, 103, 140	6 (1%)
3	E	123/143 (86%)	0.34	5 (4%) 37 35	38, 65, 107, 137	0
4	F	351/384 (91%)	2.47	167 (47%) 0 0	51, 110, 185, 210	0
All	All	2212/2319 (95%)	0.49	201 (9%) 9 8	25, 54, 140, 210	8 (0%)

All (201) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	133	ALA	15.9
4	F	173	ILE	14.8
4	F	89	GLU	12.0
4	F	177	GLY	11.7
2	B	280	SER	11.5
4	F	134	ALA	10.6
4	F	284[A]	LEU	10.2
2	D	283	TYR	10.0
4	F	101	TYR	9.9
4	F	178	GLN	8.7
2	B	283	TYR	8.5
4	F	137	ARG	8.2
4	F	181	VAL	7.8
4	F	240	LEU	7.7
4	F	251	LYS	7.6
2	B	279	GLY	7.6
4	F	249	TYR	7.4
4	F	241	THR	7.2
4	F	160	ILE	7.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	194	PRO	6.9
1	A	282	TYR	6.9
4	F	199	PHE	6.9
4	F	256	TYR	6.8
4	F	190	LEU	6.5
4	F	132	LEU	6.4
4	F	156	LYS	6.4
4	F	330	ILE	6.3
4	F	243	HIS	6.3
4	F	246	GLN	6.1
4	F	130	VAL	6.1
4	F	170	LEU	6.0
4	F	155	ALA	6.0
4	F	253	TYR	6.0
4	F	103	THR	6.0
4	F	277[A]	THR	6.0
4	F	252	ASN	5.9
4	F	250	SER	5.8
4	F	353[A]	VAL	5.6
4	F	285	LEU	5.6
4	F	278	THR	5.6
4	F	338	CYS	5.6
4	F	245	ILE	5.6
4	F	128	ARG	5.5
4	F	158	GLU	5.4
4	F	223	THR	5.4
4	F	206	LEU	5.3
4	F	154	GLY	5.3
4	F	220[A]	VAL	5.1
4	F	247	LYS	5.1
4	F	320	MET	5.1
4	F	147	TRP	5.1
4	F	236	LYS	5.0
4	F	271[A]	LEU	5.0
4	F	150	LYS	5.0
4	F	201	ILE	5.0
4	F	319	PHE	5.0
4	F	186	LEU	5.0
4	F	204	TRP	4.9
4	F	192	LEU	4.9
4	F	244	CYS	4.8
4	F	129	GLU	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	100	ILE	4.7
4	F	179	VAL	4.6
4	F	259	GLY	4.6
4	F	336	PRO	4.6
4	F	153	ALA	4.5
4	F	337	ALA	4.5
4	F	131	PHE	4.5
4	F	105	LEU	4.5
4	F	191	LEU	4.5
4	F	327	VAL	4.5
4	F	279	LEU	4.5
4	F	375	PHE	4.4
4	F	184	LYS	4.4
4	F	157	GLY	4.4
4	F	332	VAL	4.4
4	F	180	HIS	4.4
4	F	182	ILE	4.4
4	F	144	GLY	4.3
4	F	263	PHE	4.3
2	B	282	GLN	4.3
4	F	149	ALA	4.3
4	F	317	PHE	4.3
4	F	239	HIS	4.2
4	F	159	GLY	4.2
4	F	127	GLU	4.2
4	F	233	PHE	4.1
2	D	177	VAL	4.1
4	F	169	LEU	4.1
4	F	257	GLU	4.1
4	F	148	ILE	4.0
4	F	275[A]	LEU	4.0
4	F	372	THR	4.0
4	F	376	ILE	4.0
4	F	102	PRO	4.0
4	F	98	TYR	3.9
4	F	151	SER	3.9
4	F	6	VAL	3.9
4	F	183	GLN	3.9
4	F	258	GLU	3.9
4	F	255[A]	ARG	3.8
4	F	138	ARG	3.8
4	F	339	ALA	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	197	ARG	3.7
4	F	248	GLU	3.7
4	F	283	ILE	3.7
2	D	404	PHE	3.7
4	F	136	ASN	3.6
4	F	280	GLU	3.6
4	F	269	GLN	3.5
4	F	371	PRO	3.5
4	F	328	TRP	3.5
4	F	261	GLU	3.5
4	F	329	LEU	3.4
4	F	272	MET	3.4
4	F	291	ILE	3.4
4	F	99	VAL	3.3
4	F	350	ILE	3.3
4	F	203	SER	3.3
4	F	162	ILE	3.3
4	F	268	ASN	3.2
4	F	140	GLU	3.2
4	F	164	SER	3.2
4	F	321	VAL	3.2
2	B	285	ALA	3.2
4	F	44	ARG	3.2
4	F	163	SER	3.1
2	D	400	ARG	3.1
2	D	248	LEU	3.1
4	F	152	SER	3.1
4	F	198	LYS	3.1
4	F	237	THR	3.1
1	A	438	ASP	3.1
1	A	439	SER	3.1
2	B	57	THR	3.0
4	F	90	SER	3.0
4	F	346	LEU	2.9
4	F	267	PHE	2.8
2	D	429	VAL	2.8
2	D	179	ASP	2.8
2	D	397	ALA	2.8
2	B	284	ARG	2.8
4	F	142	ARG	2.8
4	F	104	ASN	2.8
4	F	146	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	195	GLY	2.7
4	F	17	VAL	2.7
2	D	401	ARG	2.7
4	F	167	SER	2.7
4	F	221	LEU	2.7
4	F	343	TYR	2.6
2	B	1	MET	2.6
4	F	176	GLN	2.6
4	F	64	TYR	2.6
4	F	73	ARG	2.6
4	F	262	MET	2.5
4	F	216	TYR	2.5
4	F	276	ASN	2.5
4	F	207	VAL	2.5
1	C	357	TYR	2.5
4	F	231	ALA	2.5
4	F	227	PRO	2.5
2	D	187	ALA	2.5
3	E	45	PRO	2.5
4	F	270	TYR	2.4
3	E	28	SER	2.4
4	F	341	LYS	2.4
4	F	45	ASN	2.4
4	F	214	TYR	2.4
2	D	307	PRO	2.4
4	F	238	CYS	2.4
2	B	59	ASN	2.3
4	F	377	LYS	2.3
4	F	222	ARG	2.3
4	F	5	VAL	2.3
4	F	193	GLU	2.3
3	E	24	LEU	2.3
4	F	333	ASN	2.3
4	F	225	SER	2.2
4	F	282	SER	2.2
1	C	302[A]	MET	2.2
2	D	94	PHE	2.2
4	F	315	PHE	2.2
4	F	95	PRO	2.2
4	F	228	TYR	2.2
4	F	378[A]	LEU	2.2
4	F	349	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	264	PHE	2.2
2	D	440	ALA	2.2
4	F	85	PRO	2.2
2	D	16	ILE	2.1
3	E	140	LYS	2.1
4	F	188	LYS	2.1
4	F	213	ILE	2.0
2	D	282	GLN	2.0
4	F	14	TYR	2.0
4	F	287	ILE	2.0
3	E	6	MET	2.0
4	F	172	PHE	2.0
4	F	347	CYS	2.0
4	F	354	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	CA	B	505	1/1	0.75	0.20	97,97,97,97	0
7	CA	B	506	1/1	0.79	0.21	99,99,99,99	0
10	EP	B	504	34/34	0.87	0.17	53,68,78,108	0
9	POU	D	503	38/38	0.88	0.30	43,84,113,114	0
6	MG	C	502	1/1	0.90	0.19	36,36,36,36	0
10	EP	D	504	34/34	0.90	0.25	49,67,73,82	0
9	POU	B	503	38/38	0.92	0.13	37,56,88,96	0
11	MES	B	507	12/12	0.94	0.14	51,61,73,81	0
8	GDP	D	501	28/28	0.96	0.14	40,59,72,75	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	MG	B	502	1/1	0.96	0.23	24,24,24,24	0
6	MG	D	502	1/1	0.97	0.06	64,64,64,64	0
5	GTP	A	501	32/32	0.98	0.14	24,32,39,49	0
5	GTP	C	501	32/32	0.98	0.14	17,27,40,53	0
6	MG	A	502	1/1	0.98	0.13	33,33,33,33	0
7	CA	A	503	1/1	0.98	0.15	66,66,66,66	0
8	GDP	B	501	28/28	0.99	0.19	23,29,36,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around POU D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EP D 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around POU B 503:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GDP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.