



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 16, 2021 – 02:13 pm BST

PDB ID : 7O4T
Title : Structure of Mycobacterium tuberculosis beta-oxidation trifunctional enzyme with Coenzyme A bound at the hydratase, thiolase active sites and possible additional binding site (CoA(ECH/HAD))
Authors : Dalwani, S.; Wierenga, R.K.; Venkatesan, R.
Deposited on : 2021-04-07
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	736	94% 5% .
1	B	736	92% 7% .
2	C	403	92% 8%
2	D	403	92% 8%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 17555 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-hydroxyacyl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	729	5424	3430	936	1037	21	0	1	0
1	B	729	5405	3420	931	1033	21	0	1	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	MET	-	initiating methionine	UNP O53872
A	-14	GLY	-	expression tag	UNP O53872
A	-13	SER	-	expression tag	UNP O53872
A	-12	SER	-	expression tag	UNP O53872
A	-11	HIS	-	expression tag	UNP O53872
A	-10	HIS	-	expression tag	UNP O53872
A	-9	HIS	-	expression tag	UNP O53872
A	-8	HIS	-	expression tag	UNP O53872
A	-7	HIS	-	expression tag	UNP O53872
A	-6	HIS	-	expression tag	UNP O53872
A	-5	SER	-	expression tag	UNP O53872
A	-4	GLN	-	expression tag	UNP O53872
A	-3	ASP	-	expression tag	UNP O53872
A	-2	PRO	-	expression tag	UNP O53872
A	-1	ASN	-	expression tag	UNP O53872
A	0	SER	-	expression tag	UNP O53872
B	-15	MET	-	initiating methionine	UNP O53872
B	-14	GLY	-	expression tag	UNP O53872
B	-13	SER	-	expression tag	UNP O53872
B	-12	SER	-	expression tag	UNP O53872
B	-11	HIS	-	expression tag	UNP O53872
B	-10	HIS	-	expression tag	UNP O53872
B	-9	HIS	-	expression tag	UNP O53872
B	-8	HIS	-	expression tag	UNP O53872
B	-7	HIS	-	expression tag	UNP O53872

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	HIS	-	expression tag	UNP O53872
B	-5	SER	-	expression tag	UNP O53872
B	-4	GLN	-	expression tag	UNP O53872
B	-3	ASP	-	expression tag	UNP O53872
B	-2	PRO	-	expression tag	UNP O53872
B	-1	ASN	-	expression tag	UNP O53872
B	0	SER	-	expression tag	UNP O53872

- Molecule 2 is a protein called Putative acyltransferase Rv0859.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	402	Total	C	N	O	S	0	2	0
			2974	1857	526	576	15			
2	D	403	Total	C	N	O	S	0	3	0
			2984	1864	528	577	15			

- Molecule 3 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
3	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
3	B	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
3	C	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
3	D	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C O		
4	A	1	Total 6	C O 3 3	0	0
4	A	1	Total 6	C O 3 3	0	0
4	B	1	Total 6	C O 3 3	0	0

- Molecule 5 is 3'-PHOSPHATE-ADENOSINE-5'-DIPHOSPHATE (three-letter code: PAP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
6	A	1	5	4	1	0	0
6	A	1	5	4	1	0	0
6	A	1	5	4	1	0	0
6	A	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	B	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	C	1	5	4	1	0	0
6	D	1	5	4	1	0	0
6	D	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	60	Total	O	0	0
			60	60		
7	B	73	Total	O	0	0
			73	73		
7	C	73	Total	O	0	0
			73	73		
7	D	59	Total	O	0	0
			59	59		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: 3-hydroxyacyl-CoA dehydrogenase

Chain A:  94% 5%





- Molecule 1: 3-hydroxyacyl-CoA dehydrogenase

Chain B:  92% 7%



- Molecule 2: Putative acyltransferase Rv0859

Chain C:  92% 8%



- Molecule 2: Putative acyltransferase Rv0859

Chain D:  92% 8%





4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	247.54Å 136.25Å 117.80Å 90.00° 110.50° 90.00°	Depositor
Resolution (Å)	58.74 – 2.10	Depositor
% Data completeness (in resolution range)	99.6 (58.74-2.10)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.206 , 0.234	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	17555	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PAP, COA, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/5530	0.41	0/7487
1	B	0.25	0/5510	0.41	0/7460
2	C	0.24	0/3025	0.45	0/4096
2	D	0.24	0/3035	0.44	0/4110
All	All	0.24	0/17100	0.42	0/23153

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5424	0	5444	18	0
1	B	5405	0	5429	29	0
2	C	2974	0	2989	20	0
2	D	2984	0	3003	24	0
3	A	96	0	64	1	0
3	B	96	0	64	1	0
3	C	48	0	32	1	0
3	D	48	0	32	0	0
4	A	12	0	16	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	6	0	8	0	0
5	A	31	0	11	0	0
5	B	31	0	11	0	0
6	A	30	0	0	0	0
6	B	40	0	0	0	0
6	C	35	0	0	0	0
6	D	30	0	0	0	0
7	A	60	0	0	0	0
7	B	73	0	0	0	0
7	C	73	0	0	1	0
7	D	59	0	0	1	0
All	All	17555	0	17103	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 84 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:THR:HG23	3:A:802:COA:H142	1.76	0.67
1:B:462:HIS:HB3	1:B:474:GLU:HB3	1.78	0.66
2:D:197[A]:GLN:OE1	7:D:601:HOH:O	2.15	0.63
2:D:99:VAL:HG13	2:D:269:ILE:HD11	1.84	0.60
2:C:81:VAL:HG11	2:D:296:PRO:HD3	1.84	0.59

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	726/736 (99%)	709 (98%)	16 (2%)	1 (0%)	51 54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	726/736 (99%)	707 (97%)	19 (3%)	0	100	100
2	C	402/403 (100%)	394 (98%)	7 (2%)	1 (0%)	47	49
2	D	404/403 (100%)	392 (97%)	11 (3%)	1 (0%)	47	49
All	All	2258/2278 (99%)	2202 (98%)	53 (2%)	3 (0%)	51	54

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	361	LEU
2	D	361	LEU
1	A	556	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	557/566 (98%)	554 (100%)	3 (0%)	88	92
1	B	554/566 (98%)	553 (100%)	1 (0%)	93	96
2	C	310/310 (100%)	309 (100%)	1 (0%)	92	95
2	D	311/310 (100%)	308 (99%)	3 (1%)	76	82
All	All	1732/1752 (99%)	1724 (100%)	8 (0%)	91	92

5 of 8 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	346	GLU
2	D	197[B]	GLN
2	C	245	VAL
1	B	556	ASN
2	D	197[A]	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

38 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SO4	A	811	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	C	507	-	4,4,4	0.13	0	6,6,6	0.06	0
6	SO4	B	808	-	4,4,4	0.14	0	6,6,6	0.04	0
5	PAP	A	805	-	28,33,33	0.94	1 (3%)	35,52,52	1.26	3 (8%)
6	SO4	B	812	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	D	504	-	4,4,4	0.14	0	6,6,6	0.04	0
5	PAP	B	804	-	28,33,33	0.93	1 (3%)	35,52,52	1.26	3 (8%)
3	COA	A	801	-	41,50,50	0.59	0	52,75,75	0.74	2 (3%)
6	SO4	C	506	-	4,4,4	0.14	0	6,6,6	0.04	0
3	COA	B	801	-	41,50,50	0.58	0	52,75,75	0.74	2 (3%)
3	COA	B	803	-	41,50,50	0.58	0	52,75,75	0.88	3 (5%)
3	COA	D	501	-	41,50,50	0.59	0	52,75,75	0.71	1 (1%)
6	SO4	D	505	-	4,4,4	0.14	0	6,6,6	0.05	0
3	COA	C	501	-	41,50,50	0.58	0	52,75,75	0.77	2 (3%)
6	SO4	A	810	-	4,4,4	0.14	0	6,6,6	0.04	0
6	SO4	D	506	-	4,4,4	0.15	0	6,6,6	0.04	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	COA	A	802	-	41,50,50	0.65	1 (2%)	52,75,75	0.87	2 (3%)
6	SO4	A	809	-	4,4,4	0.14	0	6,6,6	0.04	0
4	GOL	A	804	-	5,5,5	0.91	0	5,5,5	0.99	0
6	SO4	A	808	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	C	504	-	4,4,4	0.14	0	6,6,6	0.05	0
4	GOL	A	803	-	5,5,5	0.94	0	5,5,5	0.98	0
6	SO4	B	807	-	4,4,4	0.14	0	6,6,6	0.04	0
6	SO4	B	806	-	4,4,4	0.14	0	6,6,6	0.05	0
4	GOL	B	802	-	5,5,5	0.90	0	5,5,5	1.01	0
6	SO4	D	507	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	D	502	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	A	807	-	4,4,4	0.14	0	6,6,6	0.06	0
6	SO4	C	503	-	4,4,4	0.13	0	6,6,6	0.06	0
6	SO4	C	502	-	4,4,4	0.15	0	6,6,6	0.05	0
6	SO4	C	505	-	4,4,4	0.14	0	6,6,6	0.04	0
6	SO4	B	811	-	4,4,4	0.14	0	6,6,6	0.04	0
6	SO4	B	809	-	4,4,4	0.13	0	6,6,6	0.06	0
6	SO4	B	810	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	D	503	-	4,4,4	0.15	0	6,6,6	0.04	0
6	SO4	A	806	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	C	508	-	4,4,4	0.14	0	6,6,6	0.05	0
6	SO4	B	805	-	4,4,4	0.14	0	6,6,6	0.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	COA	B	803	-	-	17/44/64/64	0/3/3/3
4	GOL	A	803	-	-	0/4/4/4	-
3	COA	D	501	-	-	6/44/64/64	0/3/3/3
3	COA	C	501	-	-	6/44/64/64	0/3/3/3
3	COA	A	802	-	-	14/44/64/64	0/3/3/3
5	PAP	A	805	-	-	4/17/37/37	0/3/3/3
4	GOL	A	804	-	-	0/4/4/4	-
4	GOL	B	802	-	-	0/4/4/4	-
5	PAP	B	804	-	-	9/17/37/37	0/3/3/3
3	COA	A	801	-	-	4/44/64/64	0/3/3/3
3	COA	B	801	-	-	6/44/64/64	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	805	PAP	C5-C4	2.47	1.47	1.40
5	B	804	PAP	C5-C4	2.46	1.47	1.40
3	A	802	COA	P3B-O3B	2.41	1.63	1.59

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	805	PAP	N3-C2-N1	-3.18	123.70	128.68
5	B	804	PAP	N3-C2-N1	-3.16	123.74	128.68
3	A	802	COA	O4B-C1B-C2B	-2.85	102.76	106.93
5	B	804	PAP	C4-C5-N7	-2.81	106.47	109.40
5	A	805	PAP	PA-O3A-PB	-2.80	123.21	132.83

There are no chirality outliers.

5 of 66 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	801	COA	O9P-C9P-CAP-OAP
3	A	801	COA	N8P-C9P-CAP-OAP
3	A	802	COA	C3B-C4B-C5B-O5B
3	A	802	COA	C5B-O5B-P1A-O3A
3	A	802	COA	CDP-CBP-CCP-O6A


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	801	COA	1	0
3	C	501	COA	1	0
3	A	802	COA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.