



# Full wwPDB X-ray Structure Validation Report i

May 23, 2020 – 05:06 pm BST

PDB ID : 1O5T  
Title : Crystal structure of the aminoacylation catalytic fragment of human tryptophanyl-tRNA synthetase  
Authors : Yu, Y.; Liu, Y.; Shen, N.; Xu, X.; Jia, J.; Jin, Y.; Arnold, E.; Ding, J.  
Deposited on : 2003-10-05  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see references ①) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	A	378	9%	55%	40%	5%

## 2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 3163 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tryptophanyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	378	Total	C 3056	N 1960	O 517	S 564	15	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	107	Total O 107 107	0	0

### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tryptophanyl-tRNA synthetase



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	82.24Å    82.24Å    263.56Å 90.00°    90.00°    120.00°	Depositor
Resolution (Å)	29.51 – 2.50 29.51 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.0 (29.51-2.50) 99.0 (29.51-2.50)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.92 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
$R$ , $R_{free}$	0.245 , 0.296 0.246 , 0.255	Depositor DCC
$R_{free}$ test set	973 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	57.0	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 48.0	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.46$ , $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3163	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/3130	0.62	0/4220

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3056	0	3014	188	0
2	A	107	0	0	9	0
All	All	3163	0	3014	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:THR:HG22	1:A:210:GLN:H	1.23	1.01
1:A:95:ALA:HB3	1:A:395:ASP:HB2	1.44	0.98
1:A:453:THR:H	1:A:456:ILE:HD12	1.28	0.95
1:A:393:ASN:HD21	1:A:396:VAL:HG13	1.31	0.92

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:LEU:HD21	1:A:361:LEU:HD21	1.54	0.88
1:A:207:THR:HG23	1:A:209:ASP:H	1.40	0.85
1:A:394:CYS:HB3	1:A:400:PHE:CD2	2.10	0.85
1:A:259:THR:HG23	1:A:262:GLN:HE21	1.43	0.81
1:A:344:GLN:HE22	1:A:357:SER:HA	1.44	0.80
1:A:227:PHE:HB3	1:A:232:THR:HG21	1.62	0.80
1:A:345:GLY:H	1:A:377:PHE:HB2	1.46	0.79
1:A:112:ILE:HG23	1:A:116:LEU:HD23	1.68	0.76
1:A:459:GLU:O	1:A:464:ARG:NH1	2.19	0.75
1:A:100:TYR:CZ	1:A:338:THR:HB	2.21	0.75
1:A:259:THR:HG23	1:A:262:GLN:NE2	2.03	0.74
1:A:112:ILE:HD12	1:A:137:PHE:O	1.87	0.74
1:A:174:LEU:HD21	1:A:361:LEU:HD11	1.70	0.74
1:A:381:ARG:HD2	1:A:386:GLU:OE2	1.91	0.71
1:A:431:LYS:O	1:A:435:ILE:HG13	1.89	0.71
1:A:140:HIS:HD2	1:A:143:MET:H	1.39	0.70
1:A:100:TYR:HH	1:A:339:PHE:HD2	1.38	0.69
1:A:384:ILE:O	1:A:388:ARG:HG2	1.93	0.69
1:A:164:PRO:HA	1:A:218:ASN:OD1	1.92	0.69
1:A:169:MET:HG3	1:A:173:HIS:ND1	2.09	0.68
1:A:190:PRO:HD3	1:A:468:PHE:CG	2.29	0.67
1:A:328:GLY:HA2	2:A:507:HOH:O	1.95	0.67
1:A:95:ALA:CB	1:A:393:ASN:ND2	2.57	0.67
1:A:393:ASN:ND2	1:A:396:VAL:HG13	2.06	0.66
1:A:124:THR:HB	1:A:186:VAL:CG1	2.26	0.66
1:A:207:THR:HG22	1:A:210:GLN:N	2.04	0.65
1:A:95:ALA:CB	1:A:393:ASN:HD22	2.09	0.64
1:A:171:VAL:HG13	1:A:406:PHE:CZ	2.32	0.64
1:A:432:LYS:HD3	2:A:506:HOH:O	1.97	0.64
1:A:174:LEU:CD2	1:A:361:LEU:HD21	2.24	0.64
1:A:208:LEU:CD1	1:A:238:LEU:HD13	2.27	0.64
1:A:140:HIS:CD2	1:A:143:MET:H	2.16	0.63
1:A:141:ARG:NH1	1:A:314:ASP:OD1	2.32	0.63
1:A:192:VAL:HG13	1:A:235:PHE:HE1	1.64	0.63
1:A:342:ALA:HB3	1:A:348:THR:HB	1.82	0.62
1:A:435:ILE:O	1:A:439:GLN:HG3	2.00	0.62
1:A:207:THR:CG2	1:A:209:ASP:H	2.11	0.61
1:A:259:THR:H	1:A:262:GLN:NE2	1.98	0.61
1:A:139:SER:HB3	1:A:336:HIS:HB2	1.81	0.61
1:A:174:LEU:HD21	1:A:361:LEU:CD2	2.28	0.61
1:A:184:GLN:OE1	1:A:232:THR:HG22	2.00	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:ASP:O	1:A:117:ILE:HG13	2.01	0.60
1:A:296:ILE:HG23	1:A:466:LEU:HD21	1.84	0.60
1:A:153:LYS:HA	1:A:470:PHE:CE2	2.36	0.60
1:A:164:PRO:O	1:A:200:LYS:HG3	2.02	0.60
1:A:321:ARG:O	1:A:331:LYS:HE3	2.00	0.59
1:A:389:GLN:HG3	1:A:390:PHE:CD1	2.38	0.59
1:A:199:GLU:HB2	1:A:280:PHE:CE2	2.37	0.59
1:A:250:ASN:ND2	1:A:292:SER:OG	2.36	0.59
1:A:199:GLU:HB2	1:A:280:PHE:CZ	2.37	0.59
1:A:312:ASP:O	1:A:315:PRO:HD2	2.03	0.59
1:A:182:TRP:CE2	1:A:186:VAL:HG21	2.37	0.58
1:A:360:PHE:C	1:A:362:THR:H	2.05	0.58
1:A:440:PRO:O	1:A:444:GLU:HB3	2.03	0.58
1:A:311:ILE:HD13	1:A:311:ILE:O	2.04	0.58
1:A:160:THR:O	1:A:193:ILE:HA	2.04	0.57
1:A:348:THR:HG22	1:A:349:LYS:N	2.18	0.57
1:A:191:LEU:HD21	1:A:193:ILE:HD11	1.87	0.57
1:A:208:LEU:HD13	1:A:238:LEU:HD13	1.87	0.57
1:A:139:SER:OG	1:A:336:HIS:HD2	1.88	0.56
1:A:142:ASP:HB3	1:A:145:GLN:NE2	2.21	0.56
1:A:381:ARG:NH2	1:A:390:PHE:HD2	2.03	0.56
1:A:193:ILE:HD13	1:A:222:ILE:HD11	1.87	0.56
1:A:193:ILE:HD13	1:A:222:ILE:CD1	2.36	0.55
1:A:250:ASN:HD21	1:A:291:ASN:ND2	2.04	0.55
1:A:393:ASN:HD21	1:A:396:VAL:CG1	2.13	0.54
1:A:114:LYS:HD3	1:A:117:ILE:HD12	1.89	0.54
1:A:318:ARG:HH11	1:A:318:ARG:HG2	1.72	0.54
1:A:344:GLN:NE2	1:A:357:SER:HA	2.19	0.54
1:A:345:GLY:N	1:A:377:PHE:HB2	2.18	0.53
1:A:399:SER:HB2	2:A:486:HOH:O	2.09	0.53
1:A:208:LEU:HD11	1:A:238:LEU:HD13	1.91	0.53
1:A:368:ILE:O	1:A:372:VAL:HG23	2.08	0.53
1:A:324:ALA:HB3	1:A:325:PRO:HD3	1.91	0.53
1:A:253:LYS:O	1:A:257:HIS:HD2	1.90	0.52
1:A:174:LEU:HD21	1:A:361:LEU:CD1	2.39	0.52
1:A:296:ILE:HG12	1:A:466:LEU:HD22	1.92	0.52
1:A:165:SER:C	1:A:167:GLU:H	2.12	0.52
1:A:251:VAL:O	1:A:255:GLN:HG3	2.10	0.52
1:A:377:PHE:HB3	1:A:398:VAL:HG23	1.92	0.52
1:A:186:VAL:O	1:A:186:VAL:HG12	2.09	0.51
1:A:462:THR:O	1:A:464:ARG:HD3	2.11	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:ASP:O	1:A:401:MET:HG3	2.10	0.51
1:A:356:ASN:ND2	1:A:375:HIS:NE2	2.58	0.50
1:A:298:ARG:O	1:A:298:ARG:HG3	2.10	0.50
1:A:453:THR:OG1	1:A:456:ILE:HG13	2.12	0.50
1:A:401:MET:O	1:A:404:THR:HB	2.11	0.50
1:A:427:THR:O	1:A:431:LYS:HD3	2.12	0.50
1:A:311:ILE:HG12	1:A:336:HIS:HB3	1.93	0.50
1:A:388:ARG:CZ	1:A:426:LEU:HD21	2.42	0.50
1:A:142:ASP:HA	1:A:144:ASN:OD1	2.12	0.50
1:A:182:TRP:NE1	1:A:186:VAL:HG21	2.26	0.50
1:A:259:THR:CG2	1:A:262:GLN:HE21	2.21	0.49
1:A:318:ARG:HH11	1:A:318:ARG:CG	2.24	0.49
1:A:95:ALA:HB2	1:A:393:ASN:HB2	1.95	0.49
1:A:294:PRO:HA	1:A:298:ARG:HA	1.94	0.49
1:A:158:LEU:HD23	1:A:306:LEU:HB3	1.94	0.49
1:A:145:GLN:NE2	1:A:304:GLN:HE22	2.11	0.48
1:A:150:TYR:CE1	1:A:470:PHE:CE1	3.01	0.48
1:A:286:ALA:N	1:A:287:PRO:HD2	2.28	0.48
1:A:356:ASN:HD22	1:A:375:HIS:CD2	2.31	0.48
1:A:346:ALA:O	1:A:347:GLN:HB2	2.11	0.48
1:A:229:ILE:HB	1:A:460:PHE:CZ	2.48	0.48
1:A:296:ILE:HG12	1:A:466:LEU:CD2	2.43	0.48
1:A:140:HIS:CD2	1:A:143:MET:HB3	2.49	0.48
1:A:207:THR:HG23	1:A:208:LEU:N	2.28	0.48
1:A:193:ILE:HG21	1:A:222:ILE:HD12	1.95	0.48
1:A:339:PHE:HB2	1:A:347:GLN:OE1	2.14	0.48
1:A:171:VAL:HA	1:A:174:LEU:HD23	1.95	0.48
1:A:394:CYS:HB3	1:A:400:PHE:CG	2.49	0.47
1:A:105:VAL:HG22	2:A:534:HOH:O	2.15	0.47
1:A:249:LYS:O	1:A:253:LYS:HG3	2.14	0.47
1:A:469:ASP:HB3	1:A:470:PHE:CD1	2.49	0.47
1:A:167:GLU:O	1:A:169:MET:N	2.40	0.47
1:A:193:ILE:CD1	1:A:222:ILE:HD11	2.44	0.47
1:A:207:THR:N	1:A:210:GLN:OE1	2.45	0.47
1:A:299:ASP:HB3	2:A:510:HOH:O	2.15	0.47
1:A:262:GLN:O	1:A:266:ILE:HG13	2.14	0.46
1:A:359:ILE:HD12	1:A:359:ILE:N	2.30	0.46
1:A:196:THR:HB	1:A:199:GLU:HB3	1.97	0.46
1:A:141:ARG:HH12	1:A:314:ASP:CG	2.17	0.46
1:A:420:TYR:CE1	1:A:430:LEU:HD12	2.51	0.46
1:A:301:THR:HG22	1:A:301:THR:O	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:THR:HG22	1:A:349:LYS:H	1.80	0.46
1:A:360:PHE:C	1:A:362:THR:N	2.69	0.46
1:A:136:ILE:O	1:A:338:THR:HG23	2.16	0.46
1:A:167:GLU:O	1:A:167:GLU:HG2	2.16	0.46
1:A:184:GLN:HG2	1:A:231:LYS:NZ	2.31	0.46
1:A:228:ASP:O	1:A:232:THR:HG23	2.16	0.45
1:A:152:ASN:O	1:A:153:LYS:HG2	2.15	0.45
1:A:381:ARG:HE	1:A:390:PHE:HB3	1.80	0.45
1:A:446:GLN:HG2	2:A:482:HOH:O	2.17	0.45
1:A:98:ILE:HD13	1:A:347:GLN:NE2	2.31	0.45
1:A:219:ALA:O	1:A:223:ILE:HG13	2.16	0.45
1:A:174:LEU:CD2	1:A:361:LEU:HD11	2.45	0.45
1:A:207:THR:HG23	1:A:209:ASP:N	2.20	0.45
1:A:344:GLN:CD	1:A:344:GLN:H	2.20	0.45
1:A:398:VAL:HA	1:A:401:MET:HE3	1.98	0.45
1:A:297:PHE:O	1:A:298:ARG:C	2.55	0.45
1:A:141:ARG:NH1	1:A:314:ASP:CG	2.70	0.45
1:A:460:PHE:HA	1:A:464:ARG:HH12	1.82	0.45
1:A:165:SER:C	1:A:167:GLU:N	2.71	0.44
1:A:207:THR:CG2	1:A:209:ASP:N	2.78	0.44
1:A:387:HIS:HD2	1:A:426:LEU:HD22	1.82	0.44
1:A:186:VAL:CG1	1:A:186:VAL:O	2.64	0.44
1:A:147:LEU:O	1:A:148:ASP:C	2.56	0.43
1:A:398:VAL:HA	1:A:401:MET:CE	2.48	0.43
1:A:145:GLN:HE21	1:A:304:GLN:HE22	1.65	0.43
1:A:408:GLU:HG2	2:A:550:HOH:O	2.18	0.43
1:A:153:LYS:CA	1:A:470:PHE:CE2	3.02	0.43
1:A:393:ASN:OD1	1:A:396:VAL:HG22	2.18	0.43
1:A:121:GLU:HB2	1:A:128:PRO:HD3	2.00	0.43
1:A:153:LYS:HB2	1:A:470:PHE:CE2	2.54	0.43
1:A:453:THR:HG23	1:A:456:ILE:HD12	2.00	0.42
1:A:344:GLN:H	1:A:344:GLN:NE2	2.17	0.42
1:A:280:PHE:CE1	1:A:283:ILE:HB	2.54	0.42
1:A:171:VAL:HG12	1:A:340:PHE:CZ	2.54	0.42
1:A:95:ALA:HB2	1:A:393:ASN:ND2	2.33	0.42
1:A:471:GLN:OXT	1:A:471:GLN:HG3	2.19	0.42
1:A:420:TYR:CD1	1:A:430:LEU:HD12	2.53	0.42
1:A:114:LYS:HD3	1:A:114:LYS:HA	1.91	0.41
1:A:116:LEU:O	1:A:119:ARG:HB3	2.20	0.41
1:A:96:LYS:O	2:A:548:HOH:O	2.22	0.41
1:A:136:ILE:HD11	1:A:404:THR:HG22	2.01	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:GLN:HG2	2:A:533:HOH:O	2.21	0.41
1:A:170:HIS:CD2	1:A:172:GLY:H	2.39	0.41
1:A:164:PRO:HB3	1:A:214:TYR:CB	2.51	0.41
1:A:153:LYS:HB2	1:A:470:PHE:HE2	1.86	0.41
1:A:129:HIS:CE1	1:A:130:HIS:CE1	3.08	0.41
1:A:140:HIS:CD2	1:A:143:MET:CB	3.04	0.41
1:A:446:GLN:O	1:A:450:LYS:HG3	2.20	0.41
1:A:381:ARG:NH2	1:A:390:PHE:CD2	2.87	0.41
1:A:318:ARG:NH1	1:A:318:ARG:CG	2.84	0.40
1:A:170:HIS:CE1	1:A:173:HIS:NE2	2.89	0.40
1:A:387:HIS:CD2	1:A:426:LEU:HD22	2.56	0.40
1:A:229:ILE:HA	1:A:460:PHE:CE1	2.56	0.40
1:A:164:PRO:HB3	1:A:214:TYR:HB2	2.03	0.40
1:A:190:PRO:HD3	1:A:468:PHE:CB	2.51	0.40
1:A:100:TYR:OH	1:A:338:THR:HB	2.20	0.40
1:A:104:ILE:CD1	1:A:139:SER:HB2	2.51	0.40
1:A:260:PHE:CE1	1:A:264:LYS:HG3	2.57	0.40
1:A:348:THR:CG2	1:A:349:LYS:N	2.83	0.40
1:A:372:VAL:HG12	1:A:431:LYS:HG3	2.02	0.40
1:A:231:LYS:HA	1:A:466:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	376/378 (100%)	344 (92%)	28 (7%)	4 (1%)	14 26

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	298	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	345	GLY
1	A	381	ARG
1	A	355	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	334/334 (100%)	317 (95%)	17 (5%)	24 45

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ILE
1	A	203	TRP
1	A	207	THR
1	A	208	LEU
1	A	222	ILE
1	A	270	THR
1	A	291	ASN
1	A	299	ASP
1	A	311	ILE
1	A	318	ARG
1	A	362	THR
1	A	395	ASP
1	A	408	GLU
1	A	430	LEU
1	A	444	GLU
1	A	464	ARG
1	A	466	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	145	GLN
1	A	170	HIS
1	A	257	HIS
1	A	262	GLN
1	A	284	GLN
1	A	291	ASN
1	A	336	HIS
1	A	344	GLN
1	A	387	HIS
1	A	393	ASN
1	A	439	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	378/378 (100%)	0.43	34 (8%) <span style="background-color: red; border: 1px solid black; padding: 2px;">9</span> <span style="background-color: red; border: 1px solid black; padding: 2px;">9</span>	36, 61, 111, 155	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	352	ALA	10.8
1	A	94	SER	10.4
1	A	347	GLN	10.1
1	A	95	ALA	8.8
1	A	348	THR	7.8
1	A	96	LYS	6.5
1	A	98	ILE	6.4
1	A	353	SER	6.1
1	A	349	LYS	4.2
1	A	390	PHE	4.1
1	A	159	TYR	3.9
1	A	354	ASP	3.9
1	A	470	PHE	3.8
1	A	167	GLU	3.6
1	A	346	ALA	3.5
1	A	166	SER	3.4
1	A	100	TYR	3.1
1	A	387	HIS	3.0
1	A	351	SER	3.0
1	A	97	GLY	2.7
1	A	102	LYS	2.6
1	A	193	ILE	2.5
1	A	305	CYS	2.4
1	A	168	ALA	2.4
1	A	299	ASP	2.4
1	A	288	SER	2.3
1	A	355	PRO	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	307	ILE	2.3
1	A	154	LYS	2.3
1	A	306	LEU	2.3
1	A	383	THR	2.2
1	A	105	VAL	2.2
1	A	350	MET	2.1
1	A	160	THR	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.