



## Full wwPDB EM Validation Report ⓘ

Mar 9, 2024 – 01:13 PM EST

PDB ID : 6O8X  
EMDB ID : EMD-0657  
Title : Cryo-EM image reconstruction of the 70S Ribosome *Enterococcus faecalis* Class02  
Authors : Jogl, G.; Khayat, R.  
Deposited on : 2019-03-12  
Resolution : 3.68 Å (reported)  
Based on initial models : 4YBB, 5LI0

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	a	1528	
2	c	204	
3	d	201	
4	e	163	
5	f	97	
6	g	154	
7	h	131	
8	i	128	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	j	99	8% 98%
10	k	117	100%
11	l	136	98%
12	m	112	10% 100%
13	n	60	98%
14	o	88	98%
15	p	89	99%
16	q	83	96%
17	r	66	97%
18	s	78	6% 99%
19	t	81	98%
20	A	2903	70% 27%
21	B	116	68% 28%
22	C	275	99%
23	D	207	98%
24	E	206	99%
25	F	177	99%
26	G	176	98%
27	K	145	99%
28	L	122	99%
29	M	146	97%
30	N	141	7% 99%
31	O	123	98%
32	P	117	99%
33	Q	114	100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
34	R	118	 97%
35	S	102	 99%
36	T	112	 100%
37	U	89	 97%
38	V	101	 95%
39	W	94	 67% 98%
40	X	76	 97%
41	Y	54	 94% 6%
42	Z	61	 100%
43	0	58	 98%
44	1	60	 5% 100%
45	2	56	 100%
46	3	49	 100%
47	4	44	 98%
48	5	64	 100%
49	6	38	 100%

## 2 Entry composition [i](#)

There are 50 unique types of molecules in this entry. The entry contains 138230 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	a	1528	32746	14609	5979	10630	1528	0	0

- Molecule 2 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	c	204	1610	1012	303	292	3	0	0

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	d	201	1620	1016	303	297	4	0	0

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	e	163	1204	759	222	221	2	0	0

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	f	97	795	501	137	154	3	0	0

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	g	154	1229	765	236	222	6	0	0

- Molecule 7 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	h	131	1041	662	184	193	2	0	0

- Molecule 8 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	i	128	990	615	197	177	1	0	0

- Molecule 9 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	j	99	800	504	147	147	2	0	0

- Molecule 10 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	k	117	863	533	165	161	4	0	0

- Molecule 11 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	l	136	1065	661	214	188	2	0	0

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	m	112	884	540	180	163	1	0	0

- Molecule 13 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	n	60	492	310	100	77	5	0	0

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	o	88	Total	C	N	O	S	0	0
			741	455	152	133	1		

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	p	89	Total	C	N	O	S	0	0
			708	448	131	127	2		

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	q	83	Total	C	N	O	S	0	0
			681	427	127	124	3		

- Molecule 17 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	r	66	Total	C	N	O	S	0	0
			537	343	99	94	1		

- Molecule 18 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	s	78	Total	C	N	O	S	0	0
			634	410	113	109	2		

- Molecule 19 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	t	81	Total	C	N	O	S	0	0
			610	372	119	117	2		

- Molecule 20 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	A	2898	Total	C	N	O	P	0	0
			62196	27761	11436	20101	2898		

- Molecule 21 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
21	B	116	2478	1105	444	813	116	0	0

- Molecule 22 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	C	275	2114	1310	416	381	7	0	0

- Molecule 23 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	D	207	1578	993	292	289	4	0	0

- Molecule 24 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	E	206	1572	984	289	297	2	0	0

- Molecule 25 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	F	177	1391	886	239	260	6	0	0

- Molecule 26 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	G	176	1344	841	244	255	4	0	0

- Molecule 27 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	K	145	1129	713	205	207	4	0	0

- Molecule 28 is a protein called 50S ribosomal protein L14.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	L	122	922	574	176	170	2	0	0

- Molecule 29 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	M	146	1094	676	212	205	1	0	0

- Molecule 30 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	N	141	1117	709	216	185	7	0	0

- Molecule 31 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	O	123	978	603	189	183	3	0	0

- Molecule 32 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	P	117	898	555	175	167	1	0	0

- Molecule 33 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
33	Q	114	924	582	185	157	0	0

- Molecule 34 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	R	115	913	580	172	157	4	0	0

- Molecule 35 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	S	102	783	500	138	143	2	0	0

- Molecule 36 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	T	112	849	532	156	159	2	0	0

- Molecule 37 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	U	89	719	457	127	132	3	0	0

- Molecule 38 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	V	101	763	486	135	140	2	0	0

- Molecule 39 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	W	94	757	478	135	140	4	0	0

- Molecule 40 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
40	X	76	572	351	109	112	0	0

- Molecule 41 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	Y	54	424	265	86	71	2	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	51	ALA	THR	conflict	UNP A0A1B4XRZ8

- Molecule 42 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	Z	61	504	314	94	95	1	0	0

- Molecule 43 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	0	58	435	271	81	82	1	0	0

- Molecule 44 is a protein called 50S ribosomal protein L31 type B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	1	60	475	301	75	97	2	0	0

- Molecule 45 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	2	56	429	262	88	73	6	0	0

- Molecule 46 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	3	49	419	253	86	76	4	0	0

- Molecule 47 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	4	44	373	226	91	54	2	0	0

- Molecule 48 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	5	64	522	320	122	78	2	0	0

- Molecule 49 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	6	38	304	188	66	44	6	0	0


- Molecule 50 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
50	n	1	Total	Zn	0
			1	1	
50	2	1	Total	Zn	0
			1	1	
50	3	1	Total	Zn	0
			1	1	
50	6	1	Total	Zn	0
			1	1	

### 3 Residue-property plots [i](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S rRNA






- Molecule 2: 30S ribosomal protein S3



- Molecule 3: 30S ribosomal protein S4



- Molecule 4: 30S ribosomal protein S5




There are no outlier residues recorded for this chain.

- Molecule 5: 30S ribosomal protein S6



There are no outlier residues recorded for this chain.

- Molecule 6: 30S ribosomal protein S7




- Molecule 7: 30S ribosomal protein S8






- Molecule 8: 30S ribosomal protein S9




- Molecule 9: 30S ribosomal protein S10




- Molecule 10: 30S ribosomal protein S11



- Molecule 11: 30S ribosomal protein S12



- Molecule 12: 30S ribosomal protein S13



- Molecule 13: 30S ribosomal protein S14 type Z



- Molecule 14: 30S ribosomal protein S15



• Molecule 15: 30S ribosomal protein S16




• Molecule 16: 30S ribosomal protein S17




• Molecule 17: 30S ribosomal protein S18



• Molecule 18: 30S ribosomal protein S19



• Molecule 19: 30S ribosomal protein S20




• Molecule 20: 23S rRNA







A	G1777	A1615	C1511	A1421	U1292	G1152	A1088	A964	U885	G741	G610	G451	U989	U168
C	G1778	C1623	A1516	C1422	G1293	C1156	C1089	U965	U886	A755	A611	A452	G300	A169
U	A1782	G1428	G1519	G1428	C1294	C1157	C1092	U966	G887	A756	A612	A453	U301	A179
A	C1785	A1431	A1520	A1431	A1302	G1162	U1093	U975	A888	A758	C621	C476	C309	G180
A1932	G1766	U1432	G1521	U1432	G1303	G1163	A1094	G889	A890	A759	G622	A487	G310	G181
A1933	A1787	U1483	U1525	U1483	U1304	A1187	G1095	G978	A891	C759	A623	U488	A311	U182
U1940	G1790	C1434	U1530	C1434	G1308	A1188	G1096	A985	U892	G766	G624	A494	A312	A183
A1941	U1436	U1436	A1530	U1436	A1309	G1171	U1100	G986	U895	G769	C638	C495	A313	G184
A1942	U1435	U1435	A1531	U1435	A1310	A1172	U1101	G992	G896	A770	G639	C496	A318	A185
G1943	A1531	U1531	G1531	U1531	A1311	A1173	G1102	A993	G897	A770	A640	C497	A189	A189
G1944	A1532	U1532	G1532	U1532	A1317	C1174	G1103	A997	U900	C780	U644	G486	C321	A199
A1952	U1536	U1536	A1536	U1536	A1320	C1175	C1104	U998	U901	U786	U644	U499	U322	A199
U1957	U1539	U1539	A1539	U1539	A1320	C1176	C1105	U999	U902	U787	U645	G323	U322	A202
U1958	U1549	U1549	A1549	U1549	A1323	G1178	U1106	A999	U903	U788	C649	A506	U324	A202
U1959	A1545	U1545	A1545	U1545	A1323	C1180	U1107	A1000	A904	G788	G650	A507	U325	A207
U1969	C1548	U1548	C1548	U1548	U1336	U1181	G1108	G1001	G905	A792	A651	G508	A326	G218
U1970	G1649	G1649	U1551	G1649	U1337	U1182	A1109	G1006	G906	A801	A652	G509	G327	A219
C1976	U1650	U1650	U1551	U1650	U1338	A1183	A1110	A1013	G914	A801	G653	G513	G332	A224
C1977	A1651	U1455	A1552	U1455	U1339	A1184	G1111	A1014	A654	A804	G654	A517	G339	A225
G1978	A1652	G1456	A1552	G1456	C1350	A1185	G1112	A1015	A655	A805	G655	A518	G344	A229
C1979	A1653	A1457	A1559	A1653	U1357	C1183	G1113	A1016	A656	G808	A660	G521	G344	A230
A1980	U1677	U1458	G1560	U1677	A1357	A1186	C1115	G1016	A657	G808	A661	G521	G344	A230
C1981	U1677	U1459	G1560	U1677	A1357	A1187	C1116	G1016	A658	G809	A662	G522	G344	A231
U1829	A1677	C1459	C1459	A1677	U1362	G1188	C1117	G1024	G923	G815	G661	C527	C352	U232
A1984	A1689	A1460	A1566	A1689	U1362	C1189	C1118	G1029	C924	G816	A670	C527	C355	U233
A1985	G1689	U1461	C1567	G1689	U1362	C1190	C1119	G1029	C925	G817	A671	C527	C355	U233
A1986	G1690	U1462	G1568	G1690	U1365	A1120	C1120	A1036	C926	A822	G673	C543	A367	C234
U1986	C1691	G1483	G1366	C1691	U1366	C1211	U1121	A1046	A927	A823	G674	C544	A367	C235
G1989	C1695	G1573	C1379	C1695	U1375	A1212	U1122	G1046	U928	A824	A676	C549	A383	A236
U1989	G1717	G1575	U1376	G1717	U1376	U1213	U1123	G1047	U929	A825	A677	C549	A383	U237
U1996	C1718	A1576	U1377	C1718	U1377	U1214	U1124	A1048	U935	U826	U547	C561	A383	A244
G2006	A1719	A1577	A1378	A1719	U1378	G1216	U1125	G1048	U936	U827	U548	C561	A383	A244
U2007	U1723	U1579	G1379	U1723	U1379	G1217	A1128	C1047	G934	A828	A682	C561	A381	U246
C2020	U1723	C1479	U1388	U1723	U1388	U1218	G1129	A1047	G935	A829	A683	C566	C396	G251
A2034	C1726	G1488	G1394	C1726	U1394	U1219	U1130	A1049	U936	G832	A693	C566	C396	G251
G2035	C1737	C1489	G1395	C1737	U1395	C1238	G1131	A1050	A937	A833	G694	C569	A399	A254
U2036	G1738	C1489	A1396	G1738	U1396	G1249	C1132	A1051	C938	A840	G695	C569	A400	G255
A2037	U1738	G1482	G1397	U1738	U1397	G1249	G1133	U1052	C939	A840	G696	C571	G404	C256
C2038	A1741	C1493	C1398	A1741	U1398	A1257	A1136	A1081	A942	G845	A708	C571	G404	A268
C2039	U1756	C1494	C1399	U1756	U1399	U1258	U1137	A1082	U943	C846	A709	C572	G404	A268
A2044	U1757	U1496	G1400	U1757	U1400	G1272	A1138	G1062	U946	C847	G709	C580	G410	G269
G2045	C1758	U1497	G1401	C1758	U1401	A1274	G1139	G1065	A952	C848	A710	C580	A411	G270
A2047	G1767	A1500	U1408	G1767	U1408	G1275	C1140	A1086	U949	C849	C711	C580	A412	C271
U2048	C1768	A1501	G1502	C1768	U1409	A1276	C1141	A1086	A950	U851	A716	C587	A421	C272
G2049	A1769	G1503	G1502	A1769	A1414	G1277	U1145	A1089	A951	U852	A717	C587	A421	C272
C2050	G1770	U1504	U1415	G1770	U1415	A1284	U1146	A1089	U949	U853	A718	C587	A421	C272
A2056	U1774	C1505	A1419	U1774	U1419	G1285	U1147	A1089	A950	U854	A719	C587	A421	C272
C2057	U1775	U1509	G1419	U1775	U1419	A1290	U1148	A1086	A952	U855	A720	C587	A421	C272
A	A1776	C1510	A1420	A1776	U1420	A1291	A1151	G1087	C962	U857	C730	C601	C445	U298
									C963				G446	



• Molecule 21: 5S rRNA



• Molecule 22: 50S ribosomal protein L2



• Molecule 23: 50S ribosomal protein L3




• Molecule 24: 50S ribosomal protein L4






- Molecule 25: 50S ribosomal protein L5

Chain F: 99%



- Molecule 26: 50S ribosomal protein L6

Chain G: 98%



- Molecule 27: 50S ribosomal protein L13

Chain K: 99%



- Molecule 28: 50S ribosomal protein L14

Chain L: 99%




- Molecule 29: 50S ribosomal protein L15

Chain M: 97%




- Molecule 30: 50S ribosomal protein L16

Chain N: 7% 99%




- Molecule 31: 50S ribosomal protein L17

Chain O: 98%



- Molecule 32: 50S ribosomal protein L18

Chain P: 99%




- Molecule 33: 50S ribosomal protein L19

Chain Q: 100%

There are no outlier residues recorded for this chain.


- Molecule 34: 50S ribosomal protein L20

Chain R: 97%



- Molecule 35: 50S ribosomal protein L21

Chain S: 99%




- Molecule 36: 50S ribosomal protein L22

Chain T: 100%

There are no outlier residues recorded for this chain.

- Molecule 37: 50S ribosomal protein L23

Chain U: 97%




- Molecule 38: 50S ribosomal protein L24


Chain V: 95%




- Molecule 39: 50S ribosomal protein L25



- Molecule 40: 50S ribosomal protein L27



- Molecule 41: 50S ribosomal protein L28




- Molecule 42: 50S ribosomal protein L29




There are no outlier residues recorded for this chain.

- Molecule 43: 50S ribosomal protein L30



- Molecule 44: 50S ribosomal protein L31 type B



- Molecule 45: 50S ribosomal protein L32



There are no outlier residues recorded for this chain.

- Molecule 46: 50S ribosomal protein L33

Chain 3: 100%

There are no outlier residues recorded for this chain.

- Molecule 47: 50S ribosomal protein L34

Chain 4: 98%



- Molecule 48: 50S ribosomal protein L35

Chain 5: 100%

There are no outlier residues recorded for this chain.

- Molecule 49: 50S ribosomal protein L36

Chain 6: 100%

There are no outlier residues recorded for this chain.

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	32689	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	25	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	1.890	Depositor
Minimum map value	-0.723	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.088	Depositor
Recommended contour level	0.238	Depositor
Map size (Å)	482.68, 482.68, 482.68	wwPDB
Map dimensions	440, 440, 440	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.097, 1.097, 1.097	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:  
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	a	0.66	1/36657 (0.0%)	1.14	181/57173 (0.3%)
2	c	0.28	0/1635	0.57	0/2197
3	d	0.35	0/1650	0.57	0/2217
4	e	0.32	0/1217	0.60	0/1641
5	f	0.36	0/807	0.55	0/1087
6	g	0.30	0/1249	0.55	0/1682
7	h	0.38	0/1054	0.58	0/1417
8	i	0.28	0/1003	0.56	0/1343
9	j	0.28	0/812	0.60	0/1093
10	k	0.34	0/878	0.59	0/1185
11	l	0.33	0/1082	0.65	1/1453 (0.1%)
12	m	0.28	0/890	0.54	0/1195
13	n	0.30	0/504	0.54	0/669
14	o	0.38	0/751	0.58	0/1001
15	p	0.40	0/720	0.61	0/966
16	q	0.38	0/689	0.62	0/920
17	r	0.35	0/544	0.63	0/728
18	s	0.31	0/650	0.55	0/872
19	t	0.33	0/612	0.52	0/818
20	A	0.88	4/69661 (0.0%)	1.20	425/108645 (0.4%)
21	B	0.76	1/2769 (0.0%)	1.22	20/4310 (0.5%)
22	C	0.48	0/2147	0.69	1/2885 (0.0%)
23	D	0.51	0/1598	0.72	0/2145
24	E	0.45	0/1594	0.62	0/2155
25	F	0.35	0/1408	0.57	0/1890
26	G	0.39	0/1362	0.67	1/1833 (0.1%)
27	K	0.49	0/1148	0.71	0/1549
28	L	0.49	0/929	0.68	1/1247 (0.1%)
29	M	0.42	0/1103	0.70	0/1470
30	N	0.46	0/1140	0.69	0/1518
31	O	0.45	0/985	0.76	2/1318 (0.2%)
32	P	0.46	0/907	0.61	0/1214



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	Q	0.50	0/938	0.67	0/1262
34	R	0.50	0/923	0.62	0/1227
35	S	0.45	0/794	0.65	0/1064
36	T	0.45	0/858	0.64	0/1157
37	U	0.44	0/724	0.70	0/966
38	V	0.39	0/772	0.71	1/1035 (0.1%)
39	W	0.28	0/766	0.61	0/1030
40	X	0.53	0/578	0.67	0/773
41	Y	0.32	0/430	0.55	0/573
42	Z	0.40	0/505	0.58	0/672
43	0	0.42	0/437	0.66	1/589 (0.2%)
44	1	0.37	0/487	0.64	0/662
45	2	0.47	0/436	0.62	0/578
46	3	0.35	0/423	0.55	0/563
47	4	0.42	0/374	0.68	0/485
48	5	0.42	0/528	0.63	0/689
49	6	0.47	0/309	0.60	0/409
All	All	0.72	6/150437 (0.0%)	1.07	634/225570 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	d	0	2
7	h	0	1
16	q	0	1
19	t	0	1
22	C	0	2
23	D	0	2
24	E	0	1
25	F	0	1
26	G	0	2
27	K	0	2
29	M	0	2
30	N	0	1
32	P	0	1
35	S	0	1
37	U	0	2
38	V	0	2
39	W	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
40	X	0	2
41	Y	0	1
47	4	0	1
All	All	0	29

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	B	1	U	OP3-P	-10.68	1.48	1.61
20	A	897	G	N9-C4	-5.90	1.33	1.38
20	A	1418	A	N9-C4	-5.32	1.34	1.37
20	A	1805	A	N9-C4	-5.29	1.34	1.37
1	a	939	A	N9-C4	-5.24	1.34	1.37
20	A	1414	A	N9-C4	-5.00	1.34	1.37

All (634) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	a	1335	C	N1-C2-O2	13.14	126.78	118.90
20	A	1130	U	N1-C2-O2	12.36	131.45	122.80
20	A	1130	U	C2-N1-C1'	12.03	132.14	117.70
1	a	1335	C	C2-N1-C1'	11.30	131.22	118.80
20	A	897	G	N3-C4-N9	-11.05	119.37	126.00
20	A	1551	U	N1-C2-O2	10.59	130.22	122.80
20	A	1551	U	C2-N1-C1'	10.52	130.33	117.70
1	a	73	C	N1-C2-O2	10.50	125.20	118.90
20	A	1130	U	N3-C2-O2	-10.45	114.89	122.20
1	a	946	C	C2-N1-C1'	10.31	130.15	118.80
1	a	1335	C	N3-C2-O2	-10.26	114.72	121.90
20	A	1349	U	N3-C2-O2	-10.24	115.03	122.20
1	a	1548	U	N1-C2-O2	10.08	129.86	122.80
20	A	1453	U	C5-C6-N1	9.41	127.41	122.70
20	A	1551	U	N3-C2-O2	-9.36	115.65	122.20
1	a	1465	U	C2-N1-C1'	9.30	128.86	117.70
21	B	68	C	C2-N1-C1'	9.29	129.02	118.80
1	a	1465	U	N1-C2-O2	9.28	129.30	122.80
1	a	141	C	N1-C2-O2	9.08	124.35	118.90
1	a	1548	U	N3-C2-O2	-8.94	115.94	122.20
21	B	68	C	N1-C2-O2	8.91	124.25	118.90
1	a	1548	U	C2-N1-C1'	8.90	128.38	117.70
21	B	73	U	C2-N1-C1'	8.89	128.37	117.70
20	A	1349	U	C2-N1-C1'	8.76	128.21	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	1349	U	N1-C2-O2	8.71	128.90	122.80
20	A	2488	C	N1-C2-O2	8.60	124.06	118.90
1	a	1465	U	N3-C2-O2	-8.58	116.20	122.20
20	A	586	A	N1-C6-N6	-8.56	113.47	118.60
1	a	1398	C	N1-C2-O2	8.53	124.02	118.90
20	A	897	G	N3-C4-C5	8.52	132.86	128.60
20	A	1130	U	C6-N1-C1'	-8.50	109.30	121.20
20	A	730	C	C6-N1-C2	-8.47	116.91	120.30
20	A	549	C	N1-C2-O2	8.43	123.96	118.90
20	A	2206	C	C2-N1-C1'	8.40	128.04	118.80
21	B	73	U	N1-C2-O2	8.39	128.67	122.80
21	B	73	U	N3-C2-O2	-8.37	116.34	122.20
20	A	849	G	N1-C6-O6	-8.35	114.89	119.90
20	A	1453	U	C2-N1-C1'	8.31	127.67	117.70
20	A	1907	C	N1-C2-O2	8.29	123.87	118.90
20	A	943	U	C2-N1-C1'	8.28	127.64	117.70
1	a	73	C	N3-C2-O2	-8.21	116.16	121.90
20	A	1907	C	N3-C2-O2	-8.16	116.19	121.90
20	A	164	U	N1-C2-N3	8.12	119.77	114.90
20	A	602	C	C6-N1-C2	-8.04	117.08	120.30
20	A	1148	U	C2-N1-C1'	8.03	127.33	117.70
1	a	1039	U	N1-C2-O2	8.02	128.41	122.80
1	a	1335	C	C6-N1-C2	-8.00	117.10	120.30
20	A	938	C	C6-N1-C2	-7.97	117.11	120.30
20	A	1104	C	N1-C2-O2	7.96	123.67	118.90
1	a	73	C	C2-N1-C1'	7.93	127.53	118.80
20	A	938	C	C5-C6-N1	7.92	124.96	121.00
1	a	946	C	C6-N1-C1'	-7.87	111.35	120.80
20	A	2697	C	N1-C2-O2	7.86	123.62	118.90
20	A	2163	U	C5-C6-N1	7.78	126.59	122.70
1	a	141	C	C6-N1-C2	-7.77	117.19	120.30
20	A	2825	C	N3-C2-O2	-7.74	116.48	121.90
20	A	1452	G	N3-C4-N9	7.71	130.63	126.00
20	A	1758	C	C2-N1-C1'	7.68	127.25	118.80
1	a	579	U	C2-N1-C1'	7.64	126.86	117.70
1	a	1335	C	C6-N1-C1'	-7.64	111.64	120.80
20	A	897	G	N3-C2-N2	-7.63	114.56	119.90
1	a	1113	C	N3-C2-O2	-7.63	116.56	121.90
20	A	1434	C	C2-N1-C1'	7.57	127.12	118.80
1	a	141	C	N3-C2-O2	-7.54	116.62	121.90
20	A	897	G	C4-N9-C1'	-7.51	116.74	126.50
1	a	976	U	C2-N1-C1'	7.50	126.70	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	897	G	C8-N9-C1'	7.50	136.75	127.00
20	A	1093	U	N1-C2-O2	7.48	128.04	122.80
20	A	1452	G	C4-N9-C1'	7.48	136.22	126.50
20	A	2753	U	N1-C2-O2	7.46	128.02	122.80
1	a	1039	U	C2-N1-C1'	7.46	126.65	117.70
20	A	2077	C	N1-C2-O2	7.43	123.36	118.90
21	B	96	G	C4-N9-C1'	7.43	136.15	126.50
20	A	2825	C	N1-C2-O2	7.36	123.31	118.90
20	A	2826	C	C2-N1-C1'	7.34	126.87	118.80
1	a	579	U	N1-C2-O2	7.32	127.92	122.80
20	A	939	C	O4'-C1'-N1	7.29	114.03	108.20
20	A	849	G	C5-C6-O6	7.29	132.97	128.60
20	A	1453	U	N1-C2-O2	7.28	127.90	122.80
20	A	1304	U	C2-N1-C1'	7.25	126.40	117.70
1	a	1398	C	C2-N1-C1'	7.24	126.77	118.80
1	a	976	U	N1-C2-O2	7.20	127.84	122.80
20	A	2208	C	C2-N1-C1'	7.20	126.72	118.80
20	A	901	U	N3-C2-O2	-7.18	117.17	122.20
21	B	89	C	N3-C2-O2	-7.17	116.88	121.90
1	a	141	C	C2-N1-C1'	7.17	126.69	118.80
21	B	68	C	C6-N1-C1'	-7.16	112.21	120.80
20	A	901	U	N1-C2-O2	7.15	127.81	122.80
20	A	1551	U	C6-N1-C1'	-7.12	111.24	121.20
20	A	2794	G	C4-N9-C1'	7.11	135.74	126.50
20	A	1452	G	N3-C4-C5	-7.08	125.06	128.60
20	A	644	U	N1-C2-O2	7.08	127.75	122.80
20	A	644	U	N3-C2-O2	-7.07	117.25	122.20
1	a	940	C	C5-C6-N1	7.06	124.53	121.00
20	A	992	G	N3-C4-N9	7.06	130.24	126.00
1	a	579	U	N3-C2-O2	-7.06	117.26	122.20
20	A	1045	C	N1-C2-O2	7.03	123.12	118.90
1	a	734	C	C6-N1-C2	-7.03	117.49	120.30
20	A	1104	C	N3-C2-O2	-7.01	116.99	121.90
20	A	602	C	N3-C2-O2	-6.96	117.03	121.90
20	A	1502	G	C4-N9-C1'	6.95	135.54	126.50
1	a	454	U	N1-C2-O2	6.94	127.66	122.80
20	A	1647	C	C6-N1-C2	-6.93	117.53	120.30
20	A	1604	A	P-O3'-C3'	6.93	128.01	119.70
1	a	1152	U	C2-N1-C1'	6.92	126.00	117.70
1	a	1039	U	N3-C2-O2	-6.90	117.37	122.20
20	A	1024	G	N3-C4-C5	-6.89	125.16	128.60
20	A	2670	U	C2-N1-C1'	6.88	125.95	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	a	941	G	C8-N9-C4	-6.88	103.65	106.40
1	a	1335	C	C5-C6-N1	6.87	124.44	121.00
21	B	68	C	N3-C2-O2	-6.87	117.09	121.90
1	a	927	U	N3-C2-O2	-6.86	117.40	122.20
20	A	1970	U	N3-C2-O2	-6.85	117.40	122.20
20	A	1102	G	C6-C5-N7	-6.85	126.29	130.40
20	A	1584	G	P-O3'-C3'	6.85	127.92	119.70
1	a	454	U	N3-C2-O2	-6.82	117.42	122.20
20	A	1758	C	C6-N1-C2	-6.81	117.58	120.30
1	a	941	G	N7-C8-N9	6.80	116.50	113.10
20	A	549	C	N3-C2-O2	-6.80	117.14	121.90
20	A	2488	C	N3-C2-O2	-6.80	117.14	121.90
20	A	1024	G	N3-C4-N9	6.80	130.08	126.00
20	A	943	U	N1-C2-O2	6.80	127.56	122.80
1	a	115	C	N1-C2-O2	6.79	122.98	118.90
20	A	2262	C	C2-N1-C1'	6.78	126.25	118.80
20	A	1304	U	N1-C2-O2	6.77	127.54	122.80
20	A	963	C	C6-N1-C2	-6.77	117.59	120.30
20	A	602	C	C2-N1-C1'	6.76	126.23	118.80
20	A	1970	U	N1-C2-O2	6.75	127.52	122.80
1	a	323	C	N1-C2-O2	6.72	122.93	118.90
20	A	901	U	C2-N1-C1'	6.72	125.76	117.70
1	a	419	G	N3-C4-C5	-6.72	125.24	128.60
1	a	927	U	N1-C2-O2	6.71	127.50	122.80
20	A	2753	U	N3-C2-O2	-6.70	117.51	122.20
1	a	1398	C	N3-C2-O2	-6.69	117.22	121.90
20	A	2724	C	N3-C2-O2	-6.68	117.22	121.90
20	A	1511	C	N3-C2-O2	-6.67	117.23	121.90
1	a	141	C	C5-C6-N1	6.66	124.33	121.00
20	A	527	C	N1-C2-O2	6.66	122.89	118.90
20	A	2035	G	N3-C4-N9	6.65	129.99	126.00
20	A	1045	C	C2-N1-C1'	6.62	126.08	118.80
20	A	602	C	N1-C2-O2	6.62	122.87	118.90
20	A	164	U	N3-C2-O2	-6.61	117.58	122.20
20	A	1024	G	C4-N9-C1'	6.60	135.08	126.50
20	A	939	C	N3-C2-O2	-6.59	117.29	121.90
20	A	1607	C	N1-C2-O2	6.59	122.85	118.90
20	A	2206	C	C6-N1-C2	-6.58	117.67	120.30
1	a	1024	C	N3-C2-O2	-6.58	117.29	121.90
20	A	1790	G	N3-C4-N9	6.57	129.94	126.00
20	A	963	C	N3-C2-O2	-6.55	117.32	121.90
1	a	1548	U	C6-N1-C1'	-6.54	112.04	121.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	1502	G	P-O3'-C3'	6.54	127.55	119.70
20	A	649	C	C5-C6-N1	6.54	124.27	121.00
1	a	940	C	N1-C2-O2	6.54	122.82	118.90
20	A	2044	A	N7-C8-N9	6.53	117.06	113.80
20	A	2408	C	N1-C2-O2	6.53	122.82	118.90
20	A	1210	C	N1-C2-O2	6.52	122.81	118.90
1	a	1152	U	N1-C2-O2	6.50	127.35	122.80
20	A	2554	C	N1-C2-O2	6.50	122.80	118.90
20	A	1452	G	C8-N9-C1'	-6.50	118.56	127.00
20	A	1790	G	C4-N9-C1'	6.50	134.94	126.50
20	A	2554	C	N3-C2-O2	-6.49	117.36	121.90
20	A	2819	U	N3-C2-O2	-6.48	117.66	122.20
20	A	906	C	N1-C2-O2	6.47	122.78	118.90
1	a	115	C	N3-C2-O2	-6.46	117.38	121.90
20	A	1216	G	C5-C6-O6	6.46	132.47	128.60
1	a	734	C	N3-C2-O2	-6.45	117.38	121.90
20	A	561	G	C6-C5-N7	-6.45	126.53	130.40
20	A	848	G	N1-C6-O6	-6.45	116.03	119.90
21	B	96	G	C8-N9-C1'	-6.44	118.63	127.00
20	A	413	U	N3-C2-O2	-6.43	117.70	122.20
20	A	2127	C	C2-N1-C1'	6.43	125.87	118.80
20	A	1210	C	C2-N1-C1'	6.42	125.86	118.80
20	A	1102	G	N3-C4-N9	6.41	129.85	126.00
20	A	992	G	C4-N9-C1'	6.40	134.82	126.50
1	a	712	U	N1-C2-O2	6.39	127.27	122.80
1	a	734	C	C2-N1-C1'	6.39	125.83	118.80
20	A	2020	C	C6-N1-C2	-6.38	117.75	120.30
1	a	1358	G	N7-C8-N9	6.37	116.28	113.10
20	A	549	C	C2-N1-C1'	6.37	125.80	118.80
20	A	1768	C	C6-N1-C2	-6.36	117.76	120.30
20	A	2214	C	C5-C6-N1	6.36	124.18	121.00
1	a	959	U	N3-C2-O2	-6.35	117.76	122.20
20	A	2794	G	C8-N9-C1'	-6.34	118.75	127.00
1	a	22	C	N3-C2-O2	-6.32	117.47	121.90
20	A	1723	U	N3-C2-O2	-6.32	117.78	122.20
1	a	995	C	C2-N1-C1'	6.31	125.74	118.80
20	A	960	U	N3-C2-O2	-6.31	117.78	122.20
20	A	2317	G	P-O3'-C3'	6.31	127.27	119.70
38	V	71	ILE	C-N-CA	6.30	137.46	121.70
1	a	946	C	N1-C2-O2	6.30	122.68	118.90
1	a	1218	C	C5-C6-N1	6.29	124.14	121.00
1	a	995	C	C6-N1-C2	-6.28	117.79	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	164	U	C2-N3-C4	-6.28	123.23	127.00
1	a	143	C	C2-N1-C1'	6.27	125.69	118.80
20	A	906	C	C2-N1-C1'	6.26	125.68	118.80
1	a	456	G	N3-C4-N9	6.25	129.75	126.00
20	A	1093	U	N3-C2-O2	-6.25	117.83	122.20
20	A	1047	C	C6-N1-C2	-6.24	117.80	120.30
20	A	2044	A	C8-N9-C4	-6.24	103.31	105.80
1	a	927	U	C2-N1-C1'	6.23	125.17	117.70
20	A	2007	U	N3-C2-O2	-6.22	117.85	122.20
1	a	1482	C	N3-C2-O2	-6.21	117.56	121.90
20	A	1304	U	N3-C2-O2	-6.20	117.86	122.20
1	a	1482	C	N1-C2-O2	6.20	122.62	118.90
1	a	477	U	N3-C2-O2	-6.20	117.86	122.20
20	A	1502	G	C8-N9-C1'	-6.20	118.94	127.00
20	A	2128	A	C4-N9-C1'	6.19	137.45	126.30
20	A	1648	C	C6-N1-C2	-6.19	117.82	120.30
20	A	287	G	N3-C4-N9	6.19	129.71	126.00
20	A	287	G	N3-C4-C5	-6.18	125.51	128.60
20	A	396	C	C2-N1-C1'	6.18	125.60	118.80
1	a	976	U	N3-C2-O2	-6.18	117.88	122.20
20	A	1210	C	C6-N1-C2	-6.16	117.83	120.30
20	A	1148	U	N1-C2-O2	6.16	127.11	122.80
1	a	1152	U	N3-C2-O2	-6.16	117.89	122.20
20	A	287	G	C4-N9-C1'	6.15	134.49	126.50
20	A	943	U	N3-C2-O2	-6.14	117.90	122.20
20	A	2697	C	N3-C2-O2	-6.14	117.60	121.90
20	A	2724	C	N1-C2-O2	6.14	122.58	118.90
1	a	635	C	N1-C2-O2	6.13	122.58	118.90
20	A	1805	A	N7-C8-N9	6.13	116.87	113.80
20	A	931	C	C2-N1-C1'	6.12	125.53	118.80
20	A	992	G	C8-N9-C1'	-6.12	119.05	127.00
1	a	940	C	C2-N1-C1'	6.11	125.52	118.80
1	a	22	C	N1-C2-O2	6.09	122.56	118.90
20	A	2819	U	N1-C2-O2	6.09	127.06	122.80
1	a	108	U	N3-C2-O2	-6.09	117.94	122.20
1	a	1040	U	C2-N1-C1'	6.09	125.01	117.70
1	a	1173	C	C2-N1-C1'	6.08	125.49	118.80
1	a	995	C	N1-C2-O2	6.08	122.55	118.90
20	A	1502	G	N3-C4-N9	6.07	129.64	126.00
20	A	1197	G	N3-C4-N9	6.07	129.64	126.00
20	A	1827	U	N3-C2-O2	-6.07	117.95	122.20
1	a	893	C	N1-C2-O2	6.05	122.53	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	1317	G	C4-N9-C1'	6.05	134.37	126.50
20	A	1758	C	N1-C2-O2	6.05	122.53	118.90
20	A	77	C	C5-C6-N1	6.04	124.02	121.00
20	A	67	C	N1-C2-O2	6.04	122.53	118.90
1	a	1345	U	N1-C2-O2	6.04	127.03	122.80
1	a	567	U	N3-C2-O2	-6.04	117.97	122.20
20	A	272	C	C2-N1-C1'	6.04	125.44	118.80
20	A	509	G	O4'-C1'-N9	6.03	113.02	108.20
20	A	1459	C	N1-C2-O2	6.02	122.51	118.90
1	a	1465	U	C6-N1-C1'	-6.02	112.77	121.20
1	a	456	G	C4-N9-C1'	6.01	134.32	126.50
21	B	36	C	N1-C2-O2	6.01	122.51	118.90
20	A	897	G	C6-C5-N7	6.01	134.01	130.40
20	A	2512	C	C6-N1-C2	-6.01	117.89	120.30
1	a	73	C	C6-N1-C2	-6.01	117.90	120.30
20	A	1695	C	N1-C2-O2	6.00	122.50	118.90
1	a	699	U	N3-C2-O2	-5.99	118.00	122.20
20	A	1695	C	C6-N1-C2	-5.99	117.90	120.30
1	a	560	C	C2-N1-C1'	5.97	125.37	118.80
1	a	55	C	C2-N1-C1'	5.97	125.36	118.80
20	A	1504	G	O4'-C1'-N9	5.97	112.97	108.20
1	a	1297	C	C6-N1-C2	-5.96	117.91	120.30
20	A	325	U	N1-C2-O2	5.96	126.97	122.80
20	A	1981	C	C2-N1-C1'	5.96	125.35	118.80
20	A	1399	C	C2-N1-C1'	5.96	125.35	118.80
20	A	1479	C	C6-N1-C2	-5.95	117.92	120.30
20	A	1502	G	N3-C4-C5	-5.94	125.63	128.60
20	A	114	U	N3-C2-O2	-5.93	118.05	122.20
20	A	730	C	C2-N1-C1'	5.93	125.33	118.80
26	G	54	ARG	NE-CZ-NH1	-5.93	117.33	120.30
1	a	214	U	N3-C2-O2	-5.93	118.05	122.20
20	A	1551	U	C5-C6-N1	5.93	125.67	122.70
20	A	561	G	N3-C4-N9	5.92	129.55	126.00
20	A	1362	U	N1-C2-O2	5.92	126.95	122.80
1	a	946	C	C5-C6-N1	5.92	123.96	121.00
20	A	1350	C	C2-N1-C1'	5.92	125.31	118.80
20	A	897	G	N9-C4-C5	5.92	107.77	105.40
20	A	2007	U	N1-C2-O2	5.91	126.94	122.80
20	A	325	U	N3-C2-O2	-5.91	118.07	122.20
20	A	1146	A	P-O3'-C3'	5.91	126.79	119.70
20	A	2303	G	C8-N9-C4	-5.90	104.04	106.40
1	a	578	A	C4-N9-C1'	5.90	136.91	126.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	B	96	G	N3-C4-N9	5.89	129.54	126.00
20	A	2206	C	C5-C6-N1	5.89	123.94	121.00
21	B	73	U	C5-C6-N1	5.88	125.64	122.70
1	a	625	G	C4-N9-C1'	5.87	134.14	126.50
20	A	256	C	C6-N1-C2	-5.87	117.95	120.30
20	A	1157	C	C2-N1-C1'	5.87	125.25	118.80
20	A	309	C	N1-C2-O2	5.87	122.42	118.90
31	O	41	ARG	CA-CB-CG	5.86	126.29	113.40
20	A	413	U	N1-C2-O2	5.86	126.90	122.80
1	a	1024	C	N1-C2-O2	5.85	122.41	118.90
20	A	992	G	C6-C5-N7	-5.85	126.89	130.40
20	A	527	C	N3-C2-O2	-5.83	117.82	121.90
20	A	1790	G	C8-N9-C1'	-5.83	119.42	127.00
1	a	1218	C	C6-N1-C2	-5.83	117.97	120.30
20	A	2480	C	C6-N1-C2	-5.83	117.97	120.30
20	A	1293	G	N3-C4-N9	5.83	129.50	126.00
20	A	2670	U	N3-C2-O2	-5.82	118.12	122.20
1	a	995	C	C5-C6-N1	5.82	123.91	121.00
1	a	673	G	N7-C8-N9	5.82	116.01	113.10
20	A	2262	C	C6-N1-C2	-5.82	117.97	120.30
20	A	2143	C	N1-C2-O2	5.82	122.39	118.90
20	A	2214	C	C6-N1-C2	-5.81	117.97	120.30
1	a	712	U	N3-C2-O2	-5.81	118.13	122.20
1	a	658	C	C6-N1-C2	-5.81	117.98	120.30
20	A	2206	C	N1-C2-O2	5.81	122.38	118.90
20	A	114	U	C2-N1-C1'	5.81	124.67	117.70
20	A	769	G	N3-C4-N9	-5.80	122.52	126.00
20	A	424	A	C2-N3-C4	5.78	113.49	110.60
1	a	626	C	N1-C2-O2	5.77	122.36	118.90
20	A	943	U	C6-N1-C1'	-5.77	113.12	121.20
20	A	104	U	N1-C2-O2	5.76	126.83	122.80
20	A	1362	U	N3-C2-O2	-5.76	118.17	122.20
20	A	1647	C	N3-C2-O2	-5.75	117.87	121.90
1	a	419	G	C2-N3-C4	5.74	114.77	111.90
20	A	939	C	N1-C2-O2	5.74	122.34	118.90
20	A	2794	G	N3-C4-N9	5.74	129.44	126.00
20	A	1723	U	N1-C2-O2	5.74	126.82	122.80
20	A	1081	U	N1-C2-O2	5.73	126.81	122.80
20	A	1130	U	C5-C6-N1	5.73	125.57	122.70
20	A	286	U	C2-N1-C1'	5.73	124.58	117.70
20	A	1047	C	C2-N1-C1'	5.73	125.10	118.80
20	A	309	C	C6-N1-C2	-5.73	118.01	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	1293	G	C4-N9-C1'	5.73	133.94	126.50
20	A	2057	C	C2-N1-C1'	5.72	125.10	118.80
21	B	87	U	C5-C6-N1	5.72	125.56	122.70
1	a	1299	C	C5-C6-N1	5.72	123.86	121.00
20	A	549	C	C6-N1-C2	-5.72	118.01	120.30
20	A	621	C	C5-C6-N1	5.71	123.85	121.00
20	A	1045	C	N3-C2-O2	-5.71	117.90	121.90
20	A	2585	C	C6-N1-C2	-5.71	118.02	120.30
1	a	1288	C	C5-C6-N1	5.70	123.85	121.00
20	A	936	U	N1-C2-O2	5.70	126.79	122.80
20	A	1197	G	C4-N9-C1'	5.69	133.90	126.50
1	a	734	C	N1-C2-O2	5.69	122.31	118.90
1	a	752	C	C6-N1-C2	-5.69	118.02	120.30
20	A	2826	C	N1-C2-O2	5.69	122.31	118.90
21	B	85	U	C5-C6-N1	5.68	125.54	122.70
20	A	936	U	N3-C2-O2	-5.68	118.22	122.20
20	A	730	C	C5-C6-N1	5.68	123.84	121.00
1	a	456	G	C8-N9-C1'	-5.67	119.64	127.00
20	A	769	G	N3-C4-C5	5.66	131.43	128.60
20	A	1530	A	P-O3'-C3'	5.66	126.49	119.70
20	A	2050	C	N1-C2-O2	5.66	122.30	118.90
1	a	752	C	C5-C6-N1	5.66	123.83	121.00
1	a	890	G	N3-C4-N9	5.65	129.39	126.00
1	a	454	U	C5-C6-N1	5.65	125.53	122.70
20	A	2061	C	C6-N1-C2	-5.65	118.04	120.30
1	a	298	U	N3-C2-O2	-5.65	118.25	122.20
20	A	1758	C	N3-C2-O2	-5.64	117.95	121.90
1	a	649	C	N3-C2-O2	-5.64	117.95	121.90
20	A	1718	C	N1-C2-O2	5.64	122.28	118.90
20	A	1408	U	N3-C2-O2	-5.64	118.25	122.20
20	A	2262	C	C5-C6-N1	5.64	123.82	121.00
1	a	940	C	C6-N1-C2	-5.63	118.05	120.30
20	A	1605	C	P-O3'-C3'	5.63	126.46	119.70
1	a	323	C	N3-C2-O2	-5.63	117.96	121.90
20	A	2044	A	C4-N9-C1'	5.62	136.43	126.30
20	A	2127	C	C6-N1-C2	-5.62	118.05	120.30
20	A	1505	C	C6-N1-C2	-5.62	118.05	120.30
20	A	2766	C	N1-C2-O2	5.62	122.27	118.90
20	A	1448	U	C2-N1-C1'	5.61	124.44	117.70
20	A	2311	C	N3-C2-O2	-5.61	117.97	121.90
20	A	895	U	N3-C2-O2	-5.61	118.27	122.20
20	A	2044	A	O4'-C1'-N9	5.61	112.69	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	992	G	N3-C4-C5	-5.61	125.80	128.60
20	A	1317	G	N3-C4-N9	5.61	129.36	126.00
20	A	2229	G	N3-C4-N9	5.61	129.36	126.00
1	a	959	U	N1-C2-O2	5.60	126.72	122.80
20	A	1638	C	C2-N1-C1'	5.60	124.96	118.80
1	a	369	G	C4-N9-C1'	5.60	133.78	126.50
1	a	55	C	N1-C2-O2	5.59	122.26	118.90
20	A	413	U	C2-N1-C1'	5.59	124.41	117.70
20	A	1197	G	C6-C5-N7	-5.59	127.04	130.40
20	A	1293	G	C8-N9-C1'	-5.59	119.73	127.00
21	B	35	C	C6-N1-C2	-5.59	118.06	120.30
20	A	67	C	N3-C2-O2	-5.59	117.99	121.90
20	A	730	C	N3-C2-O2	-5.59	117.99	121.90
20	A	801	A	C5-N7-C8	-5.59	101.11	103.90
20	A	1024	G	C8-N9-C1'	-5.58	119.74	127.00
1	a	769	C	C2-N1-C1'	5.58	124.94	118.80
20	A	2206	C	C6-N1-C1'	-5.58	114.10	120.80
20	A	1695	C	C2-N1-C1'	5.58	124.94	118.80
20	A	2039	C	C2-N1-C1'	5.58	124.94	118.80
20	A	1453	U	C6-N1-C1'	-5.57	113.40	121.20
20	A	2307	C	C5-C6-N1	5.57	123.78	121.00
20	A	1434	C	C5-C6-N1	5.57	123.78	121.00
1	a	55	C	C6-N1-C2	-5.56	118.08	120.30
1	a	1091	U	N3-C2-O2	-5.56	118.31	122.20
20	A	2885	C	N3-C2-O2	-5.55	118.01	121.90
1	a	1338	G	O5'-P-OP1	-5.55	100.70	105.70
20	A	2127	C	N3-C2-O2	-5.55	118.02	121.90
20	A	2408	C	N3-C2-O2	-5.55	118.02	121.90
20	A	730	C	N1-C2-O2	5.55	122.23	118.90
20	A	1211	C	C6-N1-C2	-5.54	118.08	120.30
1	a	1297	C	C5-C6-N1	5.54	123.77	121.00
20	A	2589	C	C6-N1-C2	-5.54	118.08	120.30
20	A	2891	C	N3-C2-O2	-5.54	118.02	121.90
1	a	55	C	C5-C6-N1	5.54	123.77	121.00
20	A	352	C	N1-C2-O2	5.53	122.22	118.90
20	A	167	A	N1-C6-N6	5.53	121.92	118.60
20	A	1024	G	C2-N3-C4	5.53	114.67	111.90
20	A	848	G	C5-C6-O6	5.52	131.91	128.60
20	A	1081	U	N3-C2-O2	-5.52	118.34	122.20
20	A	1156	C	C2-N1-C1'	5.51	124.86	118.80
20	A	1349	U	C6-N1-C1'	-5.51	113.48	121.20
1	a	1398	C	C6-N1-C2	-5.51	118.10	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	1092	C	C6-N1-C2	-5.51	118.10	120.30
21	B	73	U	C6-N1-C1'	-5.50	113.50	121.20
1	a	766	U	N3-C2-O2	-5.50	118.35	122.20
20	A	1590	A	N1-C6-N6	-5.49	115.30	118.60
20	A	104	U	N3-C2-O2	-5.49	118.36	122.20
1	a	1026	C	C6-N1-C2	-5.49	118.10	120.30
20	A	655	G	C8-N9-C4	5.49	108.59	106.40
20	A	960	U	C6-N1-C2	-5.48	117.71	121.00
20	A	2290	G	N3-C4-C5	-5.48	125.86	128.60
20	A	2512	C	C2-N1-C1'	5.48	124.83	118.80
20	A	975	U	N3-C2-O2	-5.47	118.37	122.20
1	a	1163	U	N3-C2-O2	-5.47	118.37	122.20
1	a	1465	U	C5-C6-N1	5.47	125.44	122.70
1	a	597	C	N1-C2-O2	5.47	122.18	118.90
1	a	1401	G	C8-N9-C4	-5.46	104.22	106.40
20	A	2070	G	C4-N9-C1'	5.46	133.60	126.50
20	A	2311	C	C6-N1-C2	-5.46	118.12	120.30
20	A	1790	G	C6-C5-N7	-5.46	127.13	130.40
20	A	1069	A	N7-C8-N9	5.46	116.53	113.80
20	A	499	U	N3-C2-O2	-5.45	118.39	122.20
20	A	1211	C	C5-C4-N4	5.45	124.01	120.20
20	A	272	C	N1-C2-O2	5.45	122.17	118.90
20	A	2826	C	C6-N1-C2	-5.45	118.12	120.30
1	a	1183	C	C2-N1-C1'	5.44	124.79	118.80
1	a	214	U	N1-C2-O2	5.44	126.61	122.80
20	A	4	U	C2-N1-C1'	5.44	124.22	117.70
20	A	823	A	C4-N9-C1'	5.43	136.08	126.30
20	A	1996	U	N3-C2-O2	-5.43	118.40	122.20
1	a	419	G	N3-C4-N9	5.43	129.26	126.00
20	A	1102	G	C4-N9-C1'	5.43	133.55	126.50
1	a	1142	U	N3-C2-O2	-5.42	118.41	122.20
20	A	1148	U	C6-N1-C1'	-5.42	113.61	121.20
21	B	96	G	N3-C4-C5	-5.42	125.89	128.60
1	a	626	C	N3-C2-O2	-5.42	118.11	121.90
20	A	2670	U	N1-C2-O2	5.42	126.59	122.80
20	A	1434	C	C6-N1-C1'	-5.41	114.30	120.80
20	A	2208	C	N1-C2-O2	5.40	122.14	118.90
1	a	649	C	N1-C2-O2	5.39	122.14	118.90
20	A	2474	U	N1-C2-O2	5.39	126.58	122.80
20	A	1574	C	C2-N1-C1'	5.39	124.73	118.80
20	A	1197	G	C4-C5-N7	5.39	112.95	110.80
1	a	921	U	N3-C2-O2	-5.38	118.43	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	2895	U	N3-C2-O2	-5.38	118.43	122.20
20	A	246	U	N3-C2-O2	-5.38	118.43	122.20
20	A	2700	G	N3-C4-C5	-5.38	125.91	128.60
20	A	2077	C	N3-C2-O2	-5.38	118.14	121.90
20	A	602	C	C5-C6-N1	5.37	123.69	121.00
20	A	2672	C	N1-C2-O2	5.37	122.12	118.90
20	A	2896	C	C6-N1-C2	-5.37	118.15	120.30
1	a	282	C	C2-N1-C1'	5.36	124.70	118.80
20	A	2388	C	N3-C2-O2	-5.36	118.15	121.90
20	A	1317	G	C8-N9-C1'	-5.36	120.04	127.00
20	A	956	C	N1-C2-O2	5.35	122.11	118.90
20	A	1317	G	N3-C4-C5	-5.35	125.92	128.60
1	a	948	C	C2-N1-C1'	5.35	124.68	118.80
20	A	975	U	N1-C2-O2	5.34	126.54	122.80
20	A	2836	G	C6-C5-N7	-5.34	127.19	130.40
1	a	348	C	N1-C2-O2	5.34	122.11	118.90
1	a	920	U	N3-C2-O2	-5.34	118.46	122.20
20	A	2127	C	N1-C2-O2	5.34	122.11	118.90
20	A	1128	A	C4-N9-C1'	5.34	135.91	126.30
20	A	2469	G	C4-N9-C1'	5.33	133.44	126.50
1	a	941	G	C5-N7-C8	-5.33	101.64	104.30
20	A	1501	A	C4-N9-C1'	5.33	135.89	126.30
20	A	1479	C	C2-N1-C1'	5.32	124.66	118.80
1	a	635	C	N3-C2-O2	-5.32	118.18	121.90
20	A	2035	G	N3-C4-C5	-5.32	125.94	128.60
20	A	114	U	N1-C2-O2	5.32	126.52	122.80
1	a	959	U	C2-N1-C1'	5.31	124.07	117.70
20	A	780	C	C6-N1-C2	-5.31	118.18	120.30
20	A	1408	U	N1-C2-O2	5.31	126.52	122.80
20	A	2057	C	C6-N1-C2	-5.30	118.18	120.30
20	A	1128	A	N7-C8-N9	5.30	116.45	113.80
20	A	2520	U	N3-C2-O2	-5.30	118.49	122.20
20	A	234	C	N3-C4-C5	5.30	124.02	121.90
1	a	560	C	N1-C2-O2	5.29	122.08	118.90
20	A	716	A	O4'-C1'-N9	5.29	112.43	108.20
1	a	1290	U	C5-C6-N1	5.29	125.35	122.70
1	a	1142	U	N1-C2-O2	5.29	126.50	122.80
20	A	2596	G	C8-N9-C4	-5.29	104.29	106.40
20	A	105	C	C2-N1-C1'	5.28	124.61	118.80
1	a	348	C	C2-N1-C1'	5.28	124.60	118.80
20	A	286	U	C5-C6-N1	5.27	125.34	122.70
20	A	2070	G	C8-N9-C1'	-5.27	120.15	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	a	1024	C	C6-N1-C2	-5.26	118.19	120.30
21	B	24	U	N3-C2-O2	-5.26	118.52	122.20
20	A	287	G	C8-N9-C1'	-5.26	120.16	127.00
20	A	963	C	P-O3'-C3'	5.26	126.01	119.70
20	A	1878	U	C2-N1-C1'	5.26	124.01	117.70
20	A	2311	C	N1-C2-O2	5.26	122.06	118.90
1	a	73	C	C5-C6-N1	5.26	123.63	121.00
1	a	578	A	C8-N9-C1'	-5.25	118.24	127.70
1	a	1369	C	C5-C6-N1	5.25	123.63	121.00
20	A	1238	C	C6-N1-C2	-5.25	118.20	120.30
20	A	2488	C	C2-N1-C1'	5.25	124.58	118.80
1	a	1039	U	C6-N1-C1'	-5.25	113.85	121.20
1	a	1162	C	C6-N1-C2	-5.25	118.20	120.30
20	A	566	C	N1-C2-O2	5.25	122.05	118.90
20	A	1148	U	N3-C2-O2	-5.25	118.53	122.20
20	A	1193	C	C2-N1-C1'	5.25	124.57	118.80
20	A	1210	C	N3-C2-O2	-5.25	118.22	121.90
1	a	73	C	C6-N1-C1'	-5.24	114.52	120.80
20	A	823	A	C2-N3-C4	5.24	113.22	110.60
1	a	143	C	N1-C2-O2	5.23	122.04	118.90
20	A	2404	U	N1-C2-O2	5.23	126.46	122.80
1	a	946	C	C6-N1-C2	-5.23	118.21	120.30
1	a	1173	C	N1-C2-O2	5.23	122.04	118.90
1	a	937	U	N3-C2-O2	-5.23	118.54	122.20
20	A	1434	C	N1-C2-O2	5.22	122.03	118.90
20	A	1128	A	N3-C4-N9	5.22	131.57	127.40
20	A	1092	C	N1-C2-O2	5.21	122.03	118.90
20	A	931	C	N1-C2-O2	5.21	122.03	118.90
11	l	94	LEU	CA-CB-CG	5.21	127.28	115.30
20	A	2070	G	N3-C4-N9	5.21	129.12	126.00
1	a	1345	U	C2-N1-C1'	5.21	123.95	117.70
20	A	721	U	N3-C2-O2	-5.21	118.56	122.20
20	A	722	G	C8-N9-C1'	-5.21	120.23	127.00
20	A	2128	A	C8-N9-C1'	-5.20	118.34	127.70
1	a	350	C	C6-N1-C2	-5.20	118.22	120.30
20	A	1304	U	C5-C6-N1	5.20	125.30	122.70
20	A	1907	C	C2-N1-C1'	5.20	124.52	118.80
1	a	1077	G	N3-C4-N9	5.20	129.12	126.00
20	A	1096	G	N3-C4-C5	-5.20	126.00	128.60
20	A	561	G	C4-N9-C1'	5.19	133.25	126.50
20	A	1882	C	C2-N1-C1'	5.19	124.51	118.80
20	A	561	G	N9-C4-C5	-5.19	103.32	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	1293	G	C6-C5-N7	-5.19	127.28	130.40
1	a	1162	C	C5-C6-N1	5.19	123.59	121.00
20	A	1585	U	N3-C2-O2	-5.19	118.57	122.20
20	A	2020	C	C2-N1-C1'	5.19	124.51	118.80
20	A	2520	U	N1-C2-O2	5.19	126.43	122.80
20	A	2175	C	C6-N1-C2	-5.18	118.23	120.30
21	B	73	U	C6-N1-C2	-5.18	117.89	121.00
20	A	1641	C	N1-C2-O2	5.18	122.01	118.90
20	A	1726	C	C5-C6-N1	5.18	123.59	121.00
20	A	591	U	N3-C2-O2	-5.18	118.58	122.20
20	A	1459	C	N3-C2-O2	-5.17	118.28	121.90
20	A	2469	G	N3-C4-C5	-5.17	126.01	128.60
1	a	909	C	N1-C2-O2	5.17	122.00	118.90
20	A	2290	G	C8-N9-C4	-5.17	104.33	106.40
20	A	237	U	N3-C2-O2	-5.17	118.58	122.20
1	a	579	U	C6-N1-C1'	-5.16	113.97	121.20
20	A	1505	C	N3-C2-O2	-5.16	118.29	121.90
20	A	1379	G	C4-N9-C1'	5.16	133.20	126.50
20	A	1831	G	C4-N9-C1'	5.16	133.20	126.50
20	A	873	C	C6-N1-C2	-5.15	118.24	120.30
20	A	1501	A	C2-N3-C4	5.15	113.17	110.60
20	A	355	C	C5-C6-N1	5.15	123.57	121.00
20	A	47	C	C6-N1-C2	-5.15	118.24	120.30
1	a	128	C	C2-N1-C1'	5.15	124.46	118.80
1	a	941	G	C4-C5-N7	5.14	112.86	110.80
20	A	2515	C	C6-N1-C2	-5.14	118.24	120.30
31	O	41	ARG	CB-CG-CD	-5.14	98.23	111.60
20	A	2885	C	N1-C2-O2	5.14	121.98	118.90
20	A	2404	U	N3-C2-O2	-5.14	118.60	122.20
1	a	1299	C	N1-C2-O2	5.13	121.98	118.90
20	A	1096	G	N3-C4-N9	5.13	129.08	126.00
20	A	2825	C	C6-N1-C2	-5.13	118.25	120.30
1	a	1299	C	C6-N1-C2	-5.13	118.25	120.30
20	A	758	A	O4'-C1'-N9	5.13	112.30	108.20
20	A	2084	G	C4-N9-C1'	5.12	133.16	126.50
20	A	960	U	N1-C2-O2	5.12	126.39	122.80
20	A	1695	C	N3-C2-O2	-5.12	118.31	121.90
20	A	2480	C	C2-N1-C1'	5.12	124.44	118.80
20	A	105	C	C6-N1-C2	-5.12	118.25	120.30
1	a	267	U	C2-N1-C1'	5.12	123.84	117.70
1	a	1183	C	N1-C2-O2	5.11	121.97	118.90
20	A	476	C	N3-C2-O2	-5.11	118.33	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	1178	G	C8-N9-C4	-5.11	104.36	106.40
1	a	860	C	C5-C6-N1	5.10	123.55	121.00
20	A	657	C	C6-N1-C2	-5.10	118.26	120.30
20	A	1146	A	OP1-P-O3'	5.10	116.43	105.20
20	A	2474	U	N3-C2-O2	-5.10	118.63	122.20
22	C	37	LEU	CA-CB-CG	5.10	127.03	115.30
20	A	823	A	C8-N9-C4	-5.10	103.76	105.80
1	a	108	U	N1-C2-O2	5.10	126.37	122.80
20	A	621	C	C2-N1-C1'	5.10	124.41	118.80
1	a	1398	C	C5-C6-N1	5.09	123.55	121.00
20	A	1790	G	N3-C4-C5	-5.09	126.05	128.60
20	A	2208	C	C6-N1-C1'	-5.09	114.69	120.80
20	A	2268	C	N1-C2-O2	5.09	121.95	118.90
20	A	892	U	N3-C2-O2	-5.08	118.64	122.20
20	A	1350	C	C5-C6-N1	5.08	123.54	121.00
1	a	976	U	C6-N1-C1'	-5.08	114.08	121.20
20	A	591	U	N1-C2-O2	5.08	126.36	122.80
20	A	2734	U	N3-C2-O2	-5.08	118.64	122.20
20	A	1137	U	N1-C2-O2	5.08	126.35	122.80
20	A	2718	C	N1-C2-O2	5.08	121.94	118.90
1	a	138	C	C2-N1-C1'	5.07	124.38	118.80
20	A	2291	G	N9-C4-C5	5.07	107.43	105.40
1	a	178	A	C8-N9-C4	-5.07	103.77	105.80
1	a	1345	U	N3-C2-O2	-5.07	118.65	122.20
20	A	1641	C	C6-N1-C2	-5.07	118.27	120.30
1	a	1429	C	C2-N1-C1'	5.06	124.37	118.80
1	a	369	G	C8-N9-C1'	-5.06	120.42	127.00
1	a	1252	C	N1-C2-O2	5.06	121.93	118.90
28	L	64	ARG	CA-CB-CG	5.06	124.52	113.40
20	A	1148	U	C5-C6-N1	5.05	125.23	122.70
43	0	50	ILE	CG1-CB-CG2	-5.05	100.28	111.40
20	A	769	G	C2-N3-C4	-5.05	109.37	111.90
20	A	1197	G	C8-N9-C1'	-5.05	120.43	127.00
1	a	498	C	N1-C2-O2	5.05	121.93	118.90
20	A	1147	G	P-O3'-C3'	5.05	125.76	119.70
20	A	1399	C	C6-N1-C2	-5.05	118.28	120.30
1	a	811	C	C2-N1-C1'	5.05	124.36	118.80
20	A	561	G	C8-N9-C1'	-5.05	120.44	127.00
20	A	1459	C	C2-N1-C1'	5.04	124.35	118.80
20	A	1719	A	C8-N9-C4	-5.04	103.78	105.80
20	A	1605	C	OP2-P-O3'	5.04	116.28	105.20
20	A	2404	U	C2-N1-C1'	5.04	123.75	117.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	A	2467	A	C5-N7-C8	-5.04	101.38	103.90
20	A	638	C	C2-N1-C1'	5.04	124.34	118.80
20	A	396	C	N1-C2-O2	5.03	121.92	118.90
20	A	2631	C	N1-C2-O2	5.03	121.92	118.90
20	A	960	U	P-O3'-C3'	5.03	125.74	119.70
20	A	1585	U	P-O3'-C3'	5.03	125.73	119.70
20	A	1723	U	C2-N1-C1'	5.03	123.73	117.70
20	A	721	U	N1-C2-O2	5.03	126.32	122.80
20	A	2891	C	N1-C2-O2	5.02	121.91	118.90
20	A	2020	C	C5-C6-N1	5.02	123.51	121.00
20	A	2035	G	C4-N9-C1'	5.02	133.03	126.50
1	a	1297	C	C2-N1-C1'	5.02	124.32	118.80
20	A	956	C	N3-C2-O2	-5.01	118.39	121.90
20	A	1379	G	C8-N9-C1'	-5.01	120.48	127.00
20	A	2066	G	C6-C5-N7	-5.01	127.39	130.40
20	A	2794	G	C6-C5-N7	-5.01	127.39	130.40
20	A	1137	U	C2-N1-C1'	5.01	123.71	117.70
1	a	597	C	N3-C2-O2	-5.01	118.39	121.90
20	A	2672	C	N3-C2-O2	-5.01	118.39	121.90
20	A	561	G	C4-C5-N7	5.00	112.80	110.80
20	A	1785	C	C6-N1-C2	-5.00	118.30	120.30
20	A	1907	C	C6-N1-C2	-5.00	118.30	120.30

There are no chirality outliers.

All (29) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
47	4	3	ARG	Peptide
22	C	154	LEU	Peptide
22	C	198	GLU	Peptide
23	D	53	TYR	Peptide
23	D	89	GLY	Peptide
24	E	13	GLN	Peptide
25	F	121	ALA	Peptide
26	G	47	GLY	Peptide
26	G	57	ASP	Peptide
27	K	131	HIS	Peptide
27	K	45	PHE	Peptide
29	M	30	THR	Peptide
29	M	85	PHE	Peptide
30	N	133	LYS	Peptide
32	P	30	ARG	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
35	S	50	ALA	Peptide
37	U	50	VAL	Peptide
37	U	84	GLU	Peptide
38	V	72	ASP	Peptide
38	V	87	ASP	Peptide
39	W	15	ARG	Peptide
40	X	28	LYS	Peptide
40	X	49	GLN	Peptide
41	Y	21	ALA	Peptide
3	d	189	GLU	Peptide
3	d	29	ARG	Peptide
7	h	22	HIS	Peptide
16	q	73	THR	Peptide
19	t	66	ILE	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	c	202/204 (99%)	177 (88%)	25 (12%)	0	100	100
3	d	199/201 (99%)	175 (88%)	24 (12%)	0	100	100
4	e	161/163 (99%)	146 (91%)	15 (9%)	0	100	100
5	f	95/97 (98%)	87 (92%)	8 (8%)	0	100	100
6	g	152/154 (99%)	138 (91%)	14 (9%)	0	100	100
7	h	129/131 (98%)	119 (92%)	10 (8%)	0	100	100
8	i	126/128 (98%)	107 (85%)	19 (15%)	0	100	100
9	j	97/99 (98%)	85 (88%)	12 (12%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	k	115/117 (98%)	93 (81%)	22 (19%)	0	100	100
11	l	134/136 (98%)	107 (80%)	27 (20%)	0	100	100
12	m	110/112 (98%)	90 (82%)	20 (18%)	0	100	100
13	n	58/60 (97%)	52 (90%)	6 (10%)	0	100	100
14	o	86/88 (98%)	76 (88%)	10 (12%)	0	100	100
15	p	87/89 (98%)	78 (90%)	9 (10%)	0	100	100
16	q	81/83 (98%)	69 (85%)	12 (15%)	0	100	100
17	r	64/66 (97%)	56 (88%)	8 (12%)	0	100	100
18	s	76/78 (97%)	69 (91%)	7 (9%)	0	100	100
19	t	79/81 (98%)	72 (91%)	7 (9%)	0	100	100
22	C	271/275 (98%)	228 (84%)	43 (16%)	0	100	100
23	D	205/207 (99%)	177 (86%)	27 (13%)	1 (0%)	29	66
24	E	204/206 (99%)	170 (83%)	34 (17%)	0	100	100
25	F	174/177 (98%)	153 (88%)	21 (12%)	0	100	100
26	G	172/176 (98%)	147 (86%)	23 (13%)	2 (1%)	13	49
27	K	141/145 (97%)	123 (87%)	18 (13%)	0	100	100
28	L	120/122 (98%)	102 (85%)	18 (15%)	0	100	100
29	M	144/146 (99%)	109 (76%)	33 (23%)	2 (1%)	11	45
30	N	139/141 (99%)	121 (87%)	18 (13%)	0	100	100
31	O	119/123 (97%)	94 (79%)	25 (21%)	0	100	100
32	P	115/117 (98%)	98 (85%)	17 (15%)	0	100	100
33	Q	112/114 (98%)	97 (87%)	15 (13%)	0	100	100
34	R	110/118 (93%)	104 (94%)	6 (6%)	0	100	100
35	S	98/102 (96%)	88 (90%)	10 (10%)	0	100	100
36	T	110/112 (98%)	94 (86%)	16 (14%)	0	100	100
37	U	86/89 (97%)	71 (83%)	13 (15%)	2 (2%)	6	36
38	V	99/101 (98%)	75 (76%)	21 (21%)	3 (3%)	4	32
39	W	92/94 (98%)	71 (77%)	20 (22%)	1 (1%)	14	50
40	X	74/76 (97%)	62 (84%)	12 (16%)	0	100	100
41	Y	52/54 (96%)	41 (79%)	11 (21%)	0	100	100
42	Z	59/61 (97%)	54 (92%)	5 (8%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
43	0	56/58 (97%)	47 (84%)	9 (16%)	0	100	100
44	1	58/60 (97%)	39 (67%)	19 (33%)	0	100	100
45	2	54/56 (96%)	50 (93%)	4 (7%)	0	100	100
46	3	47/49 (96%)	41 (87%)	6 (13%)	0	100	100
47	4	42/44 (96%)	39 (93%)	3 (7%)	0	100	100
48	5	62/64 (97%)	53 (86%)	9 (14%)	0	100	100
49	6	36/38 (95%)	31 (86%)	5 (14%)	0	100	100
All	All	5102/5212 (98%)	4375 (86%)	716 (14%)	11 (0%)	50	78

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
26	G	48	ASN
26	G	47	GLY
29	M	95	VAL
38	V	73	PRO
39	W	16	SER
23	D	90	GLU
37	U	52	ASN
29	M	16	ARG
38	V	72	ASP
37	U	50	VAL
38	V	88	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	c	162/162 (100%)	162 (100%)	0	100	100
3	d	175/175 (100%)	175 (100%)	0	100	100
4	e	126/126 (100%)	126 (100%)	0	100	100
5	f	86/86 (100%)	86 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	g	131/131 (100%)	130 (99%)	1 (1%)	81	89
7	h	112/112 (100%)	112 (100%)	0	100	100
8	i	101/101 (100%)	100 (99%)	1 (1%)	76	86
9	j	90/90 (100%)	88 (98%)	2 (2%)	52	72
10	k	91/91 (100%)	91 (100%)	0	100	100
11	l	118/118 (100%)	116 (98%)	2 (2%)	60	79
12	m	95/95 (100%)	95 (100%)	0	100	100
13	n	51/51 (100%)	50 (98%)	1 (2%)	55	74
14	o	78/78 (100%)	76 (97%)	2 (3%)	46	69
15	p	79/79 (100%)	78 (99%)	1 (1%)	69	83
16	q	76/76 (100%)	74 (97%)	2 (3%)	46	69
17	r	57/57 (100%)	55 (96%)	2 (4%)	36	63
18	s	68/68 (100%)	67 (98%)	1 (2%)	65	81
19	t	62/62 (100%)	61 (98%)	1 (2%)	62	79
22	C	225/225 (100%)	224 (100%)	1 (0%)	91	95
23	D	169/170 (99%)	167 (99%)	2 (1%)	71	84
24	E	172/172 (100%)	170 (99%)	2 (1%)	71	84
25	F	153/154 (99%)	153 (100%)	0	100	100
26	G	146/146 (100%)	146 (100%)	0	100	100
27	K	122/122 (100%)	121 (99%)	1 (1%)	81	89
28	L	98/98 (100%)	98 (100%)	0	100	100
29	M	111/112 (99%)	111 (100%)	0	100	100
30	N	111/112 (99%)	111 (100%)	0	100	100
31	O	104/105 (99%)	103 (99%)	1 (1%)	76	86
32	P	91/91 (100%)	91 (100%)	0	100	100
33	Q	97/97 (100%)	97 (100%)	0	100	100
34	R	88/94 (94%)	88 (100%)	0	100	100
35	S	83/83 (100%)	83 (100%)	0	100	100
36	T	95/95 (100%)	95 (100%)	0	100	100
37	U	80/80 (100%)	80 (100%)	0	100	100
38	V	85/85 (100%)	85 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	W	84/85 (99%)	84 (100%)	0	100	100
40	X	61/61 (100%)	61 (100%)	0	100	100
41	Y	46/47 (98%)	44 (96%)	2 (4%)	29	58
42	Z	55/55 (100%)	55 (100%)	0	100	100
43	0	49/49 (100%)	49 (100%)	0	100	100
44	1	54/55 (98%)	54 (100%)	0	100	100
45	2	46/46 (100%)	46 (100%)	0	100	100
46	3	49/49 (100%)	49 (100%)	0	100	100
47	4	38/39 (97%)	38 (100%)	0	100	100
48	5	51/51 (100%)	51 (100%)	0	100	100
49	6	35/35 (100%)	35 (100%)	0	100	100
All	All	4356/4371 (100%)	4331 (99%)	25 (1%)	86	93

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	g	36	ARG
8	i	14	ASN
9	j	5	LYS
9	j	16	ARG
11	l	32	LYS
11	l	134	ARG
13	n	26	ARG
14	o	54	ARG
14	o	89	ARG
15	p	90	LYS
16	q	5	ARG
16	q	6	ASN
17	r	13	LYS
17	r	65	ARG
18	s	6	LYS
19	t	49	LEU
22	C	257	TYR
23	D	119	PHE
23	D	168	ARG
24	E	74	ARG
24	E	169	ASN
27	K	45	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
31	O	114	ARG
41	Y	17	ASN
41	Y	32	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (53) such sidechains are listed below:

Mol	Chain	Res	Type
2	c	85	ASN
3	d	97	ASN
3	d	200	ASN
4	e	8	HIS
6	g	28	ASN
6	g	45	ASN
6	g	68	ASN
6	g	148	ASN
7	h	99	ASN
8	i	14	ASN
8	i	66	ASN
9	j	97	ASN
10	k	101	GLN
11	l	90	HIS
13	n	10	ASN
14	o	9	ASN
16	q	6	ASN
16	q	50	HIS
17	r	56	GLN
19	t	67	HIS
19	t	69	ASN
22	C	128	ASN
22	C	177	ASN
22	C	232	HIS
23	D	37	GLN
24	E	14	ASN
24	E	75	GLN
24	E	169	ASN
25	F	2	ASN
25	F	37	ASN
26	G	44	ASN
30	N	123	HIS
32	P	20	ASN
32	P	101	HIS
34	R	38	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	R	81	HIS
35	S	81	HIS
36	T	65	ASN
41	Y	17	ASN
41	Y	23	ASN
41	Y	32	ASN
41	Y	34	GLN
43	0	52	HIS
45	2	32	ASN
45	2	40	HIS
45	2	48	HIS
46	3	4	ASN
46	3	26	ASN
47	4	8	ASN
48	5	4	GLN
48	5	7	HIS
48	5	31	HIS
48	5	60	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	a	1526/1528 (99%)	392 (25%)	0
20	A	2890/2903 (99%)	708 (24%)	24 (0%)
21	B	113/116 (97%)	30 (26%)	1 (0%)
All	All	4529/4547 (99%)	1130 (24%)	25 (0%)

All (1130) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	a	5	A
1	a	6	G
1	a	7	A
1	a	11	U
1	a	12	G
1	a	19	G
1	a	28	G
1	a	29	A
1	a	35	G
1	a	36	G
1	a	41	G

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	44	C
1	a	45	C
1	a	48	A
1	a	55	C
1	a	60	C
1	a	65	G
1	a	72	U
1	a	73	C
1	a	74	C
1	a	75	U
1	a	97	G
1	a	113	G
1	a	114	A
1	a	117	G
1	a	126	C
1	a	127	A
1	a	135	A
1	a	136	A
1	a	137	C
1	a	150	G
1	a	152	G
1	a	169	C
1	a	183	G
1	a	188	A
1	a	189	C
1	a	202	A
1	a	211	G
1	a	212	A
1	a	215	G
1	a	218	A
1	a	219	G
1	a	222	G
1	a	223	C
1	a	226	U
1	a	227	C
1	a	229	G
1	a	235	G
1	a	255	U
1	a	256	G
1	a	261	A
1	a	262	G
1	a	266	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	277	A
1	a	281	G
1	a	282	C
1	a	289	A
1	a	294	A
1	a	296	G
1	a	304	G
1	a	306	C
1	a	308	A
1	a	321	A
1	a	323	C
1	a	330	A
1	a	331	C
1	a	336	A
1	a	342	A
1	a	343	C
1	a	361	G
1	a	362	G
1	a	367	C
1	a	369	G
1	a	381	C
1	a	382	U
1	a	387	C
1	a	388	A
1	a	393	A
1	a	399	G
1	a	403	G
1	a	407	G
1	a	412	A
1	a	420	U
1	a	421	G
1	a	422	A
1	a	426	A
1	a	427	A
1	a	428	G
1	a	429	A
1	a	437	C
1	a	439	G
1	a	443	G
1	a	444	U
1	a	454	U
1	a	455	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	456	G
1	a	457	U
1	a	463	A
1	a	464	A
1	a	469	A
1	a	476	U
1	a	478	A
1	a	479	G
1	a	480	U
1	a	482	A
1	a	483	C
1	a	484	U
1	a	485	G
1	a	487	A
1	a	489	G
1	a	490	U
1	a	493	C
1	a	495	U
1	a	496	G
1	a	499	G
1	a	500	G
1	a	501	U
1	a	510	A
1	a	511	G
1	a	526	C
1	a	528	A
1	a	533	C
1	a	534	C
1	a	536	G
1	a	542	G
1	a	546	U
1	a	547	A
1	a	548	A
1	a	560	C
1	a	562	A
1	a	577	U
1	a	578	A
1	a	583	G
1	a	585	G
1	a	587	A
1	a	590	G
1	a	591	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	592	G
1	a	603	G
1	a	611	A
1	a	634	U
1	a	646	G
1	a	648	U
1	a	649	C
1	a	656	A
1	a	668	U
1	a	671	G
1	a	674	C
1	a	676	G
1	a	680	A
1	a	681	G
1	a	686	G
1	a	701	U
1	a	702	A
1	a	710	A
1	a	719	A
1	a	735	C
1	a	736	A
1	a	738	U
1	a	744	A
1	a	757	G
1	a	763	A
1	a	764	A
1	a	770	G
1	a	775	G
1	a	802	A
1	a	808	U
1	a	832	C
1	a	835	U
1	a	836	G
1	a	842	U
1	a	843	A
1	a	847	G
1	a	852	A
1	a	858	U
1	a	859	C
1	a	860	C
1	a	861	G
1	a	862	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	867	C
1	a	869	G
1	a	886	U
1	a	887	U
1	a	888	A
1	a	889	A
1	a	890	G
1	a	896	C
1	a	901	G
1	a	905	A
1	a	937	U
1	a	938	G
1	a	942	G
1	a	943	G
1	a	945	G
1	a	946	C
1	a	947	C
1	a	948	C
1	a	950	C
1	a	951	A
1	a	954	A
1	a	955	G
1	a	956	C
1	a	962	A
1	a	974	A
1	a	975	A
1	a	976	U
1	a	977	U
1	a	981	A
1	a	982	G
1	a	984	A
1	a	985	A
1	a	986	C
1	a	987	G
1	a	988	C
1	a	989	G
1	a	990	A
1	a	991	A
1	a	992	G
1	a	999	A
1	a	1005	U
1	a	1008	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	1009	G
1	a	1012	A
1	a	1017	U
1	a	1018	U
1	a	1020	A
1	a	1024	C
1	a	1025	U
1	a	1030	A
1	a	1031	G
1	a	1033	U
1	a	1034	A
1	a	1037	G
1	a	1039	U
1	a	1040	U
1	a	1042	C
1	a	1043	C
1	a	1044	C
1	a	1048	G
1	a	1052	A
1	a	1056	A
1	a	1060	A
1	a	1061	C
1	a	1066	G
1	a	1069	G
1	a	1072	U
1	a	1074	G
1	a	1075	U
1	a	1080	G
1	a	1081	U
1	a	1082	C
1	a	1089	U
1	a	1096	A
1	a	1097	G
1	a	1101	U
1	a	1102	U
1	a	1104	G
1	a	1109	A
1	a	1110	G
1	a	1111	U
1	a	1116	C
1	a	1117	A
1	a	1119	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	1124	G
1	a	1126	A
1	a	1129	C
1	a	1140	G
1	a	1142	U
1	a	1145	C
1	a	1146	A
1	a	1148	C
1	a	1152	U
1	a	1153	A
1	a	1154	G
1	a	1155	U
1	a	1156	U
1	a	1159	G
1	a	1160	C
1	a	1161	A
1	a	1169	G
1	a	1172	A
1	a	1173	C
1	a	1174	U
1	a	1176	C
1	a	1182	A
1	a	1183	C
1	a	1184	A
1	a	1190	G
1	a	1196	G
1	a	1197	G
1	a	1199	G
1	a	1205	G
1	a	1211	A
1	a	1212	A
1	a	1227	U
1	a	1228	A
1	a	1229	U
1	a	1230	G
1	a	1236	G
1	a	1237	G
1	a	1239	U
1	a	1240	A
1	a	1241	C
1	a	1242	A
1	a	1251	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	1254	A
1	a	1255	U
1	a	1256	G
1	a	1259	A
1	a	1265	A
1	a	1268	G
1	a	1272	C
1	a	1273	G
1	a	1276	A
1	a	1282	C
1	a	1283	G
1	a	1284	A
1	a	1293	A
1	a	1295	A
1	a	1296	U
1	a	1297	C
1	a	1298	U
1	a	1300	U
1	a	1302	A
1	a	1303	A
1	a	1305	G
1	a	1309	C
1	a	1312	U
1	a	1314	A
1	a	1315	G
1	a	1317	U
1	a	1320	G
1	a	1324	G
1	a	1327	G
1	a	1332	C
1	a	1333	A
1	a	1335	C
1	a	1336	U
1	a	1337	C
1	a	1346	G
1	a	1350	C
1	a	1351	C
1	a	1352	G
1	a	1353	G
1	a	1356	U
1	a	1360	U
1	a	1362	G

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	1364	A
1	a	1378	A
1	a	1379	C
1	a	1383	G
1	a	1385	G
1	a	1393	C
1	a	1394	G
1	a	1400	G
1	a	1404	C
1	a	1405	U
1	a	1406	U
1	a	1409	A
1	a	1411	A
1	a	1412	C
1	a	1413	A
1	a	1414	C
1	a	1415	C
1	a	1416	G
1	a	1417	C
1	a	1433	A
1	a	1434	G
1	a	1438	G
1	a	1441	A
1	a	1457	A
1	a	1458	G
1	a	1461	A
1	a	1465	U
1	a	1466	U
1	a	1467	U
1	a	1468	U
1	a	1500	U
1	a	1507	G
1	a	1509	A
1	a	1510	G
1	a	1511	U
1	a	1515	A
1	a	1516	A
1	a	1518	A
1	a	1519	A
1	a	1521	G
1	a	1522	U
1	a	1545	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	a	1546	G
1	a	1549	C
1	a	1550	A
20	A	14	A
20	A	15	A
20	A	16	G
20	A	29	A
20	A	49	G
20	A	50	A
20	A	52	G
20	A	64	U
20	A	72	A
20	A	75	U
20	A	76	G
20	A	86	G
20	A	89	G
20	A	90	U
20	A	97	G
20	A	102	G
20	A	103	A
20	A	110	G
20	A	118	A
20	A	119	A
20	A	120	U
20	A	131	A
20	A	151	A
20	A	155	U
20	A	156	U
20	A	159	G
20	A	162	A
20	A	163	A
20	A	165	A
20	A	166	C
20	A	169	A
20	A	180	G
20	A	182	U
20	A	184	G
20	A	185	A
20	A	189	A
20	A	199	A
20	A	202	A
20	A	207	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	218	G
20	A	219	A
20	A	224	A
20	A	225	A
20	A	229	A
20	A	231	A
20	A	232	U
20	A	233	U
20	A	235	G
20	A	236	A
20	A	244	A
20	A	251	G
20	A	254	A
20	A	255	G
20	A	268	A
20	A	270	C
20	A	278	A
20	A	284	C
20	A	285	U
20	A	286	U
20	A	288	C
20	A	298	U
20	A	300	G
20	A	302	A
20	A	312	U
20	A	313	A
20	A	318	A
20	A	321	C
20	A	322	U
20	A	324	U
20	A	327	G
20	A	332	G
20	A	339	G
20	A	344	G
20	A	367	A
20	A	383	A
20	A	386	G
20	A	391	C
20	A	396	C
20	A	399	A
20	A	400	G
20	A	404	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	410	G
20	A	411	A
20	A	412	G
20	A	421	A
20	A	424	A
20	A	426	G
20	A	427	A
20	A	445	C
20	A	446	G
20	A	451	G
20	A	452	A
20	A	487	A
20	A	488	U
20	A	494	A
20	A	495	C
20	A	496	C
20	A	497	A
20	A	506	A
20	A	507	G
20	A	513	G
20	A	517	A
20	A	518	A
20	A	521	G
20	A	543	U
20	A	544	A
20	A	547	U
20	A	548	C
20	A	549	C
20	A	561	G
20	A	566	C
20	A	569	C
20	A	570	A
20	A	571	A
20	A	572	G
20	A	580	U
20	A	585	A
20	A	586	A
20	A	587	U
20	A	588	G
20	A	599	U
20	A	600	G
20	A	610	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	612	A
20	A	613	U
20	A	623	A
20	A	624	G
20	A	640	A
20	A	651	A
20	A	652	A
20	A	653	G
20	A	654	A
20	A	655	G
20	A	660	A
20	A	661	G
20	A	670	A
20	A	673	G
20	A	676	A
20	A	677	G
20	A	682	A
20	A	684	U
20	A	693	U
20	A	694	G
20	A	696	G
20	A	708	A
20	A	710	A
20	A	711	C
20	A	722	G
20	A	726	U
20	A	727	C
20	A	741	G
20	A	756	A
20	A	758	A
20	A	759	C
20	A	766	G
20	A	769	G
20	A	770	A
20	A	786	U
20	A	787	U
20	A	788	G
20	A	792	A
20	A	804	A
20	A	805	G
20	A	808	G
20	A	815	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	816	C
20	A	817	G
20	A	822	A
20	A	823	A
20	A	824	U
20	A	825	U
20	A	828	A
20	A	832	G
20	A	833	A
20	A	840	A
20	A	845	G
20	A	846	C
20	A	849	G
20	A	851	U
20	A	852	C
20	A	859	A
20	A	861	A
20	A	867	U
20	A	885	U
20	A	886	U
20	A	888	A
20	A	891	A
20	A	897	G
20	A	900	G
20	A	901	U
20	A	904	A
20	A	905	G
20	A	906	C
20	A	907	A
20	A	914	G
20	A	919	A
20	A	922	G
20	A	923	G
20	A	925	C
20	A	926	C
20	A	927	A
20	A	928	U
20	A	932	G
20	A	934	G
20	A	935	U
20	A	939	C
20	A	942	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	943	U
20	A	946	A
20	A	949	U
20	A	950	A
20	A	951	A
20	A	953	C
20	A	960	U
20	A	961	G
20	A	964	A
20	A	966	U
20	A	978	G
20	A	985	A
20	A	986	G
20	A	993	A
20	A	997	A
20	A	999	A
20	A	1001	G
20	A	1006	G
20	A	1013	A
20	A	1014	A
20	A	1015	A
20	A	1016	G
20	A	1029	G
20	A	1036	A
20	A	1042	G
20	A	1047	C
20	A	1048	A
20	A	1049	A
20	A	1051	A
20	A	1052	U
20	A	1053	A
20	A	1061	A
20	A	1062	G
20	A	1065	G
20	A	1066	A
20	A	1073	U
20	A	1085	C
20	A	1086	A
20	A	1087	G
20	A	1089	C
20	A	1094	A
20	A	1095	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	1096	G
20	A	1097	A
20	A	1100	U
20	A	1101	U
20	A	1103	G
20	A	1104	C
20	A	1105	U
20	A	1107	A
20	A	1108	G
20	A	1109	A
20	A	1110	A
20	A	1111	G
20	A	1112	C
20	A	1113	A
20	A	1115	C
20	A	1116	C
20	A	1117	A
20	A	1118	C
20	A	1119	C
20	A	1120	A
20	A	1122	U
20	A	1124	A
20	A	1125	A
20	A	1128	A
20	A	1129	G
20	A	1131	G
20	A	1132	C
20	A	1133	G
20	A	1134	U
20	A	1135	A
20	A	1137	U
20	A	1138	A
20	A	1139	G
20	A	1140	C
20	A	1141	U
20	A	1142	C
20	A	1143	A
20	A	1144	C
20	A	1145	U
20	A	1146	A
20	A	1147	G
20	A	1148	U

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	1151	A
20	A	1152	G
20	A	1156	C
20	A	1162	G
20	A	1167	A
20	A	1168	A
20	A	1171	G
20	A	1172	U
20	A	1174	C
20	A	1175	C
20	A	1179	G
20	A	1181	U
20	A	1182	A
20	A	1183	A
20	A	1188	A
20	A	1196	A
20	A	1210	C
20	A	1213	U
20	A	1215	A
20	A	1216	G
20	A	1217	G
20	A	1218	U
20	A	1219	G
20	A	1249	G
20	A	1257	A
20	A	1258	U
20	A	1272	G
20	A	1273	G
20	A	1274	A
20	A	1275	G
20	A	1277	G
20	A	1284	A
20	A	1285	G
20	A	1290	A
20	A	1292	U
20	A	1293	G
20	A	1294	C
20	A	1302	A
20	A	1308	G
20	A	1309	A
20	A	1310	A
20	A	1311	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	1320	A
20	A	1323	A
20	A	1336	U
20	A	1337	A
20	A	1338	U
20	A	1349	U
20	A	1350	C
20	A	1357	A
20	A	1365	U
20	A	1366	C
20	A	1375	G
20	A	1376	U
20	A	1377	U
20	A	1388	U
20	A	1394	G
20	A	1396	G
20	A	1397	G
20	A	1400	G
20	A	1401	A
20	A	1404	G
20	A	1414	A
20	A	1415	U
20	A	1420	A
20	A	1421	A
20	A	1422	C
20	A	1428	G
20	A	1431	A
20	A	1432	U
20	A	1436	U
20	A	1443	G
20	A	1445	U
20	A	1448	U
20	A	1449	U
20	A	1450	U
20	A	1451	U
20	A	1452	G
20	A	1453	U
20	A	1455	U
20	A	1457	A
20	A	1461	A
20	A	1462	U
20	A	1463	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	1469	A
20	A	1470	C
20	A	1471	G
20	A	1475	U
20	A	1488	G
20	A	1489	C
20	A	1492	G
20	A	1494	G
20	A	1495	A
20	A	1496	U
20	A	1497	U
20	A	1500	A
20	A	1501	A
20	A	1502	G
20	A	1503	U
20	A	1504	G
20	A	1505	C
20	A	1509	U
20	A	1510	C
20	A	1516	A
20	A	1519	G
20	A	1521	G
20	A	1525	U
20	A	1531	G
20	A	1532	A
20	A	1536	A
20	A	1539	U
20	A	1545	A
20	A	1548	C
20	A	1551	U
20	A	1552	A
20	A	1559	A
20	A	1560	G
20	A	1566	A
20	A	1568	G
20	A	1573	G
20	A	1576	A
20	A	1577	A
20	A	1579	U
20	A	1584	G
20	A	1585	U
20	A	1586	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	1588	C
20	A	1589	G
20	A	1590	A
20	A	1600	C
20	A	1601	G
20	A	1602	U
20	A	1604	A
20	A	1605	C
20	A	1606	A
20	A	1612	A
20	A	1613	A
20	A	1615	A
20	A	1623	C
20	A	1629	A
20	A	1630	G
20	A	1631	A
20	A	1632	A
20	A	1633	A
20	A	1634	A
20	A	1635	C
20	A	1640	G
20	A	1645	U
20	A	1646	A
20	A	1650	U
20	A	1651	A
20	A	1653	A
20	A	1677	U
20	A	1689	A
20	A	1690	G
20	A	1691	C
20	A	1717	G
20	A	1737	C
20	A	1738	G
20	A	1741	A
20	A	1756	U
20	A	1757	U
20	A	1767	G
20	A	1770	G
20	A	1774	A
20	A	1776	A
20	A	1777	G
20	A	1778	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	1782	A
20	A	1787	A
20	A	1790	G
20	A	1795	U
20	A	1798	A
20	A	1814	C
20	A	1815	A
20	A	1817	A
20	A	1821	G
20	A	1822	U
20	A	1823	A
20	A	1829	A
20	A	1830	A
20	A	1833	A
20	A	1834	U
20	A	1841	U
20	A	1842	G
20	A	1843	A
20	A	1862	A
20	A	1872	G
20	A	1881	G
20	A	1882	C
20	A	1886	G
20	A	1896	A
20	A	1913	A
20	A	1917	G
20	A	1933	A
20	A	1940	U
20	A	1941	A
20	A	1943	G
20	A	1944	G
20	A	1952	A
20	A	1957	U
20	A	1958	U
20	A	1969	U
20	A	1970	U
20	A	1976	C
20	A	1978	G
20	A	1979	C
20	A	1981	C
20	A	1984	A
20	A	1985	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	1986	G
20	A	1989	G
20	A	1996	U
20	A	2006	G
20	A	2007	U
20	A	2034	A
20	A	2037	A
20	A	2039	C
20	A	2044	A
20	A	2045	A
20	A	2046	G
20	A	2047	A
20	A	2048	U
20	A	2056	A
20	A	2057	C
20	A	2066	G
20	A	2069	C
20	A	2070	G
20	A	2074	A
20	A	2075	G
20	A	2082	U
20	A	2083	G
20	A	2107	G
20	A	2114	U
20	A	2122	A
20	A	2124	G
20	A	2125	U
20	A	2126	A
20	A	2128	A
20	A	2129	G
20	A	2130	G
20	A	2131	A
20	A	2132	U
20	A	2133	A
20	A	2134	G
20	A	2139	G
20	A	2140	A
20	A	2143	C
20	A	2144	G
20	A	2145	A
20	A	2146	U
20	A	2148	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	2149	G
20	A	2150	A
20	A	2153	G
20	A	2154	G
20	A	2158	G
20	A	2159	C
20	A	2160	U
20	A	2162	G
20	A	2170	G
20	A	2172	A
20	A	2173	G
20	A	2174	G
20	A	2176	G
20	A	2179	G
20	A	2180	G
20	A	2182	G
20	A	2183	G
20	A	2184	G
20	A	2185	A
20	A	2186	U
20	A	2187	A
20	A	2190	A
20	A	2200	U
20	A	2201	A
20	A	2206	C
20	A	2212	A
20	A	2213	A
20	A	2217	G
20	A	2218	C
20	A	2225	A
20	A	2227	U
20	A	2239	A
20	A	2252	G
20	A	2253	G
20	A	2273	G
20	A	2280	A
20	A	2282	A
20	A	2292	A
20	A	2297	C
20	A	2301	A
20	A	2302	A
20	A	2318	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	2319	U
20	A	2323	A
20	A	2325	A
20	A	2327	C
20	A	2333	A
20	A	2334	A
20	A	2336	A
20	A	2337	G
20	A	2339	G
20	A	2341	A
20	A	2348	G
20	A	2349	A
20	A	2350	A
20	A	2359	G
20	A	2364	C
20	A	2379	G
20	A	2390	A
20	A	2391	A
20	A	2393	G
20	A	2397	G
20	A	2398	G
20	A	2399	C
20	A	2402	A
20	A	2404	U
20	A	2405	G
20	A	2406	A
20	A	2407	U
20	A	2416	U
20	A	2417	C
20	A	2419	G
20	A	2420	C
20	A	2436	C
20	A	2437	U
20	A	2439	A
20	A	2443	G
20	A	2445	U
20	A	2455	C
20	A	2459	G
20	A	2461	G
20	A	2462	A
20	A	2469	G
20	A	2473	A

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	2489	C
20	A	2492	A
20	A	2498	G
20	A	2504	G
20	A	2505	U
20	A	2512	C
20	A	2516	G
20	A	2517	A
20	A	2518	U
20	A	2519	G
20	A	2521	C
20	A	2532	A
20	A	2534	C
20	A	2548	C
20	A	2549	G
20	A	2557	G
20	A	2558	G
20	A	2566	U
20	A	2567	G
20	A	2568	U
20	A	2570	C
20	A	2580	A
20	A	2581	G
20	A	2586	A
20	A	2587	C
20	A	2588	G
20	A	2592	G
20	A	2595	G
20	A	2596	G
20	A	2598	U
20	A	2599	U
20	A	2600	C
20	A	2616	A
20	A	2623	U
20	A	2627	U
20	A	2643	U
20	A	2650	U
20	A	2660	C
20	A	2661	U
20	A	2677	G
20	A	2682	G
20	A	2696	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	2703	U
20	A	2728	G
20	A	2746	G
20	A	2747	A
20	A	2753	U
20	A	2755	A
20	A	2764	A
20	A	2766	C
20	A	2770	U
20	A	2778	A
20	A	2779	A
20	A	2780	G
20	A	2792	A
20	A	2793	U
20	A	2804	A
20	A	2805	U
20	A	2806	U
20	A	2808	C
20	A	2810	U
20	A	2812	A
20	A	2813	A
20	A	2814	G
20	A	2819	U
20	A	2829	G
20	A	2831	G
20	A	2835	U
20	A	2836	G
20	A	2844	A
20	A	2845	G
20	A	2846	A
20	A	2847	U
20	A	2848	A
20	A	2868	G
20	A	2870	G
20	A	2878	G
20	A	2883	G
20	A	2891	C
20	A	2897	G
20	A	2904	G
21	B	8	G
21	B	10	G
21	B	11	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
21	B	13	A
21	B	22	G
21	B	23	A
21	B	29	C
21	B	31	G
21	B	36	C
21	B	40	C
21	B	42	G
21	B	43	A
21	B	50	A
21	B	54	U
21	B	55	A
21	B	70	G
21	B	71	A
21	B	73	U
21	B	74	G
21	B	82	G
21	B	85	U
21	B	86	U
21	B	87	U
21	B	88	C
21	B	94	G
21	B	97	A
21	B	99	A
21	B	102	A
21	B	107	G
21	B	115	G

All (25) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	A	155	U
20	A	179	A
20	A	311	A
20	A	654	A
20	A	693	U
20	A	755	A
20	A	890	A
20	A	960	U
20	A	963	C
20	A	1100	U
20	A	1138	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
20	A	1142	C
20	A	1146	A
20	A	1147	G
20	A	1502	G
20	A	1530	A
20	A	1584	G
20	A	1585	U
20	A	1604	A
20	A	1605	C
20	A	2281	A
20	A	2317	G
20	A	2475	C
20	A	2811	U
21	B	101	U

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
20	A	2
1	a	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	928:U	O3'	931:C	P	12.58
1	a	75:U	O3'	96:U	P	12.00
1	A	1579:U	O3'	1583:A	P	10.23


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0657. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 220



Y Index: 220




Z Index: 220


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 228



Y Index: 231




Z Index: 209


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.238. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 2048  $\text{nm}^3$ ; this corresponds to an approximate mass of 1850 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i



\*Reported resolution corresponds to spatial frequency of 0.272 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0657 and PDB model 6O8X. Per-residue inclusion information can be found in section 3 on page 13.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.238 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.238).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.238) and Q-score for the entire model and for each chain.































Chain	Atom inclusion	Q-score
All	 0.9550	 0.4020
0	 0.9090	 0.4630
1	 0.8830	 0.2890
2	 0.9570	 0.4650
3	 0.8760	 0.4560
4	 0.9230	 0.4470
5	 0.9130	 0.4770
6	 0.9560	 0.4600
A	 0.9900	 0.4290
B	 0.9960	 0.4020
C	 0.9260	 0.4520
D	 0.9300	 0.4690
E	 0.9220	 0.4370
F	 0.8600	 0.3250
G	 0.8870	 0.3780
K	 0.9300	 0.4550
L	 0.9040	 0.4720
M	 0.9320	 0.4460
N	 0.8180	 0.4070
O	 0.9180	 0.4350
P	 0.8920	 0.3700
Q	 0.9150	 0.4560
R	 0.9020	 0.4120
S	 0.9240	 0.4500
T	 0.9230	 0.4500
U	 0.9150	 0.4240
V	 0.8650	 0.3960
W	 0.3150	 0.2990
X	 0.9460	 0.4660
Y	 0.8910	 0.4570
Z	 0.9040	 0.3750
a	 0.9880	 0.3700
c	 0.5310	 0.2820
d	 0.8960	 0.3340
e	 0.8850	 0.3640



*Continued on next page...*



*Continued from previous page...*

Chain	Atom inclusion	Q-score
f	 0.8810	 0.3990
g	 0.8560	 0.2080
h	 0.9150	 0.4090
i	 0.8960	 0.2830
j	 0.8100	 0.2520
k	 0.9090	 0.3700
l	 0.8570	 0.3950
m	 0.7680	 0.2210
n	 0.8930	 0.2790
o	 0.8820	 0.4010
p	 0.9290	 0.3920
q	 0.8760	 0.4040
r	 0.8940	 0.3900
s	 0.8480	 0.2450
t	 0.8860	 0.3680