



# Full wwPDB X-ray Structure Validation Report i

Aug 20, 2023 – 12:29 PM EDT

PDB ID : 2OAL  
Title : RebH with bound FAD  
Authors : Blasiak, L.C.; Drennan, C.L.  
Deposited on : 2006-12-16  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 9136 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tryptophan halogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	527	Total	C 4224	N 2686	O 734	S 785	19	0	0
1	B	528	Total	C 4234	N 2691	O 737	S 787	19	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q8KHZ8
A	-18	GLY	-	cloning artifact	UNP Q8KHZ8
A	-17	SER	-	cloning artifact	UNP Q8KHZ8
A	-16	SER	-	cloning artifact	UNP Q8KHZ8
A	-15	HIS	-	expression tag	UNP Q8KHZ8
A	-14	HIS	-	expression tag	UNP Q8KHZ8
A	-13	HIS	-	expression tag	UNP Q8KHZ8
A	-12	HIS	-	expression tag	UNP Q8KHZ8
A	-11	HIS	-	expression tag	UNP Q8KHZ8
A	-10	HIS	-	expression tag	UNP Q8KHZ8
A	-9	SER	-	cloning artifact	UNP Q8KHZ8
A	-8	SER	-	cloning artifact	UNP Q8KHZ8
A	-7	GLY	-	cloning artifact	UNP Q8KHZ8
A	-6	LEU	-	cloning artifact	UNP Q8KHZ8
A	-5	VAL	-	cloning artifact	UNP Q8KHZ8
A	-4	PRO	-	cloning artifact	UNP Q8KHZ8
A	-3	ARG	-	cloning artifact	UNP Q8KHZ8
A	-2	GLY	-	cloning artifact	UNP Q8KHZ8
A	-1	SER	-	cloning artifact	UNP Q8KHZ8
A	0	HIS	-	cloning artifact	UNP Q8KHZ8
B	-19	MET	-	initiating methionine	UNP Q8KHZ8
B	-18	GLY	-	cloning artifact	UNP Q8KHZ8
B	-17	SER	-	cloning artifact	UNP Q8KHZ8
B	-16	SER	-	cloning artifact	UNP Q8KHZ8
B	-15	HIS	-	expression tag	UNP Q8KHZ8

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP Q8KHZ8
B	-13	HIS	-	expression tag	UNP Q8KHZ8
B	-12	HIS	-	expression tag	UNP Q8KHZ8
B	-11	HIS	-	expression tag	UNP Q8KHZ8
B	-10	HIS	-	expression tag	UNP Q8KHZ8
B	-9	SER	-	cloning artifact	UNP Q8KHZ8
B	-8	SER	-	cloning artifact	UNP Q8KHZ8
B	-7	GLY	-	cloning artifact	UNP Q8KHZ8
B	-6	LEU	-	cloning artifact	UNP Q8KHZ8
B	-5	VAL	-	cloning artifact	UNP Q8KHZ8
B	-4	PRO	-	cloning artifact	UNP Q8KHZ8
B	-3	ARG	-	cloning artifact	UNP Q8KHZ8
B	-2	GLY	-	cloning artifact	UNP Q8KHZ8
B	-1	SER	-	cloning artifact	UNP Q8KHZ8
B	0	HIS	-	cloning artifact	UNP Q8KHZ8

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total 1 1	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C<sub>27</sub>H<sub>33</sub>N<sub>9</sub>O<sub>15</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	308	Total	O	0	0
			308	308		


  

Mol	Chain	Residues	Total	O	ZeroOcc	AltConf
4	B	264	264	264	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tryptophan halogenase



- Molecule 1: Tryptophan halogenase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 62	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.72Å 114.72Å 230.88Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.90 – 2.10 41.74 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.8 (35.90-2.10) 97.9 (41.74-2.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.04	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	5.81 (at 2.10Å)	Xtriage
Refinement program	CNS	Depositor
$R$ , $R_{free}$	0.197 , 0.222 0.191 , 0.215	Depositor DCC
$R_{free}$ test set	4977 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.5	Xtriage
Anisotropy	0.233	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 49.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	0.046 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	9136	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.35% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/4340	0.61	2/5891 (0.0%)
1	B	0.33	0/4351	0.56	0/5905
All	All	0.36	0/8691	0.59	2/11796 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2	SER	N-CA-C	7.85	132.19	111.00
1	A	3	GLY	N-CA-C	-6.33	97.27	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1	MET	Peptide

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4224	0	4027	66	0
1	B	4234	0	4035	70	0
2	A	1	0	0	0	0
3	A	53	0	31	3	0
3	B	52	0	31	2	0
4	A	308	0	0	3	0
4	B	264	0	0	2	0
All	All	9136	0	8124	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:LEU:CD1	1:A:451:ALA:HB2	1.29	1.53
1:A:113:LEU:CD1	1:A:451:ALA:CB	2.24	1.15
1:A:113:LEU:HD22	1:A:113:LEU:H	1.11	1.13
1:A:113:LEU:H	1:A:113:LEU:CD2	1.66	1.06
1:A:113:LEU:HD11	1:A:451:ALA:HB2	1.12	1.06
1:A:113:LEU:HD12	1:A:451:ALA:HB2	1.08	1.05
1:A:113:LEU:HD12	1:A:451:ALA:CB	1.88	1.02
1:A:113:LEU:HD11	1:A:451:ALA:CB	1.92	0.97
1:A:113:LEU:HD22	1:A:113:LEU:N	1.82	0.93
1:A:49:GLU:HG3	1:A:173:ALA:HB2	1.52	0.92
1:B:113:LEU:HD21	1:B:451:ALA:HB2	1.50	0.92
1:B:45:LEU:H	1:B:326:ASN:HD21	1.25	0.84
1:B:49:GLU:HG3	1:B:173:ALA:HB2	1.62	0.82
1:B:467:ASN:HD22	1:B:469:SER:H	1.37	0.73
1:B:467:ASN:H	1:B:470:ASN:HD22	1.36	0.72
1:A:387:ARG:HH12	1:A:390:ARG:NH1	1.90	0.70
1:A:116:TYR:HD1	1:A:449:ASP:HB3	1.57	0.70
1:B:148:VAL:HG21	1:B:510:GLN:HB2	1.74	0.69
1:A:511:ARG:O	1:A:515:GLU:HG3	1.93	0.68
1:B:304:THR:OG1	1:B:307:GLU:HG3	1.94	0.68
1:B:45:LEU:N	1:B:326:ASN:HD21	1.92	0.67
3:B:601:FAD:PA	3:B:601:FAD:P	2.93	0.66
1:B:148:VAL:CG2	1:B:510:GLN:HB2	2.25	0.66
1:A:12:GLY:HA2	3:A:600:FAD:H1B	1.78	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:LEU:HD21	1:B:451:ALA:CB	2.25	0.65
1:A:233:LEU:HD12	1:A:237:LYS:HD3	1.78	0.64
1:B:507:LYS:O	1:B:511:ARG:HG3	1.97	0.64
1:A:310:ARG:O	1:A:314:GLU:HG3	1.97	0.64
1:A:129:ARG:HD3	4:A:1178:HOH:O	1.96	0.63
1:B:498:SER:O	1:B:501:GLU:HG2	1.99	0.63
1:A:387:ARG:NH1	1:A:390:ARG:HD2	2.14	0.62
1:B:437:TYR:HB2	1:B:443:ILE:HD11	1.79	0.62
1:B:113:LEU:CD2	1:B:451:ALA:HB2	2.26	0.61
1:B:467:ASN:H	1:B:470:ASN:ND2	1.98	0.61
1:A:113:LEU:HD12	1:A:451:ALA:CA	2.31	0.60
1:A:197:VAL:HB	1:A:233:LEU:HD21	1.83	0.60
1:A:459:GLU:O	1:A:463:ARG:HD3	2.00	0.60
1:A:49:GLU:CG	1:A:173:ALA:HB2	2.29	0.60
1:B:450:ASP:OD1	1:B:453:LEU:HG	2.02	0.59
1:A:80:VAL:HB	1:A:150:LEU:HD21	1.83	0.59
1:B:503:PHE:O	1:B:506:VAL:HG22	2.03	0.59
1:B:459:GLU:O	1:B:463:ARG:HG3	2.03	0.58
1:B:369:TYR:OH	1:B:459:GLU:HG2	2.03	0.58
1:B:164:VAL:HG11	1:B:517:LEU:HD21	1.87	0.56
1:A:158:ARG:HD2	1:A:162:SER:OG	2.06	0.56
1:B:467:ASN:HD22	1:B:469:SER:N	2.03	0.56
1:B:467:ASN:HD21	1:B:469:SER:HB2	1.71	0.56
1:A:413:THR:HG22	1:A:422:LYS:HE3	1.88	0.56
1:B:71:MET:HB2	1:B:76:ALA:HB3	1.88	0.55
1:A:5:ILE:HG23	1:A:222:ASP:HB2	1.87	0.55
1:A:182:ARG:O	1:A:186:GLU:HB2	2.06	0.54
1:B:274:SER:HB2	1:B:285:LYS:HB3	1.89	0.54
1:A:125:TYR:O	1:A:129:ARG:HG3	2.08	0.54
1:A:38:GLN:O	1:A:194:GLU:HA	2.09	0.53
1:B:467:ASN:ND2	1:B:469:SER:H	2.05	0.53
1:A:305:GLU:O	1:A:309:VAL:HG23	2.09	0.52
1:B:467:ASN:N	1:B:470:ASN:HD22	2.05	0.52
1:A:37:LEU:HD23	1:A:193:VAL:HB	1.92	0.51
1:A:116:TYR:CD1	1:A:449:ASP:HB3	2.42	0.51
1:A:231:ARG:HG2	4:A:1306:HOH:O	2.11	0.51
1:B:420:ALA:HA	1:B:423:GLU:OE2	2.11	0.50
1:A:387:ARG:HH12	1:A:390:ARG:HD2	1.76	0.50
1:B:509:ARG:HD2	4:B:789:HOH:O	2.11	0.50
1:A:250:LEU:HD13	1:A:353:VAL:HG23	1.93	0.50
1:B:256:VAL:O	1:B:256:VAL:HG23	2.12	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:459:GLU:HG3	1:A:463:ARG:HH11	1.78	0.49
1:B:182:ARG:O	1:B:186:GLU:HB2	2.12	0.49
1:B:305:GLU:OE2	1:B:327:ARG:HD3	2.13	0.49
1:A:387:ARG:HH12	1:A:390:ARG:HH11	1.59	0.49
1:B:66:PRO:HG2	1:B:69:GLU:HB2	1.95	0.49
1:B:492:MET:HB3	1:B:495:ALA:HB3	1.94	0.49
1:A:84:PHE:O	1:A:106:HIS:HA	2.13	0.48
1:B:113:LEU:HD11	1:B:451:ALA:HB2	1.95	0.48
1:B:508:ASP:OD1	1:B:511:ARG:NH2	2.46	0.48
1:B:113:LEU:HD11	1:B:451:ALA:CB	2.45	0.47
1:B:155:SER:HB2	1:B:520:LEU:HA	1.96	0.47
1:B:116:TYR:CD2	1:B:449:ASP:HB3	2.49	0.47
1:A:12:GLY:HA2	3:A:600:FAD:C1B	2.44	0.47
1:A:3:GLY:O	1:A:378:LYS:HG3	2.15	0.47
1:B:145:LYS:HD3	1:B:509:ARG:HG2	1.96	0.47
1:A:353:VAL:HG21	1:A:403:ILE:HD12	1.96	0.46
1:B:197:VAL:HG11	1:B:233:LEU:HD21	1.96	0.46
1:B:55:LEU:O	1:B:59:PHE:HB3	2.15	0.46
1:A:233:LEU:O	1:A:237:LYS:HB3	2.15	0.46
1:A:54:ASN:ND2	1:A:461:GLU:OE1	2.41	0.46
1:A:117:HIS:HB3	1:A:125:TYR:CE2	2.51	0.46
1:A:229:GLY:HA2	1:A:348:THR:OG1	2.16	0.46
1:B:438:ARG:HA	1:B:482:PRO:HA	1.98	0.46
1:A:171:PHE:CE1	1:A:176:VAL:HG21	2.51	0.45
1:A:54:ASN:HD22	1:A:461:GLU:CD	2.17	0.45
1:A:9:LEU:HD11	1:A:37:LEU:HG	1.98	0.45
1:B:113:LEU:HD21	1:B:451:ALA:CA	2.46	0.45
1:B:360:GLY:HA3	3:B:601:FAD:N1	2.32	0.44
1:B:289:LEU:HD12	1:B:289:LEU:N	2.33	0.44
1:A:360:GLY:HA3	3:A:600:FAD:H1'2	1.99	0.44
1:B:95:SER:HA	1:B:276:ILE:HD13	1.99	0.44
1:A:237:LYS:HD3	4:A:1213:HOH:O	2.18	0.44
1:B:170:HIS:NE2	1:B:273:THR:OG1	2.44	0.44
1:B:472:TYR:O	1:B:476:ALA:HB3	2.18	0.44
1:B:255:ALA:HA	1:B:296:TYR:O	2.18	0.43
1:A:157:ARG:NH1	1:A:167:TYR:OH	2.51	0.43
1:B:47:VAL:HG11	1:B:257:ALA:CB	2.48	0.43
1:B:54:ASN:HB3	1:B:461:GLU:OE1	2.19	0.43
1:B:250:LEU:CD1	1:B:353:VAL:HG23	2.48	0.43
1:B:11:VAL:HG11	1:B:233:LEU:HD23	2.00	0.43
1:B:253:ASP:HA	1:B:330:PHE:CE1	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:LEU:H	1:A:113:LEU:HD23	1.70	0.43
1:B:113:LEU:CG	1:B:451:ALA:HB2	2.48	0.43
1:A:289:LEU:O	1:A:291:ARG:HD2	2.19	0.43
1:A:304:THR:OG1	1:A:307:GLU:HG3	2.19	0.42
1:A:86:ASN:HA	1:A:105:ASP:OD2	2.20	0.42
1:A:387:ARG:HH12	1:A:390:ARG:CZ	2.32	0.42
1:A:459:GLU:HG3	1:A:463:ARG:NH1	2.33	0.42
1:B:46:GLY:HA3	1:B:172:ASP:OD2	2.19	0.42
1:B:148:VAL:HG23	1:B:149:ILE:N	2.35	0.42
1:A:117:HIS:HE1	1:A:495:ALA:O	2.02	0.42
1:A:274:SER:HB2	1:A:285:LYS:HB3	2.00	0.42
1:A:255:ALA:HA	1:A:296:TYR:O	2.19	0.42
1:A:236:ASN:O	1:A:240:GLU:HA	2.19	0.42
1:B:136:VAL:HG12	1:B:136:VAL:O	2.20	0.42
1:A:136:VAL:O	1:A:136:VAL:HG13	2.20	0.42
1:A:155:SER:HB2	1:A:520:LEU:HA	2.01	0.42
1:B:181:ARG:HG2	1:B:181:ARG:HH11	1.85	0.42
1:B:250:LEU:HD13	1:B:353:VAL:HG23	2.02	0.41
1:B:493:PRO:O	1:B:497:GLU:HB2	2.20	0.41
1:A:55:LEU:O	1:A:59:PHE:HB3	2.20	0.41
1:B:84:PHE:O	1:B:106:HIS:HA	2.20	0.41
1:B:125:TYR:CG	1:B:499:VAL:HG21	2.55	0.41
1:B:162:SER:HA	4:B:675:HOH:O	2.20	0.41
1:B:446:PRO:HB2	1:B:448:SER:O	2.21	0.41
1:B:54:ASN:O	1:B:58:ALA:HB3	2.20	0.41
1:A:198:GLU:O	1:A:198:GLU:HG3	2.21	0.40
1:B:390:ARG:O	1:B:394:THR:HG23	2.21	0.40
1:A:118:GLU:O	1:A:119:GLN:HB2	2.21	0.40
1:B:467:ASN:HD22	1:B:467:ASN:C	2.25	0.40
1:B:146:GLU:HB2	1:B:147:PRO:HD3	2.04	0.40
1:B:381:ASN:HA	1:B:382:PRO:HD3	1.98	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles

#### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	525/550 (96%)	511 (97%)	13 (2%)	1 (0%)	47 49
1	B	526/550 (96%)	504 (96%)	21 (4%)	1 (0%)	47 49
All	All	1051/1100 (96%)	1015 (97%)	34 (3%)	2 (0%)	47 49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	SER
1	B	454	TYR

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	441/463 (95%)	429 (97%)	12 (3%)	44 48
1	B	443/463 (96%)	432 (98%)	11 (2%)	47 52
All	All	884/926 (96%)	861 (97%)	23 (3%)	46 50

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ASP
1	A	99	GLU
1	A	100	LEU
1	A	113	LEU
1	A	136	VAL
1	A	198	GLU
1	A	291	ARG
1	A	315	MET
1	A	329	ARG
1	A	376	PRO
1	A	497	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	526	GLN
1	B	114	LEU
1	B	129	ARG
1	B	164	VAL
1	B	178	ASP
1	B	291	ARG
1	B	376	PRO
1	B	390	ARG
1	B	460	GLU
1	B	464	ASN
1	B	467	ASN
1	B	500	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	ASN
1	A	205	ASN
1	A	207	ASN
1	A	252	ASN
1	A	259	GLN
1	A	464	ASN
1	A	494	GLN
1	A	510	GLN
1	A	526	GLN
1	B	119	GLN
1	B	124	HIS
1	B	153	ASN
1	B	205	ASN
1	B	207	ASN
1	B	252	ASN
1	B	267	ASN
1	B	326	ASN
1	B	457	ASN
1	B	467	ASN
1	B	470	ASN
1	B	494	GLN
1	B	510	GLN
1	B	527	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	FAD	B	601	-	47,56,58	1.92	10 (21%)	58,82,89	1.44	6 (10%)
3	FAD	A	600	-	53,58,58	1.86	10 (18%)	68,89,89	1.50	9 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	B	601	-	-	4/18/42/50	0/6/6/6
3	FAD	A	600	-	-	9/30/50/50	0/6/6/6

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	FAD	C4X-N5	6.04	1.42	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	600	FAD	C4X-N5	5.93	1.42	1.30
3	B	601	FAD	C2A-N3A	5.40	1.40	1.32
3	A	600	FAD	C2A-N3A	4.98	1.40	1.32
3	A	600	FAD	C10-N1	4.45	1.42	1.33
3	B	601	FAD	C10-N1	4.43	1.42	1.33
3	A	600	FAD	C1'-C2'	3.83	1.58	1.52
3	A	600	FAD	C2A-N1A	3.44	1.40	1.33
3	B	601	FAD	C2A-N1A	3.33	1.40	1.33
3	B	601	FAD	C1'-C2'	3.07	1.57	1.52
3	A	600	FAD	C10-N10	2.82	1.43	1.37
3	A	600	FAD	C5'-C4'	2.80	1.55	1.51
3	A	600	FAD	C9-C9A	2.71	1.44	1.39
3	B	601	FAD	C10-N10	2.67	1.43	1.37
3	B	601	FAD	C9-C9A	2.60	1.43	1.39
3	B	601	FAD	C6-C7	2.07	1.42	1.39
3	A	600	FAD	C8A-N7A	2.06	1.38	1.34
3	B	601	FAD	C4A-N3A	2.04	1.38	1.35
3	B	601	FAD	C8A-N7A	2.04	1.38	1.34
3	A	600	FAD	C9A-N10	2.01	1.44	1.41

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	600	FAD	N3A-C2A-N1A	-5.97	119.35	128.68
3	B	601	FAD	N3A-C2A-N1A	-5.79	119.62	128.68
3	A	600	FAD	C1B-N9A-C4A	-4.35	119.00	126.64
3	A	600	FAD	O5'-C5'-C4'	3.63	119.06	109.36
3	B	601	FAD	C1B-N9A-C4A	-3.59	120.33	126.64
3	A	600	FAD	O4'-C4'-C3'	2.77	115.85	109.10
3	B	601	FAD	O4'-C4'-C3'	2.76	115.80	109.10
3	B	601	FAD	C10-C4X-N5	-2.57	119.41	124.86
3	A	600	FAD	C10-C4X-N5	-2.54	119.46	124.86
3	B	601	FAD	O2'-C2'-C1'	2.30	115.36	109.80
3	B	601	FAD	C9A-C5X-N5	-2.14	120.11	122.43
3	A	600	FAD	C9A-C5X-N5	-2.12	120.13	122.43
3	A	600	FAD	O2'-C2'-C1'	2.10	114.87	109.80
3	A	600	FAD	C4X-C10-N10	2.07	119.50	116.48
3	A	600	FAD	C5X-N5-C4X	2.03	121.45	118.07

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	600	FAD	C5B-O5B-PA-O1A
3	A	600	FAD	C5B-O5B-PA-O2A
3	A	600	FAD	O4B-C4B-C5B-O5B
3	A	600	FAD	O3'-C3'-C4'-O4'
3	A	600	FAD	C3B-C4B-C5B-O5B
3	A	600	FAD	C2'-C3'-C4'-O4'
3	A	600	FAD	O3'-C3'-C4'-C5'
3	B	601	FAD	O3'-C3'-C4'-O4'
3	B	601	FAD	C2'-C3'-C4'-O4'
3	A	600	FAD	C2'-C3'-C4'-C5'
3	A	600	FAD	C5B-O5B-PA-O3P
3	B	601	FAD	O4B-C4B-C5B-O5B
3	B	601	FAD	O3'-C3'-C4'-C5'


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	601	FAD	2	0
3	A	600	FAD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers i

There are no such residues in this entry.

## 5.8 Polymer linkage issues i

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	527/550 (95%)	-0.09	12 (2%) 60 65	19, 33, 55, 74	0
1	B	528/550 (96%)	0.05	25 (4%) 31 37	20, 37, 66, 83	0
All	All	1055/1100 (95%)	-0.02	37 (3%) 44 50	19, 35, 62, 83	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	451	ALA	4.8
1	B	501	GLU	4.0
1	B	2	SER	3.9
1	B	452	GLN	3.9
1	B	505	ALA	3.9
1	B	113	LEU	3.5
1	B	499	VAL	3.4
1	A	451	ALA	3.1
1	B	450	ASP	3.0
1	B	528	HIS	3.0
1	A	1	MET	2.8
1	B	455	TYR	2.5
1	B	162	SER	2.5
1	B	509	ARG	2.5
1	B	529	GLY	2.5
1	B	525	ARG	2.4
1	B	498	SER	2.4
1	B	497	GLU	2.4
1	B	456	GLY	2.4
1	A	361	ILE	2.4
1	A	301	ARG	2.4
1	B	494	GLN	2.3
1	B	511	ARG	2.3
1	A	113	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	41	ASP	2.3
1	A	162	SER	2.3
1	B	159	LEU	2.2
1	A	515	GLU	2.2
1	A	425	ARG	2.2
1	B	42	ILE	2.2
1	B	321	GLU	2.2
1	B	502	VAL	2.2
1	B	527	GLN	2.1
1	A	233	LEU	2.1
1	A	526	GLN	2.1
1	A	525	ARG	2.0
1	B	119	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	FAD	A	600	53/53	0.83	0.20	57,68,75,77	0
2	CL	A	1000	1/1	0.84	0.08	71,71,71,71	0
3	FAD	B	601	52/53	0.89	0.14	42,54,62,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.