



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 10, 2023 – 03:08 am GMT

PDB ID : 8OF2  
Title : Trypanosoma brucei pteridine reductase 1 (TbPTR1) in complex with 2,4,6 triamminopyrimidine (TAP)  
Authors : Tassone, G.; Landi, G.; Mangani, S.; Pozzi, C.  
Deposited on : 2023-03-13  
Resolution : 1.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4690 (1.50-1.46)
Clashscore	141614	4955 (1.50-1.46)
Ramachandran outliers	138981	4846 (1.50-1.46)
Sidechain outliers	138945	4844 (1.50-1.46)
RSRZ outliers	127900	4614 (1.50-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	
1	B	288	
1	C	288	
1	D	288	

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 9017 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	249	1913	1211	329	362	11	0	14	0
1	B	250	1873	1183	329	350	11	0	5	0
1	C	251	1935	1222	335	366	12	0	16	0
1	D	251	1955	1228	345	371	11	0	15	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	initiating methionine	UNP O76290

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	initiating methionine	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290
D	-19	MET	-	initiating methionine	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290

- Molecule 2 is PYRIMIDINE-2,4,6-TRIAMINE (three-letter code: 3AY) (formula: C<sub>4</sub>H<sub>7</sub>N<sub>5</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			9	4	5		
2	B	1	Total	C	N	0	0
			9	4	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	N	0	0
			9	4	5		
2	D	1	Total	C	N	0	0
			9	4	5		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	B	1	4	2	2	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	C	1	4	2	2	0	0
5	D	1	4	2	2	0	0

- Molecule 6 is water.


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
6	A	283	Total 288	O 288	0	10
6	B	254	Total 257	O 257	0	4
6	C	276	Total 280	O 280	0	7
6	D	272	Total 276	O 276	0	9



### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pteridine reductase

Chain A: 





- Molecule 1: Pteridine reductase

Chain B: 




- Molecule 1: Pteridine reductase

Chain C: 



- Molecule 1: Pteridine reductase

Chain D: 



Q142	K143	GLY	THR	ASN	PRO	ASN	CYS	T150	V164	H179	L190	V206	E216	E217	A232	Q236	L263	A268
------	------	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------

## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.77Å 91.05Å 83.03Å 90.00° 115.63° 90.00°	Depositor
Resolution (Å)	74.86 – 1.48 74.86 – 1.48	Depositor EDS
% Data completeness (in resolution range)	96.8 (74.86-1.48) 96.8 (74.86-1.48)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.11 (at 1.48Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.162 , 0.195 0.162 , 0.195	Depositor DCC
$R_{free}$ test set	8239 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.5	Xtrriage
Anisotropy	0.144	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 42.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.004 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	9017	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 29.98 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4123e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, 3AY, ACT, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/1983	0.89	0/2692
1	B	0.53	0/1915	0.87	0/2599
1	C	0.50	0/1994	0.84	0/2707
1	D	0.53	0/2003	0.86	0/2717
All	All	0.51	0/7895	0.87	0/10715

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1913	0	1953	26	0
1	B	1873	0	1910	20	0
1	C	1935	0	1959	36	0
1	D	1955	0	1979	23	0
2	A	9	0	7	1	0
2	B	9	0	7	0	0
2	C	9	0	7	0	0
2	D	9	0	7	0	0
3	A	48	0	26	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	48	0	26	1	0
3	C	48	0	26	1	0
3	D	48	0	26	1	0
4	B	4	0	6	2	0
5	C	4	0	3	0	0
5	D	4	0	3	0	0
6	A	288	0	0	5	0
6	B	257	0	0	2	0
6	C	280	0	0	5	0
6	D	276	0	0	1	0
All	All	9017	0	7945	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:SER:HB3	6:A:548:HOH:O	1.63	0.97
1:D:122:GLU:O	1:D:126[B]:THR:HG23	1.66	0.96
1:D:75[B]:GLU:HG2	6:D:467:HOH:O	1.75	0.84
1:D:123:LEU:O	1:D:127[B]:ASN:HB2	1.82	0.79
1:C:123:LEU:O	1:C:127[B]:ASN:HB2	1.85	0.77
2:A:301:3AY:H5	3:A:302:NDP:O2A	1.87	0.74
1:A:68[B]:VAL:HG23	6:A:600:HOH:O	1.93	0.69
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.27	0.69
1:B:250[A]:GLN:CD	1:D:236:GLN:HE21	1.96	0.68
1:D:51:GLU:OE2	1:D:52[A]:ARG:HG3	1.94	0.68
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.30	0.67
1:A:250[B]:GLN:CD	1:C:236:GLN:HE21	1.98	0.66
1:B:163:MET:HG3	6:B:643:HOH:O	1.96	0.65
1:A:250[B]:GLN:CG	1:C:236:GLN:HE21	2.13	0.62
1:B:206:VAL:HG23	1:B:263:LEU:HD22	1.81	0.62
1:B:22:LYS:HG2	1:B:242:ILE:HG13	1.83	0.61
1:B:65:ASN:OD1	4:B:303:EDO:H22	2.01	0.60
1:A:217[A]:GLU:HG2	6:A:597:HOH:O	2.03	0.58
1:B:250[A]:GLN:CG	1:D:236:GLN:HE21	2.16	0.57
1:C:120:VAL:HA	1:C:173[B]:LEU:HD21	1.87	0.56
1:D:15:ILE:HB	3:D:301:NDP:H51N	1.87	0.56
1:B:102:LEU:O	1:C:136[B]:MET:HG3	2.05	0.55
1:A:230[A]:ARG:HH22	1:A:236:GLN:HE22	1.51	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:ASN:OD1	1:B:141:ARG:NH1	2.38	0.55
1:C:121:ALA:O	1:C:125[B]:GLY:HA3	2.06	0.55
1:D:206:VAL:HG23	1:D:263:LEU:HD22	1.88	0.55
1:B:65:ASN:HA	1:B:69:LEU:HD22	1.89	0.54
1:C:141[A]:ARG:HD3	6:C:423:HOH:O	2.07	0.54
1:C:163:MET:HG3	6:C:660:HOH:O	2.10	0.52
1:A:195[A]:TYR:OH	1:D:103:VAL:HG21	2.10	0.51
1:A:213:MET:HG3	1:A:217[A]:GLU:CD	2.31	0.51
1:C:209:LEU:HD13	1:C:218:LYS:HB3	1.93	0.51
1:A:206[A]:VAL:HG12	1:A:263:LEU:HD22	1.93	0.50
1:C:136[B]:MET:HG2	6:C:628:HOH:O	2.11	0.49
1:C:193:ALA:N	1:C:194:PRO:CD	2.75	0.49
1:D:121:ALA:O	1:D:125[B]:GLY:HA3	2.11	0.49
1:C:65:ASN:HB2	1:C:125[B]:GLY:CA	2.43	0.48
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.96	0.48
1:A:236:GLN:HE21	1:C:250[A]:GLN:CD	2.16	0.48
1:A:195[A]:TYR:CE2	1:D:103:VAL:HG21	2.49	0.48
1:D:75[B]:GLU:OE2	1:D:78:ASN:ND2	2.43	0.47
1:B:250[A]:GLN:HG3	1:D:236:GLN:NE2	2.29	0.47
1:C:2[A]:GLU:HG2	1:C:86:ARG:HH11	1.78	0.47
1:D:216:GLU:HG2	1:D:217:GLU:N	2.30	0.47
1:A:9:THR:HA	1:A:33:HIS:HB3	1.97	0.47
1:A:164:VAL:HG22	1:A:179:HIS:NE2	2.30	0.46
1:A:232:ALA:HB2	1:C:251:TYR:CE2	2.50	0.46
1:C:65:ASN:HA	1:C:69:LEU:HD22	1.97	0.46
1:C:169:MET:O	1:C:170:ALA:HB3	2.16	0.46
1:B:9:THR:HA	1:B:33:HIS:HB3	1.98	0.45
1:B:22:LYS:CG	1:B:242:ILE:HG13	2.46	0.45
1:B:265:LEU:O	1:D:190[B]:LEU:HD11	2.15	0.45
1:C:9:THR:HA	1:C:33:HIS:HB3	1.99	0.45
1:A:190[B]:LEU:HD11	1:C:265:LEU:O	2.17	0.45
1:B:15:ILE:HB	3:B:301:NDP:H51N	1.98	0.45
1:B:54:ASN:ND2	6:B:408:HOH:O	2.50	0.44
1:C:65:ASN:HB2	1:C:125[B]:GLY:HA2	1.99	0.44
1:C:78:ASN:OD1	1:C:141[B]:ARG:NH1	2.49	0.44
1:C:128[B]:ALA:C	1:C:131:PRO:HD2	2.38	0.44
1:D:65:ASN:HA	1:D:69:LEU:HD22	1.99	0.44
1:B:22:LYS:CD	1:B:242:ILE:HG13	2.47	0.44
1:B:121:ALA:HA	4:B:303:EDO:H12	2.00	0.44
1:B:251:TYR:CE2	1:D:232:ALA:HB2	2.53	0.44
1:C:150:THR:N	6:C:410:HOH:O	2.50	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:218:LYS:O	1:C:222:ARG:HG3	2.19	0.43
1:D:138:PHE:O	1:D:142[A]:GLN:HG2	2.18	0.43
1:A:251:TYR:CE2	1:C:232:ALA:HB2	2.55	0.42
1:C:15:ILE:HB	3:C:301:NDP:H51N	2.00	0.42
1:A:193:ALA:N	1:A:194:PRO:CD	2.83	0.42
1:A:250[B]:GLN:HG3	1:C:236:GLN:NE2	2.34	0.42
1:D:124:ILE:O	1:D:128[B]:ALA:HB3	2.20	0.42
1:A:236:GLN:HE21	1:C:250[A]:GLN:CG	2.33	0.42
1:A:236:GLN:HE21	1:C:250[A]:GLN:HG3	1.84	0.42
1:D:206:VAL:HG23	1:D:263:LEU:CD2	2.51	0.41
1:C:122:GLU:O	1:C:126[B]:THR:OG1	2.32	0.41
1:B:167:PRO:HG2	1:C:190[B]:LEU:HD12	2.03	0.41
1:A:251:TYR:CD2	1:C:232:ALA:HB2	2.55	0.41
1:C:173[B]:LEU:HD12	1:C:173[B]:LEU:HA	1.89	0.41
1:A:78[A]:ASN:OD1	1:A:141:ARG:NH2	2.49	0.40
1:A:195[A]:TYR:CZ	1:D:103:VAL:HG21	2.55	0.40
1:A:141:ARG:HD3	6:A:404:HOH:O	2.21	0.40
1:B:66:SER:OG	1:B:68[B]:VAL:HG12	2.21	0.40
1:C:65:ASN:HB2	1:C:125[B]:GLY:HA3	2.04	0.40
1:D:190[B]:LEU:HA	1:D:190[B]:LEU:HD23	1.80	0.40
6:A:493:HOH:O	1:C:250[A]:GLN:HG2	2.22	0.40
1:C:210:PRO:HD3	6:C:532:HOH:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	257/288 (89%)	247 (96%)	10 (4%)	0	100 100
1	B	249/288 (86%)	240 (96%)	9 (4%)	0	100 100
1	C	259/288 (90%)	247 (95%)	12 (5%)	0	100 100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	260/288 (90%)	252 (97%)	8 (3%)	0	100	100
All	All	1025/1152 (89%)	986 (96%)	39 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/231 (90%)	204 (98%)	4 (2%)	57	26
1	B	199/231 (86%)	198 (100%)	1 (0%)	88	77
1	C	206/231 (89%)	200 (97%)	6 (3%)	42	12
1	D	209/231 (90%)	209 (100%)	0	100	100
All	All	822/924 (89%)	811 (99%)	11 (1%)	76	42

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	206[A]	VAL
1	A	206[B]	VAL
1	A	217[A]	GLU
1	A	217[B]	GLU
1	B	164	VAL
1	C	22	LYS
1	C	141[A]	ARG
1	C	141[B]	ARG
1	C	164	VAL
1	C	166	GLN
1	C	230	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:



Mol	Chain	Res	Type
1	A	236	GLN
1	C	236	GLN
1	D	236	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	EDO	B	303	-	3,3,3	0.22	0	2,2,2	0.76	0
3	NDP	C	301	-	45,52,52	0.74	1 (2%)	53,80,80	1.08	5 (9%)
3	NDP	D	301	-	45,52,52	0.70	1 (2%)	53,80,80	0.87	1 (1%)
2	3AY	D	302	-	9,9,9	0.87	1 (11%)	12,12,12	1.34	2 (16%)
5	ACT	D	303	-	3,3,3	1.44	1 (33%)	3,3,3	0.73	0
3	NDP	A	302	-	45,52,52	0.80	1 (2%)	53,80,80	1.05	4 (7%)
2	3AY	C	302	-	9,9,9	0.97	0	12,12,12	1.93	2 (16%)
2	3AY	A	301	-	9,9,9	1.45	1 (11%)	12,12,12	1.89	4 (33%)
5	ACT	C	303	-	3,3,3	1.23	0	3,3,3	1.37	0
3	NDP	B	301	-	45,52,52	0.78	1 (2%)	53,80,80	1.00	3 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	3AY	B	302	-	9,9,9	1.13	1 (11%)	12,12,12	1.59	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	303	-	-	1/1/1/1	-
2	3AY	A	301	-	-	-	0/1/1/1
3	NDP	C	301	-	-	1/30/77/77	0/5/5/5
2	3AY	D	302	-	-	-	0/1/1/1
3	NDP	A	302	-	-	1/30/77/77	0/5/5/5
2	3AY	C	302	-	-	-	0/1/1/1
3	NDP	D	301	-	-	1/30/77/77	0/5/5/5
3	NDP	B	301	-	-	1/30/77/77	0/5/5/5
2	3AY	B	302	-	-	-	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	NDP	P2B-O2B	3.34	1.65	1.59
3	A	302	NDP	P2B-O2B	2.81	1.64	1.59
2	A	301	3AY	C2-N1	2.69	1.40	1.35
3	C	301	NDP	P2B-O2B	2.64	1.64	1.59
2	B	302	3AY	C5-C4	2.43	1.43	1.39
3	D	301	NDP	P2B-O2B	2.30	1.63	1.59
2	D	302	3AY	C5-C6	2.26	1.43	1.39
5	D	303	ACT	CH3-C	2.19	1.58	1.49

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	302	3AY	NAI-C4-N3	4.02	122.84	116.49
2	A	301	3AY	NAH-C2-N1	3.64	122.91	117.25
2	A	301	3AY	N3-C2-N1	-3.30	120.24	125.42
3	B	301	NDP	O2B-P2B-O1X	-3.16	97.20	109.39
2	B	302	3AY	NAA-C6-N1	3.15	121.46	116.49
2	C	302	3AY	NAA-C6-N1	3.09	121.38	116.49
3	C	301	NDP	C5A-C6A-N6A	2.91	124.78	120.35
3	A	302	NDP	C3N-C7N-N7N	2.82	122.67	117.67
3	A	302	NDP	C5A-C6A-N6A	2.81	124.62	120.35

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	NDP	O7N-C7N-C3N	-2.72	115.77	120.90
3	A	302	NDP	O7N-C7N-C3N	-2.69	115.83	120.90
3	D	301	NDP	C5A-C6A-N6A	2.62	124.33	120.35
3	B	301	NDP	C1B-N9A-C4A	-2.54	122.17	126.64
2	D	302	3AY	N3-C2-N1	-2.54	121.44	125.42
3	C	301	NDP	C3N-C7N-N7N	2.47	122.05	117.67
2	D	302	3AY	C2-N3-C4	2.30	122.07	117.22
2	B	302	3AY	N3-C2-N1	-2.27	121.86	125.42
3	B	301	NDP	C5A-C6A-N6A	2.13	123.59	120.35
3	C	301	NDP	O2D-C2D-C3D	2.13	118.71	111.82
3	C	301	NDP	O2B-P2B-O1X	-2.10	101.28	109.39
2	B	302	3AY	C2-N1-C6	2.08	121.61	117.22
3	A	302	NDP	C1B-N9A-C4A	-2.05	123.04	126.64
2	A	301	3AY	NAI-C4-N3	2.05	119.73	116.49
2	A	301	3AY	NAA-C6-N1	2.04	119.71	116.49

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	NDP	O4D-C1D-N1N-C6N
3	B	301	NDP	O4D-C1D-N1N-C6N
3	C	301	NDP	O4D-C1D-N1N-C6N
3	D	301	NDP	O4D-C1D-N1N-C6N
4	B	303	EDO	O1-C1-C2-O2


There are no ring outliers.


6 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	303	EDO	2	0
3	C	301	NDP	1	0
3	D	301	NDP	1	0
3	A	302	NDP	1	0
2	A	301	3AY	1	0
3	B	301	NDP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	249/288 (86%)	-0.60	0 <a href="#">100</a>   <a href="#">100</a>	13, 19, 30, 46	11 (4%)
1	B	250/288 (86%)	-0.51	1 (0%) <a href="#">92</a>   <a href="#">94</a>	14, 21, 33, 55	11 (4%)
1	C	251/288 (87%)	-0.51	3 (1%) <a href="#">79</a>   <a href="#">81</a>	14, 20, 35, 65	14 (5%)
1	D	251/288 (87%)	-0.61	0 <a href="#">100</a>   <a href="#">100</a>	13, 19, 32, 60	14 (5%)
All	All	1001/1152 (86%)	-0.56	4 (0%) <a href="#">92</a>   <a href="#">94</a>	13, 20, 33, 65	50 (4%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	151	SER	3.1
1	C	208	LEU	2.4
1	C	212	ALA	2.1
1	B	211	VAL	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	ACT	C	303	4/4	0.87	0.12	23,24,30,32	4
4	EDO	B	303	4/4	0.89	0.10	31,32,36,38	4
5	ACT	D	303	4/4	0.95	0.12	27,27,27,28	0
3	NDP	D	301	48/48	0.96	0.10	18,23,26,30	48
2	3AY	C	302	9/9	0.96	0.08	18,19,20,22	9
2	3AY	B	302	9/9	0.97	0.06	19,19,21,22	0
2	3AY	A	301	9/9	0.97	0.07	17,19,20,23	0
2	3AY	D	302	9/9	0.97	0.07	21,23,24,26	9
3	NDP	C	301	48/48	0.97	0.07	16,20,22,25	48
3	NDP	B	301	48/48	0.98	0.07	17,20,22,25	0
3	NDP	A	302	48/48	0.98	0.07	15,18,22,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around 3AY C 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 3AY B 302:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 3AY A 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3AY D 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around NDP C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NDP B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.