

# Full wwPDB X-ray Structure Validation Report (i)

#### Sep 16, 2021 – 02:11 pm BST

PDB ID	:	70NK
Title	:	Crystal structure of PBP3 from P. aeruginosa in complex with AIC499
Authors	:	Freischem, S.; Grimm, I.; Weiergraeber, O.H.
Deposited on	:	2021-05-25
$\operatorname{Resolution}$	:	1.73  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

:	4.02b-467
:	1.8.5 (274361), CSD as541be (2020)
:	NOT EXECUTED
:	NOT EXECUTED
:	1.1.7 (2018)
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.23.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution		
	$(\# \mathbf{Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
Clashscore	141614	$3923 \ (1.76-1.72)$		
Ramachandran outliers	138981	3878 (1.76-1.72)		
Sidechain outliers	138945	3878(1.76-1.72)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain		
1	А	531	87%	9%	·
1	В	531	87%	8%	5%



# 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8813 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	519	Total	С	Ν	Ο	S	0	18	0
		512	3962	2502	722	726	12	0		
1	р	505	Total	С	Ν	Ο	S	0	16	0
		505	3841	2426	683	720	12	0	10	0

• Molecule 1 is a protein called Peptidoglycan D,D-transpeptidase FtsI.

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	MET	-	initiating methionine	UNP G3XD46
A	564	LYS	-	expression tag	UNP G3XD46
A	565	LEU	-	expression tag	UNP G3XD46
A	566	VAL	-	expression tag	UNP G3XD46
A	567	PRO	-	expression tag	UNP G3XD46
A	568	ARG	-	expression tag	UNP G3XD46
A	569	GLY	-	expression tag	UNP G3XD46
В	39	MET	-	initiating methionine	UNP G3XD46
В	564	LYS	-	expression tag	UNP G3XD46
В	565	LEU	-	expression tag	UNP G3XD46
В	566	VAL	-	expression tag	UNP G3XD46
В	567	PRO	-	expression tag	UNP G3XD46
В	568	ARG	-	expression tag	UNP G3XD46
В	569	GLY	-	expression tag	UNP G3XD46

There are 14 discrepancies between the modelled and reference sequences:

• Molecule 2 is (2S)-2-[(Z)-[1-(2-azanyl-1,3-thiazol-4-yl)-2-[[(2S)-3-methyl-1-oxidanylidene-3-(sulfooxyamino)butan-2-yl]amino]-2-oxidanylidene-ethylidene]amino]oxy-3-[4-[N-[(3R) -piperidin-3-yl]carbamimidoyl]phenoxy]propanoic acid (three-letter code: VL5) (formula: C<sub>25</sub>H<sub>34</sub>N<sub>8</sub>O<sub>10</sub>S<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues		At	oms			ZeroOcc	AltConf
9	Λ	1	Total	С	Ν	Ο	S	0	1
	1	90	50	16	20	4	0	L	
0	р	1	Total	С	Ν	Ο	S	0	1
	2 B	T	90	50	16	20	4	0	L

• Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	2	$\begin{array}{cc} \text{Total} & \text{Cl} \\ 2 & 2 \end{array}$	0	0

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).





70NK
101111

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	В	1	$\begin{array}{c c} Total & C & \overline{O} \\ \hline 6 & 3 & 3 \end{array}$	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	419	Total O 419 419	0	0
5	В	331	Total O 331 331	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: Peptidoglycan D,D-transpeptidase FtsI





## 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	P 21 21 21	Depositor	
Cell constants	81.04Å 91.14Å 148.42Å	Depositor	
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor	
Resolution (Å)	46.92 - 1.73	Depositor	
% Data completeness	74 2 (46 92-1 73)	Depositor	
(in resolution range)		Depositor	
$R_{merge}$	(Not available)	Depositor	
R <sub>sym</sub>	(Not available)	Depositor	
Refinement program	PHENIX 1.19.1	Depositor	
$R, R_{free}$	0.173 , $0.215$	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	8813	wwPDB-VP	
Average B, all atoms $(Å^2)$	33.0	wwPDB-VP	



# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, VL5, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Cham	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.39	0/4067	0.63	0/5523	
1	В	0.35	0/3939	0.59	0/5362	
All	All	0.37	0/8006	0.61	0/10885	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3962	0	3989	39	0
1	В	3841	0	3796	27	0
2	А	90	0	0	0	0
2	В	90	0	0	2	0
3	А	2	0	0	0	0
4	А	54	0	72	7	0
4	В	24	0	32	3	0
5	А	419	0	0	5	0
5	B	331	0	0	2	1
All	All	8813	0	7889	66	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 4.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
	Atom-2	distance (Å)	overlap (Å)
1:A:311[B]:LYS:NZ	5:A:701:HOH:O	2.11	0.82
1:A:327:ARG:NH1	5:A:702:HOH:O	2.16	0.78
1:B:473:ARG:HE	1:B:540:PRO:HG3	1.53	0.73
1:B:505:SER:OG	1:B:534:GLY:HA2	1.92	0.70
1:A:273:ARG:HG2	1:A:276:LEU:HD22	1.75	0.68
1:A:198:ASP:HB3	1:A:200:ARG:H	1.60	0.65
1:A:189:VAL:HB	1:A:214:LYS:HB3	1.80	0.64
1:A:381:LEU:HD22	1:A:436:MET:HG3	1.80	0.63
1:A:335:ARG:H	4:A:610:GOL:HO2	1.47	0.62
1:B:536:LEU:O	5:B:701:HOH:O	2.16	0.61
1:A:286:MET:HG2	1:A:416:ILE:HG13	1.81	0.61
1:A:394:HIS:ND1	4:A:606:GOL:H12	2.17	0.60
1:A:408:GLY:HA2	1:A:411:LEU:HD21	1.82	0.60
1:A:94:GLU:OE1	5:A:703:HOH:O	2.17	0.59
1:B:195:VAL:HA	1:B:206:ASP:HA	1.86	0.58
1:A:327:ARG:H	1:A:327:ARG:HE	1.53	0.56
1:A:505:SER:OG	1:A:534:GLY:HA2	2.06	0.56
1:B:284:ARG:HB3	4:B:602:GOL:H32	1.87	0.56
1:A:68:ARG:O	1:A:438[B]:ARG:NH1	2.38	0.54
1:A:269:ASN:H	4:A:607:GOL:H32	1.72	0.53
1:B:152[B]:ARG:NH1	5:B:702:HOH:O	2.20	0.53
1:A:567:PRO:HA	1:B:113[B]:ARG:HH21	1.75	0.51
1:A:411:LEU:HD23	1:A:411:LEU:H	1.77	0.50
1:A:566:VAL:HA	1:A:567:PRO:C	2.33	0.49
1:B:88:GLU:HB2	1:B:144:GLY:HA3	1.95	0.48
1:A:327:ARG:H	1:A:327:ARG:NE	2.11	0.48
1:A:547:ALA:O	1:A:551[A]:ARG:HG3	2.12	0.48
1:B:489[B]:ARG:O	2:B:601[B]:VL5:N28	2.47	0.48
1:A:298:PRO:HG3	1:A:461:LEU:HD21	1.96	0.47
1:A:503[B]:TYR:CZ	1:A:527:PRO:HG2	2.49	0.47
1:A:81:THR:OG1	1:A:150:GLU:OE2	2.20	0.46
1:B:273:ARG:O	1:B:276:LEU:HG	2.15	0.46
1:B:175:ARG:HA	1:B:175:ARG:HD3	1.73	0.46
1:B:489[B]:ARG:NH1	1:B:501:ASN:HA	2.31	0.46
1:A:438[A]:ARG:HD2	1:A:440:ASP:OD1	2.15	0.45
1:A:273:ARG:HG2	1:A:276:LEU:CD2	2.45	0.44
1:B:117:ASN:HB3	1:B:120:ARG:HD2	1.99	0.44
1:B:251:ILE:HG12	1:B:520:MET:HE2	1.99	0.44

Continued on next page...



7	Ο	Ν	Κ	

A 4 1	A 4 5 5 5 0	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:218:THR:H	4:B:603:GOL:H2	1.83	0.44
1:B:291:GLU:OE1	2:B:601[A]:VL5:N28	2.50	0.44
1:A:198:ASP:OD2	1:A:202:ARG:HB3	2.18	0.44
1:A:79:VAL:HG21	1:A:152[A]:ARG:HG2	2.00	0.44
4:A:612:GOL:H11	5:A:702:HOH:O	2.16	0.44
1:A:138:ILE:HD11	1:A:147:SER:HB3	2.00	0.43
1:A:551[B]:ARG:NH2	5:A:729:HOH:O	2.50	0.43
1:A:552:LEU:HG	4:A:605:GOL:H11	2.00	0.43
1:B:288:ASP:HB2	4:B:602:GOL:H31	2.00	0.43
1:B:195:VAL:HG12	1:B:206:ASP:HB3	2.01	0.42
1:B:113[B]:ARG:NH1	1:B:124:TYR:O	2.48	0.42
1:A:51:ARG:HD3	1:A:196:LEU:HD21	2.02	0.42
1:A:305:LEU:HD22	4:A:611:GOL:H2	2.01	0.42
1:B:527:PRO:HB2	1:B:530:ALA:HB3	2.02	0.42
1:B:186:LEU:O	1:B:216:GLY:HA3	2.20	0.41
1:B:287:ILE:HG12	1:B:385:GLY:O	2.20	0.41
1:B:155:TYR:OH	1:B:167:PHE:HA	2.20	0.41
1:B:315:ILE:CG2	1:B:339:GLN:HB3	2.50	0.41
1:A:316:VAL:HB	1:A:345:ILE:HD11	2.03	0.41
1:A:551[A]:ARG:HD2	4:A:605:GOL:O2	2.20	0.41
1:B:109:LEU:HD23	1:B:109:LEU:HA	1.90	0.41
1:A:181:ALA:HB2	1:A:384:PRO:HD3	2.01	0.41
1:B:89:LEU:HD23	1:B:89:LEU:HA	1.91	0.41
1:A:127:ARG:NH1	1:A:152[A]:ARG:HH22	2.19	0.41
1:A:536[B]:LEU:HD12	1:A:537:VAL:HG23	2.03	0.41
1:A:438[A]:ARG:NH1	1:A:440:ASP:OD2	2.55	0.40
1:B:503[B]:TYR:CZ	1:B:527:PRO:HG2	2.57	0.40
1:A:276:LEU:HD21	1:A:281:MET:HG2	2.03	0.40

Continued from previous page...

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-1 Atom-2		Clash overlap (Å)
5:B:961:HOH:O	5:B:969:HOH:O[3_455]	2.07	0.13



## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$\mathbf{ntiles}$
1	А	522/531~(98%)	510~(98%)	12 (2%)	0	100	100
1	В	514/531~(97%)	503~(98%)	11 (2%)	0	100	100
All	All	1036/1062~(98%)	1013~(98%)	23~(2%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	407/423~(96%)	405~(100%)	2(0%)	88 83		
1	В	390/423~(92%)	387~(99%)	3~(1%)	81 72		
All	All	797/846~(94%)	792~(99%)	5(1%)	84 79		

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	239	LEU
1	А	327	ARG
1	В	67	ASP
1	В	239	LEU
1	В	504	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.



#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 19 ligands modelled in this entry, 2 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bos	Link	Bo	ond leng	ths	B	ond ang	les
WIOI	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
4	GOL	А	611	-	5, 5, 5	0.12	0	$5,\!5,\!5$	0.33	0
4	GOL	В	604	-	5, 5, 5	0.11	0	$5,\!5,\!5$	0.39	0
4	GOL	В	603	-	5, 5, 5	0.09	0	$5,\!5,\!5$	0.30	0
2	VL5	А	601[B]	1	$35,\!47,\!47$	1.37	4 (11%)	$35,\!66,\!66$	1.69	4 (11%)
4	GOL	А	608	-	5, 5, 5	0.08	0	$5,\!5,\!5$	0.27	0
4	GOL	А	610	-	5, 5, 5	0.10	0	$5,\!5,\!5$	0.32	0
4	GOL	А	606	-	5, 5, 5	0.08	0	$5,\!5,\!5$	0.22	0
4	GOL	А	607	-	5, 5, 5	0.08	0	$5,\!5,\!5$	0.30	0
4	GOL	В	605	-	5, 5, 5	0.11	0	$5,\!5,\!5$	0.32	0
2	VL5	В	601[A]	1	$35,\!47,\!47$	1.35	4 (11%)	$35,\!66,\!66$	1.58	5 (14%)
4	GOL	А	605	-	5, 5, 5	0.12	0	$5,\!5,\!5$	0.40	0
4	GOL	А	604	-	5, 5, 5	0.11	0	$5,\!5,\!5$	0.14	0
4	GOL	А	609	-	5, 5, 5	0.11	0	$5,\!5,\!5$	0.36	0
4	GOL	А	612	-	5, 5, 5	0.18	0	$5,\!5,\!5$	0.25	0
4	GOL	В	602	-	5, 5, 5	0.11	0	$5,\!5,\!5$	0.26	0
2	VL5	В	601[B]	1	$3\overline{5,47,47}$	1.37	3 (8%)	35,66,66	1.80	5(14%)
2	VL5	A	601[A]	1	35,47,47	1.35	4 (11%)	35,66,66	1.81	4 (11%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	А	611	-	-	0/4/4/4	-
4	GOL	В	604	-	-	0/4/4/4	-
4	GOL	В	603	-	-	0/4/4/4	-
2	VL5	А	601[B]	1	-	12/30/57/57	0/3/3/3
4	GOL	А	608	-	-	1/4/4/4	-
4	GOL	А	610	-	-	0/4/4/4	-
4	GOL	А	606	-	-	0/4/4/4	-
4	GOL	А	607	-	-	0/4/4/4	-
4	GOL	В	605	-	-	0/4/4/4	-
2	VL5	В	601[A]	1	-	9/30/57/57	0/3/3/3
4	GOL	А	605	-	-	0/4/4/4	-
4	GOL	А	604	-	-	0/4/4/4	-
4	GOL	А	609	-	-	0/4/4/4	_
4	GOL	А	612	-	-	0/4/4/4	-
4	GOL	В	602	-	-	0/4/4/4	-
2	VL5	В	601[B]	1	_	7/30/57/57	0/3/3/3
2	VL5	A	601[A]	1	-	11/30/57/57	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
2	А	601[B]	VL5	O22-N23	-5.74	1.26	1.41
2	А	601[A]	VL5	O22-N23	-5.67	1.26	1.41
2	В	601[B]	VL5	O22-N23	-5.58	1.26	1.41
2	В	601[A]	VL5	O22-N23	-5.44	1.27	1.41
2	В	601[A]	VL5	C27-N28	3.64	1.45	1.35
2	В	601[B]	VL5	C27-N28	3.58	1.45	1.35
2	А	601[B]	VL5	C27-N28	3.19	1.44	1.35
2	А	601[A]	VL5	C27-N28	3.01	1.44	1.35
2	В	601[B]	VL5	C24-C31	-2.32	1.46	1.50
2	А	601[B]	VL5	C30-S29	2.24	1.74	1.70
2	А	601[A]	VL5	C24-C31	-2.22	1.46	1.50
2	В	601[A]	VL5	C24-C31	-2.21	1.46	1.50
2	А	601[A]	VL5	C30-S29	2.19	1.74	1.70
2	A	601[B]	VL5	C24-C31	-2.16	1.46	1.50
2	В	601[A]	VL5	C30-S29	2.01	1.73	1.70

All (18) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	601[A]	VL5	O22-N23-C24	8.10	121.02	111.75
2	В	601[B]	VL5	O22-N23-C24	7.77	120.64	111.75
2	В	601[A]	VL5	O22-N23-C24	7.07	119.84	111.75
2	А	601[B]	VL5	O22-N23-C24	6.97	119.72	111.75
2	В	601[B]	VL5	C3-N7-C8	3.88	128.43	122.73
2	А	601[B]	VL5	C10-C8-N7	3.85	120.51	114.61
2	А	601[A]	VL5	C10-C8-N7	3.73	120.33	114.61
2	В	601[B]	VL5	C25-C30-S29	-2.90	108.23	111.79
2	В	601[A]	VL5	C10-C8-N7	2.75	118.83	114.61
2	А	601[A]	VL5	C24-C31-N33	2.62	118.73	114.38
2	А	601[A]	VL5	C25-C30-S29	-2.61	108.58	111.79
2	А	601[B]	VL5	C25-C30-S29	-2.60	108.59	111.79
2	А	601[B]	VL5	C24-C31-N33	2.59	118.69	114.38
2	В	601[A]	VL5	C25-C30-S29	-2.47	108.76	111.79
2	В	601[B]	VL5	O41-S42-O45	2.37	110.80	103.29
2	В	601[A]	VL5	O41-S42-O44	2.15	110.12	103.29
2	В	601[A]	VL5	C24-C31-N33	2.12	117.90	114.38
2	В	601[B]	VL5	C10-C8-N7	2.01	117.69	114.61

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	Atoms
2	А	601[A]	VL5	C4-C3-N7-C8
2	А	601[A]	VL5	C39-C34-C35-C36
2	А	601[A]	VL5	C39-C34-C35-C37
2	А	601[A]	VL5	N33-C34-C35-C36
2	А	601[A]	VL5	N33-C34-C35-C37
2	А	601[A]	VL5	C10-C8-N7-C3
2	А	601[A]	VL5	N9-C8-N7-C3
2	А	601[B]	VL5	O16-C17-C18-C19
2	А	601[B]	VL5	O16-C17-C18-O22
2	А	601[B]	VL5	C39-C34-C35-C36
2	А	601[B]	VL5	C39-C34-C35-C37
2	А	601[B]	VL5	N33-C34-C35-C36
2	А	601[B]	VL5	N33-C34-C35-C37
2	В	601[A]	VL5	O16-C17-C18-O22
2	В	601[A]	VL5	C39-C34-C35-C36
2	В	601[A]	VL5	C39-C34-C35-C37
2	В	601[A]	VL5	N33-C34-C35-C36
2	В	601[A]	VL5	N33-C34-C35-C37
2	В	601[B]	VL5	C39-C34-C35-C36
2	В	601[B]	VL5	C39-C34-C35-C37

Continued on next page...



Mol	Chain	Res	Type	Atoms
2	В	601[B]	VL5	N33-C34-C35-C36
2	В	601[B]	VL5	N33-C34-C35-C37
2	А	601[B]	VL5	C12-C13-O16-C17
2	А	601[B]	VL5	C14-C13-O16-C17
2	А	601[A]	VL5	C15-C10-C8-N7
2	А	601[B]	VL5	C11-C10-C8-N7
2	А	601[B]	VL5	C15-C10-C8-N7
4	А	608	GOL	O1-C1-C2-C3
2	А	601[A]	VL5	C11-C10-C8-N7
2	А	601[A]	VL5	N23-C24-C31-O32
2	А	601[B]	VL5	N23-C24-C31-O32
2	А	601[A]	VL5	N23-C24-C31-N33
2	А	601[B]	VL5	N23-C24-C31-N33
2	В	601[A]	VL5	N23-C24-C31-N33
2	В	601[A]	VL5	O16-C17-C18-C19
2	В	601[B]	VL5	C4-C3-N7-C8
2	В	601[B]	VL5	N23-C24-C31-N33
2	В	601[A]	VL5	C15-C10-C8-N9
2	В	601[A]	VL5	N23-C24-C31-O32
2	В	601[B]	VL5	N23-C24-C31-O32

Continued from previous page...

There are no ring outliers.

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	А	611	GOL	1	0
4	В	603	GOL	1	0
4	А	610	GOL	1	0
4	А	606	GOL	1	0
4	А	607	GOL	1	0
2	В	601[A]	VL5	1	0
4	А	605	GOL	2	0
4	А	612	GOL	1	0
4	В	602	GOL	2	0
2	В	601[B]	VL5	1	0

10 monomers are involved in 12 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be



highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

## 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

