



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 2, 2021 – 03:14 pm GMT

PDB ID : 7OTX
Title : HIV-1 REVERSE TRANSCRIPTASE COMPLEX WITH DNA AND INHIBITOR RMC-257
Authors : Martinez, S.E.; Singh, A.K.; Gu, W.; Das, K.
Deposited on : 2021-06-10
Resolution : 3.45 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4 (270009), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1291 (3.52-3.40)
Clashscore	141614	1372 (3.52-3.40)
Ramachandran outliers	138981	1337 (3.52-3.40)
Sidechain outliers	138945	1338 (3.52-3.40)
RSRZ outliers	127900	1205 (3.52-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	556	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">12%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green);"></div> <div style="text-align: center;">88%</div> <div style="text-align: center;">12%</div> </div>
1	C	556	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">14%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green);"></div> <div style="text-align: center;">90%</div> <div style="text-align: center;">10%</div> </div>
2	B	428	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">5%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green);"></div> <div style="text-align: center;">87%</div> <div style="text-align: center;">9%</div> <div style="text-align: center;">•</div> </div>
2	D	428	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">3%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green);"></div> <div style="text-align: center;">86%</div> <div style="text-align: center;">9%</div> <div style="text-align: center;">•</div> </div>
3	E	27	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">7%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green);"></div> <div style="text-align: center;">37%</div> <div style="text-align: center;">48%</div> <div style="text-align: center;">15%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	T	27	
4	F	21	
4	P	21	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	1IK	A	602	-	-	-	X

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 17623 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	C	555	Total	C	N	O	S	0	0	0
			4509	2919	750	832	8			
1	A	556	Total	C	N	O	S	0	0	0
			4521	2927	752	833	9			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	MET	-	initiating methionine	UNP P03366
C	0	VAL	-	expression tag	UNP P03366
C	258	CYS	GLN	conflict	UNP P03366
C	280	SER	CYS	conflict	UNP P03366
C	498	ASN	ASP	conflict	UNP P03366
A	-1	MET	-	initiating methionine	UNP P03366
A	0	VAL	-	expression tag	UNP P03366
A	258	CYS	GLN	conflict	UNP P03366
A	280	SER	CYS	conflict	UNP P03366
A	498	ASN	ASP	conflict	UNP P03366

- Molecule 2 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	411	Total	C	N	O	S	0	0	0
			3398	2213	563	616	6			
2	B	412	Total	C	N	O	S	0	0	0
			3391	2206	560	619	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	280	SER	CYS	conflict	UNP P03366
B	280	SER	CYS	conflict	UNP P03366

- Molecule 3 is a DNA chain called DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*CP*GP*AP*AP*CP*AP*GP*GP*GP*AP*CP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	23	Total	C	N	O	P	0	0	0
			477	223	95	136	23			
3	T	24	Total	C	N	O	P	0	0	0
			494	233	97	141	23			


- Molecule 4 is a DNA chain called DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG)P*CP*GP*CP*CP*(DDG))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	20	Total	C	N	O	P	0	0	0
			403	192	72	120	19			
4	P	20	Total	C	N	O	P	0	0	0
			403	192	72	120	19			

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is (S)-2-((3-(6-amino-9H-purin-9-yl)propyl)amino)-3-phosphonopropanoic acid (three-letter code: 1IK) (formula: C₁₁H₁₇N₆O₅P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
6	A	1	23	11	6	5	1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	2	Total	O	0	0
			2	2		
7	B	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Reverse transcriptase/ribonuclease H





- Molecule 1: Reverse transcriptase/ribonuclease H




- Molecule 2: Reverse transcriptase/ribonuclease H



- Molecule 2: Reverse transcriptase/ribonuclease H



- Molecule 3: DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*CP*GP*AP*AP*CP*A P*GP*GP*GP*AP*CP*TP*G)-3')



- Molecule 3: DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*CP*GP*AP*AP*CP*A P*GP*GP*GP*AP*CP*TP*G)-3')




- Molecule 4: DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG) P*CP*GP*CP*CP*(DDG))-3')



- Molecule 4: DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG)P*CP*GP*CP*CP*(DDG))-3')

Chain P:  67% 29% 5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.82Å 132.88Å 139.59Å 90.00° 98.78° 90.00°	Depositor
Resolution (Å)	53.93 – 3.45 53.93 – 3.45	Depositor EDS
% Data completeness (in resolution range)	99.9 (53.93-3.45) 100.0 (53.93-3.45)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 3.48Å)	Xtrriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.213 , 0.251 0.214 , 0.249	Depositor DCC
R_{free} test set	1333 reflections (3.11%)	wwPDB-VP
Wilson B-factor (Å ²)	118.8	Xtrriage
Anisotropy	0.289	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17623	wwPDB-VP
Average B, all atoms (Å ²)	150.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1IK, MRG, MG, DDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/4639	0.44	0/6303
1	C	0.25	0/4627	0.44	0/6289
2	B	0.28	0/3488	0.47	1/4740 (0.0%)
2	D	0.27	0/3496	0.45	0/4749
3	E	0.47	0/536	0.78	0/826
3	T	0.44	0/555	0.74	0/856
4	F	0.46	0/400	0.77	0/612
4	P	0.50	0/400	0.79	0/612
All	All	0.29	0/18141	0.49	1/24987 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	424	LYS	N-CA-C	-7.22	91.50	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4521	0	4587	46	0
1	C	4509	0	4567	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	3391	0	3413	26	0
2	D	3398	0	3424	23	0
3	E	477	0	256	10	0
3	T	494	0	269	8	0
4	F	403	0	224	5	0
4	P	403	0	224	5	0
5	A	1	0	0	0	0
6	A	23	0	0	1	0
7	B	1	0	0	0	0
7	D	2	0	0	0	0
All	All	17623	0	16964	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:ILE:HG12	1:A:143:ARG:HB2	1.64	0.77
2:D:79:GLU:HG3	2:D:83:ARG:HE	1.54	0.72
1:A:125:ARG:HE	1:A:147:ASN:HA	1.55	0.71
1:C:334:GLN:HB3	1:C:512:LYS:HE2	1.77	0.67
1:A:72:ARG:NH2	6:A:602:1IK:O22	2.27	0.67
2:D:276:VAL:HG22	2:D:277:ARG:HH21	1.61	0.65
1:C:308:GLU:HA	1:C:311:LYS:HE2	1.78	0.65
1:C:131:THR:HG22	1:C:143:ARG:HG2	1.80	0.64
1:A:56:TYR:O	1:A:143:ARG:NH2	2.30	0.63
1:A:261:VAL:HG13	1:A:276:VAL:HG11	1.81	0.62
1:C:181:TYR:HB2	1:C:188:TYR:HB3	1.81	0.62
2:D:199:ARG:HA	2:D:202:ILE:HD12	1.83	0.61
1:C:21:VAL:HG23	1:C:59:PRO:HD3	1.81	0.61
1:A:288:ALA:HB3	1:A:291:GLU:HB2	1.83	0.61
2:D:365:VAL:HG11	2:D:401:TRP:HB2	1.82	0.61
1:A:178:ILE:HG13	1:A:191:SER:HB3	1.83	0.60
1:A:199:ARG:HA	1:A:202:ILE:HD12	1.82	0.60
1:C:111:VAL:HG22	1:C:185:ASP:HB2	1.85	0.59
1:A:498:ASN:HD22	1:A:545:ASN:HD21	1.50	0.59
1:A:172:LYS:HE2	1:A:180:ILE:HB	1.83	0.59
1:A:181:TYR:HB2	1:A:188:TYR:HB3	1.83	0.59
1:C:503:LEU:HD22	1:C:535:TRP:HB2	1.84	0.59
1:A:503:LEU:HD22	1:A:535:TRP:HB2	1.83	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:288:ALA:HB3	1:C:291:GLU:HB2	1.83	0.58
2:B:56:TYR:HE2	2:B:126:LYS:HE2	1.68	0.58
2:D:21:VAL:HB	2:D:59:PRO:HD3	1.86	0.58
2:D:358:ARG:NH2	2:D:405:TYR:O	2.27	0.58
1:C:206:ARG:NH2	1:C:216:THR:O	2.36	0.57
2:D:81:ASN:HB3	2:D:154:LYS:HD2	1.86	0.57
1:A:276:VAL:HG12	1:A:276:VAL:O	2.04	0.57
1:C:172:LYS:HE2	1:C:180:ILE:HB	1.86	0.57
4:F:814:DC:H2''	4:F:815:DG:C8	2.41	0.56
1:A:23:GLN:HG2	1:A:133:PRO:HD3	1.89	0.55
1:C:23:GLN:HE22	1:C:60:VAL:H	1.53	0.55
2:D:88:TRP:CZ2	2:D:154:LYS:HD3	2.42	0.55
4:F:814:DC:H2''	4:F:815:DG:H8	1.72	0.54
1:A:115:TYR:HD2	1:A:151:GLN:HG2	1.72	0.54
3:E:709:DC:H2'	3:E:710:DG:H8	1.73	0.54
2:B:81:ASN:HB3	2:B:154:LYS:HD2	1.90	0.53
3:E:721:DG:H2'	3:E:722:DA:C8	2.43	0.53
2:B:263:LYS:HG3	2:B:425:LEU:HD12	1.90	0.53
4:P:814:DC:H2''	4:P:815:DG:C8	2.45	0.53
2:D:122:GLU:OE1	2:D:125:ARG:NH1	2.42	0.52
1:A:248:GLU:O	1:A:248:GLU:OE1	2.27	0.52
2:B:125:ARG:NH1	2:B:147:ASN:O	2.43	0.51
1:A:57:ASN:HD21	1:A:131:THR:HG22	1.75	0.51
1:A:184:MET:HG2	4:P:822:DDG:H2'	1.93	0.51
1:A:65:LYS:HA	1:A:72:ARG:HH12	1.76	0.51
1:A:94:ILE:HD11	3:T:708:DG:H21	1.75	0.51
1:A:218:ASP:HA	1:A:221:HIS:HB2	1.92	0.51
1:A:364:ASP:OD1	1:A:512:LYS:NZ	2.40	0.51
3:E:709:DC:H2'	3:E:710:DG:C8	2.45	0.51
3:T:718:DA:H1'	3:T:719:DG:C8	2.45	0.51
1:A:308:GLU:HA	1:A:311:LYS:HE2	1.92	0.51
1:C:261:VAL:HG13	1:C:276:VAL:HG11	1.92	0.51
1:A:498:ASN:ND2	1:A:545:ASN:HD21	2.08	0.51
3:E:715:DA:H2''	3:E:716:DA:C8	2.46	0.51
1:A:448:ARG:NH2	3:T:723:DC:H1'	2.26	0.50
3:E:707:DG:H2'	3:E:708:DG:C8	2.47	0.50
2:B:73:LYS:NZ	2:B:146:TYR:OH	2.43	0.50
1:C:60:VAL:HG11	1:C:132:ILE:HD13	1.94	0.49
2:D:359:GLY:HA3	2:D:366:LYS:HD2	1.94	0.49
1:C:111:VAL:HG22	1:C:185:ASP:CB	2.42	0.49
1:C:21:VAL:CG2	1:C:59:PRO:HD3	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:184:MET:HG2	4:F:822:DDG:H2'	1.95	0.49
3:T:708:DG:H2'	3:T:709:DC:C6	2.48	0.49
4:P:814:DC:H2''	4:P:815:DG:H8	1.78	0.48
2:D:282:LEU:HD21	2:D:295:LEU:HA	1.95	0.48
2:D:193:LEU:HB3	2:D:197:GLN:HG3	1.95	0.48
3:E:715:DA:H2''	3:E:716:DA:H8	1.79	0.48
1:C:125:ARG:HD3	1:C:147:ASN:HA	1.96	0.47
2:B:101:LYS:HD3	2:B:382:ILE:HG23	1.96	0.47
1:C:543:GLY:N	2:D:283:LEU:O	2.46	0.47
2:B:79:GLU:HG3	2:B:83:ARG:HE	1.79	0.47
3:E:706:DC:H2'	3:E:707:DG:C8	2.49	0.47
3:E:711:DC:H2'	3:E:712:DC:C6	2.50	0.47
1:C:58:THR:HG22	1:C:129:ALA:O	2.15	0.47
1:A:58:THR:HG21	1:A:77:PHE:CD1	2.49	0.47
1:C:287:LYS:HD3	1:C:287:LYS:H	1.80	0.46
1:C:442:VAL:HB	1:C:481:ALA:HB1	1.97	0.46
2:B:263:LYS:HE3	2:B:425:LEU:HD12	1.97	0.46
2:B:246:LEU:HD11	2:B:264:LEU:HD21	1.98	0.46
1:C:56:TYR:O	1:C:143:ARG:NH2	2.48	0.46
1:A:448:ARG:HE	3:T:724:DT:H5'	1.81	0.46
2:B:254:VAL:HG13	2:B:283:LEU:HD22	1.97	0.46
2:D:120:LEU:HD23	2:D:125:ARG:HG2	1.97	0.46
2:B:125:ARG:HD3	2:B:147:ASN:HA	1.97	0.46
2:D:260:LEU:HD21	2:D:303:LEU:HD13	1.98	0.45
1:A:503:LEU:HD12	1:A:533:LEU:HD13	1.98	0.45
2:B:120:LEU:HD23	2:B:125:ARG:HG2	1.98	0.45
1:C:435:VAL:HA	2:D:290:THR:HG21	1.98	0.45
1:A:303:LEU:HD23	1:A:307:ARG:HG3	1.99	0.45
1:C:58:THR:HG21	1:C:77:PHE:CE1	2.52	0.45
1:A:406:TRP:CZ2	2:B:420:PRO:HG3	2.53	0.44
1:A:405:TYR:CE2	1:A:407:GLN:HB2	2.52	0.44
2:D:38:CYS:SG	2:D:132:ILE:HD11	2.58	0.44
2:B:17:ASP:O	2:B:83:ARG:HD3	2.18	0.44
1:C:247:PRO:O	1:C:307:ARG:NH2	2.50	0.44
1:A:86:ASP:O	2:B:55:PRO:HB3	2.18	0.44
1:C:185:ASP:OD1	4:F:822:DDG:H3'1	2.18	0.44
1:A:247:PRO:O	1:A:307:ARG:NH2	2.51	0.44
1:A:24:TRP:HD1	1:A:59:PRO:HB3	1.83	0.43
4:F:821:DC:H2'	4:F:822:DDG:H8	1.98	0.43
3:T:714:DG:H2''	3:T:715:DA:C8	2.53	0.43
1:A:289:LEU:HD11	4:P:817:MRG:H4'	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:TYR:HB3	1:A:348:ASN:HA	2.00	0.43
3:E:703:DG:H2'	3:E:703:DG:N3	2.33	0.43
2:B:138:GLU:HG2	2:B:139:THR:HG23	1.99	0.43
1:C:442:VAL:HG12	1:C:457:TYR:HB3	2.01	0.43
1:A:102:LYS:NZ	1:A:236:PRO:O	2.37	0.43
2:D:138:GLU:HG2	2:D:139:THR:HG23	2.00	0.43
4:P:803:DC:H2''	4:P:804:DA:OP1	2.19	0.43
3:T:709:DC:H2'	3:T:710:DG:C8	2.54	0.43
1:C:287:LYS:HG2	1:C:288:ALA:N	2.34	0.42
1:A:114:ALA:HB1	1:A:160:PHE:CZ	2.54	0.42
1:C:24:TRP:HD1	1:C:59:PRO:HB3	1.84	0.42
1:C:443:ASP:OD1	1:C:444:GLY:N	2.52	0.42
1:A:442:VAL:HB	1:A:481:ALA:HB1	2.01	0.42
2:B:270:ILE:HG12	2:B:346:PHE:HB3	2.00	0.42
1:A:494:ASN:HB3	2:B:289:LEU:HD12	2.01	0.42
3:E:703:DG:H21	3:E:705:DT:H73	1.85	0.42
3:T:709:DC:H2'	3:T:710:DG:H8	1.84	0.42
2:D:422:LEU:H	2:D:422:LEU:HG	1.40	0.42
2:D:50:ILE:HD13	2:D:145:GLN:HB3	2.02	0.42
2:B:365:VAL:HG11	2:B:401:TRP:HB2	2.02	0.42
2:B:266:TRP:CE3	2:B:425:LEU:HD22	2.55	0.41
1:C:503:LEU:HD12	1:C:533:LEU:HD13	2.02	0.41
2:B:193:LEU:HB3	2:B:197:GLN:HG3	2.00	0.41
2:B:275:LYS:HA	2:B:275:LYS:HD3	1.92	0.41
1:C:494:ASN:HB3	2:D:289:LEU:HD12	2.03	0.41
2:D:17:ASP:O	2:D:83:ARG:HD3	2.20	0.41
1:A:238:LYS:HD2	1:A:315:HIS:CG	2.56	0.41
1:A:8:VAL:O	1:A:121:ASP:HB2	2.21	0.41
1:A:100:LEU:HD11	1:A:229:TRP:CZ3	2.55	0.41
1:A:248:GLU:O	1:A:248:GLU:CD	2.58	0.41
1:C:271:TYR:O	1:C:274:ILE:HD13	2.20	0.41
2:D:85:GLN:HA	2:D:88:TRP:NE1	2.36	0.41
1:C:218:ASP:HA	1:C:221:HIS:HB2	2.02	0.41
1:A:457:TYR:HE1	1:A:463:ARG:HG2	1.86	0.41
2:B:355:ALA:O	2:B:356:ARG:C	2.59	0.41
2:B:21:VAL:HB	2:B:59:PRO:HD3	2.03	0.41
1:C:194:GLU:HB3	1:C:197:GLN:OE1	2.20	0.40
1:C:16:MET:HB3	1:C:83:ARG:HD3	2.04	0.40
1:A:50:ILE:H	1:A:50:ILE:HG13	1.71	0.40
2:B:191:SER:OG	2:B:198:HIS:ND1	2.44	0.40
2:B:422:LEU:H	2:B:422:LEU:HD12	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	554/556 (100%)	538 (97%)	16 (3%)	0	100	100
1	C	553/556 (100%)	540 (98%)	13 (2%)	0	100	100
2	B	408/428 (95%)	391 (96%)	16 (4%)	1 (0%)	47	80
2	D	407/428 (95%)	389 (96%)	16 (4%)	2 (0%)	29	66
All	All	1922/1968 (98%)	1858 (97%)	61 (3%)	3 (0%)	47	80

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	424	LYS
2	B	356	ARG
2	D	231	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/497 (100%)	497 (100%)	0	100	100
1	C	495/497 (100%)	493 (100%)	2 (0%)	91	97
2	B	372/390 (95%)	371 (100%)	1 (0%)	92	98
2	D	372/390 (95%)	370 (100%)	2 (0%)	88	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1736/1774 (98%)	1731 (100%)	5 (0%)	92 98

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	248	GLU
1	C	287	LYS
2	D	297	GLU
2	D	422	LEU
2	B	422	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	545	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	556/556 (100%)	0.72	68 (12%) 4 6	53, 162, 258, 296	0
1	C	555/556 (99%)	0.82	78 (14%) 2 4	58, 161, 246, 303	0
2	B	412/428 (96%)	0.47	23 (5%) 24 24	69, 136, 191, 220	0
2	D	411/428 (96%)	0.23	11 (2%) 54 52	64, 121, 176, 209	0
3	E	23/27 (85%)	-0.09	2 (8%) 10 13	164, 194, 227, 318	0
3	T	24/27 (88%)	0.59	3 (12%) 3 6	163, 187, 294, 305	0
4	F	18/21 (85%)	-0.62	0 100 100	128, 186, 220, 226	0
4	P	18/21 (85%)	-0.43	0 100 100	122, 179, 224, 226	0
All	All	2017/2064 (97%)	0.57	185 (9%) 9 11	53, 142, 237, 318	0

All (185) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	69	THR	12.4
1	C	26	LEU	10.6
1	C	73	LYS	9.9
1	C	67	ASP	9.8
1	C	68	SER	9.8
1	A	74	LEU	9.5
1	A	139	THR	8.9
1	C	70	LYS	8.4
1	A	73	LYS	7.4
2	B	4	PRO	7.1
1	C	133	PRO	7.0
1	A	136	ASN	6.9
3	E	703	DG	6.8
3	T	702	DT	6.8
1	C	63	ILE	6.7
1	A	34	LEU	6.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	286	THR	6.6
1	C	132	ILE	6.4
1	A	26	LEU	6.4
1	A	63	ILE	6.3
1	A	293	ILE	6.3
1	C	128	THR	6.2
1	C	72	ARG	6.2
1	A	61	PHE	6.1
1	A	30	LYS	5.9
1	C	551	LEU	5.8
1	C	545	ASN	5.7
1	C	74	LEU	5.7
1	C	544	GLY	5.7
1	A	295	LEU	5.7
1	C	66	LYS	5.7
1	A	132	ILE	5.6
1	A	75	VAL	5.5
1	A	66	LYS	5.4
1	A	134	SER	5.3
1	C	61	PHE	5.2
1	C	139	THR	5.2
1	C	283	LEU	5.2
1	A	29	GLU	5.2
1	A	133	PRO	5.2
1	C	549	ASP	5.1
2	D	92	LEU	5.1
1	C	60	VAL	4.9
1	A	67	ASP	4.9
1	C	229	TRP	4.8
1	C	64	LYS	4.8
1	C	282	LEU	4.7
1	C	138	GLU	4.7
1	A	252	TRP	4.7
1	C	140	PRO	4.7
1	A	146	TYR	4.6
1	C	142	ILE	4.6
1	C	135	ILE	4.6
2	B	88	TRP	4.4
2	B	174	GLN	4.4
1	C	62	ALA	4.4
1	C	252	TRP	4.4
1	A	137	ASN	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	65	LYS	4.3
1	A	138	GLU	4.3
1	C	146	TYR	4.2
1	C	71	TRP	4.2
3	T	704	DG	4.2
1	A	25	PRO	4.2
1	A	33	ALA	4.2
1	A	294	PRO	4.2
1	A	24	TRP	4.1
1	C	30	LYS	4.1
2	B	85	GLN	4.0
1	A	52	PRO	3.9
2	B	202	ILE	3.9
1	C	75	VAL	3.9
1	A	144	TYR	3.9
1	A	135	ILE	3.9
2	B	94	ILE	3.8
2	D	88	TRP	3.8
1	C	552	VAL	3.8
1	C	136	ASN	3.7
2	B	124	PHE	3.7
1	A	72	ARG	3.7
1	A	69	THR	3.7
1	C	294	PRO	3.6
1	A	32	LYS	3.5
2	D	4	PRO	3.5
3	T	703	DG	3.5
1	C	279	LEU	3.5
1	A	77	PHE	3.4
1	A	19	PRO	3.4
1	A	71	TRP	3.4
1	A	27	THR	3.4
2	B	180	ILE	3.3
1	A	140	PRO	3.3
1	C	25	PRO	3.2
2	D	295	LEU	3.2
1	C	249	LYS	3.2
1	A	151	GLN	3.2
1	C	289	LEU	3.2
1	A	124	PHE	3.1
1	C	295	LEU	3.1
2	B	232	TYR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	38	CYS	3.1
1	C	38	CYS	3.0
2	B	178	ILE	3.0
1	C	550	LYS	3.0
2	D	230	MET	3.0
2	B	87	PHE	3.0
2	D	214	LEU	3.0
1	A	49	LYS	3.0
1	A	37	ILE	3.0
1	C	29	GLU	3.0
1	A	246	LEU	2.9
2	B	205	LEU	2.9
1	C	247	PRO	2.9
1	A	229	TRP	2.9
1	A	60	VAL	2.9
1	A	130	PHE	2.9
1	A	188	TYR	2.9
1	C	274	ILE	2.8
2	B	89	GLU	2.8
1	C	41	MET	2.8
1	C	49	LYS	2.8
1	C	284	ARG	2.8
1	C	141	GLY	2.8
1	A	142	ILE	2.8
2	B	209	LEU	2.8
1	C	124	PHE	2.8
1	C	193	LEU	2.7
1	A	248	GLU	2.7
1	C	290	THR	2.7
1	C	34	LEU	2.7
1	A	109	LEU	2.7
1	C	306	ASN	2.7
3	E	704	DG	2.7
1	A	16	MET	2.6
1	C	137	ASN	2.6
1	A	47	ILE	2.6
2	D	124	PHE	2.5
1	C	254	VAL	2.5
2	D	93	GLY	2.5
1	C	554	ALA	2.5
2	B	171	PHE	2.4
1	C	246	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	62	ALA	2.4
1	C	131	THR	2.4
1	C	296	THR	2.4
1	A	260	LEU	2.4
1	C	299	ALA	2.4
1	C	27	THR	2.4
2	B	137	ASN	2.4
1	C	270	ILE	2.4
1	C	16	MET	2.3
1	A	227	PHE	2.3
1	C	293	ILE	2.3
1	C	553	SER	2.3
2	B	168	LEU	2.3
2	D	282	LEU	2.3
2	B	100	LEU	2.3
1	A	292	VAL	2.3
2	B	10	VAL	2.3
1	A	298	GLU	2.3
1	C	265	ASN	2.3
2	B	173	LYS	2.2
1	A	276	VAL	2.2
1	A	544	GLY	2.2
1	C	349	LEU	2.2
1	C	548	VAL	2.2
1	A	228	LEU	2.2
1	A	247	PRO	2.2
1	A	58	THR	2.2
1	A	296	THR	2.2
1	C	161	GLN	2.2
2	B	127	TYR	2.1
2	D	164	MET	2.1
1	A	23	GLN	2.1
2	D	89	GLU	2.1
1	A	542	ILE	2.1
1	A	283	LEU	2.1
2	B	189	VAL	2.1
1	A	181	TYR	2.1
1	C	109	LEU	2.1
1	C	348	ASN	2.1
2	B	146	TYR	2.1
1	C	134	SER	2.1
1	C	59	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	15	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DDG	F	822	21/22	0.79	0.19	169,181,194,213	0
4	DDG	P	822	21/22	0.85	0.21	182,198,214,216	0
4	MRG	P	817	22/27	0.86	0.20	184,200,208,220	0
4	MRG	F	817	22/27	0.89	0.11	189,199,218,232	0

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	1IK	A	602	23/23	0.56	0.47	213,239,265,273	0
5	MG	A	601	1/1	0.64	0.20	204,204,204,204	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.