



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 30, 2023 – 08:49 AM EDT

PDB ID : 3OZW  
Title : The Crystal Structure of flavohemoglobin from *R. eutrophus* in complex with ketoconazole  
Authors : El Hammi, E.; Warkentin, E.; Demmer, U.; Ermler, U.; Baciou, L.  
Deposited on : 2010-09-27  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	403	
1	B	403	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	KKK	A	413	X	-	-	-
4	KKK	B	413	X	-	-	-

## 2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 6795 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flavohemoglobin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	403	Total 3156	C 2011	N 543	O 588	S 14	0	0	0
1	B	403	Total 3170	C 2020	N 546	O 590	S 14	0	2	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
3	A	1	53	27	9	15	2	0	0
3	B	1	53	27	9	15	2	0	0

- Molecule 4 is 1-acetyl-4-(4-[[[(2R,4S)-2-(2,4-dichlorophenyl)-2-(1H-imidazol-1-yl)met hyl]-1,3-dioxolan-4-yl]methoxy}phenyl)piperazine (three-letter code: KKK) (formula: C<sub>26</sub>H<sub>28</sub>Cl<sub>2</sub>N<sub>4</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
4	A	1	36	26	2	4	4	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
4	B	1	36	26	2	4	4	0	0

- Molecule 5 is 1-[GLYCEROLYLPHOSPHONYL]-2-[8-(2-HEXYL-CYCLOPROPYL)-OCTANAL-1-YL]-3-[HEXADECANAL-1-YL]-GLYCEROL (three-letter code: DGG) (formula:  $C_{39}H_{75}O_{10}P$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	A	1	19	17	2	0	0

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula:  $O_4P$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	O P	0	0
			5	4 1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	94	Total	O	0	0
			94	94		
7	B	87	Total	O	0	0
			87	87		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Flavohemoglobin



- Molecule 1: Flavohemoglobin



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.12Å 87.12Å 292.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 29.37 – 2.30	Depositor EDS
% Data completeness (in resolution range)	92.8 (30.00-2.30) 92.8 (29.37-2.30)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.15 (at 2.31Å)	Xtrriage
Refinement program	REFMAC 5.6.0046	Depositor
R, $R_{free}$	0.205 , 0.241 0.227 , 0.256	Depositor DCC
$R_{free}$ test set	2408 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.1	Xtrriage
Anisotropy	0.157	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 40.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6795	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DGG, HEM, PO4, FAD, KKK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.76	3/3233 (0.1%)	0.74	0/4393
1	B	0.76	2/3253 (0.1%)	0.73	0/4419
All	All	0.76	5/6486 (0.1%)	0.74	0/8812

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	126	TYR	CD1-CE1	9.80	1.54	1.39
1	A	256	TYR	CE1-CZ	-6.25	1.30	1.38
1	A	256	TYR	CE2-CZ	-6.09	1.30	1.38
1	A	256	TYR	CG-CD1	-5.69	1.31	1.39
1	B	256	TYR	CE1-CZ	-5.29	1.31	1.38

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	226	GLU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3156	0	3112	80	0
1	B	3170	0	3131	68	0
2	A	43	0	30	5	0
2	B	43	0	30	3	0
3	A	53	0	31	4	0
3	B	53	0	31	1	0
4	A	36	0	28	6	0
4	B	36	0	28	13	0
5	A	19	0	30	11	0
6	A	5	0	0	0	0
7	A	94	0	0	17	0
7	B	87	0	0	10	0
All	All	6795	0	6451	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:117:ASP:HB2	7:B:473:HOH:O	1.17	1.30
1:A:116:ASP:HB2	7:A:496:HOH:O	1.32	1.24
1:B:27:CYS:SG	7:B:491:HOH:O	2.05	1.14
1:B:49:GLU:O	1:B:50:GLN:HB2	1.42	1.10
1:A:341:ARG:HG2	1:A:341:ARG:HH21	1.14	1.03
1:B:341:ARG:HG2	1:B:341:ARG:HH21	1.19	1.02
1:B:27:CYS:CB	7:B:491:HOH:O	2.08	1.02
1:B:54:GLN:HE21	1:B:55:GLN:HE21	1.09	1.00
1:B:27:CYS:HB2	7:B:491:HOH:O	1.62	0.99
1:A:291:ALA:HA	1:A:292:PRO:C	1.86	0.96
1:B:48:GLN:HG3	7:B:440:HOH:O	1.65	0.95
1:A:230:PRO:HG3	1:B:59:ARG:HG2	1.45	0.95
1:B:291:ALA:HA	1:B:292:PRO:C	1.91	0.91
1:A:54:GLN:HE21	1:A:55:GLN:HE21	0.94	0.89
1:A:54:GLN:NE2	1:A:55:GLN:HE21	1.71	0.88

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:GLN:HE21	1:A:55:GLN:NE2	1.73	0.85
1:A:77:VAL:HG21	5:A:416:DGG:H251	1.60	0.83
1:A:232:PRO:HG2	3:A:405:FAD:C5A	2.07	0.83
1:B:341:ARG:HG2	1:B:341:ARG:NH2	1.95	0.81
1:A:341:ARG:HG2	1:A:341:ARG:NH2	1.89	0.80
1:A:394:GLU:HA	7:A:408:HOH:O	1.82	0.78
1:A:399:ASP:HB3	7:A:415:HOH:O	1.85	0.76
1:A:303:ARG:HG3	1:A:332:GLN:HB2	1.67	0.75
1:A:13:THR:HG21	1:A:118:ILE:HG12	1.70	0.73
1:B:54:GLN:HE21	1:B:55:GLN:NE2	1.86	0.73
1:B:47:HIS:ND1	4:B:413:KKK:H19	2.04	0.72
1:A:230:PRO:CG	1:B:59:ARG:HG2	2.20	0.71
1:B:47:HIS:CE1	4:B:413:KKK:H21A	2.24	0.71
1:A:351:VAL:HG22	1:A:358:ILE:HD13	1.73	0.71
1:B:367:ILE:HG22	1:B:374:MET:HG2	1.71	0.70
1:A:60:ALA:HB1	5:A:416:DGG:H391	1.74	0.70
1:B:51:GLY:HA3	1:B:52:GLN:HB2	1.74	0.69
1:A:54:GLN:NE2	1:A:55:GLN:NE2	2.37	0.69
1:A:400:LEU:HD23	7:A:415:HOH:O	1.93	0.68
3:A:405:FAD:H2A	1:B:62:TYR:HE1	1.57	0.68
1:A:67:ASN:OD1	5:A:416:DGG:H232	1.93	0.68
1:A:46:ALA:C	1:A:48:GLN:H	1.98	0.66
1:A:367:ILE:HG22	1:A:374:MET:HG2	1.76	0.66
1:B:54:GLN:NE2	1:B:55:GLN:HE21	1.90	0.62
1:A:55:GLN:NE2	1:B:113:ALA:HB1	2.14	0.61
1:B:230:PRO:HD2	1:B:231:GLN:HE21	1.65	0.61
1:A:294:ARG:O	1:A:295:GLN:HB2	2.00	0.61
1:A:400:LEU:CD2	7:A:415:HOH:O	2.47	0.61
3:A:405:FAD:H2A	1:B:62:TYR:CE1	2.35	0.61
1:B:51:GLY:CA	1:B:52:GLN:HB2	2.30	0.60
1:A:259:PHE:CG	1:A:394:GLU:HB2	2.37	0.60
1:A:232:PRO:HG2	3:A:405:FAD:N7A	2.14	0.60
1:B:294:ARG:O	1:B:295:GLN:HB2	2.00	0.60
1:A:398:PRO:HG2	7:A:440:HOH:O	2.02	0.59
1:A:259:PHE:CD2	1:A:394:GLU:HB2	2.36	0.59
1:B:66:GLU:HB3	7:B:484:HOH:O	2.01	0.59
1:B:259:PHE:CD2	1:B:394:GLU:HB2	2.38	0.59
1:A:122:TRP:HZ3	5:A:416:DGG:H332	1.67	0.59
1:A:230:PRO:HD2	1:A:231:GLN:HE21	1.66	0.59
1:A:394:GLU:CA	7:A:408:HOH:O	2.48	0.59
1:A:399:ASP:OD1	7:A:408:HOH:O	2.17	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:ALA:HB1	5:A:416:DGG:H242	1.86	0.57
1:B:13:THR:HG21	1:B:118:ILE:HG12	1.86	0.57
1:A:163:ARG:NH1	1:A:313:ARG:HH22	2.02	0.57
1:B:56:ALA:CB	4:B:413:KKK:H16	2.33	0.57
1:B:228:GLY:O	1:B:229:GLY:C	2.43	0.56
1:A:77:VAL:CG2	5:A:416:DGG:H251	2.33	0.56
1:A:291:ALA:HA	1:A:293:PRO:N	2.20	0.56
1:A:220:ARG:NH2	1:A:310:MET:CE	2.69	0.56
1:A:294:ARG:O	1:A:295:GLN:CB	2.54	0.56
4:A:413:KKK:CL1	5:A:416:DGG:H322	2.42	0.56
1:B:49:GLU:O	1:B:50:GLN:CB	2.31	0.56
1:A:220:ARG:HH22	1:A:310:MET:CE	2.19	0.55
1:B:351:VAL:HG22	1:B:358:ILE:HD13	1.89	0.55
1:A:77:VAL:HG11	5:A:416:DGG:H231	1.88	0.55
4:A:413:KKK:CL1	5:A:416:DGG:H352	2.44	0.55
1:B:259:PHE:CG	1:B:394:GLU:HB2	2.42	0.55
1:A:228:GLY:O	1:A:229:GLY:C	2.46	0.54
1:B:223:VAL:O	1:B:241:HIS:HE1	1.90	0.54
1:B:46:ALA:O	1:B:49:GLU:HG2	2.08	0.53
1:A:52:GLN:HE22	1:B:19[A]:GLU:HG3	1.74	0.53
1:A:267:THR:OG1	1:A:362:ASP:O	2.26	0.53
1:B:67:ASN:ND2	7:B:484:HOH:O	2.41	0.53
1:B:126:TYR:CE1	2:B:404:HEM:HAB	2.44	0.53
1:A:46:ALA:C	1:A:48:GLN:N	2.62	0.52
1:B:47:HIS:CE1	4:B:413:KKK:C21	2.91	0.52
1:B:294:ARG:O	1:B:295:GLN:CB	2.58	0.52
1:A:311:ARG:HD2	1:A:315:ARG:HD3	1.92	0.51
1:B:291:ALA:HA	1:B:293:PRO:N	2.25	0.51
1:B:395:VAL:HG12	1:B:397:GLY:H	1.75	0.51
1:B:303:ARG:HG3	1:B:332:GLN:HB2	1.93	0.51
1:A:308:HIS:CE1	1:A:311:ARG:HG2	2.46	0.51
1:A:50:GLN:HG3	1:B:15:PRO:HG2	1.94	0.50
1:A:220:ARG:NH2	1:A:310:MET:HE1	2.27	0.50
1:A:122:TRP:CZ3	5:A:416:DGG:H332	2.46	0.49
1:A:398:PRO:HB3	7:A:485:HOH:O	2.11	0.49
1:B:385:GLY:HA2	7:B:488:HOH:O	2.12	0.49
1:B:232:PRO:HG2	3:B:405:FAD:C5A	2.43	0.49
1:B:398:PRO:HG3	4:B:413:KKK:H21	1.93	0.49
1:A:351:VAL:HB	7:A:459:HOH:O	2.12	0.49
1:A:53:GLN:HG2	4:A:413:KKK:C20	2.43	0.49
1:B:311:ARG:HD2	1:B:315:ARG:HD3	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:351:VAL:HG13	1:B:358:ILE:HD11	1.95	0.49
1:B:398:PRO:CG	4:B:413:KKK:H21	2.42	0.49
1:B:115:THR:OG1	1:B:118:ILE:HD12	2.13	0.48
1:A:341:ARG:HH21	1:A:341:ARG:CG	2.03	0.48
2:A:404:HEM:HMB2	2:A:404:HEM:HBB2	1.96	0.48
1:B:398:PRO:CD	4:B:413:KKK:H21	2.43	0.48
4:A:413:KKK:C6	4:A:413:KKK:H13	2.44	0.48
1:A:378:HIS:CD2	1:A:382:LYS:HD2	2.48	0.47
2:A:404:HEM:HBC2	2:A:404:HEM:HHD	1.96	0.47
1:B:145:ALA:HB2	1:B:152:LYS:HG3	1.96	0.47
1:A:223:VAL:O	1:A:241:HIS:HE1	1.97	0.47
1:A:395:VAL:HG12	1:A:397:GLY:H	1.79	0.47
4:A:413:KKK:C6	4:A:413:KKK:C13	2.91	0.47
1:B:193:VAL:O	1:B:205:ILE:HA	2.14	0.47
1:A:273:SER:HB3	1:A:281:MET:HG3	1.97	0.47
1:B:267:THR:OG1	1:B:362:ASP:O	2.32	0.47
1:A:401:PHE:HD2	7:A:440:HOH:O	1.97	0.47
2:A:404:HEM:HBB2	2:A:404:HEM:CMB	2.45	0.47
1:A:115:THR:OG1	1:A:118:ILE:HD12	2.14	0.47
1:A:231:GLN:HE21	1:A:231:GLN:H	1.60	0.47
1:A:77:VAL:HG21	5:A:416:DGG:C25	2.41	0.46
1:A:400:LEU:HD22	1:A:403:GLU:OE2	2.14	0.46
4:A:413:KKK:C3	4:A:413:KKK:C8	2.93	0.46
1:A:395:VAL:N	7:A:408:HOH:O	2.48	0.46
2:A:404:HEM:HHD	2:A:404:HEM:CBC	2.45	0.46
1:B:47:HIS:C	1:B:49:GLU:H	2.18	0.46
1:B:154:TRP:HB3	1:B:251:LYS:HB3	1.98	0.46
2:B:404:HEM:HBD2	4:B:413:KKK:H20	1.98	0.46
1:A:231:GLN:H	1:A:231:GLN:NE2	2.14	0.46
1:A:38:GLU:HB2	7:A:486:HOH:O	2.17	0.45
1:A:375:ARG:HG2	7:B:406:HOH:O	2.17	0.45
1:A:14:ALA:N	1:A:15:PRO:CD	2.80	0.44
1:B:49:GLU:OE2	7:B:451:HOH:O	2.21	0.44
1:A:292:PRO:HA	1:A:293:PRO:HD2	1.75	0.44
1:A:398:PRO:CB	7:A:485:HOH:O	2.66	0.44
4:B:413:KKK:H24A	4:B:413:KKK:H17	1.74	0.44
1:A:154:TRP:HB3	1:A:251:LYS:HB3	2.00	0.43
1:A:308:HIS:ND1	1:A:311:ARG:HG2	2.33	0.43
1:B:378:HIS:CD2	1:B:382:LYS:HD2	2.53	0.43
1:A:230:PRO:HG3	1:B:59:ARG:CG	2.33	0.43
1:A:81:ILE:HD13	2:A:404:HEM:HMA1	2.00	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:ARG:NH1	1:B:313:ARG:HH22	2.17	0.42
1:A:387:HIS:HB3	7:A:439:HOH:O	2.19	0.42
1:B:17:LEU:HD22	1:B:122:TRP:CE2	2.55	0.42
1:B:56:ALA:HB3	4:B:413:KKK:H16	1.99	0.42
1:B:187:PRO:HG3	1:B:287:VAL:HG21	2.02	0.42
1:A:371:ILE:HG21	1:A:401:PHE:HD1	1.85	0.41
1:A:399:ASP:N	7:A:468:HOH:O	2.52	0.41
1:B:398:PRO:HD3	4:B:413:KKK:C22	2.50	0.41
1:A:293:PRO:HB2	1:A:294:ARG:HA	2.02	0.41
1:B:271:LEU:HD12	1:B:366:TYR:HB2	2.03	0.41
1:B:292:PRO:HA	1:B:293:PRO:HD2	1.77	0.41
1:A:395:VAL:HG23	7:A:408:HOH:O	2.20	0.41
1:B:296:VAL:O	1:B:324:LEU:HA	2.21	0.40
2:B:404:HEM:C4D	4:B:413:KKK:H1	2.56	0.40
1:B:398:PRO:HD3	4:B:413:KKK:N4	2.36	0.40
1:A:48:GLN:HE21	1:A:48:GLN:C	2.25	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/403 (100%)	379 (94%)	15 (4%)	7 (2%)	9	8
1	B	403/403 (100%)	382 (95%)	12 (3%)	9 (2%)	6	5
All	All	804/806 (100%)	761 (95%)	27 (3%)	16 (2%)	7	6

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	47	HIS
1	A	292	PRO

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	293	PRO
1	A	295	GLN
1	B	48	GLN
1	B	50	GLN
1	B	292	PRO
1	B	293	PRO
1	B	295	GLN
1	A	229	GLY
1	B	51	GLY
1	B	52	GLN
1	B	229	GLY
1	A	398	PRO
1	B	398	PRO
1	A	230	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/334 (100%)	313 (94%)	21 (6%)	18	24
1	B	336/334 (101%)	317 (94%)	19 (6%)	20	28
All	All	670/668 (100%)	630 (94%)	40 (6%)	19	26

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	ILE
1	A	47	HIS
1	A	48	GLN
1	A	50	GLN
1	A	54	GLN
1	A	67	ASN
1	A	84	LYS
1	A	231	GLN
1	A	258	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	266	LYS
1	A	271	LEU
1	A	307	VAL
1	A	315	ARG
1	A	319	LYS
1	A	323	ASN
1	A	338	VAL
1	A	341	ARG
1	A	351	VAL
1	A	362	ASP
1	A	381	LEU
1	A	388	GLU
1	B	1	MET
1	B	48	GLN
1	B	50	GLN
1	B	54	GLN
1	B	66	GLU
1	B	84	LYS
1	B	120	SER
1	B	231	GLN
1	B	266	LYS
1	B	271	LEU
1	B	303	ARG
1	B	315	ARG
1	B	319	LYS
1	B	323	ASN
1	B	338	VAL
1	B	341	ARG
1	B	362	ASP
1	B	381	LEU
1	B	388	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	47	HIS
1	A	48	GLN
1	A	50	GLN
1	A	54	GLN
1	A	231	GLN
1	A	241	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	339	GLN
1	A	377	GLN
1	B	4	GLN
1	B	48	GLN
1	B	50	GLN
1	B	53	GLN
1	B	55	GLN
1	B	67	ASN
1	B	231	GLN
1	B	241	HIS
1	B	339	GLN
1	B	378	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	KKK	A	413	2	39,40,40	1.21	4 (10%)	53,57,57	1.98	11 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	FAD	B	405	-	53,58,58	1.30	4 (7%)	68,89,89	1.52	9 (13%)
2	HEM	B	404	1,4	41,50,50	2.36	11 (26%)	45,82,82	2.42	13 (28%)
3	FAD	A	405	-	53,58,58	1.45	6 (11%)	68,89,89	1.47	14 (20%)
6	PO4	A	406	-	4,4,4	0.57	0	6,6,6	0.63	0
5	DGG	A	416	-	19,19,50	5.48	2 (10%)	18,22,59	5.55	4 (22%)
4	KKK	B	413	2	39,40,40	1.57	6 (15%)	53,57,57	2.76	17 (32%)
2	HEM	A	404	1,4	41,50,50	1.83	6 (14%)	45,82,82	1.99	14 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	KKK	A	413	2	2/2/5/5	6/24/45/45	0/5/5/5
2	HEM	B	404	1,4	-	6/12/54/54	-
3	FAD	B	405	-	-	2/30/50/50	0/6/6/6
3	FAD	A	405	-	-	1/30/50/50	0/6/6/6
5	DGG	A	416	-	-	7/16/21/59	0/1/1/1
4	KKK	B	413	2	2/2/5/5	9/24/45/45	0/5/5/5
2	HEM	A	404	1,4	-	5/12/54/54	-

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	416	DGG	C30-C29	23.38	2.16	1.51
2	A	404	HEM	C3D-C2D	7.47	1.52	1.36
2	B	404	HEM	C3D-C2D	7.19	1.52	1.36
2	B	404	HEM	C3C-C2C	-5.93	1.32	1.40
4	B	413	KKK	C4-C5	5.46	1.58	1.52
3	A	405	FAD	C4X-N5	5.32	1.41	1.30
2	B	404	HEM	FE-NB	4.65	2.19	1.96
5	A	416	DGG	O19-C21	4.53	1.46	1.30
3	A	405	FAD	C2A-N3A	4.31	1.39	1.32
3	B	405	FAD	C4X-N5	4.30	1.39	1.30
2	A	404	HEM	C3C-C2C	-4.25	1.34	1.40
2	B	404	HEM	C3C-CAC	4.22	1.56	1.47
4	B	413	KKK	C9-CL2	3.92	1.82	1.73
2	B	404	HEM	FE-ND	3.90	2.16	1.96

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	405	FAD	C2A-N3A	3.73	1.38	1.32
4	A	413	KKK	C4-C5	3.52	1.56	1.52
2	B	404	HEM	C1B-NB	-3.51	1.34	1.40
4	B	413	KKK	C5-C8	-3.45	1.50	1.53
4	A	413	KKK	C5-C8	-3.42	1.50	1.53
3	A	405	FAD	C10-N1	3.36	1.40	1.33
2	A	404	HEM	CMB-C2B	3.31	1.57	1.50
2	B	404	HEM	CAA-C2A	3.21	1.56	1.52
3	A	405	FAD	C1'-C2'	2.92	1.56	1.52
2	A	404	HEM	C3C-CAC	2.77	1.53	1.47
3	A	405	FAD	C2A-N1A	2.73	1.39	1.33
3	B	405	FAD	C2A-N1A	2.68	1.38	1.33
4	B	413	KKK	C3-N1	-2.63	1.32	1.37
4	B	413	KKK	C25-N4	2.63	1.43	1.35
2	B	404	HEM	CAB-C3B	2.57	1.54	1.47
4	B	413	KKK	C11-CL1	2.46	1.79	1.74
2	A	404	HEM	CAB-C3B	2.43	1.54	1.47
2	B	404	HEM	CMA-C3A	2.42	1.56	1.51
4	A	413	KKK	C3-N1	-2.37	1.33	1.37
4	A	413	KKK	C25-N4	2.26	1.42	1.35
2	B	404	HEM	CMB-C2B	2.25	1.55	1.50
2	B	404	HEM	C4D-ND	-2.12	1.36	1.40
3	B	405	FAD	C1'-C2'	2.08	1.55	1.52
2	A	404	HEM	C2A-C3A	-2.06	1.31	1.37
3	A	405	FAD	C4X-C10	-2.02	1.38	1.44

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	416	DGG	C30-C39-C29	17.08	90.38	61.07
4	B	413	KKK	C13-C8-C5	-11.98	111.58	119.22
5	A	416	DGG	C39-C30-C29	-11.09	44.76	59.44
5	A	416	DGG	C39-C29-C30	-11.02	44.86	59.44
2	B	404	HEM	C4D-ND-C1D	7.97	113.31	105.07
2	B	404	HEM	CBA-CAA-C2A	-6.97	100.72	112.62
4	B	413	KKK	C4-C5-C8	5.95	117.57	109.60
3	A	405	FAD	N3A-C2A-N1A	-5.67	119.81	128.68
2	A	404	HEM	C4B-CHC-C1C	5.60	129.94	122.56
4	B	413	KKK	O1-C5-C4	5.30	114.90	108.89
4	A	413	KKK	C13-C8-C5	-5.28	115.85	119.22
4	A	413	KKK	C23-N4-C25	-5.21	109.10	122.95
3	B	405	FAD	N3A-C2A-N1A	-5.19	120.56	128.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	404	HEM	CBA-CAA-C2A	-4.99	104.10	112.62
4	B	413	KKK	C13-C8-C9	4.68	121.87	116.62
4	A	413	KKK	C24-N3-C18	-4.57	105.74	118.09
3	B	405	FAD	C4X-C10-N10	4.56	123.15	116.48
4	A	413	KKK	C22-N4-C25	-4.55	110.87	122.95
4	B	413	KKK	C10-C9-C8	-4.50	116.88	121.86
4	B	413	KKK	C22-N4-C25	-4.48	111.05	122.95
4	B	413	KKK	C8-C9-CL2	4.48	126.82	121.68
4	A	413	KKK	C19-C18-N3	-4.25	115.51	121.38
4	B	413	KKK	O1-C5-C8	-3.98	97.33	110.95
2	B	404	HEM	CBD-CAD-C3D	-3.79	102.10	112.63
4	B	413	KKK	C5-C8-C9	3.78	126.52	123.70
2	B	404	HEM	C1B-NB-C4B	3.75	108.94	105.07
2	B	404	HEM	CHC-C4B-C3B	3.61	130.10	124.57
2	B	404	HEM	CMB-C2B-C1B	-3.59	119.58	125.04
2	B	404	HEM	CAD-CBD-CGD	-3.55	105.97	113.60
2	A	404	HEM	C4B-C3B-C2B	3.52	109.91	107.11
4	B	413	KKK	C21-N3-C18	-3.49	108.67	118.09
4	B	413	KKK	C23-N4-C25	-3.34	114.09	122.95
2	A	404	HEM	CHA-C4D-ND	3.26	128.40	124.38
2	B	404	HEM	CHC-C4B-NB	-3.25	120.90	124.43
4	A	413	KKK	O2-C5-C8	3.16	116.79	111.48
2	B	404	HEM	C4C-CHD-C1D	3.09	126.64	122.56
4	A	413	KKK	C14-O3-C15	3.09	124.47	117.93
4	A	413	KKK	O4-C25-N4	-3.07	117.24	121.02
3	A	405	FAD	C4-N3-C2	-3.07	119.97	125.64
4	B	413	KKK	C23-N4-C22	-3.06	106.73	112.62
2	A	404	HEM	CMC-C2C-C3C	3.04	130.36	124.68
4	B	413	KKK	C5-O1-C6	3.02	112.16	107.56
3	A	405	FAD	C4X-C4-N3	3.02	120.86	113.19
2	B	404	HEM	O1D-CGD-CBD	-3.00	113.43	123.08
3	A	405	FAD	P-O3P-PA	-2.90	122.89	132.83
2	B	404	HEM	C4B-CHC-C1C	2.89	126.37	122.56
4	A	413	KKK	O3-C14-C6	-2.81	101.22	107.94
4	A	413	KKK	C13-C8-C9	2.78	119.74	116.62
2	A	404	HEM	C3B-C2B-C1B	-2.76	104.44	106.49
2	A	404	HEM	CMA-C3A-C4A	-2.75	124.24	128.46
2	A	404	HEM	C4D-ND-C1D	2.73	107.89	105.07
3	A	405	FAD	C4X-C10-N10	2.56	120.23	116.48
2	A	404	HEM	CHA-C4D-C3D	-2.53	120.59	125.33
3	B	405	FAD	C10-C4X-N5	-2.48	119.59	124.86
2	B	404	HEM	C1D-C2D-C3D	-2.47	104.36	106.96

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	413	KKK	C21-N3-C18	-2.43	111.52	118.09
4	B	413	KKK	O3-C14-C6	2.38	113.64	107.94
3	A	405	FAD	C5'-C4'-C3'	-2.37	107.62	112.20
2	A	404	HEM	CBD-CAD-C3D	-2.35	106.09	112.63
3	B	405	FAD	C4-N3-C2	-2.33	121.33	125.64
3	B	405	FAD	O2-C2-N1	-2.30	118.01	121.83
3	B	405	FAD	C10-N1-C2	2.30	121.50	116.90
2	B	404	HEM	O2D-CGD-CBD	2.27	121.32	114.03
2	A	404	HEM	C1D-C2D-C3D	-2.26	104.58	106.96
3	A	405	FAD	C4X-C10-N1	-2.21	119.61	124.73
3	A	405	FAD	C3B-C2B-C1B	2.19	104.28	100.98
3	B	405	FAD	C4X-C10-N1	-2.16	119.72	124.73
4	B	413	KKK	C9-C10-C11	2.12	121.09	118.71
4	B	413	KKK	C24-N3-C18	-2.12	112.38	118.09
3	B	405	FAD	O2-C2-N3	2.11	122.76	118.65
3	A	405	FAD	C1'-C2'-C3'	2.11	115.68	109.79
3	A	405	FAD	C10-C4X-N5	-2.10	120.41	124.86
3	A	405	FAD	O4-C4-C4X	-2.09	121.05	126.60
3	A	405	FAD	C5X-C9A-N10	2.08	120.10	117.95
3	A	405	FAD	C6-C5X-C9A	2.08	121.88	118.94
3	B	405	FAD	C4X-C4-N3	2.07	118.45	113.19
2	A	404	HEM	CAD-CBD-CGD	-2.07	109.15	113.60
2	A	404	HEM	CMD-C2D-C1D	2.04	128.14	125.04
2	A	404	HEM	O1D-CGD-CBD	-2.03	116.57	123.08
3	A	405	FAD	C9A-C5X-N5	-2.01	120.25	122.43
5	A	416	DGG	O19-C21-C22	2.01	120.47	114.03
4	B	413	KKK	O2-C7-C6	2.00	106.60	103.48

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	413	KKK	C5
4	A	413	KKK	C6
4	B	413	KKK	C5
4	B	413	KKK	C6

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	404	HEM	C3D-CAD-CBD-CGD
4	A	413	KKK	N1-C4-C5-O2
4	A	413	KKK	O4-C25-N4-C23

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	413	KKK	C26-C25-N4-C23
4	B	413	KKK	N1-C4-C5-O2
4	B	413	KKK	O4-C25-N4-C22
4	B	413	KKK	C26-C25-N4-C22
4	B	413	KKK	O4-C25-N4-C23
4	B	413	KKK	C26-C25-N4-C23
4	B	413	KKK	C17-C18-N3-C21
2	B	404	HEM	C3D-CAD-CBD-CGD
4	B	413	KKK	C19-C18-N3-C21
5	A	416	DGG	C23-C24-C25-C26
4	B	413	KKK	C6-C14-O3-C15
5	A	416	DGG	C22-C23-C24-C25
4	B	413	KKK	N1-C4-C5-C8
5	A	416	DGG	C33-C34-C35-C36
3	B	405	FAD	O2'-C2'-C3'-O3'
5	A	416	DGG	C39-C30-C31-C32
5	A	416	DGG	C30-C31-C32-C33
2	B	404	HEM	C2A-CAA-CBA-CGA
4	A	413	KKK	O2-C5-C8-C9
4	A	413	KKK	C16-C15-O3-C14
5	A	416	DGG	O21-C21-C22-C23
5	A	416	DGG	O19-C21-C22-C23
4	A	413	KKK	C20-C15-O3-C14
2	A	404	HEM	CAD-CBD-CGD-O2D
3	B	405	FAD	O2'-C2'-C3'-C4'
2	A	404	HEM	CAA-CBA-CGA-O1A
2	B	404	HEM	CAA-CBA-CGA-O2A
2	A	404	HEM	CAA-CBA-CGA-O2A
2	B	404	HEM	CAD-CBD-CGD-O2D
2	B	404	HEM	CAA-CBA-CGA-O1A
2	B	404	HEM	CAD-CBD-CGD-O1D
2	A	404	HEM	CAD-CBD-CGD-O1D
3	A	405	FAD	PA-O3P-P-O2P

There are no ring outliers.

7 monomers are involved in 39 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	413	KKK	6	0
3	B	405	FAD	1	0
2	B	404	HEM	3	0
3	A	405	FAD	4	0


*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	416	DGG	11	0
4	B	413	KKK	13	0
2	A	404	HEM	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	403/403 (100%)	0.52	37 (9%) <b>9</b> <b>12</b>	29, 54, 105, 198	0
1	B	403/403 (100%)	1.01	83 (20%) <b>1</b> <b>1</b>	26, 57, 126, 174	0
All	All	806/806 (100%)	0.76	120 (14%) <b>2</b> <b>3</b>	26, 55, 117, 198	0

All (120) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	401	PHE	13.4
1	B	339	GLN	9.7
1	A	395	VAL	9.3
1	B	403	GLU	9.1
1	B	401	PHE	8.4
1	A	396	PHE	8.1
1	A	398	PRO	8.1
1	B	338	VAL	7.7
1	A	402	ALA	7.5
1	B	319	LYS	7.2
1	B	399	ASP	6.8
1	B	341	ARG	6.8
1	B	343	TYR	6.5
1	B	393	TYR	6.0
1	B	381	LEU	5.8
1	B	263	VAL	5.8
1	A	400	LEU	5.7
1	B	340	GLY	5.7
1	A	266	LYS	5.7
1	B	293	PRO	5.5
1	B	288	ALA	5.5
1	B	397	GLY	5.4
1	A	292	PRO	5.3
1	B	321	TYR	5.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	356	LYS	5.1
1	B	391	ILE	5.1
1	A	397	GLY	5.0
1	B	73	SER	4.9
1	A	228	GLY	4.7
1	A	362	ASP	4.5
1	B	292	PRO	4.4
1	B	387	HIS	4.4
1	B	345	TYR	4.3
1	B	386	ILE	4.2
1	B	363	ALA	4.1
1	B	289	LEU	4.0
1	B	342	ASP	4.0
1	B	291	ALA	4.0
1	B	362	ASP	4.0
1	A	47	HIS	4.0
1	B	398	PRO	3.9
1	B	382	LYS	3.9
1	B	400	LEU	3.9
1	B	322	GLU	3.8
1	B	388	GLU	3.8
1	A	399	ASP	3.7
1	B	375	ARG	3.7
1	A	291	ALA	3.6
1	B	264	ASP	3.6
1	B	306	ALA	3.6
1	B	265	ALA	3.6
1	A	167	ASP	3.5
1	A	282	VAL	3.5
1	B	320	THR	3.5
1	B	335	PRO	3.4
1	B	361	PRO	3.4
1	B	346	PRO	3.3
1	A	230	PRO	3.3
1	B	72	ASN	3.3
1	B	333	PRO	3.3
1	B	390	ARG	3.2
1	B	389	ALA	3.2
1	B	290	GLN	3.2
1	B	376	MET	3.2
1	B	359	LEU	3.1
1	A	279	THR	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	334	LEU	3.1
1	B	66	GLU	3.1
1	B	347	GLY	3.0
1	B	269	ILE	3.0
1	B	357	SER	3.0
1	B	295	GLN	3.0
1	B	296	VAL	3.0
1	B	337	ASP	2.9
1	B	402	ALA	2.9
1	B	353	GLN	2.9
1	B	380	ALA	2.9
1	B	148	PRO	2.8
1	B	304	ASN	2.7
1	A	375	ARG	2.7
1	B	298	PHE	2.7
1	B	268	PRO	2.7
1	A	264	ASP	2.7
1	B	396	PHE	2.7
1	B	56	ALA	2.6
1	A	112	ASN	2.6
1	B	55	GLN	2.6
1	A	210	LEU	2.6
1	B	332	GLN	2.6
1	A	280	PRO	2.5
1	A	48	GLN	2.5
1	B	177	ALA	2.4
1	B	229	GLY	2.4
1	B	262	ASP	2.4
1	A	231	GLN	2.4
1	B	323	ASN	2.3
1	B	217[A]	ARG	2.3
1	A	278	LEU	2.3
1	B	1	MET	2.2
1	A	211	SER	2.2
1	B	318	ALA	2.2
1	A	208	TYR	2.2
1	B	330	TYR	2.2
1	A	143	ARG	2.2
1	B	352	LYS	2.2
1	B	287	VAL	2.2
1	B	305	SER	2.2
1	A	322	GLU	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	394	GLU	2.2
1	B	271	LEU	2.2
1	B	127	GLY	2.2
1	A	303	ARG	2.1
1	A	293	PRO	2.1
1	A	209	SER	2.1
1	A	284	MET	2.0
1	A	306	ALA	2.0
1	B	297	VAL	2.0
1	B	379	ASP	2.0
1	A	229	GLY	2.0
1	B	53	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	DGG	A	416	19/50	0.75	0.28	44,55,96,100	0
4	KKK	A	413	36/36	0.91	0.23	36,62,124,132	0
4	KKK	B	413	36/36	0.93	0.28	32,108,265,275	0
6	PO4	A	406	5/5	0.94	0.11	46,65,72,75	0
3	FAD	B	405	53/53	0.96	0.14	26,33,60,64	0
3	FAD	A	405	53/53	0.97	0.12	22,36,82,90	0
2	HEM	A	404	43/43	0.98	0.16	22,29,62,69	0
2	HEM	B	404	43/43	0.98	0.14	22,29,48,76	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around KKK B 413:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around FAD B 405:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FAD A 405:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM A 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.