



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2023 – 02:57 PM EDT

PDB ID : 1P2B  
Title : Crystal Structure of Glycogen Phosphorylase B in Complex with Maltoheptaose  
Authors : Pinotsis, N.; Leonidas, D.D.; Chrysina, E.D.; Oikonomakos, N.G.; Mavridis, I.M.  
Deposited on : 2003-04-15  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	842	
2	B	5	

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6945 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycogen phosphorylase, muscle form.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	808	6570	4188	1157	1196	29	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	380	ILE	LEU	SEE REMARK 999	UNP P00489

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
2	B	5	56	30	26	0	0	0

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C<sub>8</sub>H<sub>10</sub>NO<sub>6</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	15	8	1	5	1	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	304	Total	O	0	0
			304	304		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

- Molecule 1: Glycogen phosphorylase, muscle form

Chain A: 



- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain B: 



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	128.60Å 128.60Å 116.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.33 – 2.20	Depositor
% Data completeness (in resolution range)	95.7 (29.33-2.20)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.183 , 0.217	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6945	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/6715	0.60	0/9086

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6570	0	6517	107	0
2	B	56	0	48	2	0
3	A	15	0	7	0	0
4	A	304	0	0	9	0
All	All	6945	0	6572	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:549:LEU:HG	1:A:555:VAL:HG21	1.48	0.95
1:A:455:VAL:H	1:A:459:HIS:HD2	1.23	0.87
1:A:474:LEU:HD13	1:A:475:GLU:HG3	1.58	0.85
1:A:716:GLU:HB2	4:A:1257:HOH:O	1.88	0.73
1:A:678:ASN:HD22	1:A:679:MET:H	1.36	0.73
1:A:329:PHE:HB3	1:A:330:PRO:HD3	1.73	0.71
2:B:4:GLC:H61	2:B:5:GLC:H5	1.72	0.70
1:A:546:ALA:HA	1:A:557:ILE:HD11	1.71	0.70
1:A:61:ASP:O	1:A:64:VAL:HG22	1.91	0.70
1:A:831:ARG:HA	1:A:831:ARG:HE	1.58	0.68
1:A:378:THR:OG1	1:A:380:ILE:HG12	1.94	0.67
1:A:355:ASP:OD1	1:A:398:ARG:HD3	1.93	0.67
1:A:49:ARG:HG2	1:A:49:ARG:HH21	1.59	0.67
1:A:138:ARG:O	1:A:138:ARG:HD3	1.95	0.66
1:A:367:VAL:O	1:A:371:THR:HG23	1.96	0.66
1:A:719:ASP:O	1:A:723:GLN:HG2	1.97	0.65
1:A:515:LEU:HB3	1:A:809:GLY:HA2	1.80	0.64
1:A:549:LEU:CG	1:A:555:VAL:HG21	2.25	0.64
1:A:13:ILE:HG12	1:A:16:ARG:HG3	1.79	0.63
1:A:235:ASN:H	1:A:235:ASN:HD22	1.46	0.62
1:A:287:GLU:HG2	1:A:289:LYS:HG2	1.82	0.61
1:A:678:ASN:ND2	1:A:679:MET:H	1.98	0.61
1:A:34:HIS:HD2	1:A:38:THR:OG1	1.85	0.59
1:A:648:TYR:HA	1:A:652:LEU:HD23	1.84	0.58
1:A:160:ARG:HB2	1:A:243:LEU:HB3	1.85	0.58
1:A:678:ASN:HD22	1:A:678:ASN:N	2.01	0.57
1:A:450:HIS:HD2	4:A:1091:HOH:O	1.87	0.57
1:A:35:LEU:HA	1:A:39:LEU:HD23	1.88	0.56
1:A:196:PHE:O	1:A:198:LEU:HD13	2.06	0.55
1:A:284:ASN:HB3	1:A:380:ILE:HD11	1.89	0.55
1:A:28:LYS:HD2	1:A:115:LEU:HD13	1.88	0.55
1:A:636:VAL:O	1:A:639:ARG:HD3	2.07	0.54
1:A:94:THR:HG21	4:A:1040:HOH:O	2.09	0.53
1:A:304:LEU:O	1:A:308:ILE:HG12	2.07	0.53
1:A:407:ASN:HB3	2:B:3:GLC:O6	2.08	0.53
1:A:94:THR:CG2	4:A:1139:HOH:O	2.58	0.52
1:A:522:LEU:HD13	1:A:806:ALA:CB	2.40	0.52
1:A:457:ARG:HH12	1:A:701:GLU:CD	2.12	0.52
1:A:549:LEU:HG	1:A:555:VAL:CG2	2.33	0.51
1:A:13:ILE:HG12	1:A:16:ARG:CG	2.40	0.51
1:A:351:ARG:O	1:A:355:ASP:HB2	2.11	0.51
1:A:549:LEU:O	1:A:555:VAL:HG22	2.11	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:LEU:N	1:A:254:LEU:HD23	2.25	0.51
1:A:111:ALA:O	1:A:115:LEU:HD22	2.10	0.50
1:A:618:MET:HB3	1:A:761:ILE:HD11	1.92	0.50
1:A:549:LEU:CD2	1:A:557:ILE:HD13	2.41	0.50
1:A:739:ARG:O	1:A:743:GLU:HG3	2.12	0.50
1:A:363:LYS:O	1:A:363:LYS:HD3	2.12	0.49
1:A:565:VAL:HG11	1:A:660:ALA:HB2	1.94	0.49
1:A:72:GLN:NE2	1:A:72:GLN:HA	2.27	0.49
1:A:501:GLU:O	1:A:505:GLU:HG3	2.12	0.49
1:A:678:ASN:HD22	1:A:679:MET:N	2.06	0.49
1:A:455:VAL:H	1:A:459:HIS:CD2	2.15	0.48
1:A:341:HIS:HB2	1:A:342:PRO:HD3	1.96	0.48
1:A:713:MET:HB3	1:A:717:ASP:HB2	1.94	0.48
1:A:94:THR:HG23	4:A:1139:HOH:O	2.14	0.48
1:A:93:ARG:NH1	4:A:1010:HOH:O	2.45	0.48
1:A:436:VAL:O	1:A:436:VAL:HG13	2.14	0.48
1:A:330:PRO:HG3	1:A:371:THR:HG22	1.96	0.47
1:A:706:GLU:H	1:A:706:GLU:CD	2.18	0.47
1:A:235:ASN:H	1:A:235:ASN:ND2	2.12	0.47
1:A:510:GLU:HB3	1:A:517:GLN:HE22	1.78	0.47
1:A:761:ILE:O	1:A:765:LEU:HD23	2.15	0.46
1:A:367:VAL:O	1:A:371:THR:CG2	2.61	0.46
1:A:781:VAL:O	1:A:785:GLU:HG3	2.15	0.46
1:A:67:TRP:HA	1:A:238:VAL:HB	1.98	0.45
1:A:678:ASN:ND2	1:A:678:ASN:N	2.62	0.45
1:A:34:HIS:HE1	1:A:61:ASP:OD1	1.99	0.45
1:A:49:ARG:HH21	1:A:49:ARG:CG	2.29	0.45
1:A:622:LEU:O	1:A:626:ILE:HG13	2.16	0.45
1:A:831:ARG:HA	1:A:831:ARG:NE	2.30	0.45
1:A:424:ARG:NH1	1:A:473:GLU:OE2	2.43	0.45
1:A:450:HIS:HE1	4:A:1095:HOH:O	1.99	0.45
1:A:522:LEU:HD13	1:A:806:ALA:HB3	1.99	0.45
1:A:562:LEU:HD21	1:A:662:LEU:HB2	1.97	0.45
1:A:69:ARG:HG3	4:A:1036:HOH:O	2.16	0.45
1:A:360:ASP:OD1	1:A:363:LYS:HB2	2.18	0.44
1:A:687:LEU:HD12	1:A:687:LEU:HA	1.82	0.44
1:A:143:PHE:O	1:A:147:MET:HG3	2.17	0.44
1:A:423:ASP:O	1:A:427:ARG:HG3	2.17	0.43
1:A:291:LEU:O	1:A:295:GLN:HG3	2.18	0.43
1:A:60:ARG:HD2	1:A:188:PRO:O	2.18	0.43
1:A:784:GLN:O	1:A:787:VAL:HG22	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:ARG:HG2	1:A:309:ARG:HH21	1.83	0.43
1:A:280:TYR:OH	1:A:291:LEU:HB3	2.19	0.43
1:A:16:ARG:HB2	1:A:106:ASN:CG	2.39	0.43
1:A:539:GLN:HE21	1:A:543:LEU:HG	1.84	0.43
1:A:62:HIS:O	1:A:66:ARG:NH1	2.52	0.42
1:A:329:PHE:HD1	1:A:371:THR:HG21	1.84	0.42
1:A:423:ASP:O	1:A:426:ARG:HG2	2.19	0.42
1:A:657:ILE:HB	1:A:658:PRO:HD3	1.99	0.42
1:A:290:GLU:HG3	1:A:391:LEU:HD21	2.01	0.42
1:A:678:ASN:ND2	1:A:679:MET:N	2.63	0.42
1:A:311:PHE:O	1:A:314:SER:HB3	2.19	0.42
1:A:795:ARG:O	1:A:799:ARG:HG3	2.19	0.42
1:A:515:LEU:HD12	1:A:812:SER:HB2	2.02	0.42
1:A:254:LEU:HB3	1:A:265:ALA:HB1	2.02	0.41
1:A:732:TYR:CZ	1:A:739:ARG:HG3	2.55	0.41
1:A:583:VAL:HG11	1:A:642:VAL:HG21	2.02	0.41
1:A:36:HIS:O	1:A:40:VAL:HA	2.20	0.41
1:A:689:ILE:HA	1:A:709:PHE:HB2	2.03	0.41
1:A:18:LEU:HD12	1:A:18:LEU:N	2.35	0.41
1:A:522:LEU:HD12	1:A:522:LEU:HA	1.92	0.41
1:A:136:LEU:C	1:A:136:LEU:HD23	2.42	0.40
1:A:329:PHE:CD1	1:A:371:THR:HG21	2.57	0.40
1:A:494:LEU:C	1:A:494:LEU:HD23	2.42	0.40
1:A:715:VAL:HG23	4:A:1256:HOH:O	2.22	0.40
1:A:91:MET:HB2	1:A:129:ALA:HB3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	801/842 (95%)	768 (96%)	33 (4%)	0	<a href="#">100</a> <a href="#">100</a>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	699/731 (96%)	668 (96%)	31 (4%)	28 35

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	GLU
1	A	90	TYR
1	A	94	THR
1	A	104	LEU
1	A	115	LEU
1	A	117	LEU
1	A	138	ARG
1	A	234	ARG
1	A	235	ASN
1	A	243	LEU
1	A	337	LEU
1	A	371	THR
1	A	391	LEU
1	A	413	ARG
1	A	444	LEU
1	A	474	LEU
1	A	522	LEU
1	A	579	ASN
1	A	586	LEU
1	A	622	LEU
1	A	645	LEU
1	A	662	LEU
1	A	678	ASN
1	A	687	LEU
1	A	706	GLU
1	A	708	PHE
1	A	721	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	790	LEU
1	A	803	ARG
1	A	831	ARG
1	A	833	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	34	HIS
1	A	72	GLN
1	A	106	ASN
1	A	235	ASN
1	A	239	ASN
1	A	264	GLN
1	A	412	ASN
1	A	450	HIS
1	A	459	HIS
1	A	481	ASN
1	A	484	ASN
1	A	539	GLN
1	A	566	GLN
1	A	579	ASN
1	A	678	ASN
1	A	727	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GLC	B	1	2	12,12,12	0.67	0	17,17,17	0.82	1 (5%)
2	GLC	B	2	2	11,11,12	0.53	0	15,15,17	0.52	0
2	GLC	B	3	2	11,11,12	0.38	0	15,15,17	0.75	0
2	GLC	B	4	2	11,11,12	0.55	0	15,15,17	0.64	0
2	GLC	B	5	2	11,11,12	0.65	0	15,15,17	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2	-	2/2/22/22	0/1/1/1
2	GLC	B	2	2	-	2/2/19/22	0/1/1/1
2	GLC	B	3	2	-	2/2/19/22	0/1/1/1
2	GLC	B	4	2	-	2/2/19/22	0/1/1/1
2	GLC	B	5	2	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	GLC	C1-C2-C3	-2.02	106.12	110.31

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	5	GLC	O5-C5-C6-O6
2	B	5	GLC	C4-C5-C6-O6
2	B	1	GLC	O5-C5-C6-O6
2	B	1	GLC	C4-C5-C6-O6
2	B	4	GLC	O5-C5-C6-O6
2	B	2	GLC	O5-C5-C6-O6

*Continued on next page...*

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	4	GLC	C4-C5-C6-O6
2	B	3	GLC	C4-C5-C6-O6
2	B	3	GLC	O5-C5-C6-O6
2	B	2	GLC	C4-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	3	GLC	1	0
2	B	4	GLC	1	0
2	B	5	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PLP	A	999	1	15,15,16	1.47	2 (13%)	20,22,23	1.11	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLP	A	999	1	-	2/6/6/8	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	999	PLP	C5A-C5	3.04	1.59	1.50
3	A	999	PLP	C4A-C4	3.03	1.57	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	999	PLP	O3P-P-O1P	2.37	119.97	110.68

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	999	PLP	C4-C5-C5A-O4P
3	A	999	PLP	C6-C5-C5A-O4P

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.