



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2021 – 10:10 PM EDT

PDB ID : 1P8V
Title : CRYSTAL STRUCTURE OF THE COMPLEX OF PLATELET RECEPTOR GPIB-ALPHA AND ALPHA-THROMBIN AT 2.6A
Authors : Dumas, J.J.; Kumar, R.; Seehra, J.; Somers, W.S.; Mosyak, L.
Deposited on : 2003-05-07
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	279	
2	B	29	
3	C	259	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4702 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Platelet glycoprotein Ib alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	279	2192	1403	357	421	11	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	ASP	ASN	engineered mutation	UNP P07359
A	276	TYS	TYR	modified residue	UNP P07359
A	279	TYS	-	cloning artifact	UNP P07359

- Molecule 2 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	29	239	149	38	51	1	0	0	0

- Molecule 3 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	250	2018	1287	357	360	14	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	259	GLU	-	cloning artifact	UNP P00734

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	A	1	12	6	1	4	1	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	C	1	14	8	1	5	0	0

- Molecule 6 is DIISOPROPYL PHOSPHONATE (three-letter code: DFP) (formula: $C_6H_{15}O_3P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
6	C	1	10	6	3	1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	135	Total	O	0	0
			135	135		
7	B	3	Total	O	0	0
			3	3		
7	C	79	Total	O	0	0
			79	79		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Platelet glycoprotein Ib alpha chain



- Molecule 2: Prothrombin



- Molecule 3: Prothrombin



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	47.09Å 111.77Å 176.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60	Depositor
% Data completeness (in resolution range)	97.7 (30.00-2.60)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.207 , 0.238	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	4702	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, DFP, TYS, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2206	0.62	0/3012
2	B	0.44	0/241	0.78	0/321
3	C	0.35	0/2070	0.61	0/2797
All	All	0.35	0/4517	0.63	0/6130

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2192	0	2194	50	0
2	B	239	0	235	15	0
3	C	2018	0	1987	67	0
4	A	12	0	13	3	0
5	C	14	0	13	3	0
6	C	10	0	14	3	0
7	A	135	0	0	5	0
7	B	3	0	0	0	0
7	C	79	0	0	1	0
All	All	4702	0	4456	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:HIS:HD2	1:A:4:CYS:H	1.17	0.90
3:C:139:THR:HG22	3:C:162:VAL:HG22	1.63	0.81
3:C:53:ASN:CG	5:C:300:NAG:C1	2.50	0.80
1:A:58:THR:HG22	1:A:59:GLN:HG3	1.65	0.79
1:A:158:ASN:HB2	1:A:182:ASN:HD21	1.51	0.76
3:C:8:GLU:H	3:C:11:MET:CE	2.01	0.73
3:C:8:GLU:H	3:C:11:MET:HE3	1.52	0.73
1:A:242:ASN:HD21	1:A:244:ALA:HB3	1.53	0.73
3:C:87:HIS:CE1	3:C:98:ARG:HD3	2.26	0.69
3:C:36:ARG:NH1	3:C:108:PRO:HD3	2.08	0.69
1:A:18:ASP:O	1:A:20:ARG:HG2	1.93	0.69
3:C:3:GLU:HG3	3:C:197:ARG:HB2	1.75	0.67
2:B:17:ASP:HB2	2:B:20:GLU:HG2	1.77	0.66
2:B:8:PRO:HA	2:B:12:LYS:HD2	1.77	0.66
1:A:110:ASN:HB2	1:A:134:ASN:HD21	1.60	0.65
2:B:17:ASP:HB2	2:B:20:GLU:CG	2.28	0.64
3:C:170:ARG:HB2	3:C:171:PRO:HD3	1.79	0.63
3:C:36:ARG:HE	3:C:104:LYS:CE	2.11	0.63
3:C:182:THR:HG22	3:C:183:ASP:N	2.13	0.63
1:A:168:LEU:HB2	4:A:400:MES:H22	1.82	0.62
1:A:112:LEU:H	1:A:134:ASN:HD22	1.46	0.61
3:C:182:THR:HG22	3:C:184:ASN:H	1.67	0.60
3:C:18:LEU:HD21	3:C:59:LEU:HD13	1.84	0.60
1:A:164:PRO:HG2	1:A:167:LEU:HB2	1.84	0.59
3:C:73:ARG:O	3:C:74:ASN:HB2	2.01	0.59
3:C:7:ALA:HB2	3:C:162:VAL:HG23	1.84	0.58
3:C:90:TYR:CZ	3:C:92:TRP:HB3	2.39	0.58
1:A:45:THR:HG22	1:A:69:LYS:HB3	1.85	0.58
3:C:61:VAL:CG2	3:C:79:SER:HB2	2.34	0.58
2:B:13:LYS:O	2:B:15:LEU:HD13	2.04	0.58
1:A:1:HIS:CD2	1:A:4:CYS:H	2.09	0.57
1:A:146:PRO:C	1:A:148:PRO:HD3	2.24	0.57
1:A:267:LEU:O	1:A:269:ASP:N	2.37	0.57
1:A:1:HIS:CD2	1:A:3:ILE:H	2.23	0.56
3:C:168:VAL:HB	3:C:187:CYS:SG	2.44	0.56
1:A:128:GLU:HG2	1:A:152:LYS:HB2	1.87	0.56
3:C:36:ARG:HE	3:C:104:LYS:HE2	1.70	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:18:LYS:HB2	3:C:8:GLU:OE1	2.06	0.56
1:A:268:GLY:O	1:A:269:ASP:CB	2.55	0.55
1:A:273:THR:HG23	4:A:400:MES:O1S	2.06	0.55
1:A:52:MET:CE	1:A:75:THR:H	2.20	0.54
3:C:32:LEU:HD22	3:C:34:SER:O	2.07	0.54
3:C:242:HIS:HE1	3:C:244:PHE:HB3	1.71	0.54
1:A:268:GLY:O	1:A:269:ASP:HB2	2.07	0.54
3:C:8:GLU:HB2	3:C:11:MET:HE2	1.89	0.54
1:A:160:LEU:H	1:A:182:ASN:HD22	1.55	0.54
2:B:17:ASP:HB3	2:B:20:GLU:H	1.71	0.54
3:C:61:VAL:HG22	3:C:79:SER:HB2	1.90	0.53
3:C:36:ARG:HH12	3:C:108:PRO:HD3	1.72	0.53
1:A:203:HIS:CE1	1:A:230:TRP:H	2.26	0.53
2:B:17:ASP:HB2	2:B:20:GLU:HB3	1.89	0.53
3:C:242:HIS:CE1	3:C:244:PHE:HB3	2.43	0.53
2:B:13:LYS:CD	2:B:15:LEU:HD22	2.39	0.53
3:C:47:TYR:CE2	3:C:49:PRO:HB2	2.43	0.53
1:A:75:THR:HG22	1:A:98:THR:HA	1.91	0.52
3:C:76:GLU:O	3:C:77:LYS:HD2	2.08	0.52
3:C:141:TRP:CZ2	3:C:160:LEU:HD13	2.45	0.51
3:C:118:VAL:HG22	3:C:119:CYS:N	2.26	0.51
2:B:6:LEU:HD13	3:C:218:ARG:HG2	1.93	0.50
2:B:17:ASP:O	2:B:21:ARG:HD3	2.11	0.50
3:C:39:LEU:HD11	3:C:100:ILE:HD11	1.93	0.50
3:C:68:ARG:HD3	3:C:157:PRO:O	2.11	0.50
1:A:96:GLY:HA3	1:A:121:ARG:O	2.11	0.50
3:C:143:ASN:HD22	3:C:202:GLU:HB3	1.75	0.50
1:A:20:ARG:HB2	1:A:22:LEU:HG	1.95	0.49
3:C:216:ASN:C	3:C:216:ASN:HD22	2.15	0.49
1:A:111:ARG:HG2	1:A:111:ARG:HH11	1.76	0.49
2:B:17:ASP:HB2	2:B:20:GLU:CB	2.43	0.49
3:C:53:ASN:ND2	5:C:300:NAG:O5	2.42	0.49
2:B:13:LYS:HD3	2:B:15:LEU:HD22	1.95	0.48
3:C:118:VAL:HG22	3:C:119:CYS:H	1.78	0.48
1:A:210:ASN:HB2	7:A:462:HOH:O	2.12	0.48
3:C:182:THR:CG2	3:C:183:ASP:N	2.76	0.48
3:C:97:ASP:OD2	3:C:98:ARG:NH1	2.46	0.48
3:C:146:GLU:OE2	3:C:233:ARG:HD3	2.14	0.48
3:C:143:ASN:ND2	3:C:202:GLU:HB3	2.29	0.48
3:C:216:ASN:ND2	3:C:218:ARG:H	2.11	0.48
1:A:234:VAL:CG2	1:A:238:ALA:HB3	2.44	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:83:LYS:HD3	3:C:84:ILE:N	2.29	0.47
3:C:36:ARG:HE	3:C:104:LYS:HE3	1.79	0.47
1:A:43:LEU:O	1:A:67:LEU:HD23	2.15	0.47
3:C:15:GLN:NE2	3:C:139:THR:OG1	2.48	0.47
3:C:139:THR:CG2	3:C:162:VAL:HG22	2.39	0.46
3:C:146:GLU:HB3	3:C:231:CYS:HB2	1.96	0.46
3:C:182:THR:HG22	3:C:183:ASP:H	1.80	0.46
1:A:17:CYS:HB2	1:A:38:LEU:HD23	1.96	0.46
3:C:227:TRP:HA	6:C:500:DFP:H2'3	1.97	0.46
1:A:145:THR:N	1:A:146:PRO:HD2	2.30	0.46
3:C:21:LYS:NZ	3:C:80:MET:HE2	2.31	0.46
3:C:233:ARG:O	3:C:236:LYS:HB2	2.17	0.45
1:A:250:ASN:ND2	7:A:435:HOH:O	2.48	0.45
3:C:48:PRO:HG2	3:C:92:TRP:CZ2	2.52	0.45
3:C:8:GLU:N	3:C:11:MET:HE3	2.24	0.44
2:B:18:LYS:HB3	2:B:18:LYS:HE2	1.76	0.44
1:A:112:LEU:HG	1:A:134:ASN:ND2	2.33	0.44
3:C:10:GLY:O	3:C:13:PRO:HD3	2.16	0.44
3:C:141:TRP:CE2	3:C:160:LEU:HD13	2.52	0.44
3:C:27:LEU:HD12	3:C:59:LEU:CD2	2.47	0.44
1:A:92:LEU:HD23	1:A:119:ALA:HB1	2.00	0.43
3:C:8:GLU:H	3:C:11:MET:HE2	1.83	0.43
3:C:72:GLU:O	3:C:76:GLU:HG2	2.18	0.43
1:A:76:LEU:HD12	1:A:79:LEU:HD22	2.00	0.43
1:A:205:ASN:HA	1:A:206:PRO:HD3	1.81	0.43
7:A:484:HOH:O	3:C:124:GLU:HG3	2.17	0.43
3:C:80:MET:HB3	3:C:80:MET:HE3	1.82	0.43
1:A:9:VAL:O	1:A:10:ALA:HB3	2.17	0.43
1:A:247:GLN:H	1:A:247:GLN:HG2	1.66	0.43
2:B:22:GLU:HG2	3:C:135:LYS:HD2	2.01	0.43
1:A:267:LEU:O	1:A:268:GLY:C	2.57	0.42
1:A:52:MET:N	1:A:53:PRO:CD	2.81	0.42
1:A:52:MET:HE3	1:A:75:THR:H	1.84	0.42
1:A:193:GLY:HA3	4:A:400:MES:H52	2.01	0.42
3:C:17:MET:HG3	3:C:26:LEU:CD1	2.50	0.42
3:C:229:GLU:CD	3:C:236:LYS:HZ2	2.23	0.42
1:A:242:ASN:ND2	1:A:244:ALA:HB3	2.28	0.42
3:C:83:LYS:HD3	3:C:84:ILE:H	1.83	0.42
1:A:264:CYS:O	1:A:265:PRO:O	2.37	0.42
1:A:41:ASN:O	1:A:65:CYS:HA	2.21	0.41
1:A:92:LEU:HA	1:A:93:PRO:HD3	1.93	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:LYS:C	1:A:20:ARG:HG2	2.40	0.41
3:C:53:ASN:OD1	5:C:300:NAG:C1	2.69	0.41
1:A:15:VAL:HG11	1:A:29:LEU:HD22	2.03	0.41
3:C:19:PHE:HB3	3:C:60:LEU:CD1	2.51	0.41
6:C:500:DFP:H2'1	7:C:567:HOH:O	2.19	0.40
1:A:110:ASN:HB3	1:A:111:ARG:H	1.78	0.40
1:A:251:SER:HA	7:A:433:HOH:O	2.21	0.40
3:C:2:VAL:O	3:C:3:GLU:HB2	2.22	0.40
3:C:201:CYS:C	6:C:500:DFP:H3'1	2.42	0.40
1:A:273:THR:HG22	7:A:523:HOH:O	2.20	0.40
2:B:29:ASP:N	2:B:29:ASP:OD2	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	276/279 (99%)	252 (91%)	19 (7%)	5 (2%)	8	16
2	B	27/29 (93%)	22 (82%)	5 (18%)	0	100	100
3	C	246/259 (95%)	229 (93%)	17 (7%)	0	100	100
All	All	549/567 (97%)	503 (92%)	41 (8%)	5 (1%)	17	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	265	PRO
1	A	268	GLY
1	A	269	ASP
1	A	19	LYS
1	A	252	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	247/248 (100%)	234 (95%)	13 (5%)	22 45
2	B	27/27 (100%)	24 (89%)	3 (11%)	6 11
3	C	217/225 (96%)	206 (95%)	11 (5%)	24 46
All	All	491/500 (98%)	464 (94%)	27 (6%)	21 43

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	ARG
1	A	40	GLU
1	A	58	THR
1	A	212	GLU
1	A	234	VAL
1	A	235	ASP
1	A	240	THR
1	A	249	ASP
1	A	250	ASN
1	A	267	LEU
1	A	270	GLU
1	A	273	THR
1	A	274	ASP
2	B	4	CYS
2	B	6	LEU
2	B	21	ARG
3	C	18	LEU
3	C	32	LEU
3	C	68	ARG
3	C	119	CYS
3	C	159	VAL
3	C	169	GLU
3	C	177	THR
3	C	187	CYS
3	C	205	SER
3	C	216	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	253	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1	HIS
1	A	97	GLN
1	A	134	ASN
1	A	173	ASN
1	A	182	ASN
1	A	203	HIS
1	A	226	ASN
1	A	242	ASN
1	A	250	ASN
3	C	15	GLN
3	C	66	HIS
3	C	74	ASN
3	C	143	ASN
3	C	216	ASN
3	C	251	GLN
3	C	256	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TYS	A	276	1	15,16,17	1.47	2 (13%)	18,22,24	1.10	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TYS	A	279	1	14,17,17	1.37	3 (21%)	18,24,24	1.38	4 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TYS	A	276	1	-	0/10/11/13	0/1/1/1
1	TYS	A	279	1	-	1/9/13/13	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	276	TYS	OH-CZ	-2.55	1.38	1.42
1	A	279	TYS	CD2-CG	2.26	1.43	1.38
1	A	279	TYS	OH-CZ	-2.24	1.38	1.42
1	A	279	TYS	CE1-CZ	2.14	1.42	1.38
1	A	276	TYS	CE1-CZ	2.08	1.42	1.38

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	279	TYS	CB-CG-CD1	-3.05	114.85	120.91
1	A	279	TYS	CG-CB-CA	-2.78	108.43	114.22
1	A	276	TYS	OH-CZ-CE2	2.36	123.29	118.64
1	A	279	TYS	CB-CG-CD2	2.20	125.28	120.91
1	A	279	TYS	O3-S-OH	2.16	111.03	105.83

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	279	TYS	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	DFP	C	500	3	6,9,9	1.55	1 (16%)	6,11,11	0.67	0
4	MES	A	400	-	12,12,12	8.98	8 (66%)	14,16,16	2.66	5 (35%)
5	NAG	C	300	3	14,14,15	1.13	2 (14%)	17,19,21	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	DFP	C	500	3	-	0/4/8/8	-
4	MES	A	400	-	-	3/6/14/14	0/1/1/1
5	NAG	C	300	3	-	2/6/23/26	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	400	MES	C8-S	-23.77	1.43	1.77
4	A	400	MES	O1S-S	11.99	1.80	1.45
4	A	400	MES	O2S-S	11.49	1.78	1.45
4	A	400	MES	O3S-S	9.18	1.80	1.47
4	A	400	MES	C7-C8	-4.63	1.40	1.52
4	A	400	MES	C3-C2	-2.60	1.40	1.50
6	C	500	DFP	O1P-C1	-2.60	1.42	1.45
5	C	300	NAG	C1-C2	2.21	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	400	MES	C7-N4	-2.19	1.42	1.47
4	A	400	MES	C5-C6	-2.07	1.42	1.50
5	C	300	NAG	C3-C2	2.01	1.56	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	400	MES	O3S-S-C8	5.53	114.72	105.77
4	A	400	MES	O1S-S-C8	4.63	112.49	106.92
4	A	400	MES	O2S-S-C8	4.07	111.82	106.92
4	A	400	MES	O3S-S-O2S	-3.22	103.40	111.27
4	A	400	MES	O3S-S-O1S	-2.16	106.01	111.27

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	400	MES	N4-C7-C8-S
5	C	300	NAG	O5-C5-C6-O6
4	A	400	MES	C8-C7-N4-C5
4	A	400	MES	C8-C7-N4-C3
5	C	300	NAG	C4-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	500	DFP	3	0
4	A	400	MES	3	0
5	C	300	NAG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.