



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2024 – 03:12 pm GMT

PDB ID : 7P9K
Title : BrxU, GmrSD-family Type IV restriction enzyme
Authors : Picton, D.M.; Luyten, Y.; Morgan, R.D.; Nelson, A.; Smith, D.L.; Dryden, D.T.F.; Hinton, J.C.D.; Blower, T.R.
Deposited on : 2021-07-27
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6241 (2.14-2.10)
Clashscore	141614	6778 (2.14-2.10)
Ramachandran outliers	138981	6705 (2.14-2.10)
Sidechain outliers	138945	6706 (2.14-2.10)
RSRZ outliers	127900	6112 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	 4% 78% 20% ..
1	B	587	 % 80% 18% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	604	-	-	X	-
4	GOL	B	604	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9864 atoms, of which 16 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DUF262 domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	580	4732	3011	824	881	16	0	0	0
1	B	580	4732	3011	824	881	16	0	0	0

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C H O 14 3 8 3	0	0
4	B	1	Total C H O 14 3 8 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	162	Total O 162 162	0	0
5	B	188	Total O 188 188	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DUF262 domain-containing protein



- Molecule 1: DUF262 domain-containing protein



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	214.62Å 67.26Å 126.55Å 90.00° 102.05° 90.00°	Depositor
Resolution (Å)	72.89 – 2.12 89.82 – 2.12	Depositor ED
% Data completeness (in resolution range)	97.4 (72.89-2.12) 99.1 (89.82-2.12)	Depositor ED
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 2.12Å)	Xtriage
Refinement program	REFMAC CCP4 Program Suite v7.1.015, PHENIX 1.14_3260	Depositor
R, R_{free}	0.204 , 0.252 0.217 , 0.261	Depositor DC
R_{free} test set	5017 reflections (5.04%)	wwPDB
Wilson B-factor (Å ²)	45.8	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.8	ED
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	ED
Total number of atoms	9864	wwPDB
Average B, all atoms (Å ²)	55.0	wwPDB

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/4838	0.56	0/6542
1	B	0.44	0/4838	0.56	0/6542
All	All	0.45	0/9676	0.56	0/13084

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4732	0	4655	91	0
1	B	4732	0	4655	71	0
2	A	1	0	0	0	0
2	B	1	0	0	1	0
3	A	10	0	0	0	0
3	B	10	0	0	0	0
4	A	6	8	8	5	0
4	B	6	8	8	4	0
5	A	162	0	0	5	0
5	B	188	0	0	5	0
All	All	9848	16	9326	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:500:LEU:HG	1:A:560:MET:HE2	1.37	1.02
1:A:252:LEU:HD22	1:A:286:LYS:HD2	1.49	0.94
1:A:494:ALA:HA	1:A:497:LEU:HD12	1.55	0.87
1:A:141:LYS:HE3	1:A:200:GLU:OE2	1.77	0.85
1:A:494:ALA:HA	1:A:497:LEU:CD1	2.10	0.81
1:A:252:LEU:O	1:A:256:VAL:HG23	1.80	0.80
1:B:120:GLY:H	4:B:604:GOL:H31	1.47	0.80
1:A:500:LEU:HA	1:A:560:MET:HE3	1.64	0.79
2:B:601:CL:CL	5:B:854:HOH:O	2.37	0.79
1:A:164:ALA:HB3	1:A:167:GLN:HB2	1.64	0.79
1:A:346:ARG:HE	4:A:604:GOL:H2	1.48	0.78
4:B:604:GOL:O1	4:B:604:GOL:O3	1.90	0.76
1:A:503:ALA:HB1	1:A:563:TYR:CE2	2.21	0.75
1:A:237:ARG:HH11	1:B:35:GLN:HG3	1.49	0.74
1:A:140:SER:O	1:A:141:LYS:HE2	1.88	0.74
1:A:469:ARG:HH11	1:A:469:ARG:HB3	1.53	0.73
1:B:59:PRO:O	1:B:62:ARG:HG3	1.89	0.73
1:B:120:GLY:H	4:B:604:GOL:C3	2.03	0.71
1:A:469:ARG:HB3	1:A:469:ARG:NH1	2.08	0.68
1:A:582:SER:O	1:A:583:SER:HB2	1.94	0.68
1:A:314:MET:CE	1:A:317:LEU:HD22	2.24	0.67
1:A:500:LEU:HA	1:A:560:MET:CE	2.24	0.66
1:A:59:PRO:O	1:A:62:ARG:HG2	1.97	0.64
1:B:168:TYR:CD1	1:B:193:LEU:HD21	2.33	0.64
1:A:420:LEU:O	1:A:424:GLU:HG3	1.99	0.63
1:A:455:PHE:HE1	1:A:471:PHE:CZ	2.16	0.63
1:A:141:LYS:CE	1:A:200:GLU:OE2	2.47	0.63
1:A:250:LEU:O	1:A:254:ILE:HG12	1.99	0.62
1:A:494:ALA:CA	1:A:497:LEU:HD12	2.30	0.62
1:A:120:GLY:H	4:A:604:GOL:H11	1.63	0.62
1:A:314:MET:HE2	1:A:317:LEU:HD22	1.81	0.62
1:A:110:LEU:HD23	1:A:172:VAL:HG12	1.81	0.61
1:B:164:ALA:HB1	1:B:167:GLN:HB2	1.81	0.61
1:A:311:LYS:HE3	1:B:63:ASP:O	2.01	0.60
1:B:223:GLU:OE1	1:B:227:SER:HB2	2.00	0.60
1:A:141:LYS:HD3	1:A:142:PRO:HD2	1.83	0.59
1:A:184:ILE:HD11	1:A:206:ARG:HG3	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:TRP:CE3	1:A:264:ALA:HB2	2.36	0.59
1:B:22:LEU:CD2	1:B:100:GLN:HG2	2.32	0.59
1:A:264:ALA:O	1:A:268:ILE:HG12	2.04	0.58
1:B:435:ARG:HG2	1:B:580:PRO:HG3	1.84	0.58
1:B:8:ILE:CD1	1:B:43:LEU:HD21	2.33	0.57
1:B:344:ASN:HB2	1:B:455:PHE:CE1	2.39	0.57
1:B:575:ARG:NE	5:B:708:HOH:O	2.37	0.56
1:A:455:PHE:HE1	1:A:471:PHE:HZ	1.53	0.56
1:A:564:ARG:NH1	5:A:706:HOH:O	2.35	0.56
1:A:256:VAL:HG13	1:A:264:ALA:HB3	1.86	0.56
1:B:537:VAL:HG23	1:B:540:ARG:NH2	2.22	0.55
1:B:513:LEU:HD11	1:B:521:LYS:HE3	1.88	0.55
1:B:259:TRP:HZ2	1:B:317:LEU:HD22	1.72	0.55
1:B:571:LEU:HB3	1:B:575:ARG:NH2	2.22	0.55
1:B:344:ASN:HB2	1:B:455:PHE:HE1	1.73	0.54
1:A:22:LEU:CD2	1:A:100:GLN:HG2	2.37	0.54
1:A:500:LEU:HG	1:A:560:MET:CE	2.24	0.54
1:B:379:CYS:SG	1:B:420:LEU:HD22	2.48	0.54
1:A:145:GLU:HA	1:A:145:GLU:OE1	2.08	0.54
1:A:513:LEU:HD11	1:A:521:LYS:HE3	1.90	0.54
1:A:22:LEU:HD22	1:A:100:GLN:HG2	1.90	0.54
1:A:122:TRP:N	5:A:701:HOH:O	2.21	0.54
1:A:175:ILE:HD11	1:A:212:ILE:HG13	1.89	0.54
1:A:163:ASP:O	1:A:163:ASP:OD1	2.26	0.54
1:B:1:MET:HG2	1:B:2:TYR:N	2.23	0.54
1:B:352:LEU:HB2	1:B:353:PRO:HD3	1.90	0.54
1:B:274:GLU:OE1	1:B:325:ARG:NH1	2.40	0.53
1:B:455:PHE:O	1:B:459:THR:HG23	2.09	0.53
1:A:503:ALA:HB1	1:A:563:TYR:CD2	2.43	0.53
1:A:437:ASP:OD1	1:A:439:GLU:HG2	2.08	0.53
1:B:346:ARG:HH21	4:B:604:GOL:H2	1.74	0.52
1:A:34:GLU:H	1:A:34:GLU:CD	2.13	0.52
1:A:503:ALA:HB3	1:A:560:MET:HE1	1.92	0.51
1:A:519:ASN:O	1:A:523:GLN:HG2	2.09	0.51
1:A:274:GLU:CD	1:A:325:ARG:HH22	2.14	0.51
1:A:550:THR:HG21	1:A:565:GLU:OE1	2.11	0.51
1:A:195:SER:O	1:A:199:LYS:HG2	2.11	0.51
1:B:175:ILE:HD11	1:B:212:ILE:HG13	1.93	0.51
1:B:293:GLY:HA3	1:B:317:LEU:HD11	1.92	0.51
1:B:493:PRO:HB2	1:B:495:GLU:CD	2.32	0.50
1:A:455:PHE:CE1	1:A:471:PHE:CZ	3.00	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:PRO:HG3	1:B:114:PHE:CE1	2.46	0.50
1:A:117:LYS:HE3	1:A:121:LYS:O	2.11	0.50
1:B:494:ALA:HA	1:B:497:LEU:CD1	2.42	0.50
1:B:519:ASN:O	1:B:523:GLN:HG2	2.11	0.50
1:A:25:ILE:HG23	5:A:703:HOH:O	2.11	0.49
1:A:120:GLY:H	4:A:604:GOL:C1	2.25	0.49
1:A:284:VAL:HG13	1:A:288:LEU:HD23	1.95	0.49
1:A:455:PHE:CE1	1:A:471:PHE:HZ	2.31	0.49
1:B:158:ASP:O	1:B:162:LEU:HG	2.11	0.49
1:B:94:ILE:HD11	1:B:222:GLU:OE2	2.12	0.49
1:A:337:SER:HA	1:A:468:SER:HB3	1.95	0.49
1:B:344:ASN:HA	1:B:452:PRO:HB3	1.94	0.49
1:A:54:PHE:HB3	1:A:94:ILE:HG23	1.95	0.48
1:B:67:PHE:O	1:B:85:VAL:HG23	2.13	0.48
1:A:158:ASP:O	1:A:162:LEU:HD13	2.14	0.48
1:A:18:GLN:OE1	1:A:86:THR:O	2.32	0.48
1:A:1:MET:HE1	1:A:222:GLU:O	2.13	0.48
1:A:120:GLY:N	4:A:604:GOL:H11	2.29	0.48
1:A:547:GLN:NE2	5:A:711:HOH:O	2.47	0.48
1:A:211:THR:HA	1:A:215:LYS:HD2	1.94	0.48
1:B:232:LEU:HD23	1:B:232:LEU:C	2.34	0.48
1:B:259:TRP:CE3	1:B:264:ALA:HB2	2.49	0.48
1:B:24:ALA:HB2	1:B:68:TYR:HE1	1.77	0.47
1:A:237:ARG:NH1	1:B:35:GLN:HG3	2.23	0.47
1:A:65:TYR:HA	1:B:258:GLN:HE22	1.78	0.47
1:B:487:LEU:O	1:B:490:VAL:HG22	2.13	0.47
1:B:259:TRP:HZ2	1:B:317:LEU:CD2	2.27	0.47
1:B:122:TRP:HA	1:B:122:TRP:CE3	2.50	0.47
1:B:517:ILE:HD13	1:B:522:ARG:NH2	2.30	0.47
1:B:493:PRO:HB2	1:B:495:GLU:OE2	2.15	0.47
1:B:223:GLU:OE1	1:B:227:SER:CB	2.63	0.46
1:A:67:PHE:O	1:A:85:VAL:HG23	2.15	0.46
1:A:35:GLN:HE21	1:B:237:ARG:NE	2.14	0.46
1:B:72:GLN:O	1:B:112:GLY:HA3	2.15	0.46
1:B:527:HIS:HD2	5:B:717:HOH:O	1.97	0.46
1:A:437:ASP:HB2	1:A:438:PRO:HD2	1.98	0.46
1:A:370:ARG:NH2	5:A:714:HOH:O	2.48	0.46
1:A:271:LEU:O	1:A:275:MET:HG3	2.16	0.46
1:A:243:THR:HG23	1:B:243:THR:HB	1.98	0.45
1:A:458:LEU:HB3	1:A:512:LEU:HG	1.98	0.45
1:A:327:ALA:CB	1:A:359:HIS:HB2	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:164:ALA:CB	1:B:167:GLN:HB2	2.47	0.45
1:B:508:PRO:HG2	1:B:563:TYR:CZ	2.52	0.44
1:B:223:GLU:HG3	1:B:224:SER:N	2.31	0.44
1:A:141:LYS:HD3	1:A:141:LYS:HA	1.82	0.44
1:A:363:LEU:HD13	1:A:367:TYR:CD1	2.53	0.44
1:B:328:LEU:HD23	1:B:328:LEU:HA	1.79	0.44
1:B:327:ALA:CB	1:B:359:HIS:HB2	2.48	0.43
1:B:165:SER:O	1:B:166:GLU:HB2	2.18	0.43
1:A:517:ILE:HD13	1:A:522:ARG:NH1	2.33	0.43
1:A:332:MET:SD	1:A:351:ILE:HD13	2.59	0.43
1:B:362:LYS:HD3	1:B:362:LYS:HA	1.88	0.43
1:A:344:ASN:HA	1:A:452:PRO:HB3	2.01	0.42
1:B:90:GLU:H	1:B:90:GLU:HG2	1.73	0.42
1:A:65:TYR:OH	1:B:307:GLU:HA	2.20	0.42
1:B:252:LEU:HD22	1:B:286:LYS:CD	2.50	0.42
1:B:262:LEU:HD13	1:B:262:LEU:O	2.20	0.42
1:A:487:LEU:O	1:A:490:VAL:HG12	2.20	0.42
1:B:56:LYS:HG3	1:B:222:GLU:HG2	2.02	0.42
1:B:483:THR:OG1	1:B:486:LYS:HG3	2.20	0.41
1:B:401:THR:O	1:B:405:MET:HG3	2.20	0.41
1:B:30:VAL:HG12	1:B:31:TRP:N	2.35	0.41
1:A:345:LEU:HD12	1:A:345:LEU:HA	1.82	0.41
1:B:8:ILE:HD11	1:B:43:LEU:HD21	2.01	0.41
1:A:113:SER:HB3	1:A:133:ARG:HG2	2.01	0.41
1:B:11:LEU:HD12	1:B:20:TYR:CE2	2.54	0.41
1:B:297:SER:HB3	1:B:316:ILE:HG22	2.02	0.41
1:B:277:ARG:NH2	5:B:702:HOH:O	2.51	0.41
1:B:309:PHE:HA	1:B:314:MET:HE3	2.02	0.41
1:A:134:LEU:HD11	1:A:152:PHE:HB3	2.02	0.41
1:A:364:THR:OG1	1:A:365:ALA:N	2.54	0.41
1:A:560:MET:HB3	1:A:564:ARG:NH2	2.36	0.41
1:A:259:TRP:CD2	1:A:264:ALA:HB2	2.56	0.40
1:B:158:ASP:N	1:B:158:ASP:OD1	2.54	0.40
1:A:198:ARG:O	1:A:202:ARG:HG3	2.21	0.40
1:B:527:HIS:CD2	5:B:717:HOH:O	2.74	0.40
1:A:120:GLY:CA	4:A:604:GOL:H11	2.52	0.40
1:A:319:LYS:HA	1:A:319:LYS:HD2	1.82	0.40
1:A:531:ALA:HA	1:A:540:ARG:CZ	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	576/587 (98%)	556 (96%)	20 (4%)	0	100	100
1	B	576/587 (98%)	555 (96%)	21 (4%)	0	100	100
All	All	1152/1174 (98%)	1111 (96%)	41 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	509/516 (99%)	497 (98%)	12 (2%)	49	52
1	B	509/516 (99%)	494 (97%)	15 (3%)	42	44
All	All	1018/1032 (99%)	991 (97%)	27 (3%)	44	47

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ARG
1	A	84	ASN
1	A	148	SER
1	A	158	ASP
1	A	165	SER
1	A	167	GLN
1	A	203	SER
1	A	237	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	455	PHE
1	A	502	GLU
1	A	536	ASP
1	A	583	SER
1	B	3	GLN
1	B	121	LYS
1	B	126	ASP
1	B	158	ASP
1	B	163	ASP
1	B	237	ARG
1	B	261	SER
1	B	311	LYS
1	B	337	SER
1	B	370	ARG
1	B	411	LYS
1	B	415	ASP
1	B	455	PHE
1	B	479	LYS
1	B	579	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	485	ASN
1	B	412	GLN
1	B	541	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	604	-	5,5,5	0.96	0	5,5,5	1.15	0
3	SO4	A	603	-	4,4,4	0.18	0	6,6,6	0.41	0
3	SO4	B	602	-	4,4,4	0.19	0	6,6,6	0.30	0
3	SO4	B	603	-	4,4,4	0.21	0	6,6,6	0.21	0
4	GOL	B	604	-	5,5,5	0.78	0	5,5,5	1.18	0
3	SO4	A	602	-	4,4,4	0.21	0	6,6,6	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	604	-	-	2/4/4/4	-
4	GOL	A	604	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	604	GOL	C1-C2-C3-O3
4	B	604	GOL	C1-C2-C3-O3
4	A	604	GOL	O2-C2-C3-O3
4	B	604	GOL	O2-C2-C3-O3
4	A	604	GOL	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	604	GOL	5	0
4	B	604	GOL	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	580/587 (98%)	0.41	22 (3%) 40 46	37, 53, 79, 122	0
1	B	580/587 (98%)	0.38	8 (1%) 75 78	37, 52, 78, 104	0
All	All	1160/1174 (98%)	0.40	30 (2%) 56 61	37, 53, 79, 122	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	144	LEU	4.9
1	B	29	PHE	4.7
1	A	29	PHE	4.7
1	A	582	SER	4.6
1	A	1	MET	3.8
1	A	583	SER	3.6
1	A	487	LEU	3.3
1	B	242	GLY	3.2
1	A	483	THR	3.1
1	B	262	LEU	3.1
1	A	484	ARG	3.1
1	A	4	ALA	3.0
1	A	244	THR	2.9
1	A	145	GLU	2.8
1	A	166	GLU	2.7
1	A	580	PRO	2.7
1	A	492	VAL	2.7
1	B	1	MET	2.6
1	B	87	GLN	2.6
1	A	489	LYS	2.6
1	A	81	HIS	2.5
1	A	245	LEU	2.5
1	A	242	GLY	2.4
1	B	244	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	83	GLU	2.3
1	B	240	SER	2.2
1	A	146	THR	2.1
1	A	162	LEU	2.1
1	B	500	LEU	2.0
1	A	497	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CL	B	601	1/1	0.90	0.17	69,69,69,69	0
4	GOL	A	604	6/6	0.93	0.10	56,67,74,78	0
4	GOL	B	604	6/6	0.93	0.16	49,68,80,83	0
2	CL	A	601	1/1	0.94	0.13	72,72,72,72	0
3	SO4	B	602	5/5	0.95	0.10	64,73,73,78	0
3	SO4	A	602	5/5	0.98	0.06	72,76,84,86	0
3	SO4	A	603	5/5	0.99	0.18	48,52,53,58	0
3	SO4	B	603	5/5	0.99	0.16	48,48,52,56	0

6.5 Other polymers [i](#)

There are no such residues in this entry.