



Full wwPDB X-ray Structure Validation Report ⓘ

May 19, 2026 – 04:08 AM EDT

PDB ID : 9PDC / pdb_00009pdc
Title : Porcine Trypsin grown from PEG and Complexed with Crystallization Additives II
Authors : McPherson, A.
Deposited on : 2025-06-30
Resolution : 1.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2836 (1.30-1.26)
Clashscore	190562	2911 (1.30-1.26)
Ramachandran outliers	187476	2841 (1.30-1.26)
Sidechain outliers	187428	2840 (1.30-1.26)
RSRZ outliers	180081	2832 (1.30-1.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PEG	A	318	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PEG	A	341	-	-	X	-

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 4717 atoms, of which 2362 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Trypsin.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	223	Total	C	H	N	O	S	0	30	0
			3507	1076	1778	302	336	15			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		

- Molecule 3 is L(+)-TARTARIC ACID (CCD ID: TLA) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			14	4	4	6		
3	A	1	Total	C	H	O	0	0
			14	4	4	6		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	1
			34	8	20	6		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	1
			34	8	20	6		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		
4	A	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 5 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			31	8	18	5		
5	A	1	Total	C	H	O	0	0
			31	8	18	5		
5	A	1	Total	C	H	O	0	0
			31	8	18	5		
5	A	1	Total	C	H	O	0	0
			31	8	18	5		
5	A	1	Total	C	H	O	0	0
			31	8	18	5		
5	A	1	Total	C	H	O	0	0
			31	8	18	5		
5	A	1	Total	C	H	O	0	0
			31	8	18	5		
5	A	1	Total	C	H	O	0	0
			31	8	18	5		

- Molecule 6 is 1-(2-METHOXY-ETHOXY)-2-{2-[2-(2-METHOXY-ETHOXY)-ETHOXY]-ETHANE (CCD ID: PG6) (formula: C₁₂H₂₆O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			44	12	26	6		
6	A	1	Total	C	H	O	0	0
			44	12	26	6		

- Molecule 7 is 1-METHOXY-2-[2-(2-METHOXY-ETHOXY)]-ETHANE (CCD ID: PG5) (formula: $C_8H_{18}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	1
			60	16	36	8		

- Molecule 8 is BENZAMIDINE (CCD ID: BEN) (formula: $C_7H_8N_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	N	0	0
			17	7	8	2		


- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	188	Total	O	0	14
			196	196		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Trypsin

Chain A:  79% 17% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	47.04Å 54.01Å 77.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	23.29 – 1.27 23.29 – 1.27	Depositor EDS
% Data completeness (in resolution range)	82.2 (23.29-1.27) 82.2 (23.29-1.27)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 1.27Å)	Xtriage
Refinement program	PHENIX 1.21.1_5286	Depositor
R, R_{free}	0.121 , 0.154 0.121 , 0.154	Depositor DCC
R_{free} test set	2160 reflections (4.09%)	wwPDB-VP
Wilson B-factor (Å ²)	14.4	Xtriage
Anisotropy	0.506	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 77.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	4717	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, TLA, PG6, PG4, BEN, PG5, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.35	0/1906	0.58	0/2581

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1729	1778	1709	46	3
2	A	1	0	0	0	0
3	A	20	8	8	2	0
4	A	210	300	300	28	1
5	A	130	180	180	16	3
6	A	36	52	52	5	0
7	A	24	36	36	0	0
8	A	9	8	7	0	0
9	A	196	0	0	31	6
All	All	2355	2362	2292	71	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:337:PG4:O5	9:A:402:HOH:O	1.84	0.96
1:A:6:THR:OG1	9:A:403:HOH:O	1.88	0.90
3:A:303:TLA:O3	9:A:404:HOH:O	1.92	0.88
1:A:198:ALA:O	9:A:405:HOH:O	1.99	0.78
4:A:320:PEG:O4	9:A:401:HOH:O	1.74	0.78
1:A:218:GLN:OE1	9:A:407:HOH:O	2.01	0.78
5:A:337:PG4:O3	9:A:409:HOH:O	2.03	0.76
5:A:334:PG4:O3	9:A:408:HOH:O	2.03	0.76
1:A:145:ASP:HB3	4:A:341:PEG:H12	1.68	0.74
1:A:125:LYS:O	4:A:319:PEG:O4	2.07	0.72
1:A:145:ASP:HB3	4:A:341:PEG:C1	2.22	0.69
1:A:208:LYS:NZ	9:A:416:HOH:O	2.22	0.69
1:A:69[B]:LYS:NZ	9:A:418:HOH:O	2.26	0.68
1:A:60:GLY:O	3:A:303:TLA:H3	1.93	0.67
1:A:42:TYR:OH	5:A:336:PG4:H41	1.95	0.66
1:A:157:THR:HB	4:A:313:PEG:H21	1.79	0.65
1:A:79[A]:ASN:OD1	9:A:411:HOH:O	2.13	0.64
1:A:44:SER:O	5:A:336:PG4:H51	1.99	0.63
1:A:127:SER:OG	9:A:410:HOH:O	2.13	0.63
1:A:16[B]:VAL:CG1	1:A:48:VAL:HG13	2.29	0.62
4:A:318:PEG:H12	4:A:343:PEG:O2	1.99	0.62
5:A:308:PG4:O3	9:A:412:HOH:O	2.16	0.62
1:A:145:ASP:HB3	4:A:341:PEG:H21	1.82	0.61
1:A:16[B]:VAL:HG11	1:A:48:VAL:HG13	1.82	0.60
1:A:72:THR:OG1	4:A:318:PEG:H41	2.01	0.60
5:A:336:PG4:H32	9:A:576:HOH:O	2.01	0.60
1:A:145:ASP:HB3	4:A:341:PEG:C2	2.32	0.59
1:A:166:LEU:HD23	1:A:203[B]:PRO:HG3	1.85	0.59
1:A:173:CYS:SG	4:A:319:PEG:H21	2.43	0.59
1:A:69[A]:LYS:NZ	9:A:418:HOH:O	2.35	0.59
1:A:70:ILE:H	5:A:336:PG4:H11	1.67	0.59
1:A:221:ALA:O	5:A:337:PG4:O1	2.22	0.58
1:A:145:ASP:CB	4:A:341:PEG:H21	2.35	0.56
1:A:145:ASP:H	4:A:341:PEG:H21	1.71	0.56
1:A:145:ASP:N	4:A:341:PEG:H21	2.23	0.53
4:A:319:PEG:O1	9:A:414:HOH:O	2.19	0.53
5:A:331:PG4:O3	9:A:413:HOH:O	2.19	0.53
1:A:40:HIS:NE2	4:A:344:PEG:H12	2.23	0.52
1:A:70:ILE:H	5:A:336:PG4:C1	2.23	0.51
1:A:24:PHE:CD2	1:A:43:LYS:HE2	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:311:PG6:O4	9:A:415:HOH:O	2.20	0.50
4:A:345:PEG:H22	9:A:576:HOH:O	2.11	0.50
1:A:45[B]:ARG:NE	9:A:424:HOH:O	2.35	0.49
1:A:58[A]:LEU:HD12	5:A:334:PG4:H12	1.95	0.49
4:A:318:PEG:H42	4:A:345:PEG:H12	1.94	0.48
4:A:310[B]:PEG:O4	9:A:406:HOH:O	2.00	0.47
5:A:336:PG4:O1	5:A:336:PG4:O4	2.32	0.47
6:A:309:PG6:H12	9:A:452:HOH:O	2.13	0.47
1:A:54:ASN:HB3	1:A:57[B]:VAL:HG12	1.96	0.46
4:A:318:PEG:H12	4:A:343:PEG:C2	2.44	0.46
1:A:149[B]:LYS:HE2	9:A:568:HOH:O	2.17	0.45
1:A:182:VAL:O	6:A:309:PG6:H13	2.18	0.44
1:A:82:ASP:OD2	4:A:312:PEG:H42	2.18	0.44
4:A:339:PEG:H11	4:A:340:PEG:H31	2.00	0.44
1:A:218:GLN:NE2	9:A:421:HOH:O	2.33	0.44
1:A:195:TYR:HE1	9:A:401:HOH:O	2.00	0.44
1:A:16[B]:VAL:HG22	1:A:50[B]:LEU:HD23	2.01	0.43
6:A:311:PG6:H61	9:A:455:HOH:O	2.18	0.43
1:A:54:ASN:CG	1:A:57[B]:VAL:HG12	2.43	0.43
1:A:49:ARG:HH22	4:A:323:PEG:H11	1.84	0.43
1:A:24:PHE:O	4:A:344:PEG:H32	2.20	0.42
1:A:185:GLY:H	6:A:309:PG6:H21	1.84	0.42
4:A:318:PEG:H31	4:A:343:PEG:O2	2.19	0.42
5:A:334:PG4:C3	9:A:408:HOH:O	2.68	0.42
1:A:177:SER:HB2	4:A:344:PEG:H21	2.02	0.42
4:A:320:PEG:H12	9:A:537:HOH:O	2.19	0.41
4:A:345:PEG:C2	9:A:576:HOH:O	2.66	0.41
5:A:337:PG4:C6	9:A:409:HOH:O	2.69	0.41
1:A:107[B]:ARG:HH11	5:A:308:PG4:C5	2.33	0.41
4:A:342:PEG:H41	9:A:555:HOH:O	2.20	0.40
1:A:147[B]:SER:OG	1:A:166:LEU:HD11	2.21	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:337:PG4:O2	9:A:480:HOH:O[2_654]	1.79	0.41
5:A:308:PG4:O5	9:A:401:HOH:O[3_646]	1.83	0.37
9:A:502:HOH:O	9:A:563:HOH:O[3_656]	2.02	0.18
1:A:202[B]:LYS:NZ	9:A:404:HOH:O[1_455]	2.03	0.17

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LYS:NZ	4:A:341:PEG:O2[3_656]	2.04	0.16
5:A:308:PG4:HO5	9:A:401:HOH:O[3_646]	1.50	0.10
1:A:202[B]:LYS:HZ2	9:A:404:HOH:O[1_455]	1.60	0.00

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/231 (109%)	248 (98%)	4 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	214/191 (112%)	211 (99%)	3 (1%)	59	23

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	LYS
1	A	146[A]	SER
1	A	146[B]	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	155	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 1 is monoatomic - leaving 47 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PEG	A	341	-	6,6,6	0.24	0	5,5,5	0.60	0
4	PEG	A	310[A]	-	6,6,6	0.24	0	5,5,5	0.30	0
4	PEG	A	324	-	6,6,6	0.25	0	5,5,5	0.17	0
4	PEG	A	319	-	6,6,6	0.29	0	5,5,5	0.40	0
4	PEG	A	305	-	6,6,6	0.25	0	5,5,5	0.26	0
4	PEG	A	343	-	6,6,6	0.37	0	5,5,5	0.56	0
4	PEG	A	325	-	6,6,6	0.25	0	5,5,5	0.33	0
4	PEG	A	344	-	6,6,6	0.36	0	5,5,5	0.33	0
4	PEG	A	312	-	6,6,6	0.25	0	5,5,5	0.43	0
4	PEG	A	329	-	6,6,6	0.23	0	5,5,5	0.25	0
4	PEG	A	328[B]	-	6,6,6	0.25	0	5,5,5	0.21	0
4	PEG	A	306	-	6,6,6	0.25	0	5,5,5	0.30	0
7	PG5	A	317[B]	-	11,11,11	0.39	0	10,10,10	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PEG	A	320	-	6,6,6	0.30	0	5,5,5	0.59	0
4	PEG	A	315	-	6,6,6	0.27	0	5,5,5	0.31	0
4	PEG	A	323	-	6,6,6	0.26	0	5,5,5	0.25	0
4	PEG	A	310[B]	-	6,6,6	0.24	0	5,5,5	0.26	0
4	PEG	A	316	-	6,6,6	0.23	0	5,5,5	0.26	0
5	PG4	A	335	-	12,12,12	0.29	0	11,11,11	0.21	0
5	PG4	A	336	-	12,12,12	0.32	0	11,11,11	0.53	0
5	PG4	A	334	-	12,12,12	0.29	0	11,11,11	0.40	0
5	PG4	A	337	-	12,12,12	0.36	0	11,11,11	0.45	0
6	PG6	A	311	-	17,17,17	0.36	0	16,16,16	0.40	0
4	PEG	A	304	-	6,6,6	0.26	0	5,5,5	0.25	0
4	PEG	A	314	-	6,6,6	0.26	0	5,5,5	0.20	0
4	PEG	A	339	-	6,6,6	0.25	0	5,5,5	0.23	0
4	PEG	A	322	-	6,6,6	0.24	0	5,5,5	0.26	0
4	PEG	A	345	-	6,6,6	0.29	0	5,5,5	0.69	0
3	TLA	A	302	-	9,9,9	1.36	0	12,12,12	1.40	2 (16%)
5	PG4	A	308	-	12,12,12	0.32	0	11,11,11	0.36	0
4	PEG	A	340	-	6,6,6	0.26	0	5,5,5	0.32	0
4	PEG	A	326	-	6,6,6	0.25	0	5,5,5	0.26	0
4	PEG	A	313	-	6,6,6	0.28	0	5,5,5	0.58	0
5	PG4	A	333	-	12,12,12	0.28	0	11,11,11	0.43	0
5	PG4	A	338	-	12,12,12	0.32	0	11,11,11	0.36	0
4	PEG	A	318	-	6,6,6	0.24	0	5,5,5	0.40	0
4	PEG	A	330	-	6,6,6	0.25	0	5,5,5	0.19	0
5	PG4	A	307	-	12,12,12	0.28	0	11,11,11	0.30	0
4	PEG	A	342	-	6,6,6	0.29	0	5,5,5	0.72	0
5	PG4	A	332	-	12,12,12	0.31	0	11,11,11	0.17	0
6	PG6	A	309	-	17,17,17	0.35	0	16,16,16	0.21	0
8	BEN	A	327	-	9,9,9	0.44	0	7,11,11	0.80	0
4	PEG	A	328[A]	-	6,6,6	0.24	0	5,5,5	0.25	0
7	PG5	A	317[A]	-	11,11,11	0.37	0	10,10,10	0.17	0
4	PEG	A	321	-	6,6,6	0.25	0	5,5,5	0.29	0
5	PG4	A	331	-	12,12,12	0.28	0	11,11,11	0.18	0
3	TLA	A	303	-	9,9,9	1.35	0	12,12,12	1.45	2 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	341	-	-	1/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	310[A]	-	-	2/4/4/4	-
4	PEG	A	324	-	-	1/4/4/4	-
4	PEG	A	319	-	-	2/4/4/4	-
4	PEG	A	305	-	-	1/4/4/4	-
4	PEG	A	343	-	-	3/4/4/4	-
4	PEG	A	325	-	-	2/4/4/4	-
4	PEG	A	344	-	-	1/4/4/4	-
4	PEG	A	312	-	-	0/4/4/4	-
4	PEG	A	329	-	-	2/4/4/4	-
4	PEG	A	328[B]	-	-	1/4/4/4	-
4	PEG	A	306	-	-	2/4/4/4	-
7	PG5	A	317[B]	-	-	5/9/9/9	-
4	PEG	A	320	-	-	1/4/4/4	-
4	PEG	A	315	-	-	1/4/4/4	-
4	PEG	A	323	-	-	4/4/4/4	-
4	PEG	A	310[B]	-	-	1/4/4/4	-
4	PEG	A	316	-	-	2/4/4/4	-
5	PG4	A	335	-	-	6/10/10/10	-
5	PG4	A	336	-	-	2/10/10/10	-
5	PG4	A	334	-	-	6/10/10/10	-
5	PG4	A	337	-	-	7/10/10/10	-
6	PG6	A	311	-	-	10/15/15/15	-
4	PEG	A	304	-	-	2/4/4/4	-
4	PEG	A	314	-	-	2/4/4/4	-
4	PEG	A	339	-	-	2/4/4/4	-
4	PEG	A	322	-	-	2/4/4/4	-
4	PEG	A	345	-	-	2/4/4/4	-
3	TLA	A	302	-	-	6/12/12/12	-
5	PG4	A	308	-	-	7/10/10/10	-
4	PEG	A	340	-	-	2/4/4/4	-
4	PEG	A	326	-	-	1/4/4/4	-
4	PEG	A	313	-	-	3/4/4/4	-
5	PG4	A	333	-	-	6/10/10/10	-
5	PG4	A	338	-	-	6/10/10/10	-
4	PEG	A	318	-	-	2/4/4/4	-
4	PEG	A	330	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PG4	A	307	-	-	8/10/10/10	-
4	PEG	A	342	-	-	2/4/4/4	-
5	PG4	A	332	-	-	5/10/10/10	-
6	PG6	A	309	-	-	10/15/15/15	-
8	BEN	A	327	-	-	0/4/4/4	0/1/1/1
4	PEG	A	328[A]	-	-	1/4/4/4	-
7	PG5	A	317[A]	-	-	6/9/9/9	-
4	PEG	A	321	-	-	2/4/4/4	-
5	PG4	A	331	-	-	7/10/10/10	-
3	TLA	A	303	-	-	5/12/12/12	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	303	TLA	O1-C1-C2	-2.65	114.56	121.62
3	A	302	TLA	O1-C1-C2	-2.45	115.09	121.62
3	A	302	TLA	O4-C4-C3	-2.32	115.44	121.62
3	A	303	TLA	O4-C4-C3	-2.29	115.52	121.62

There are no chirality outliers.

All (154) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	TLA	C2-C3-C4-O4
3	A	302	TLA	C2-C3-C4-O41
3	A	302	TLA	O3-C3-C4-O4
3	A	302	TLA	O3-C3-C4-O41
5	A	333	PG4	C5-C6-O4-C7
5	A	332	PG4	O2-C3-C4-O3
5	A	307	PG4	O3-C5-C6-O4
6	A	309	PG6	O2-C4-C5-O3
7	A	317[A]	PG5	O1-C2-C3-O2
3	A	303	TLA	O1-C1-C2-O2
3	A	303	TLA	O11-C1-C2-O2
5	A	308	PG4	O2-C3-C4-O3
5	A	338	PG4	O3-C5-C6-O4
4	A	340	PEG	O1-C1-C2-O2
5	A	337	PG4	O2-C3-C4-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	338	PG4	O2-C3-C4-O3
4	A	310[A]	PEG	O1-C1-C2-O2
4	A	316	PEG	O1-C1-C2-O2
4	A	321	PEG	O1-C1-C2-O2
4	A	343	PEG	O2-C3-C4-O4
4	A	344	PEG	O1-C1-C2-O2
5	A	331	PG4	O1-C1-C2-O2
5	A	333	PG4	O1-C1-C2-O2
7	A	317[B]	PG5	O1-C2-C3-O2
4	A	306	PEG	O1-C1-C2-O2
4	A	313	PEG	O1-C1-C2-O2
4	A	316	PEG	O2-C3-C4-O4
4	A	324	PEG	O1-C1-C2-O2
4	A	326	PEG	O2-C3-C4-O4
4	A	330	PEG	O2-C3-C4-O4
4	A	343	PEG	O1-C1-C2-O2
5	A	307	PG4	O4-C7-C8-O5
5	A	333	PG4	O4-C7-C8-O5
5	A	334	PG4	O3-C5-C6-O4
5	A	334	PG4	O2-C3-C4-O3
3	A	303	TLA	O2-C2-C3-C4
4	A	313	PEG	O2-C3-C4-O4
4	A	320	PEG	O2-C3-C4-O4
4	A	322	PEG	O2-C3-C4-O4
4	A	325	PEG	O2-C3-C4-O4
4	A	339	PEG	O1-C1-C2-O2
4	A	339	PEG	O2-C3-C4-O4
5	A	337	PG4	O1-C1-C2-O2
5	A	337	PG4	O3-C5-C6-O4
3	A	303	TLA	C1-C2-C3-O3
6	A	311	PG6	O4-C8-C9-O5
5	A	307	PG4	O2-C3-C4-O3
4	A	310[A]	PEG	O2-C3-C4-O4
4	A	329	PEG	O2-C3-C4-O4
4	A	318	PEG	C1-C2-O2-C3
4	A	305	PEG	O2-C3-C4-O4
4	A	318	PEG	O2-C3-C4-O4
5	A	332	PG4	O1-C1-C2-O2
6	A	309	PG6	O4-C8-C9-O5
4	A	319	PEG	O2-C3-C4-O4
4	A	323	PEG	O1-C1-C2-O2
4	A	345	PEG	O2-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	311	PG6	O2-C4-C5-O3
5	A	336	PG4	C4-C3-O2-C2
3	A	303	TLA	C1-C2-C3-C4
7	A	317[B]	PG5	O3-C6-C7-O4
4	A	315	PEG	O2-C3-C4-O4
5	A	338	PG4	O1-C1-C2-O2
5	A	308	PG4	O3-C5-C6-O4
6	A	309	PG6	C10-C11-O6-C12
5	A	335	PG4	O4-C7-C8-O5
7	A	317[B]	PG5	C3-C2-O1-C1
5	A	334	PG4	C5-C6-O4-C7
5	A	335	PG4	O2-C3-C4-O3
5	A	308	PG4	C1-C2-O2-C3
4	A	321	PEG	C1-C2-O2-C3
5	A	331	PG4	C5-C6-O4-C7
5	A	337	PG4	C8-C7-O4-C6
7	A	317[B]	PG5	C5-C4-O2-C3
5	A	334	PG4	C8-C7-O4-C6
7	A	317[B]	PG5	C7-C6-O3-C5
5	A	308	PG4	C4-C3-O2-C2
5	A	335	PG4	C8-C7-O4-C6
5	A	331	PG4	C4-C3-O2-C2
5	A	334	PG4	C3-C4-O3-C5
4	A	323	PEG	O2-C3-C4-O4
6	A	311	PG6	C9-C8-O4-C7
7	A	317[A]	PG5	C6-C7-O4-C8
6	A	311	PG6	C7-C6-O3-C5
6	A	309	PG6	O3-C6-C7-O4
4	A	310[B]	PEG	C4-C3-O2-C2
5	A	337	PG4	C6-C5-O3-C4
5	A	338	PG4	C3-C4-O3-C5
6	A	309	PG6	C6-C7-O4-C8
5	A	333	PG4	O2-C3-C4-O3
4	A	328[B]	PEG	C4-C3-O2-C2
5	A	307	PG4	C4-C3-O2-C2
4	A	314	PEG	O1-C1-C2-O2
4	A	328[A]	PEG	O2-C3-C4-O4
5	A	332	PG4	C1-C2-O2-C3
5	A	307	PG4	C5-C6-O4-C7
5	A	335	PG4	O3-C5-C6-O4
5	A	338	PG4	C5-C6-O4-C7
6	A	311	PG6	O3-C6-C7-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	340	PEG	O2-C3-C4-O4
4	A	342	PEG	O1-C1-C2-O2
5	A	335	PG4	C4-C3-O2-C2
5	A	334	PG4	C4-C3-O2-C2
4	A	323	PEG	C4-C3-O2-C2
4	A	304	PEG	C4-C3-O2-C2
5	A	308	PG4	C3-C4-O3-C5
4	A	342	PEG	O2-C3-C4-O4
5	A	332	PG4	C8-C7-O4-C6
5	A	338	PG4	C4-C3-O2-C2
6	A	311	PG6	C5-C4-O2-C3
5	A	331	PG4	O4-C7-C8-O5
6	A	309	PG6	C8-C9-O5-C10
6	A	309	PG6	C4-C5-O3-C6
7	A	317[A]	PG5	C7-C6-O3-C5
4	A	343	PEG	C4-C3-O2-C2
5	A	337	PG4	C4-C3-O2-C2
6	A	311	PG6	O5-C10-C11-O6
7	A	317[A]	PG5	C5-C4-O2-C3
4	A	325	PEG	C4-C3-O2-C2
4	A	329	PEG	C1-C2-O2-C3
6	A	309	PG6	C5-C4-O2-C3
5	A	308	PG4	C5-C6-O4-C7
4	A	319	PEG	C1-C2-O2-C3
6	A	309	PG6	C9-C8-O4-C7
4	A	322	PEG	C4-C3-O2-C2
6	A	311	PG6	C11-C10-O5-C9
5	A	331	PG4	O2-C3-C4-O3
5	A	333	PG4	C1-C2-O2-C3
4	A	341	PEG	C1-C2-O2-C3
5	A	331	PG4	C6-C5-O3-C4
7	A	317[A]	PG5	C3-C2-O1-C1
5	A	336	PG4	O2-C3-C4-O3
4	A	306	PEG	C1-C2-O2-C3
5	A	307	PG4	C6-C5-O3-C4
6	A	309	PG6	O5-C10-C11-O6
5	A	337	PG4	C1-C2-O2-C3
5	A	307	PG4	C3-C4-O3-C5
4	A	330	PEG	C1-C2-O2-C3
5	A	308	PG4	C8-C7-O4-C6
5	A	331	PG4	C1-C2-O2-C3
5	A	332	PG4	O3-C5-C6-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	333	PG4	O3-C5-C6-O4
7	A	317[A]	PG5	O3-C6-C7-O4
6	A	311	PG6	C10-C11-O6-C12
4	A	323	PEG	C1-C2-O2-C3
5	A	335	PG4	C5-C6-O4-C7
6	A	311	PG6	C3-C2-O1-C1
3	A	302	TLA	C1-C2-C3-O3
3	A	302	TLA	O2-C2-C3-C4
4	A	313	PEG	C4-C3-O2-C2
4	A	345	PEG	C4-C3-O2-C2
4	A	304	PEG	O1-C1-C2-O2
4	A	314	PEG	O2-C3-C4-O4
5	A	307	PG4	C1-C2-O2-C3


There are no ring outliers.



22 monomers are involved in 55 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	341	PEG	7	1
4	A	319	PEG	3	0
4	A	343	PEG	3	0
4	A	344	PEG	3	0
4	A	312	PEG	1	0
4	A	320	PEG	2	0
4	A	323	PEG	1	0
4	A	310[B]	PEG	1	0
5	A	336	PG4	6	0
5	A	334	PG4	3	0
5	A	337	PG4	4	1
6	A	311	PG6	2	0
4	A	339	PEG	1	0
4	A	345	PEG	3	0
5	A	308	PG4	2	2
4	A	340	PEG	1	0
4	A	313	PEG	1	0
4	A	318	PEG	5	0
4	A	342	PEG	1	0
6	A	309	PG6	3	0
5	A	331	PG4	1	0
3	A	303	TLA	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,



bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	223/231 (96%)	-0.41	1 (0%) 88 91	8, 19, 40, 58	29 (13%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	145	ASP	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PEG	A	328[A]	7/7	0.40	0.14	100,120,121,121	17
4	PEG	A	328[B]	7/7	0.40	0.14	95,114,115,115	17
4	PEG	A	316	7/7	0.42	0.12	86,103,105,106	17
4	PEG	A	340	7/7	0.44	0.15	64,77,79,79	17
4	PEG	A	345	7/7	0.49	0.15	51,63,75,80	17
5	PG4	A	332	13/13	0.54	0.14	64,77,83,83	31

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	PG4	A	335	13/13	0.54	0.13	59,72,73,74	31
4	PEG	A	329	7/7	0.55	0.14	81,98,100,100	17
4	PEG	A	321	7/7	0.56	0.12	84,100,108,108	17
5	PG4	A	336	13/13	0.61	0.17	38,53,69,72	31
4	PEG	A	341	7/7	0.63	0.26	40,50,75,83	17
4	PEG	A	310[A]	7/7	0.64	0.18	79,95,104,105	17
4	PEG	A	343	7/7	0.64	0.21	43,53,73,77	17
4	PEG	A	310[B]	7/7	0.64	0.18	83,100,103,104	17
4	PEG	A	305	7/7	0.65	0.15	114,137,139,139	0
4	PEG	A	322	7/7	0.66	0.13	85,102,105,105	17
4	PEG	A	344	7/7	0.66	0.21	34,46,63,75	0
5	PG4	A	338	13/13	0.67	0.14	44,55,63,66	31
4	PEG	A	315	7/7	0.68	0.16	61,74,85,86	17
4	PEG	A	339	7/7	0.68	0.12	62,75,78,78	17
5	PG4	A	333	13/13	0.68	0.23	64,78,81,81	31
5	PG4	A	331	13/13	0.69	0.14	74,90,96,96	31
4	PEG	A	320	7/7	0.69	0.12	84,101,102,102	17
4	PEG	A	325	7/7	0.70	0.22	159,190,191,191	0
4	PEG	A	330	7/7	0.70	0.18	63,76,78,78	17
4	PEG	A	324	7/7	0.71	0.15	56,67,70,70	17
4	PEG	A	326	7/7	0.71	0.20	134,161,177,178	0
5	PG4	A	307	13/13	0.71	0.14	83,101,112,113	31
6	PG6	A	311	18/18	0.71	0.16	65,80,97,100	44
4	PEG	A	323	7/7	0.73	0.15	72,86,89,89	17
5	PG4	A	308	13/13	0.74	0.18	76,93,99,99	31
4	PEG	A	313	7/7	0.74	0.18	50,60,68,68	17
4	PEG	A	312	7/7	0.75	0.21	45,56,68,69	17
7	PG5	A	317[A]	12/12	0.75	0.20	65,79,95,95	30
7	PG5	A	317[B]	12/12	0.75	0.20	59,82,98,99	30
6	PG6	A	309	18/18	0.76	0.20	53,69,86,86	44
4	PEG	A	318	7/7	0.77	0.19	47,57,63,65	17
3	TLA	A	302	10/10	0.77	0.17	98,101,121,121	14
5	PG4	A	337	13/13	0.78	0.16	40,55,68,68	31
4	PEG	A	342	7/7	0.79	0.20	40,54,78,78	17
4	PEG	A	306	7/7	0.80	0.17	75,90,97,98	17
4	PEG	A	304	7/7	0.80	0.15	71,85,89,89	17
3	TLA	A	303	10/10	0.80	0.22	91,92,111,111	14
5	PG4	A	334	13/13	0.81	0.27	58,75,90,90	31
4	PEG	A	319	7/7	0.81	0.19	44,54,69,72	17
4	PEG	A	314	7/7	0.81	0.13	80,96,97,97	17
2	CA	A	301	1/1	0.99	0.03	19,19,19,19	1
8	BEN	A	327	9/9	0.99	0.04	13,16,21,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PEG A 328 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 328 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 316:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 340:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 345:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG4 A 332:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG4 A 335:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 329:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 321:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG4 A 336:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around PEG A 341:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 310 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 343:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 310 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 322:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 344:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG4 A 338:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 315:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 339:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG4 A 333:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG4 A 331:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 320:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 325:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 330:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 324:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 326:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG4 A 307:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG6 A 311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 323:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG4 A 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 313:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG5 A 317 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG5 A 317 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG6 A 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 318:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG4 A 337:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 342:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PEG A 306:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG4 A 334:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 319:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PEG A 314:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.