



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 12:06 am BST

PDB ID : 1PS9  
Title : The Crystal Structure and Reaction Mechanism of E. coli 2,4-Dienoyl CoA Reductase  
Authors : Hubbard, P.A.; Liang, X.; Schulz, H.; Kim, J.J.  
Deposited on : 2003-06-20  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	671	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	MDE	A	704	X	-	-	-

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 5676 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 2,4-dienoyl-CoA reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	671	5097	3198	916	957	26	0	0	0

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Cl	0	0
			3	3		


- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		


- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:

$C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
4	A	1	53	27	9	15	2	0	0


- Molecule 5 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula:  $C_{17}H_{21}N_4O_9P$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
5	A	1	31	17	4	9	1	0	0


- Molecule 6 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE

(three-letter code: NAP) (formula:  $C_{21}H_{28}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
6	A	1	48	21	7	17	3	0	0

- Molecule 7 is 5-MERCAPTOETHANOL-2-DECENOYL-COENZYME A (three-letter code: MDE) (formula:  $C_{33}H_{55}N_7O_{18}P_3S_2$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
7	A	1	63	33	7	18	3	2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	373	Total 373	O 373	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 2,4-dienoyl-CoA reductase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.60Å 109.23Å 110.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 27.66 – 2.19	Depositor EDS
% Data completeness (in resolution range)	93.7 (30.00-2.20) 95.4 (27.66-2.19)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.20 (at 2.20Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.203 , 0.243 0.222 , 0.256	Depositor DCC
$R_{free}$ test set	3556 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.5	Xtrriage
Anisotropy	0.534	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 43.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.027 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5676	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SF4, MDE, FMN, NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/5192	0.61	1/7044 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	50	GLY	N-CA-C	5.30	126.35	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5097	0	5107	177	0
2	A	3	0	0	0	0
3	A	8	0	0	0	0
4	A	53	0	31	1	0
5	A	31	0	19	0	0
6	A	48	0	25	6	0
7	A	63	0	49	2	0
8	A	373	0	0	10	0
All	All	5676	0	5231	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:659:ARG:HB2	1:A:659:ARG:HH11	1.15	1.09
1:A:646:ILE:HA	1:A:663:GLN:HE21	1.19	1.07
1:A:646:ILE:HA	1:A:663:GLN:NE2	1.91	0.85
1:A:107:TYR:OH	1:A:253:GLU:HG3	1.76	0.85
1:A:102:LEU:HD13	1:A:161:MET:HG2	1.59	0.82
1:A:465:ILE:HD11	1:A:652:ALA:HB2	1.62	0.80
1:A:656:ASP:HB3	6:A:703:NAP:H1D	1.65	0.79
1:A:658:ARG:HH11	1:A:658:ARG:HB3	1.50	0.76
1:A:659:ARG:CB	1:A:659:ARG:HH11	1.99	0.74
1:A:572:GLY:HA2	1:A:573:LYS:HZ2	1.51	0.73
1:A:513:LEU:HD22	1:A:555:ARG:NH1	2.03	0.72
1:A:654:GLU:CD	1:A:654:GLU:H	1.92	0.72
1:A:263:VAL:O	1:A:288:ARG:HD3	1.89	0.72
1:A:505:ILE:HG13	6:A:703:NAP:H52N	1.70	0.72
1:A:104:THR:OG1	1:A:108:SER:HB3	1.90	0.71
1:A:636:LEU:HB3	1:A:643:VAL:HG21	1.71	0.71
1:A:461:LEU:HB2	1:A:645:LEU:HD23	1.71	0.70
1:A:30:GLU:HB2	1:A:72:ALA:HB2	1.73	0.69
1:A:371:VAL:O	1:A:372:GLN:HG2	1.91	0.69
1:A:630:ARG:HB3	1:A:633:ALA:HB2	1.74	0.68
1:A:400:THR:HA	1:A:441:THR:HG23	1.75	0.68
1:A:218:LEU:HG	1:A:220:LEU:HD13	1.76	0.67
1:A:573:LYS:HE2	8:A:1009:HOH:O	1.92	0.67
1:A:264:PRO:HG2	1:A:267:ALA:HB2	1.75	0.67
1:A:494:GLY:H	1:A:619:ASN:HD22	1.44	0.65
1:A:422:GLU:CD	1:A:422:GLU:H	2.00	0.65
1:A:286:THR:O	1:A:287:ASN:HB2	1.97	0.65
1:A:646:ILE:CA	1:A:663:GLN:HE21	2.04	0.63
1:A:658:ARG:HH11	1:A:658:ARG:CB	2.12	0.63
1:A:466:VAL:HG23	1:A:629:ASN:HB2	1.82	0.62
1:A:102:LEU:HD13	1:A:161:MET:CG	2.27	0.62
1:A:659:ARG:HB2	1:A:659:ARG:NH1	2.00	0.62
1:A:238:GLU:HG3	1:A:281:LEU:HD13	1.82	0.62
1:A:562:ARG:HD3	6:A:703:NAP:O3X	1.99	0.61
1:A:498:ALA:HB2	1:A:617:VAL:HG11	1.83	0.61
1:A:226:THR:OG1	1:A:229:GLU:HG3	2.01	0.60
1:A:345:ILE:HB	1:A:351:THR:HG22	1.83	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:ILE:HG23	1:A:303:ASP:HB2	1.83	0.59
1:A:399:VAL:O	1:A:441:THR:HG22	2.02	0.59
1:A:166:TYR:O	1:A:170:GLU:HG3	2.04	0.57
1:A:465:ILE:HD11	1:A:652:ALA:CB	2.34	0.57
1:A:32:TYR:CG	1:A:33:PRO:HD2	2.39	0.57
1:A:319:LEU:HD12	1:A:331:ILE:HD13	1.86	0.57
1:A:548:MET:HB3	1:A:550:ILE:CD1	2.34	0.56
1:A:513:LEU:HD22	1:A:555:ARG:HH12	1.70	0.56
1:A:458:GLU:OE2	1:A:671:ILE:HD11	2.05	0.56
1:A:238:GLU:HG3	1:A:281:LEU:CD1	2.35	0.56
1:A:36:ALA:HB2	1:A:82:HIS:ND1	2.20	0.56
1:A:494:GLY:H	1:A:619:ASN:ND2	2.02	0.55
1:A:468:ARG:O	1:A:470:PRO:HD3	2.06	0.55
1:A:460:ILE:HD12	1:A:460:ILE:N	2.21	0.55
1:A:13:PHE:HB2	1:A:208:ASP:OD1	2.06	0.55
1:A:125:ARG:H	1:A:125:ARG:HD2	1.71	0.55
1:A:493:VAL:HB	1:A:555:ARG:HH12	1.72	0.55
1:A:600:ASP:CG	1:A:605:HIS:HE2	2.09	0.55
1:A:371:VAL:O	1:A:372:GLN:CG	2.54	0.55
1:A:651:VAL:HA	8:A:1027:HOH:O	2.07	0.54
1:A:647:GLY:H	1:A:663:GLN:NE2	2.06	0.54
1:A:654:GLU:N	1:A:654:GLU:CD	2.62	0.53
1:A:573:LYS:NZ	1:A:573:LYS:H	2.07	0.53
1:A:214:ARG:HH21	1:A:286:THR:HG21	1.73	0.53
1:A:451:ASP:O	1:A:454:GLN:HG3	2.09	0.53
1:A:572:GLY:HA2	1:A:573:LYS:NZ	2.24	0.53
1:A:187:TYR:CZ	1:A:229:GLU:HB3	2.44	0.52
1:A:377:ALA:HB2	1:A:456:PHE:CG	2.44	0.52
1:A:583:LEU:HB3	1:A:588:VAL:HG21	1.92	0.52
1:A:357:PRO:HG3	8:A:960:HOH:O	2.09	0.52
1:A:573:LYS:H	1:A:573:LYS:HZ3	1.56	0.52
1:A:636:LEU:CB	1:A:643:VAL:HG21	2.39	0.52
1:A:63:LEU:HG	8:A:754:HOH:O	2.09	0.51
1:A:61:PRO:HG3	1:A:101:ILE:CG2	2.40	0.51
1:A:1:SER:C	1:A:3:PRO:HD3	2.29	0.51
1:A:410:GLY:HA2	4:A:701:FAD:O3B	2.10	0.51
1:A:192:ARG:HD3	8:A:915:HOH:O	2.10	0.51
1:A:192:ARG:HG3	1:A:192:ARG:HH11	1.75	0.51
1:A:192:ARG:O	1:A:196:GLU:HB2	2.11	0.51
1:A:441:THR:HA	8:A:1012:HOH:O	2.10	0.51
1:A:172:LEU:O	1:A:190:ARG:HD2	2.10	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:ASP:OD2	1:A:183:TRP:HD1	1.94	0.50
1:A:222:GLU:O	1:A:223:ASP:HB2	2.10	0.50
1:A:488:ARG:HD3	8:A:1021:HOH:O	2.11	0.50
1:A:550:ILE:HD12	1:A:550:ILE:N	2.26	0.50
1:A:61:PRO:HG3	1:A:101:ILE:HG22	1.93	0.50
1:A:630:ARG:HB3	1:A:633:ALA:CB	2.39	0.50
1:A:362:GLU:H	1:A:362:GLU:CD	2.15	0.49
1:A:552:ARG:HD3	8:A:971:HOH:O	2.12	0.49
1:A:36:ALA:HB2	1:A:82:HIS:CE1	2.46	0.49
1:A:164:GLU:HA	1:A:250:GLY:O	2.13	0.49
1:A:573:LYS:CD	1:A:573:LYS:H	2.26	0.49
1:A:562:ARG:HD2	1:A:596:TYR:HE1	1.75	0.49
1:A:197:VAL:O	1:A:201:VAL:HG23	2.13	0.48
1:A:495:ASN:O	1:A:555:ARG:HB3	2.13	0.48
1:A:421:LYS:HD3	1:A:424:PHE:HE2	1.78	0.48
1:A:598:LYS:HE3	1:A:605:HIS:CG	2.48	0.48
1:A:106:ARG:HA	1:A:113:LEU:HD12	1.95	0.48
1:A:55:VAL:HG11	1:A:159:GLU:OE1	2.14	0.48
1:A:370:ALA:O	1:A:371:VAL:C	2.51	0.47
1:A:608:ILE:HG22	1:A:609:ASN:ND2	2.29	0.47
1:A:199:ARG:HG3	8:A:869:HOH:O	2.13	0.47
1:A:550:ILE:HD12	1:A:550:ILE:H	1.78	0.47
1:A:493:VAL:HB	1:A:555:ARG:NH1	2.29	0.47
1:A:49:HIS:CE1	1:A:318:GLU:HG2	2.49	0.47
1:A:32:TYR:CD2	1:A:33:PRO:HD2	2.50	0.47
1:A:605:HIS:ND1	1:A:614:VAL:HG22	2.28	0.47
1:A:583:LEU:HB3	1:A:588:VAL:CG2	2.45	0.47
1:A:372:GLN:O	1:A:374:LYS:HD3	2.14	0.47
1:A:257:PRO:HG3	1:A:578:ILE:HG23	1.96	0.47
1:A:639:SER:HB3	1:A:641:LYS:HE3	1.95	0.47
1:A:286:THR:HB	1:A:308:SER:HB3	1.97	0.47
1:A:238:GLU:OE1	1:A:281:LEU:HD13	2.15	0.46
1:A:454:GLN:HG2	1:A:641:LYS:HZ1	1.79	0.46
1:A:339:GLN:O	1:A:658:ARG:NH2	2.49	0.46
1:A:604:LEU:HG	1:A:606:VAL:HG13	1.97	0.46
1:A:99:LEU:C	1:A:99:LEU:HD23	2.36	0.46
1:A:368:LEU:O	1:A:395:ARG:NH1	2.48	0.46
1:A:595:SER:HB2	1:A:607:VAL:HB	1.98	0.46
1:A:5:LEU:HA	1:A:299:LEU:CD1	2.44	0.46
1:A:319:LEU:CD1	1:A:331:ILE:HD13	2.45	0.45
1:A:329:ASP:OD2	1:A:433:ARG:HD3	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:600:ASP:OD2	1:A:605:HIS:NE2	2.49	0.45
1:A:375:ASN:ND2	1:A:398:GLN:OE1	2.48	0.45
1:A:477:HIS:ND1	1:A:478:PRO:HD2	2.32	0.45
1:A:371:VAL:O	1:A:372:GLN:NE2	2.49	0.45
1:A:435:ILE:HG23	1:A:440:VAL:HB	1.97	0.45
1:A:632:LEU:HD12	1:A:632:LEU:N	2.31	0.45
1:A:79:GLN:O	1:A:82:HIS:HB3	2.17	0.45
1:A:346:PHE:CD1	7:A:704:MDE:H9'1	2.52	0.45
1:A:286:THR:OG1	1:A:287:ASN:N	2.49	0.45
1:A:27:THR:O	1:A:351:THR:HG23	2.17	0.45
1:A:365:MET:N	1:A:366:PRO:HD3	2.32	0.44
1:A:217:MET:HE3	1:A:247:THR:HA	2.00	0.44
1:A:481:LEU:O	1:A:621:VAL:HA	2.17	0.44
1:A:548:MET:HB3	1:A:550:ILE:HD12	1.99	0.44
1:A:27:THR:N	1:A:30:GLU:OE1	2.47	0.44
1:A:625:GLY:CA	6:A:703:NAP:H52A	2.47	0.44
1:A:639:SER:O	1:A:641:LYS:HG3	2.18	0.44
1:A:604:LEU:HD23	1:A:615:LEU:HD12	1.99	0.43
1:A:60:ALA:HA	1:A:61:PRO:HD3	1.75	0.43
1:A:219:ASP:O	1:A:220:LEU:HB2	2.18	0.43
1:A:157:GLY:HA2	1:A:209:PHE:CZ	2.52	0.43
1:A:566:LYS:HE2	1:A:580:ARG:HD2	2.00	0.43
1:A:454:GLN:HG2	1:A:641:LYS:NZ	2.33	0.43
1:A:174:LEU:HG	1:A:190:ARG:NH1	2.33	0.43
1:A:655:LEU:HD22	1:A:659:ARG:HB3	1.99	0.43
1:A:255:ARG:HA	1:A:255:ARG:NE	2.33	0.43
1:A:450:ALA:HB2	1:A:635:PRO:HB2	2.00	0.43
1:A:110:GLN:HA	1:A:111:PRO:HD3	1.87	0.43
1:A:573:LYS:HD3	1:A:573:LYS:N	2.34	0.43
1:A:46:ARG:CZ	1:A:317:ALA:HB2	2.49	0.43
1:A:505:ILE:HD12	6:A:703:NAP:O2N	2.19	0.43
1:A:647:GLY:N	1:A:663:GLN:NE2	2.66	0.42
1:A:492:PRO:HD2	8:A:1079:HOH:O	2.19	0.42
1:A:598:LYS:HE3	1:A:605:HIS:CD2	2.54	0.42
1:A:354:LEU:C	1:A:354:LEU:HD23	2.39	0.42
1:A:353:CYS:SG	1:A:355:VAL:HG22	2.59	0.42
1:A:84:ARG:HG2	1:A:88:GLU:OE2	2.19	0.42
1:A:651:VAL:O	1:A:655:LEU:HG	2.19	0.42
1:A:359:ALA:O	1:A:360:CYS:HB2	2.19	0.42
1:A:368:LEU:O	1:A:369:PRO:C	2.57	0.42
1:A:655:LEU:HD22	1:A:659:ARG:HG2	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:PRO:O	1:A:395:ARG:O	2.38	0.42
1:A:449:THR:HG22	1:A:450:ALA:N	2.34	0.42
1:A:377:ALA:HB2	1:A:456:PHE:CD2	2.55	0.42
1:A:247:THR:HB	1:A:286:THR:HG22	2.02	0.42
1:A:297:ASP:O	1:A:301:ARG:HG3	2.19	0.42
1:A:573:LYS:CD	1:A:573:LYS:N	2.82	0.41
6:A:703:NAP:H2D	6:A:703:NAP:H6N	1.89	0.41
1:A:341:CYS:SG	1:A:342:LEU:N	2.91	0.41
1:A:7:ALA:HA	1:A:8:PRO:HD3	1.96	0.41
1:A:175:ARG:HB2	1:A:223:ASP:HB2	2.03	0.41
1:A:196:GLU:HA	1:A:196:GLU:OE1	2.21	0.41
1:A:452:GLN:OE1	1:A:452:GLN:HA	2.20	0.41
7:A:704:MDE:H5'1	7:A:704:MDE:H8	2.03	0.41
1:A:367:ILE:HG12	1:A:669:LEU:HD22	2.03	0.41
1:A:25:MET:HE1	1:A:314:LEU:HD13	2.03	0.41
1:A:658:ARG:NH1	1:A:658:ARG:CB	2.82	0.41
1:A:515:GLN:HG3	1:A:517:GLY:O	2.21	0.40
1:A:342:LEU:HG	1:A:574:THR:HG21	2.03	0.40
1:A:110:GLN:HG2	1:A:112:HIS:H	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	669/671 (100%)	620 (93%)	38 (6%)	11 (2%)	<b>9</b> <b>7</b>

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	453	LEU
1	A	504	GLY

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	653	MET
1	A	287	ASN
1	A	369	PRO
1	A	373	LYS
1	A	454	GLN
1	A	33	PRO
1	A	372	GLN
1	A	181	ASP
1	A	370	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	537/537 (100%)	514 (96%)	23 (4%)	29 36

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLU
1	A	31	GLU
1	A	33	PRO
1	A	125	ARG
1	A	161	MET
1	A	169	ASN
1	A	196	GLU
1	A	204	ARG
1	A	208	ASP
1	A	220	LEU
1	A	314	LEU
1	A	374	LYS
1	A	454	GLN
1	A	476	ASP
1	A	539	GLN
1	A	560	LEU
1	A	573	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	583	LEU
1	A	598	LYS
1	A	654	GLU
1	A	658	ARG
1	A	659	ARG
1	A	667	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	HIS
1	A	207	ASN
1	A	405	HIS
1	A	538	GLN
1	A	549	GLN
1	A	597	GLN
1	A	609	ASN
1	A	613	GLN
1	A	619	ASN
1	A	634	GLN
1	A	663	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 3 are monoatomic - leaving 5 for Mogul analysis.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	FAD	A	701	-	51,58,58	4.47	23 (45%)	60,89,89	3.18	22 (36%)
5	FMN	A	702	-	31,33,33	3.15	11 (35%)	40,50,50	3.53	13 (32%)
6	NAP	A	703	-	45,52,52	2.08	9 (20%)	56,80,80	1.60	9 (16%)
7	MDE	A	704	-	54,65,65	2.75	15 (27%)	58,92,92	1.93	12 (20%)
3	SF4	A	700	1	0,12,12	0.00	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FAD	A	701	-	-	10/30/50/50	0/6/6/6
3	SF4	A	700	1	-	-	0/6/5/5
6	NAP	A	703	-	-	10/31/67/67	0/5/5/5
7	MDE	A	704	-	1/1/13/18	13/58/82/82	0/3/3/3
5	FMN	A	702	-	-	6/18/18/18	0/3/3/3

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	FAD	C4X-C10	15.36	1.54	1.38
7	A	704	MDE	OAP-CAP	13.48	1.44	1.21
4	A	701	FAD	C9A-N10	11.26	1.53	1.38
5	A	702	FMN	C1'-N10	-10.72	1.37	1.48
6	A	703	NAP	C4A-N3A	9.74	1.49	1.35
4	A	701	FAD	C4-N3	9.35	1.49	1.33
4	A	701	FAD	C2'-C3'	8.89	1.70	1.53
4	A	701	FAD	C10-N1	7.21	1.42	1.33
4	A	701	FAD	C9A-C5X	7.11	1.56	1.42
4	A	701	FAD	C8-C7	6.86	1.58	1.40
5	A	702	FMN	C9A-N10	6.38	1.47	1.38
7	A	704	MDE	C2A-N3A	6.37	1.42	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	FAD	C4X-N5	6.26	1.42	1.33
4	A	701	FAD	C2A-N3A	6.23	1.42	1.32
4	A	701	FAD	C6-C5X	5.36	1.50	1.41
5	A	702	FMN	C10-N1	5.21	1.39	1.33
4	A	701	FAD	C9-C9A	5.18	1.51	1.40
5	A	702	FMN	C4A-C10	5.12	1.43	1.38
4	A	701	FAD	C5'-C4'	5.11	1.59	1.51
7	A	704	MDE	C2A-N1A	5.08	1.43	1.33
5	A	702	FMN	C4-C4A	5.03	1.50	1.41
4	A	701	FAD	C2A-N1A	5.03	1.43	1.33
7	A	704	MDE	C2'-C3'	4.84	1.44	1.32
7	A	704	MDE	CEP-CBP	4.53	1.62	1.53
4	A	701	FAD	C1'-N10	4.49	1.52	1.48
5	A	702	FMN	C4A-N5	4.39	1.39	1.33
6	A	703	NAP	C2N-C3N	4.31	1.45	1.39
7	A	704	MDE	OB1-CB1	4.01	1.42	1.19
7	A	704	MDE	O2B-C2B	3.95	1.52	1.43
4	A	701	FAD	C5X-N5	3.83	1.41	1.35
4	A	701	FAD	C4-C4X	3.81	1.47	1.41
4	A	701	FAD	C2-N3	3.74	1.45	1.38
4	A	701	FAD	O2B-C2B	3.70	1.51	1.43
5	A	702	FMN	C4-N3	3.56	1.39	1.33
4	A	701	FAD	C6-C7	3.42	1.46	1.37
7	A	704	MDE	O9P-C9P	-3.36	1.23	1.39
7	A	704	MDE	P3B-O3B	3.15	1.65	1.59
4	A	701	FAD	C9-C8	3.03	1.45	1.37
6	A	703	NAP	P2B-O1X	3.02	1.60	1.50
6	A	703	NAP	C6N-N1N	2.95	1.42	1.35
6	A	703	NAP	C4N-C3N	2.88	1.44	1.39
6	A	703	NAP	O4D-C1D	2.84	1.45	1.41
7	A	704	MDE	O4B-C1B	2.76	1.44	1.41
5	A	702	FMN	C7M-C7	2.70	1.56	1.51
5	A	702	FMN	C5'-C4'	-2.63	1.48	1.51
6	A	703	NAP	O4B-C1B	2.59	1.44	1.41
4	A	701	FAD	C8A-N7A	2.59	1.39	1.34
6	A	703	NAP	C5A-C4A	2.49	1.47	1.40
7	A	704	MDE	C5A-C4A	2.42	1.47	1.40
6	A	703	NAP	C3N-C7N	2.39	1.54	1.50
7	A	704	MDE	C5P-N4P	2.35	1.38	1.33
7	A	704	MDE	C4A-N3A	-2.31	1.32	1.35
7	A	704	MDE	C8A-N7A	2.24	1.38	1.34
5	A	702	FMN	C8M-C8	2.19	1.55	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	FAD	C1'-C2'	2.19	1.64	1.50
4	A	701	FAD	C5A-C4A	2.19	1.46	1.40
7	A	704	MDE	C2B-C1B	2.12	1.57	1.53
5	A	702	FMN	P-O3P	-2.02	1.47	1.54

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	FAD	C4-N3-C2	16.12	128.75	115.14
5	A	702	FMN	C4-N3-C2	11.74	125.06	115.14
5	A	702	FMN	C1'-N10-C9A	10.01	126.17	118.29
4	A	701	FAD	C4X-C4-N3	-7.38	113.34	123.43
4	A	701	FAD	C1'-N10-C9A	7.10	123.88	118.29
5	A	702	FMN	C4A-C4-N3	-6.63	114.37	123.43
5	A	702	FMN	C5'-C4'-C3'	-6.50	99.64	112.20
5	A	702	FMN	C9A-N10-C10	-5.89	114.20	121.91
6	A	703	NAP	O7N-C7N-N7N	-5.83	114.30	122.58
7	A	704	MDE	P2A-O3A-P1A	-5.45	114.12	132.83
7	A	704	MDE	O9P-C9P-CAP	5.21	120.53	109.45
5	A	702	FMN	C5A-C9A-N10	5.19	121.48	117.72
5	A	702	FMN	C4-C4A-C10	5.03	123.28	119.95
4	A	701	FAD	C1B-N9A-C4A	-4.97	117.92	126.64
4	A	701	FAD	C10-C4X-N5	4.80	124.57	121.26
7	A	704	MDE	C2P-S1P-C1'	4.43	105.36	99.80
7	A	704	MDE	CEP-CBP-CCP	-4.24	101.62	109.14
4	A	701	FAD	C4X-C10-N10	-4.22	115.96	120.30
7	A	704	MDE	C1B-N9A-C4A	-4.18	119.30	126.64
4	A	701	FAD	C4'-C3'-C2'	4.16	122.02	113.36
6	A	703	NAP	O7N-C7N-C3N	4.01	124.44	119.63
4	A	701	FAD	O5'-C5'-C4'	3.96	119.92	109.36
5	A	702	FMN	C4A-N5-C5A	3.82	120.58	116.77
6	A	703	NAP	PN-O3-PA	-3.77	119.89	132.83
4	A	701	FAD	C5X-C9A-N10	-3.75	115.00	117.72
5	A	702	FMN	O5'-P-O1P	-3.67	96.19	106.47
5	A	702	FMN	O4'-C4'-C3'	3.55	117.73	109.10
7	A	704	MDE	O6A-CCP-CBP	3.50	116.29	110.44
6	A	703	NAP	C4A-C5A-N7A	3.43	112.97	109.40
6	A	703	NAP	C6N-N1N-C2N	-3.35	118.92	121.97
4	A	701	FAD	C4-C4X-C10	-3.32	117.75	119.95
4	A	701	FAD	C6-C5X-N5	-3.17	115.55	119.05
7	A	704	MDE	CB-SG-C5'	3.10	107.20	101.67
7	A	704	MDE	O4B-C4B-C5B	2.93	119.03	109.37

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	703	NAP	C3N-C7N-N7N	2.93	121.27	117.75
4	A	701	FAD	N3A-C2A-N1A	-2.88	124.18	128.68
4	A	701	FAD	C4A-C5A-N7A	-2.84	106.44	109.40
7	A	704	MDE	N3A-C2A-N1A	-2.77	124.35	128.68
7	A	704	MDE	C4A-C5A-N7A	-2.59	106.70	109.40
4	A	701	FAD	O4B-C4B-C5B	2.59	117.89	109.37
5	A	702	FMN	C4A-C10-N10	2.55	122.92	120.30
4	A	701	FAD	C8M-C8-C9	-2.50	114.36	120.34
4	A	701	FAD	C3B-C2B-C1B	2.49	104.73	100.98
7	A	704	MDE	C4'-C3'-C2'	-2.44	120.53	126.00
7	A	704	MDE	OB1-CB1-CB	-2.41	113.80	125.62
4	A	701	FAD	C1'-N10-C10	-2.40	116.26	118.41
5	A	702	FMN	C10-C4A-N5	-2.36	119.62	121.26
4	A	701	FAD	C4X-N5-C5X	2.33	119.10	116.77
6	A	703	NAP	C3N-C2N-N1N	2.33	122.70	120.43
4	A	701	FAD	O4B-C4B-C3B	2.20	109.47	105.11
6	A	703	NAP	C3D-C2D-C1D	2.14	104.19	100.98
4	A	701	FAD	C8M-C8-C7	2.13	125.09	120.74
5	A	702	FMN	C6-C5A-C9A	2.11	121.81	119.05
6	A	703	NAP	C2N-C3N-C7N	2.07	125.48	119.46
4	A	701	FAD	O4B-C1B-C2B	2.02	109.88	106.93
4	A	701	FAD	C9A-C5X-N5	2.01	125.50	122.36

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	A	704	MDE	C9P

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	702	FMN	O4'-C4'-C5'-O5'
4	A	701	FAD	C1'-C2'-C3'-O3'
4	A	701	FAD	C1'-C2'-C3'-C4'
4	A	701	FAD	O2'-C2'-C3'-O3'
4	A	701	FAD	O2'-C2'-C3'-C4'
4	A	701	FAD	C5'-O5'-P-O1P
4	A	701	FAD	C5'-O5'-P-O2P
6	A	703	NAP	C5B-O5B-PA-O1A
6	A	703	NAP	C4B-C5B-O5B-PA
6	A	703	NAP	C2B-O2B-P2B-O1X
6	A	703	NAP	O4D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	703	NAP	O4D-C1D-N1N-C6N
6	A	703	NAP	C2D-C1D-N1N-C2N
6	A	703	NAP	C2D-C1D-N1N-C6N
7	A	704	MDE	C3B-O3B-P3B-O9B
7	A	704	MDE	CCP-O6A-P2A-O3A
7	A	704	MDE	CCP-O6A-P2A-O4A
7	A	704	MDE	CAP-C9P-N8P-C7P
5	A	702	FMN	O3'-C3'-C4'-O4'
6	A	703	NAP	O4D-C4D-C5D-O5D
5	A	702	FMN	C2'-C3'-C4'-O4'
5	A	702	FMN	O3'-C3'-C4'-C5'
5	A	702	FMN	C2'-C3'-C4'-C5'
7	A	704	MDE	O1'-C1'-C2'-C3'
7	A	704	MDE	C2'-C3'-C4'-C5'
4	A	701	FAD	PA-O3P-P-O5'
6	A	703	NAP	C3D-C4D-C5D-O5D
4	A	701	FAD	P-O3P-PA-O1A
7	A	704	MDE	C6P-C7P-N8P-C9P
7	A	704	MDE	OAP-CAP-CBP-CCP
4	A	701	FAD	O4B-C4B-C5B-O5B
5	A	702	FMN	C4'-C5'-O5'-P
7	A	704	MDE	C7'-C8'-C9'-C10
7	A	704	MDE	OAP-CAP-CBP-CEP
7	A	704	MDE	O4B-C4B-C5B-O5B
7	A	704	MDE	C4'-C5'-SG-CB
4	A	701	FAD	C5'-O5'-P-O3P
7	A	704	MDE	C3B-O3B-P3B-O7B
6	A	703	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.


3 monomers are involved in 9 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	FAD	1	0
6	A	703	NAP	6	0
7	A	704	MDE	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	671/671 (100%)	0.15	20 (2%) 50 48	16, 35, 64, 87	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	637	ILE	6.4
1	A	371	VAL	6.4
1	A	638	ASP	4.5
1	A	640	GLY	3.9
1	A	453	LEU	3.8
1	A	639	SER	3.4
1	A	452	GLN	3.4
1	A	653	MET	3.0
1	A	368	LEU	3.0
1	A	125	ARG	2.7
1	A	655	LEU	2.6
1	A	450	ALA	2.4
1	A	633	ALA	2.4
1	A	457	ASP	2.3
1	A	475	ILE	2.3
1	A	451	ASP	2.3
1	A	372	GLN	2.3
1	A	188	ARG	2.1
1	A	641	LYS	2.1
1	A	491	ALA	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates

There are no carbohydrates in this entry.

### 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CL	A	705	1/1	0.80	0.06	69,69,69,69	0
7	MDE	A	704	63/63	0.81	0.22	25,51,94,97	0
2	CL	A	706	1/1	0.84	0.19	55,55,55,55	0
2	CL	A	707	1/1	0.85	0.10	70,70,70,70	0
6	NAP	A	703	48/48	0.88	0.21	34,67,94,95	0
4	FAD	A	701	53/53	0.89	0.18	24,35,55,56	0
5	FMN	A	702	31/31	0.95	0.17	17,20,23,23	0
3	SF4	A	700	8/8	0.96	0.09	19,20,22,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around MDE A 704:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP A 703:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FAD A 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FMN A 702:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.