



## wwPDB EM Validation Summary Report ⓘ

Nov 12, 2022 – 03:01 PM EST

PDB ID : 6PV7  
EMDB ID : EMD-20487  
Title : Human alpha3beta4 nicotinic acetylcholine receptor in complex with nicotine  
Authors : Gharpure, A.; Teng, J.; Zhuang, Y.; Noviello, C.M.; Walsh, R.M.; Cabuco, R.; Howard, R.J.; Zaveri, N.T.; Lindahl, E.; Hibbs, R.E.  
Deposited on : 2019-07-19  
Resolution : 3.34 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	525	
1	D	525	
2	B	538	
2	C	538	
2	E	538	
3	F	219	
3	H	219	
4	G	213	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	I	213	
5	J	2	
5	P	2	
6	K	5	
6	M	5	
6	O	5	
6	Q	5	
6	S	5	
7	L	3	
7	N	3	
7	R	3	

## 2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 20048 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion protein of Neuronal acetylcholine receptor subunit alpha-3 and Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	387	3167	2096	489	562	20	0	0
1	D	387	3167	2096	489	562	20	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	328A	TRP	MET	conflict	UNP A0A3W4NZ06
A	331R	ILE	HIS	conflict	UNP A0A3W4NZ06
A	331V	LEU	-	linker	UNP A0A3W4NZ06
D	328A	TRP	MET	conflict	UNP A0A3W4NZ06
D	331R	ILE	HIS	conflict	UNP A0A3W4NZ06
D	331V	LEU	-	linker	UNP A0A3W4NZ06

- Molecule 2 is a protein called Fusion protein of Neuronal acetylcholine receptor subunit beta-4 and Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	388	3149	2055	512	561	21	0	0
2	C	385	3126	2041	506	558	21	0	0
2	E	388	3149	2055	512	561	21	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	328S	TRP	MET	conflict	UNP A0A3W4NZ06
B	332J	ILE	HIS	conflict	UNP A0A3W4NZ06
B	332N	LEU	-	linker	UNP A0A3W4NZ06

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	478	SER	-	expression tag	UNP P30926
B	479	ALA	-	expression tag	UNP P30926
B	480	TRP	-	expression tag	UNP P30926
B	481	SER	-	expression tag	UNP P30926
B	482	HIS	-	expression tag	UNP P30926
B	483	PRO	-	expression tag	UNP P30926
B	484	GLN	-	expression tag	UNP P30926
B	485	PHE	-	expression tag	UNP P30926
B	486	GLU	-	expression tag	UNP P30926
B	487	LYS	-	expression tag	UNP P30926
C	328S	TRP	MET	conflict	UNP A0A3W4NZ06
C	332J	ILE	HIS	conflict	UNP A0A3W4NZ06
C	332N	LEU	-	linker	UNP A0A3W4NZ06
C	478	SER	-	expression tag	UNP P30926
C	479	ALA	-	expression tag	UNP P30926
C	480	TRP	-	expression tag	UNP P30926
C	481	SER	-	expression tag	UNP P30926
C	482	HIS	-	expression tag	UNP P30926
C	483	PRO	-	expression tag	UNP P30926
C	484	GLN	-	expression tag	UNP P30926
C	485	PHE	-	expression tag	UNP P30926
C	486	GLU	-	expression tag	UNP P30926
C	487	LYS	-	expression tag	UNP P30926
E	328S	TRP	MET	conflict	UNP A0A3W4NZ06
E	332J	ILE	HIS	conflict	UNP A0A3W4NZ06
E	332N	LEU	-	linker	UNP A0A3W4NZ06
E	478	SER	-	expression tag	UNP P30926
E	479	ALA	-	expression tag	UNP P30926
E	480	TRP	-	expression tag	UNP P30926
E	481	SER	-	expression tag	UNP P30926
E	482	HIS	-	expression tag	UNP P30926
E	483	PRO	-	expression tag	UNP P30926
E	484	GLN	-	expression tag	UNP P30926
E	485	PHE	-	expression tag	UNP P30926
E	486	GLU	-	expression tag	UNP P30926
E	487	LYS	-	expression tag	UNP P30926

- Molecule 3 is a protein called IgG2b Fab heavy chain.

Mol	Chain	Residues	Atoms				AltConf	Trace	
			Total	C	N	O			S
3	F	117	911	580	147	179	5	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	H	117	911	580	147	179	5	0	0

- Molecule 4 is a protein called Kappa Fab light chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	G	105	792	494	131	160	7	0	0
4	I	105	792	494	131	160	7	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	J	2	28	16	2	10	0	0
5	P	2	28	16	2	10	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	K	5	61	34	2	25	0	0
6	M	5	61	34	2	25	0	0
6	O	5	61	34	2	25	0	0
6	Q	5	61	34	2	25	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	S	5	61	34	2	25	0	0

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	L	3	39	22	2	15	0	0
7	N	3	39	22	2	15	0	0
7	R	3	39	22	2	15	0	0

- Molecule 8 is (S)-3-(1-METHYLPYRROLIDIN-2-YL)PYRIDINE (three-letter code: NCT) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	N	
8	A	1	12	10	2	0
8	D	1	12	10	2	0

- Molecule 9 is CHOLESTEROL HEMISUCCINATE (three-letter code: Y01) (formula:  $C_{31}H_{50}O_4$ ).




Mol	Chain	Residues	Atoms			AltConf
9	A	1	Total	C	O	0
			56	54	2	
9	A	1	Total	C	O	0
			56	54	2	
9	B	1	Total	C	O	0
			56	54	2	
9	B	1	Total	C	O	0
			56	54	2	
9	C	1	Total	C	O	0
			56	54	2	
9	C	1	Total	C	O	0
			56	54	2	
9	D	1	Total	C	O	0
			56	54	2	
9	D	1	Total	C	O	0
			56	54	2	
9	E	1	Total	C	O	0
			56	54	2	
9	E	1	Total	C	O	0
			56	54	2	

- Molecule 10 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
10	A	1	Total	Na	0
			1	1	




- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
11	B	1	28	16	2	10	0
11	B	1	28	16	2	10	0
11	C	1	28	16	2	10	0
11	C	1	28	16	2	10	0
11	E	1	28	16	2	10	0
11	E	1	28	16	2	10	0

- Molecule 12 is nonane (three-letter code: DD9) (formula:  $C_9H_{20}$ ).



Mol	Chain	Residues	Atoms	AltConf
12	C	1	Total C 9 9	0


- Molecule 13 is water.

Mol	Chain	Residues	Atoms	AltConf
13	B	2	Total O 2 2	0
13	C	2	Total O 2 2	0
13	D	1	Total O 1 1	0
13	E	3	Total O 3 3	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Fusion protein of Neuronal acetylcholine receptor subunit alpha-3 and Soluble cytochrome b562



- Molecule 1: Fusion protein of Neuronal acetylcholine receptor subunit alpha-3 and Soluble cytochrome b562








LEU THR  
THR SER  
GLY ARG  
ALA ALA  
SER SER  
VAL VAL  
THR VAL  
CYS CYS  
PHE PHE  
LEU LEU  
ASN ASN  
ASN ASN  
PHE PHE  
THR THR  
PRO PRO  
LYS LYS  
ASP ASP  
ILE ILE  
ASN ASN  
VAL VAL  
LYS LYS  
TRP TRP  
LYS LYS  
ILE ILE  
ASP ASP  
GLY GLY  
SER SER  
GLU GLU  
ARG ARG  
GLN GLN  
ASN ASN  
GLY GLY  
VAL VAL  
LEU LEU  
SER SER  
SER SER  
TRP TRP  
THR THR  
THR THR  
SER SER  
LYS LYS  
ASP ASP  
LYS LYS  
ASP ASP  
GLU GLU  
CYS CYS

GLU TYR  
TYR GLU  
ARG ARG  
HIS HIS  
ASN ASN  
SER SER  
TYR TYR  
THR THR  
CYS CYS  
GLU GLU  
ALA ALA  
THR THR  
HIS HIS  
LYS LYS  
SER SER  
THR THR  
LYS LYS  
SER SER  
PRO PRO  
ILE ILE  
ASN ASN  
VAL VAL  
LYS LYS  
SER SER  
PHE PHE  
ASN ASN  
ARG ARG  
GLU GLU  
CYS CYS

- Molecule 4: Kappa Fab light chain

Chain I: 



TYR PRO  
PRO LYS  
LYS ASP  
ILE ILE  
ASN ASN  
VAL VAL  
LYS LYS  
TRP TRP  
LYS LYS  
ILE ILE  
ASP ASP  
GLY GLY  
SER SER  
GLU GLU  
GLN GLN  
ARG ARG  
LYS LYS  
ASN ASN  
VAL VAL  
LEU LEU  
ASN ASN  
SER SER  
TRP TRP  
THR THR  
ASP ASP  
GLN GLN  
ASP ASP  
SER SER  
LYS LYS  
ALA ALA  
ASP ASP  
SER SER  
THR THR  
TYR TYR  
PRO PRO  
MET MET  
THR THR  
SER SER  
SER SER  
THR THR  
ILE ILE  
PHE PHE  
PRO PRO  
THR THR  
LYS LYS  
SER SER  
THR THR  
LYS LYS  
ASP ASP  
GLU GLU  
GLN GLN  
TYR TYR  
THR THR  
ARG ARG  
HIS HIS  
GLY GLY  
ASN ASN  
SER SER  
TYR TYR  
THR THR  
VAL VAL  
VAL VAL  
CYS CYS  
PHE PHE  
LEU LEU  
THR THR  
HIS HIS  
ASN ASN  
LYS LYS  
PHE PHE

THR SER  
THR THR  
SER SER  
PRO PRO  
ILE ILE  
VAL VAL  
LYS LYS  
SER SER  
PHE PHE  
ASN ASN  
ARG ARG  
GLU GLU  
CYS CYS

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 




- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 





- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain M: 





- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  67%  
100%





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	112737	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	47	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	46730	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.182	Depositor
Minimum map value	-0.106	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0275	Depositor
Map size (Å)	321.00003, 321.00003, 321.00003	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Y01, NAG, BMA, DD9, NA, MAN, NCT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/3252	0.57	1/4431 (0.0%)
1	D	0.37	1/3252 (0.0%)	0.58	3/4431 (0.1%)
2	B	0.33	0/3228	0.61	1/4402 (0.0%)
2	C	0.35	0/3205	0.61	2/4371 (0.0%)
2	E	0.35	0/3228	0.61	1/4402 (0.0%)
3	F	0.32	0/936	0.55	1/1273 (0.1%)
3	H	0.34	0/936	0.55	0/1273
4	G	0.33	0/811	0.58	0/1099
4	I	0.33	0/811	0.57	0/1099
All	All	0.35	1/19659 (0.0%)	0.59	9/26781 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	241	LYS	C-N	5.96	1.47	1.34

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	96	LEU	CA-CB-CG	6.45	130.13	115.30
2	E	231	LEU	CA-CB-CG	6.19	129.54	115.30
2	B	231	LEU	CA-CB-CG	5.94	128.96	115.30
1	D	230	LEU	CA-CB-CG	5.72	128.45	115.30
1	D	241	LYS	O-C-N	-5.59	113.76	122.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3167	0	3214	26	0
1	D	3167	0	3214	32	0
2	B	3149	0	3203	32	0
2	C	3126	0	3173	50	0
2	E	3149	0	3203	32	0
3	F	911	0	865	9	0
3	H	911	0	865	3	0
4	G	792	0	757	11	0
4	I	792	0	757	6	0
5	J	28	0	25	0	0
5	P	28	0	25	0	0
6	K	61	0	52	0	0
6	M	61	0	52	1	0
6	O	61	0	52	1	0
6	Q	61	0	52	0	0
6	S	61	0	52	1	0
7	L	39	0	34	1	0
7	N	39	0	34	0	0
7	R	39	0	34	0	0
8	A	12	0	14	0	0
8	D	12	0	14	0	0
9	A	56	0	90	4	0
9	B	56	0	90	4	0
9	C	56	0	90	5	0
9	D	56	0	90	4	0
9	E	56	0	90	6	0
10	A	1	0	0	0	0
11	B	28	0	26	0	0
11	C	28	0	26	1	0
11	E	28	0	26	0	0
12	C	9	0	20	0	0
13	B	2	0	0	0	0
13	C	2	0	0	0	0
13	D	1	0	0	0	0
13	E	3	0	0	0	0
All	All	20048	0	20239	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 200 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:171:MET:SD	2:C:182:ILE:CD1	2.64	0.85
2:B:313:LYS:HA	2:B:317:LEU:HD12	1.60	0.84
1:A:239:GLY:O	2:B:241:GLU:OE2	1.95	0.83
2:C:171:MET:SD	2:C:182:ILE:HD12	2.22	0.79
2:E:153:TRP:CD1	2:E:154:THR:HG23	2.26	0.70

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	383/525 (73%)	366 (96%)	17 (4%)	0	100	100
1	D	383/525 (73%)	369 (96%)	14 (4%)	0	100	100
2	B	384/538 (71%)	361 (94%)	23 (6%)	0	100	100
2	C	381/538 (71%)	360 (94%)	21 (6%)	0	100	100
2	E	384/538 (71%)	367 (96%)	17 (4%)	0	100	100
3	F	115/219 (52%)	109 (95%)	6 (5%)	0	100	100
3	H	115/219 (52%)	112 (97%)	3 (3%)	0	100	100
4	G	103/213 (48%)	94 (91%)	9 (9%)	0	100	100
4	I	103/213 (48%)	95 (92%)	8 (8%)	0	100	100
All	All	2351/3528 (67%)	2233 (95%)	118 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	359/470 (76%)	359 (100%)	0	100	100
1	D	359/470 (76%)	359 (100%)	0	100	100
2	B	362/482 (75%)	360 (99%)	2 (1%)	86	92
2	C	360/482 (75%)	352 (98%)	8 (2%)	52	76
2	E	362/482 (75%)	358 (99%)	4 (1%)	73	86
3	F	98/188 (52%)	98 (100%)	0	100	100
3	H	98/188 (52%)	97 (99%)	1 (1%)	76	87
4	G	88/187 (47%)	88 (100%)	0	100	100
4	I	88/187 (47%)	88 (100%)	0	100	100
All	All	2174/3136 (69%)	2159 (99%)	15 (1%)	84	91

5 of 15 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	C	153	TRP
2	E	242	LYS
2	C	171	MET
3	H	57	ARG
2	E	153	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	191	ASN
1	D	298	HIS
1	D	317	ASN
1	A	298	HIS
1	A	16	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

38 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	J	1	5,1	14,14,15	0.28	0	17,19,21	0.67	1 (5%)
5	NAG	J	2	5	14,14,15	0.40	0	17,19,21	0.40	0
6	NAG	K	1	6,1	14,14,15	0.20	0	17,19,21	0.59	0
6	NAG	K	2	6	14,14,15	0.32	0	17,19,21	0.60	0
6	BMA	K	3	6	11,11,12	0.71	0	15,15,17	0.89	0
6	MAN	K	4	6	11,11,12	0.80	0	15,15,17	1.21	2 (13%)
6	MAN	K	5	6	11,11,12	0.87	0	15,15,17	1.06	2 (13%)
7	NAG	L	1	7,2	14,14,15	0.56	0	17,19,21	1.07	2 (11%)
7	NAG	L	2	7	14,14,15	0.39	0	17,19,21	1.01	1 (5%)
7	BMA	L	3	7	11,11,12	0.84	0	15,15,17	0.92	1 (6%)
6	NAG	M	1	6,2	14,14,15	0.26	0	17,19,21	0.66	1 (5%)
6	NAG	M	2	6	14,14,15	0.26	0	17,19,21	0.55	0
6	BMA	M	3	6	11,11,12	0.26	0	15,15,17	0.71	1 (6%)
6	MAN	M	4	6	11,11,12	0.26	0	15,15,17	0.68	0
6	MAN	M	5	6	11,11,12	1.01	1 (9%)	15,15,17	1.24	2 (13%)
7	NAG	N	1	7,2	14,14,15	0.32	0	17,19,21	0.98	1 (5%)
7	NAG	N	2	7	14,14,15	0.28	0	17,19,21	0.60	0
7	BMA	N	3	7	11,11,12	0.80	0	15,15,17	0.97	1 (6%)
6	NAG	O	1	6,2	14,14,15	0.49	0	17,19,21	0.66	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	O	2	6	14,14,15	0.34	0	17,19,21	1.08	1 (5%)
6	BMA	O	3	6	11,11,12	0.73	0	15,15,17	0.97	0
6	MAN	O	4	6	11,11,12	1.00	1 (9%)	15,15,17	1.10	2 (13%)
6	MAN	O	5	6	11,11,12	0.77	0	15,15,17	1.26	2 (13%)
5	NAG	P	1	5,1	14,14,15	0.34	0	17,19,21	0.62	1 (5%)
5	NAG	P	2	5	14,14,15	0.80	1 (7%)	17,19,21	2.23	3 (17%)
6	NAG	Q	1	6,1	14,14,15	0.19	0	17,19,21	0.63	0
6	NAG	Q	2	6	14,14,15	0.27	0	17,19,21	0.77	1 (5%)
6	BMA	Q	3	6	11,11,12	0.76	0	15,15,17	0.89	0
6	MAN	Q	4	6	11,11,12	0.81	0	15,15,17	1.03	2 (13%)
6	MAN	Q	5	6	11,11,12	0.85	0	15,15,17	1.08	2 (13%)
7	NAG	R	1	7,2	14,14,15	0.51	0	17,19,21	1.07	1 (5%)
7	NAG	R	2	7	14,14,15	0.36	0	17,19,21	1.02	1 (5%)
7	BMA	R	3	7	11,11,12	0.79	0	15,15,17	1.38	1 (6%)
6	NAG	S	1	6,2	14,14,15	0.33	0	17,19,21	0.72	1 (5%)
6	NAG	S	2	6	14,14,15	0.26	0	17,19,21	1.24	3 (17%)
6	BMA	S	3	6	11,11,12	0.70	0	15,15,17	0.97	0
6	MAN	S	4	6	11,11,12	1.13	1 (9%)	15,15,17	1.05	0
6	MAN	S	5	6	11,11,12	0.81	0	15,15,17	1.11	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	J	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	J	2	5	-	2/6/23/26	0/1/1/1
6	NAG	K	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	0/6/23/26	0/1/1/1
6	BMA	K	3	6	-	0/2/19/22	0/1/1/1
6	MAN	K	4	6	-	0/2/19/22	0/1/1/1
6	MAN	K	5	6	-	0/2/19/22	0/1/1/1
7	NAG	L	1	7,2	-	3/6/23/26	0/1/1/1
7	NAG	L	2	7	-	3/6/23/26	0/1/1/1
7	BMA	L	3	7	-	1/2/19/22	0/1/1/1
6	NAG	M	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	M	2	6	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BMA	M	3	6	-	2/2/19/22	0/1/1/1
6	MAN	M	4	6	-	0/2/19/22	0/1/1/1
6	MAN	M	5	6	-	2/2/19/22	0/1/1/1
7	NAG	N	1	7,2	-	1/6/23/26	0/1/1/1
7	NAG	N	2	7	-	1/6/23/26	0/1/1/1
7	BMA	N	3	7	-	1/2/19/22	0/1/1/1
6	NAG	O	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	O	2	6	-	3/6/23/26	0/1/1/1
6	BMA	O	3	6	-	0/2/19/22	0/1/1/1
6	MAN	O	4	6	-	2/2/19/22	0/1/1/1
6	MAN	O	5	6	-	0/2/19/22	0/1/1/1
5	NAG	P	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	P	2	5	-	3/6/23/26	0/1/1/1
6	NAG	Q	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	0/6/23/26	0/1/1/1
6	BMA	Q	3	6	-	0/2/19/22	0/1/1/1
6	MAN	Q	4	6	-	0/2/19/22	0/1/1/1
6	MAN	Q	5	6	-	1/2/19/22	0/1/1/1
7	NAG	R	1	7,2	-	3/6/23/26	0/1/1/1
7	NAG	R	2	7	-	3/6/23/26	0/1/1/1
7	BMA	R	3	7	-	1/2/19/22	0/1/1/1
6	NAG	S	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	S	2	6	-	3/6/23/26	0/1/1/1
6	BMA	S	3	6	-	1/2/19/22	0/1/1/1
6	MAN	S	4	6	-	0/2/19/22	0/1/1/1
6	MAN	S	5	6	-	0/2/19/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	5	MAN	C1-C2	2.94	1.58	1.52
6	S	4	MAN	C1-C2	2.85	1.58	1.52
6	O	4	MAN	C1-C2	2.67	1.58	1.52
5	P	2	NAG	C1-C2	2.37	1.55	1.52

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	P	2	NAG	C2-N2-C7	7.72	133.89	122.90
6	O	5	MAN	C1-O5-C5	3.86	117.42	112.19

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	R	3	BMA	C1-O5-C5	3.71	117.21	112.19
5	P	2	NAG	C1-C2-N2	3.68	116.77	110.49
6	K	4	MAN	C1-O5-C5	3.48	116.91	112.19

There are no chirality outliers.

5 of 47 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	L	2	NAG	O5-C5-C6-O6
5	P	1	NAG	O5-C5-C6-O6
6	M	3	BMA	C4-C5-C6-O6
6	S	2	NAG	O5-C5-C6-O6
6	K	1	NAG	O5-C5-C6-O6


There are no ring outliers.


7 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	M	4	MAN	1	0
7	L	1	NAG	1	0
6	O	3	BMA	1	0
6	S	4	MAN	1	0
6	O	4	MAN	1	0
6	M	3	BMA	1	0
6	S	3	BMA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.























## 5.6 Ligand geometry

Of 20 ligands modelled in this entry, 1 is monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	Y01	C	711	-	31,31,38	0.63	0	48,48,57	1.42	7 (14%)
9	Y01	E	712	-	31,31,38	0.67	0	48,48,57	1.38	4 (8%)
8	NCT	A	701	-	13,13,13	0.50	0	17,17,17	1.59	5 (29%)
9	Y01	B	711	-	31,31,38	0.67	0	48,48,57	1.23	6 (12%)
9	Y01	A	709	-	31,31,38	0.63	0	48,48,57	1.43	8 (16%)
9	Y01	D	710	-	31,31,38	0.64	0	48,48,57	1.43	7 (14%)
9	Y01	E	711	-	31,31,38	0.64	0	48,48,57	1.30	8 (16%)
11	NAG	C	701	2	14,14,15	0.46	0	17,19,21	0.55	0
9	Y01	D	709	-	31,31,38	0.65	0	48,48,57	1.37	6 (12%)
9	Y01	B	712	-	31,31,38	0.67	1 (3%)	48,48,57	1.28	4 (8%)
8	NCT	D	701	-	13,13,13	0.52	0	17,17,17	1.63	5 (29%)
11	NAG	E	701	2	14,14,15	0.57	0	17,19,21	0.96	1 (5%)
11	NAG	E	702	2	14,14,15	0.37	0	17,19,21	0.56	0
12	DD9	C	713	-	8,8,8	0.32	0	7,7,7	0.79	0
9	Y01	C	712	-	31,31,38	0.68	1 (3%)	48,48,57	1.37	5 (10%)
9	Y01	A	710	-	31,31,38	0.71	1 (3%)	48,48,57	1.24	6 (12%)
11	NAG	B	701	2	14,14,15	0.44	0	17,19,21	0.56	0
11	NAG	B	702	2	14,14,15	0.32	0	17,19,21	0.56	0
11	NAG	C	702	2	14,14,15	0.30	0	17,19,21	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	Y01	C	711	-	-	6/10/68/77	0/4/4/4
9	Y01	E	712	-	-	6/10/68/77	0/4/4/4

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NCT	A	701	-	-	0/4/14/14	0/2/2/2
9	Y01	B	711	-	-	7/10/68/77	0/4/4/4
9	Y01	A	709	-	-	4/10/68/77	0/4/4/4
9	Y01	D	710	-	-	5/10/68/77	0/4/4/4
9	Y01	E	711	-	-	4/10/68/77	0/4/4/4
11	NAG	C	701	2	-	2/6/23/26	0/1/1/1
9	Y01	D	709	-	-	6/10/68/77	0/4/4/4
9	Y01	B	712	-	-	4/10/68/77	0/4/4/4
8	NCT	D	701	-	-	0/4/14/14	0/2/2/2
11	NAG	E	701	2	-	3/6/23/26	0/1/1/1
11	NAG	E	702	2	-	2/6/23/26	0/1/1/1
12	DD9	C	713	-	-	0/6/6/6	-
9	Y01	C	712	-	-	5/10/68/77	0/4/4/4
9	Y01	A	710	-	-	7/10/68/77	0/4/4/4
11	NAG	B	701	2	-	2/6/23/26	0/1/1/1
11	NAG	B	702	2	-	2/6/23/26	0/1/1/1
11	NAG	C	702	2	-	2/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	710	Y01	CBH-CBF	-2.15	1.52	1.56
9	C	712	Y01	CBH-CBF	-2.08	1.52	1.56
9	B	712	Y01	CBH-CBF	-2.03	1.52	1.56

The worst 5 of 72 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	712	Y01	CBI-CBE-CBB	-4.13	113.01	119.49
9	C	711	Y01	CBI-CBE-CBB	-4.12	113.03	119.49
9	E	712	Y01	CBI-CBE-CBB	-3.94	113.31	119.49
9	D	710	Y01	CBI-CBE-CBB	-3.77	113.58	119.49
9	C	712	Y01	CAC-CBB-CBE	-3.55	107.49	112.92

There are no chirality outliers.

5 of 67 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	C	711	Y01	CAC-CBB-CBE-CBI
9	C	712	Y01	CAC-CBB-CBE-CBI
9	D	710	Y01	CAC-CBB-CBE-CBI
9	E	712	Y01	CAC-CBB-CBE-CBI
9	B	712	Y01	CAC-CBB-CBE-CAP



There are no ring outliers.


11 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	C	711	Y01	3	0
9	E	712	Y01	4	0
9	B	711	Y01	2	0
9	A	709	Y01	2	0
9	D	710	Y01	3	0
9	E	711	Y01	2	0
9	D	709	Y01	1	0
9	B	712	Y01	2	0
9	C	712	Y01	2	0
9	A	710	Y01	2	0
11	C	702	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20487. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


### 6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 138




Y Index: 118




Z Index: 163


### 6.3.2 Raw map



X Index: 138



Y Index: 118




Z Index: 163

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0275. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 105 nm<sup>3</sup>; this corresponds to an approximate mass of 95 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.299 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.299  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.34	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.90	4.47	3.97

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.90 differs from the reported value 3.34 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20487 and PDB model 6PV7. Per-residue inclusion information can be found in section 3 on page 11.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0275 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0275).









































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.0275) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6990	 0.5010
A	 0.7238	 0.5150
B	 0.6997	 0.4980
C	 0.6992	 0.4960
D	 0.7310	 0.5140
E	 0.7215	 0.5030
F	 0.6629	 0.4900
G	 0.7031	 0.4980
H	 0.6775	 0.5010
I	 0.7237	 0.5210
J	 0.3929	 0.4040
K	 0.4918	 0.4310
L	 0.1538	 0.1720
M	 0.3115	 0.3120
N	 0.1538	 0.3380
O	 0.2459	 0.3520
P	 0.3571	 0.4350
Q	 0.6066	 0.4880
R	 0.2821	 0.3210
S	 0.3279	 0.3060

