



wwPDB EM Validation Summary Report ⓘ

Nov 12, 2022 – 08:44 PM EST

PDB ID : 6Q16
EMDB ID : EMD-20556
Title : Focussed refinement of InvGN0N1:PrgHK:SpaPQR:PrgIJ from Salmonella SPI-1 injectisome NC-base
Authors : Hu, J.; Worrall, L.J.; Strynadka, N.C.J.
Deposited on : 2019-08-02
Resolution : 4.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	252	 7% 72% 27%
1	AB	252	 7% 73% 27%
1	AC	252	 5% 73% 27%
1	AD	252	 6% 73% 27%
1	AE	252	 6% 72% 27%
1	AF	252	 8% 73% 27%
1	AG	252	 6% 73% 27%
1	AH	252	 6% 73% 27%
1	AI	252	 6% 72% 27%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	AJ	252	8%	72% 27%
1	AK	252	6%	73% 27%
1	AL	252	7%	73% 27%
1	o	252	8%	72% 27%
1	p	252	8%	73% 27%
1	q	252	8%	72% 27%
1	r	252	9%	73% 27%
1	s	252	7%	73% 27%
1	t	252	8%	72% 27%
1	u	252	6%	73% 27%
1	v	252	8%	71% 27%
1	w	252	6%	72% 27%
1	x	252	5%	73% 27%
1	y	252	5%	72% 27%
1	z	252	6%	72% 27%
2	A	562	24%	75%
2	B	562	25%	74%
2	C	562	25%	75%
2	D	562	25%	74%
2	F	562	25%	75%
2	G	562	25%	74%
2	H	562	24%	75%
2	I	562	25%	74%
2	J	562	25%	75%
2	K	562	25%	74%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	L	562	 25% 75%
2	M	562	 25% 74%
2	N	562	 25% 75%
2	O	562	 25% 74%
2	P	562	 25% 75%
2	Q	562	 25% 74%
3	E	392	 6% 56% 43%
3	R	392	 56% 44%
3	S	392	 56% 43%
3	T	392	 5% 57% 43%
3	U	392	 56% 44%
3	V	392	 56% 43%
3	W	392	 6% 56% 43%
3	X	392	 55% 44%
3	Y	392	 56% 43%
3	Z	392	 7% 57% 43%
3	a	392	 56% 44%
3	b	392	 56% 43%
3	c	392	 56% 43%
3	d	392	 56% 44%
3	e	392	 5% 56% 43%
3	f	392	 5% 57% 43%
3	g	392	 56% 44%
3	h	392	 56% 43%
3	i	392	 5% 56% 43%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	j	392	56% 44%
3	k	392	56% 43%
3	l	392	56% 43%
3	m	392	56% 44%
3	n	392	56% 43%
4	0	224	17% 88% 11%
4	1	224	15% 88% 11%
4	2	224	17% 87% 12%
4	3	224	17% 91% 9%
4	4	224	18% 98%
5	5	263	8% 93% 6%
6	6	86	47% 62% 38%
6	7	86	64% 98%
6	8	86	26% 94%
6	9	86	20% 98%
7	AM	101	15% 38% 61%
7	AN	101	22% 77% 23%
7	AO	101	24% 86% 13%
7	AP	101	21% 86% 12%
7	AQ	101	25% 86% 12%
7	AR	101	33% 87% 13%
8	AS	80	35% 70% 26%
8	AT	80	25% 66% 8% 26%
8	AU	80	28% 66% 8% 26%
8	AV	80	28% 69% 5% 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AW	80	
8	AX	80	
8	AY	80	
8	AZ	80	
8	BA	80	
8	BB	80	
8	BC	80	
8	BD	80	
8	BE	80	

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 118198 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipoprotein PrgK.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	AA	184	1431	901	250	277	3	0	0
1	AB	184	1431	901	250	277	3	0	0
1	AC	184	1431	901	250	277	3	0	0
1	AD	184	1431	901	250	277	3	0	0
1	AE	184	1431	901	250	277	3	0	0
1	AF	184	1431	901	250	277	3	0	0
1	AG	184	1431	901	250	277	3	0	0
1	AH	184	1431	901	250	277	3	0	0
1	AI	184	1431	901	250	277	3	0	0
1	AL	184	1431	901	250	277	3	0	0
1	o	184	1431	901	250	277	3	0	0
1	p	184	1431	901	250	277	3	0	0
1	q	184	1431	901	250	277	3	0	0
1	r	184	1431	901	250	277	3	0	0
1	s	184	1431	901	250	277	3	0	0
1	t	184	1431	901	250	277	3	0	0
1	u	184	1431	901	250	277	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	v	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	w	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	x	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	y	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	z	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	AJ	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	AK	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		

- Molecule 2 is a protein called Protein InvG.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	B	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
2	C	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	D	144	Total	C	N	O	S	0	0
			1146	736	195	209	6		
2	F	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	G	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
2	H	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	I	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
2	J	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	K	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
2	L	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	M	144	Total	C	N	O	S	0	0
			1146	736	195	209	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	N	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	O	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
2	P	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
2	Q	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		

- Molecule 3 is a protein called Protein PrgH.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	R	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	S	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		
3	T	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	U	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	V	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		
3	W	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	X	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	Y	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		
3	Z	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	a	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	b	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		
3	c	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	d	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	e	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	f	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	g	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	h	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		
3	i	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	j	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	k	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		
3	l	222	Total	C	N	O	S	0	0
			1836	1170	326	335	5		
3	m	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
3	n	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		

- Molecule 4 is a protein called Surface presentation of antigens protein SpaP.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	0	199	Total	C	N	O	S	0	0
			1562	1041	231	279	11		
4	1	199	Total	C	N	O	S	0	0
			1569	1047	232	279	11		
4	2	197	Total	C	N	O	S	0	0
			1553	1037	230	275	11		
4	3	204	Total	C	N	O	S	0	0
			1606	1071	238	286	11		
4	4	221	Total	C	N	O	S	1	0
			1758	1163	266	318	11		

- Molecule 5 is a protein called Surface presentation of antigens protein SpaR.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	247	Total	C	N	O	S	0	0
			1885	1252	300	320	13		

- Molecule 6 is a protein called Surface presentation of antigens protein SpaQ.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	53	Total	C	N	O	S	0	0
			405	276	61	67	1		
6	7	84	Total	C	N	O	S	0	0
			644	436	97	109	2		
6	8	84	Total	C	N	O	S	0	0
			644	436	97	109	2		
6	9	84	Total	C	N	O	S	0	0
			647	438	97	109	3		

- Molecule 7 is a protein called Protein PrgJ.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AM	39	Total	C	N	O	S	0	0
			298	187	49	60	2		
7	AN	78	Total	C	N	O	S	7	0
			644	396	116	130	2		
7	AO	88	Total	C	N	O	S	0	0
			667	410	114	140	3		
7	AP	89	Total	C	N	O	S	0	0
			675	416	115	141	3		
7	AQ	89	Total	C	N	O	S	0	0
			675	416	115	141	3		
7	AR	88	Total	C	N	O	S	0	0
			667	410	114	140	3		

- Molecule 8 is a protein called Protein PrgI.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	AS	59	Total	C	N	O	0	0
			466	294	80	92		
8	AT	59	Total	C	N	O	0	0
			466	294	80	92		
8	AU	59	Total	C	N	O	0	0
			466	294	80	92		
8	AV	59	Total	C	N	O	0	0
			466	294	80	92		
8	AW	59	Total	C	N	O	0	0
			466	294	80	92		
8	AX	73	Total	C	N	O	0	0
			574	362	95	117		
8	AY	78	Total	C	N	O	0	0
			612	387	101	124		
8	AZ	57	Total	C	N	O	0	0
			460	289	76	95		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	BA	54	Total 437	C 275	N 73	O 89	0	0
8	BB	48	Total 388	C 247	N 64	O 77	0	0
8	BC	48	Total 388	C 247	N 64	O 77	0	0
8	BD	48	Total 388	C 247	N 64	O 77	0	0
8	BE	43	Total 346	C 219	N 59	O 68	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lipoprotein PrgK




- Molecule 1: Lipoprotein PrgK



- Molecule 1: Lipoprotein PrgK




- Molecule 1: Lipoprotein PrgK



SER ALA GLY PHE ARG GLY VAL TRP TYR LYS ASN HIS TYR ARG ALA LYS LYS GLY ILE THR THR ASP ASP LYS LYS ALA LYS SER SER ASN ASN GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU MET THR PHE LEU LEU VAL MET THR LYS D20 E34 E53 D64 R60 E84 A91 D92 S93 L94 R99 D133 I134 D135 A136 G137 E138 N139 G140 K203 ARG ASN SER PHE ALA THR LYS TRP ILE VAL LEU ILE

ILE LEU SER VAL MET SER ALA GLY PHE LEU VAL MET THR TYR LYS ALA LYS HIS TYR ALA ARG LYS LYS ILE THR ASP ASP LYS ALA LYS SER SER ASN GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU MET THR PHE LEU LEU VAL MET THR LYS D20 E53 E62 R60 A91 D92 R99 L124 D133 I134 D135 A136 G137 E138 N139 G140 R141 D166 D177 D192 K203 ARG ASN SER PHE ALA THR LYS TRP ILE

VAL LEU ILE ARG TYR LEU SER VAL MET PHE LEU ALA GLY PHE TYR VAL LEU TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS ILE THR ALA ASP ASP LYS SER SER ASN GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU MET THR PHE LEU LEU VAL MET THR LYS D20 R80 E84 D92 S93 L94 R99 D135 A136 G137 E138 N139 G140 G157 D166 D177 K203 ARG ASN SER PHE ALA THR TRP ILE VAL LEU ILE LEU

SER VAL MET SER ALA GLY PHE VAL TRP LEU TYR LYS ASN HIS TYR ALA ASP ASP LYS LYS ILE THR ALA ASP ASP LYS SER SER ASN GLU

• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU MET THR PHE LEU LEU VAL MET THR LYS D20 D64 D92 E110 D133 I134 D135 A136 G137 E138 N139 G140 R141 D166 D192 K203 ARG ASN SER PHE ALA THR SER TRP ILE VAL LEU ILE LEU LEU MET

SER ALA GLY PHE ARG GLY VAL TRP TYR LYS ASN HIS TYR ARG ALA LYS LYS GLY ILE THR THR ASP ASP LYS LYS ALA LYS SER SER ASN GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU MET THR PHE LEU LEU VAL MET THR LYS D20 K53 V60 D64 R80 D92 S93 L94 D133 I134 D135 A136 G137 E138 N139 G140 R141 P142 K203 ARG ASN SER PHE ALA THR SER TRP ILE VAL LEU ILE LEU ILE LEU

THR SER TRP ILE VAL LEU LEU SER VAL MET SER ALA GLY PHE TYR VAL TYR TRP TYR LYS ASN HIS TYR ALA ARG ASN LYS GLY ILE THR ALA ASP LYS ALA LYS SER SER ASN GLU

• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU TYR THR PHE LEU LEU VAL MET THR ALA GLY PHE TYR TRP TYR LYS CYS D20 D41 K53 D64 R80 A91 D92 S93 L94 V95 E110 D133 I134 D135 A136 G137 E138 N139 G140 R141 G157 K203 ARG SER PHE ALA THR TRP TRP ILE VAL

LEU ILE ARG TYR LEU VAL MET THR PHE TYR TRP TYR LYS HIS TYR ALA ARG ASN LYS LYS GLY THR ALA ASP ASP LYS ALA LYS SER SER ASN GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU TYR THR PHE LEU LEU VAL MET THR ALA GLY PHE TYR TRP TYR LYS D20 G52 D64 Q76 M88 A91 D92 S93 L94 V95 K102 I134 D135 A136 G137 E138 N139 G140 R141 G157 L195 K203 ARG SER PHE ALA THR TRP TRP ILE

VAL ILE ARG TYR LEU SER VAL MET THR PHE TYR TRP TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS GLY THR ALA ASP ASP LYS ALA LYS SER SER ASN GLU

• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU TYR THR PHE LEU LEU VAL MET THR ALA GLY PHE TYR TRP TYR LYS D20 V95 R99 E121 D133 I134 D135 A136 G137 E138 N139 G140 R141 F142 L171 D192 K203 ARG ASN SER PHE ALA THR TRP TRP ILE VAL LEU ILE ILE LEU LEU VAL

MET SER ALA ARG PHE LEU VAL TRP TYR LYS ASN HIS TYR ALA ASP LYS ALA LYS SER SER ASN GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU TYR THR PHE LEU LEU VAL MET THR ALA GLY PHE TYR TRP TYR LYS D20 K53 L54 D64 I72 R80 P81 R82 A91 D92 S93 L94 V95 D133 I134 D135 A136 G137 E138 N139 G140 S158 D179 V202 K203 ARG ASN SER PHE ALA THR SER

TRP ILE VAL LEU ILE LEU LEU VAL MET SER ALA GLY PHE TYR TRP TYR LYS ASN HIS TYR ALA ARG ASN LYS GLY ILE THR ALA ASP LYS ALA LYS SER SER ASN GLU

• Molecule 1: Lipoprotein PrgK



MET ILE ARG TYR LEU TYR THR PHE LEU LEU VAL MET THR ALA GLY PHE TYR TRP TYR LYS D20 D28 E62 R80 D92 S93 L94 V95 D133 I134 D135 A136 G137 E138 N139 G140 R141 D177 V178 D179 Y180 D181 K203 ARG ASN SER PHE ALA THR TRP TRP ILE VAL LEU SER

LEU SER VAL MET ILE ALA GLY PHE GLY ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

• Molecule 2: Protein InvG



MET LYS THR ASN THR ILE LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

LEU ASN THR PHE VAL GLY ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

ALA ALA ASN TYR THR ILE LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

GLU LEU SER THR ILE LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

ALA THR VAL VAL SER TRP PRO VAL VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

SER LEU ASP ILE LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

PRO PHE LEU GLY LYS TRP LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

LYS LEU GLN LYS TRP VAL ARG VAL TYR LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

• Molecule 2: Protein InvG



MET LYS THR HIS ILE LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

PHE VAL ASP MET SER LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

ALA GLY MET ASP SER LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

TRP ILE VAL ASP LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

SER ARG PRO VAL LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

GLU ASP GLY ASN ASP LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

LYS LEU PRO LEU ILE LEU LEU ALA ASP ARG VAL TRP LEU TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS LYS THR ASP LYS ALA LYS SER SER LYS GLU

TRP
LEU
VAL
ARG
VAL
THR
PHE
TYR
LEU
LEU
ASP
ARG
GLY
GLN
GLU
ALA
ILE
LYS

• Molecule 2: Protein InvG



MET	LYS	THR	THR	HIS	ILE	PHE	TYR	LEU	LEU	ASP	ARG	GLY	GLN	GLU	ALA	ILE	LYS
LEU	ASN	ASN	THR	THR	VAL	PHE	VAL	GLY	GLY	ASP	ARG	THR	THR	VAL	ALA	ALA	LYS
ALA	ALA	ASN	THR	VAL	GLY	GLY	GLY	ASP	ASP	ASP	ASP	LEU	ASN	THR	VAL	ALA	LYS
GLU	LEU	SER	LEU	TRP	ILE	TRP	ILE	VAL	VAL	ASP	ASP	LEU	ASN	THR	VAL	ALA	LYS
ALA	THR	VAL	VAL	VAL	SER	ARG	PRO	VAL	VAL	VAL	VAL	GLN	ASN	ASN	VAL	ALA	LYS
SER	LEU	ASP	ILE	ILE	ASP	GLY	ASP	ASN	ASP	ASP	ASP	LEU	THR	THR	THR	THR	THR
PRO	PHE	LEU	GLY	HIS	LYS	TRP	PRO	ILE	ILE	GLY	PHE	ALA	THR	THR	THR	THR	THR
LYS	LEU	GLN	LYS	TRP	VAL	VAL	ARG	VAL	VAL	VAL	VAL	GLN	GLY	GLY	GLN	LYS	LYS

• Molecule 2: Protein InvG



MET	LYS	THR	THR	HIS	ILE	PHE	TYR	LEU	LEU	ASP	ARG	GLY	GLN	GLU	ALA	ILE	LYS
ASN	ASN	THR	THR	PHE	VAL	GLY	GLY	ASP	ASP	ASP	ASP	LEU	ASN	THR	VAL	ALA	LYS
ALA	ASN	TYR	THR	ALA	GLY	GLY	GLY	MET	LEU	LEU	LEU	ASN	GLN	GLN	ALA	ALA	LYS
LEU	SER	LEU	TRP	ILE	VAL	VAL	ASP	ASP	LEU	ASN	ASP	GLU	ARG	GLY	VAL	VAL	LYS
THR	VAL	VAL	SER	ARG	ARG	PRO	VAL	VAL	VAL	ASN	VAL	VAL	PRO	THR	THR	THR	THR
LEU	ASP	ILE	GLY	GLY	GLY	GLY	ASP	ASP	THR	THR	THR	THR	THR	THR	THR	THR	THR
PHE	LEU	GLY	GLY	LYS	PRO	PRO	GLN	GLN	PHE	ARG	ASP	THR	THR	THR	THR	THR	THR



VAL
ARG
VAL
TYR
LEU
ASP
ARG
GLY
GLN
ALA
ILE
LYS

• Molecule 3: Protein PrgH



MET
GLU
THR
SER
LYS
GLU
LYS
THR
ILE
SER
THR
SER
PRO
GLY
PRO
TYR
VAL
VAL
ARG
THR
VAL
ARG
LEU
LEU
ASN
SER
SER
LEU
LEU
ASN
GLY
CYS
GLU
GLU
PHE
PRO
PHE
LEU
LEU
THR
THR
GLY
ARG
SER
THR
PHE
VAL
VAL
ASN
THR
GLN
TRP
PRO
GLN
SER
ILE
SER
ASP
VAL
ALA
THR
LEU
LEU
ALA
GLN
GLY
LEU
LEU
ILE

PHE
ILE
PRO
LEU
LEU
ASP
HIS
GLY
GLY
VAL
ASN
PHE
SER
GLU
LEU
ILE
GLN
VAL
GLU
THR
VAL
ASP
THR
PHE
ASP
ALA
THR
ASN
GLY
SER
VAL
ILE
SER
VAL
ALA
ALA
LEU
LEU
ALA
ALA
LEU
LEU
PHE
GLY
PHE
ASN
SER
LEU
GLY
ILE
SER
THR
THR
VAL
GLY
THR
LEU
ASN
VAL
LEU
TRP
TRP
ILE
SER
ASN
SER
SER
PRO
GLN
ARG
LEU
GLN
ALA
LEU
ILE
LEU
ILE
LEU
ARG
PRO
ASP
PRO
GLU
SER
GLU
ALA
PRO
TRP
SER
PHE
VAL





• Molecule 3: Protein PrgH



MET
GLU
THR
SER
LYS
GLU
LYS
THR
ILE
SER
THR
SER
PRO
GLY
PRO
TYR
VAL
VAL
ARG
THR
VAL
ARG
LEU
LEU
ASN
SER
SER
LEU
LEU
ASN
GLY
CYS
GLU
GLU
PHE
PHE
GLY
PHE
LEU
LEU
THR
THR
VAL
PHE
VAL
VAL
LEU
TRP
TRP
ILE
SER
ASN
SER
SER
PRO
GLN
ARG
LEU
GLN
ALA
LEU
ILE
LEU
ILE
LEU
ARG
PRO
ASP
PRO
GLU
SER
GLU
ALA
PRO
TRP
SER
VAL

PHE
ILE
PRO
LEU
LEU
ASP
HIS
GLY
GLY
VAL
ASN
PHE
SER
GLU
LEU
ILE
GLN
VAL
GLU
THR
VAL
ASP
THR
PHE
ASP
ALA
THR
ASN
GLY
SER
VAL
ILE
SER
VAL
ALA
ALA
LEU
LEU
ALA
ALA
LEU
LEU
PHE
PHE
ILE
LEU
LEU
GLY
ILE
SER
THR
THR
VAL
GLY
THR
LEU
ASN
VAL
LEU
TRP
TRP
ILE
SER
ASN
SER
SER
PRO
GLN
ARG
LEU
GLN
ALA
ALA
A171
K192
D237
D251
E252
E273






• Molecule 3: Protein PrgH




MET
GLU
THR
SER
LYS
GLU
LYS
THR
ILE
SER
THR
SER
PRO
GLY
PRO
TYR
VAL
VAL
ARG
THR
VAL
ARG
LEU
LEU
ASN
SER
SER
LEU
LEU
ASN
GLY
CYS
GLU
GLU
PHE
PHE
GLY
PHE
LEU
LEU
THR
THR
VAL
PHE
VAL
VAL
LEU
TRP
TRP
ILE
SER
ASN
SER
SER
PRO
GLN
ARG
LEU
GLN
ALA
LEU
ILE
LEU
ILE
LEU
ARG
PRO
ASP
PRO
GLU
SER
GLU
ALA
PRO
TRP
SER
VAL

PHE
ILE
PRO
LEU
LEU
ASP
HIS
GLY
GLY
VAL
ASN
PHE
SER
GLU
LEU
ILE
GLN
VAL
GLU
THR
VAL
ASP
THR
PHE
ASP
ALA
THR
ASN
GLY
SER
VAL
ILE
SER
VAL
ALA
ALA
LEU
LEU
ALA
ALA
LEU
LEU
PHE
PHE
ILE
LEU
LEU
GLY
ILE
SER
THR
THR
VAL
GLY
THR
LEU
ASN
VAL
LEU
TRP
TRP
ILE
SER
ASN
SER
SER
PRO
GLN
ARG
LEU
GLN
ALA
ALA
A171
D174
K192
A198
Q209







• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH






• Molecule 3: Protein PrgH









• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH





• Molecule 3: Protein PrgH








• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH








• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH




• Molecule 4: Surface presentation of antigens protein SpaP




• Molecule 4: Surface presentation of antigens protein SpaP




• Molecule 4: Surface presentation of antigens protein SpaP




• Molecule 4: Surface presentation of antigens protein SpaP




• Molecule 4: Surface presentation of antigens protein SpaP




• Molecule 5: Surface presentation of antigens protein SpaR




• Molecule 6: Surface presentation of antigens protein SpaQ




• Molecule 6: Surface presentation of antigens protein SpaQ




• Molecule 6: Surface presentation of antigens protein SpaQ




• Molecule 6: Surface presentation of antigens protein SpaQ




• Molecule 7: Protein PrgJ





• Molecule 7: Protein PrgJ









• Molecule 7: Protein PrgJ




• Molecule 7: Protein PrgJ




• Molecule 7: Protein PrgJ




• Molecule 7: Protein PrgJ




• Molecule 8: Protein PrgI




• Molecule 8: Protein PrgI






• Molecule 8: Protein PrgI






• Molecule 8: Protein PrgI




• Molecule 8: Protein PrgI




• Molecule 8: Protein PrgI





• Molecule 8: Protein PrgI









• Molecule 8: Protein PrgI




• Molecule 8: Protein PrgI



• Molecule 8: Protein PrgI





• Molecule 8: Protein PrgI






• Molecule 8: Protein PrgI



• Molecule 8: Protein PrgI



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	19141	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51.3	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.147	Depositor
Minimum map value	-0.079	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.035	Depositor
Map size (Å)	427.5, 427.5, 427.5	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.71, 1.71, 1.71	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.43	0/1458	0.61	0/1979
1	AB	0.40	0/1458	0.59	0/1979
1	AC	0.43	0/1458	0.60	0/1979
1	AD	0.40	0/1458	0.61	0/1979
1	AE	0.42	0/1458	0.60	0/1979
1	AF	0.42	0/1458	0.59	0/1979
1	AG	0.42	0/1458	0.59	0/1979
1	AH	0.41	0/1458	0.58	0/1979
1	AI	0.41	0/1458	0.61	0/1979
1	AJ	0.41	0/1458	0.64	2/1979 (0.1%)
1	AK	0.40	0/1458	0.59	0/1979
1	AL	0.41	0/1458	0.60	0/1979
1	o	0.41	0/1458	0.59	1/1979 (0.1%)
1	p	0.40	0/1458	0.57	0/1979
1	q	0.42	1/1458 (0.1%)	0.58	1/1979 (0.1%)
1	r	0.39	0/1458	0.60	0/1979
1	s	0.40	0/1458	0.59	0/1979
1	t	0.42	1/1458 (0.1%)	0.63	1/1979 (0.1%)
1	u	0.40	0/1458	0.62	1/1979 (0.1%)
1	v	0.42	0/1458	0.60	1/1979 (0.1%)
1	w	0.40	0/1458	0.61	1/1979 (0.1%)
1	x	0.41	0/1458	0.61	0/1979
1	y	0.42	0/1458	0.62	1/1979 (0.1%)
1	z	0.41	0/1458	0.63	1/1979 (0.1%)
2	A	0.39	0/1131	0.65	3/1525 (0.2%)
2	B	0.41	0/1181	0.65	1/1593 (0.1%)
2	C	0.40	0/1131	0.60	0/1525
2	D	0.41	0/1170	0.59	0/1579
2	F	0.41	0/1131	0.59	0/1525
2	G	0.40	0/1181	0.60	0/1593
2	H	0.45	0/1131	0.63	1/1525 (0.1%)
2	I	0.39	0/1181	0.59	0/1593
2	J	0.42	0/1131	0.58	0/1525
2	K	0.41	0/1181	0.61	0/1593

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	L	0.41	0/1131	0.59	0/1525
2	M	0.39	0/1170	0.61	1/1579 (0.1%)
2	N	0.42	0/1131	0.59	0/1525
2	O	0.40	0/1181	0.63	0/1593
2	P	0.41	0/1131	0.58	0/1525
2	Q	0.41	0/1181	0.62	0/1593
3	E	0.39	0/1881	0.58	0/2541
3	R	0.39	0/1872	0.62	2/2530 (0.1%)
3	S	0.40	0/1876	0.58	1/2536 (0.0%)
3	T	0.38	0/1881	0.56	0/2541
3	U	0.38	0/1872	0.60	1/2530 (0.0%)
3	V	0.38	0/1876	0.63	2/2536 (0.1%)
3	W	0.38	0/1881	0.58	0/2541
3	X	0.38	0/1872	0.63	2/2530 (0.1%)
3	Y	0.40	0/1876	0.59	0/2536
3	Z	0.39	0/1881	0.57	0/2541
3	a	0.40	0/1872	0.58	0/2530
3	b	0.39	0/1876	0.57	0/2536
3	c	0.40	0/1881	0.58	0/2541
3	d	0.39	0/1872	0.56	0/2530
3	e	0.39	0/1876	0.59	0/2536
3	f	0.39	0/1881	0.58	0/2541
3	g	0.37	0/1872	0.59	1/2530 (0.0%)
3	h	0.41	0/1876	0.62	1/2536 (0.0%)
3	i	0.38	0/1881	0.56	0/2541
3	j	0.39	0/1872	0.59	0/2530
3	k	0.41	0/1876	0.59	0/2536
3	l	0.41	0/1881	0.60	0/2541
3	m	0.40	0/1872	0.62	0/2530
3	n	0.38	0/1876	0.59	1/2536 (0.0%)
4	0	0.40	0/1598	0.64	0/2172
4	1	0.37	0/1605	0.64	0/2181
4	2	0.36	0/1589	0.63	0/2159
4	3	0.38	0/1642	0.60	0/2230
4	4	0.39	0/1799	0.63	0/2441
5	5	0.39	0/1935	0.68	2/2647 (0.1%)
6	6	0.32	0/414	0.72	0/565
6	7	0.35	0/657	0.69	0/897
6	8	0.37	0/657	0.69	1/897 (0.1%)
6	9	0.38	0/660	0.64	0/900
7	AM	0.40	0/300	0.78	1/403 (0.2%)
7	AN	0.35	0/646	0.59	0/870
7	AO	0.33	0/671	0.59	0/908

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
7	AP	0.36	0/679	0.64	0/919
7	AQ	0.32	0/679	0.63	1/919 (0.1%)
7	AR	0.33	0/671	0.62	0/908
8	AS	0.35	0/472	0.65	0/638
8	AT	0.35	0/472	0.59	0/638
8	AU	0.37	0/472	0.62	0/638
8	AV	0.39	0/472	0.70	1/638 (0.2%)
8	AW	0.35	0/472	0.56	0/638
8	AX	0.33	0/582	0.56	1/788 (0.1%)
8	AY	0.39	0/623	0.62	1/846 (0.1%)
8	AZ	0.31	0/467	0.50	0/632
8	BA	0.31	0/444	0.49	0/600
8	BB	0.33	0/395	0.66	0/533
8	BC	0.30	0/395	0.54	0/533
8	BD	0.32	0/395	0.61	1/533 (0.2%)
8	BE	0.32	0/352	0.59	0/474
All	All	0.40	2/120713 (0.0%)	0.60	36/163413 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	b	0	1
6	8	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	q	76	GLN	C-N	-5.89	1.20	1.34
1	t	76	GLN	C-N	-5.27	1.22	1.34

The worst 5 of 36 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	90	LEU	CA-CB-CG	8.54	134.93	115.30
2	B	47	ASP	CB-CG-OD1	8.49	125.94	118.30
7	AQ	47	ASP	CB-CG-OD2	7.27	124.84	118.30
5	5	158	ASP	CB-CG-OD2	7.17	124.75	118.30
3	h	279	LEU	CA-CB-CG	7.15	131.74	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	8	41	GLN	Peptide
3	b	366	LEU	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AA	182/252 (72%)	173 (95%)	9 (5%)	0	100	100
1	AB	182/252 (72%)	178 (98%)	4 (2%)	0	100	100
1	AC	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	AD	182/252 (72%)	174 (96%)	8 (4%)	0	100	100
1	AE	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	AF	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	AG	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	AH	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	AI	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	AJ	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	AK	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	AL	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	o	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	p	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	q	182/252 (72%)	176 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	r	182/252 (72%)	174 (96%)	8 (4%)	0	100	100
1	s	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	t	182/252 (72%)	179 (98%)	3 (2%)	0	100	100
1	u	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	v	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	w	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	x	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	y	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	z	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
2	A	137/562 (24%)	136 (99%)	1 (1%)	0	100	100
2	B	143/562 (25%)	139 (97%)	4 (3%)	0	100	100
2	C	137/562 (24%)	134 (98%)	3 (2%)	0	100	100
2	D	142/562 (25%)	138 (97%)	4 (3%)	0	100	100
2	F	137/562 (24%)	135 (98%)	2 (2%)	0	100	100
2	G	143/562 (25%)	137 (96%)	6 (4%)	0	100	100
2	H	137/562 (24%)	134 (98%)	3 (2%)	0	100	100
2	I	143/562 (25%)	141 (99%)	2 (1%)	0	100	100
2	J	137/562 (24%)	134 (98%)	3 (2%)	0	100	100
2	K	143/562 (25%)	139 (97%)	4 (3%)	0	100	100
2	L	137/562 (24%)	135 (98%)	2 (2%)	0	100	100
2	M	142/562 (25%)	137 (96%)	5 (4%)	0	100	100
2	N	137/562 (24%)	134 (98%)	3 (2%)	0	100	100
2	O	143/562 (25%)	140 (98%)	3 (2%)	0	100	100
2	P	137/562 (24%)	136 (99%)	1 (1%)	0	100	100
2	Q	143/562 (25%)	139 (97%)	4 (3%)	0	100	100
3	E	220/392 (56%)	212 (96%)	8 (4%)	0	100	100
3	R	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
3	S	220/392 (56%)	209 (95%)	11 (5%)	0	100	100
3	T	220/392 (56%)	210 (96%)	10 (4%)	0	100	100
3	U	219/392 (56%)	213 (97%)	6 (3%)	0	100	100
3	V	220/392 (56%)	207 (94%)	13 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	W	220/392 (56%)	211 (96%)	9 (4%)	0	100	100
3	X	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
3	Y	220/392 (56%)	204 (93%)	16 (7%)	0	100	100
3	Z	220/392 (56%)	210 (96%)	10 (4%)	0	100	100
3	a	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
3	b	220/392 (56%)	207 (94%)	13 (6%)	0	100	100
3	c	220/392 (56%)	210 (96%)	10 (4%)	0	100	100
3	d	219/392 (56%)	213 (97%)	6 (3%)	0	100	100
3	e	220/392 (56%)	208 (94%)	12 (6%)	0	100	100
3	f	220/392 (56%)	209 (95%)	11 (5%)	0	100	100
3	g	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
3	h	220/392 (56%)	207 (94%)	13 (6%)	0	100	100
3	i	220/392 (56%)	211 (96%)	9 (4%)	0	100	100
3	j	219/392 (56%)	213 (97%)	6 (3%)	0	100	100
3	k	220/392 (56%)	206 (94%)	14 (6%)	0	100	100
3	l	220/392 (56%)	210 (96%)	10 (4%)	0	100	100
3	m	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
3	n	220/392 (56%)	207 (94%)	13 (6%)	0	100	100
4	0	195/224 (87%)	189 (97%)	5 (3%)	1 (0%)	29	67
4	1	195/224 (87%)	186 (95%)	8 (4%)	1 (0%)	29	67
4	2	193/224 (86%)	187 (97%)	5 (3%)	1 (0%)	29	67
4	3	200/224 (89%)	195 (98%)	5 (2%)	0	100	100
4	4	220/224 (98%)	209 (95%)	11 (5%)	0	100	100
5	5	243/263 (92%)	224 (92%)	19 (8%)	0	100	100
6	6	49/86 (57%)	46 (94%)	3 (6%)	0	100	100
6	7	82/86 (95%)	80 (98%)	2 (2%)	0	100	100
6	8	82/86 (95%)	80 (98%)	1 (1%)	1 (1%)	13	48
6	9	82/86 (95%)	81 (99%)	1 (1%)	0	100	100
7	AM	37/101 (37%)	37 (100%)	0	0	100	100
7	AN	79/101 (78%)	79 (100%)	0	0	100	100
7	AO	86/101 (85%)	84 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	AP	87/101 (86%)	87 (100%)	0	0	100	100
7	AQ	87/101 (86%)	87 (100%)	0	0	100	100
7	AR	86/101 (85%)	83 (96%)	3 (4%)	0	100	100
8	AS	57/80 (71%)	55 (96%)	2 (4%)	0	100	100
8	AT	57/80 (71%)	55 (96%)	2 (4%)	0	100	100
8	AU	57/80 (71%)	55 (96%)	2 (4%)	0	100	100
8	AV	57/80 (71%)	55 (96%)	2 (4%)	0	100	100
8	AW	57/80 (71%)	55 (96%)	2 (4%)	0	100	100
8	AX	71/80 (89%)	68 (96%)	3 (4%)	0	100	100
8	AY	76/80 (95%)	73 (96%)	3 (4%)	0	100	100
8	AZ	53/80 (66%)	52 (98%)	1 (2%)	0	100	100
8	BA	50/80 (62%)	47 (94%)	3 (6%)	0	100	100
8	BB	44/80 (55%)	43 (98%)	1 (2%)	0	100	100
8	BC	44/80 (55%)	44 (100%)	0	0	100	100
8	BD	44/80 (55%)	43 (98%)	1 (2%)	0	100	100
8	BE	39/80 (49%)	37 (95%)	2 (5%)	0	100	100
All	All	14587/27821 (52%)	14062 (96%)	521 (4%)	4 (0%)	100	100

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	8	42	LEU
4	0	49	ASN
4	1	49	ASN
4	2	47	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AA	155/215 (72%)	153 (99%)	2 (1%)	69	81
1	AB	155/215 (72%)	155 (100%)	0	100	100
1	AC	155/215 (72%)	155 (100%)	0	100	100
1	AD	155/215 (72%)	155 (100%)	0	100	100
1	AE	155/215 (72%)	152 (98%)	3 (2%)	57	75
1	AF	155/215 (72%)	154 (99%)	1 (1%)	86	92
1	AG	155/215 (72%)	154 (99%)	1 (1%)	86	92
1	AH	155/215 (72%)	155 (100%)	0	100	100
1	AI	155/215 (72%)	153 (99%)	2 (1%)	69	81
1	AJ	155/215 (72%)	154 (99%)	1 (1%)	86	92
1	AK	155/215 (72%)	154 (99%)	1 (1%)	86	92
1	AL	155/215 (72%)	155 (100%)	0	100	100
1	o	155/215 (72%)	153 (99%)	2 (1%)	69	81
1	p	155/215 (72%)	155 (100%)	0	100	100
1	q	155/215 (72%)	154 (99%)	1 (1%)	86	92
1	r	155/215 (72%)	154 (99%)	1 (1%)	86	92
1	s	155/215 (72%)	155 (100%)	0	100	100
1	t	155/215 (72%)	155 (100%)	0	100	100
1	u	155/215 (72%)	155 (100%)	0	100	100
1	v	155/215 (72%)	152 (98%)	3 (2%)	57	75
1	w	155/215 (72%)	153 (99%)	2 (1%)	69	81
1	x	155/215 (72%)	155 (100%)	0	100	100
1	y	155/215 (72%)	154 (99%)	1 (1%)	86	92
1	z	155/215 (72%)	154 (99%)	1 (1%)	86	92
2	A	119/477 (25%)	119 (100%)	0	100	100
2	B	125/477 (26%)	125 (100%)	0	100	100
2	C	119/477 (25%)	118 (99%)	1 (1%)	81	88
2	D	124/477 (26%)	123 (99%)	1 (1%)	81	88
2	F	119/477 (25%)	118 (99%)	1 (1%)	81	88
2	G	125/477 (26%)	124 (99%)	1 (1%)	81	88
2	H	119/477 (25%)	117 (98%)	2 (2%)	60	78
2	I	125/477 (26%)	124 (99%)	1 (1%)	81	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	J	119/477 (25%)	118 (99%)	1 (1%)	81	88
2	K	125/477 (26%)	124 (99%)	1 (1%)	81	88
2	L	119/477 (25%)	118 (99%)	1 (1%)	81	88
2	M	124/477 (26%)	123 (99%)	1 (1%)	81	88
2	N	119/477 (25%)	118 (99%)	1 (1%)	81	88
2	O	125/477 (26%)	124 (99%)	1 (1%)	81	88
2	P	119/477 (25%)	118 (99%)	1 (1%)	81	88
2	Q	125/477 (26%)	123 (98%)	2 (2%)	62	78
3	E	190/337 (56%)	189 (100%)	1 (0%)	88	93
3	R	189/337 (56%)	187 (99%)	2 (1%)	73	84
3	S	188/337 (56%)	187 (100%)	1 (0%)	88	93
3	T	190/337 (56%)	190 (100%)	0	100	100
3	U	189/337 (56%)	188 (100%)	1 (0%)	88	93
3	V	188/337 (56%)	186 (99%)	2 (1%)	73	84
3	W	190/337 (56%)	189 (100%)	1 (0%)	88	93
3	X	189/337 (56%)	187 (99%)	2 (1%)	73	84
3	Y	188/337 (56%)	187 (100%)	1 (0%)	88	93
3	Z	190/337 (56%)	190 (100%)	0	100	100
3	a	189/337 (56%)	189 (100%)	0	100	100
3	b	188/337 (56%)	188 (100%)	0	100	100
3	c	190/337 (56%)	189 (100%)	1 (0%)	88	93
3	d	189/337 (56%)	188 (100%)	1 (0%)	88	93
3	e	188/337 (56%)	186 (99%)	2 (1%)	73	84
3	f	190/337 (56%)	190 (100%)	0	100	100
3	g	189/337 (56%)	187 (99%)	2 (1%)	73	84
3	h	188/337 (56%)	188 (100%)	0	100	100
3	i	190/337 (56%)	189 (100%)	1 (0%)	88	93
3	j	189/337 (56%)	189 (100%)	0	100	100
3	k	188/337 (56%)	187 (100%)	1 (0%)	88	93
3	l	190/337 (56%)	189 (100%)	1 (0%)	88	93
3	m	189/337 (56%)	188 (100%)	1 (0%)	88	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	n	188/337 (56%)	188 (100%)	0	100	100
4	0	175/199 (88%)	174 (99%)	1 (1%)	86	92
4	1	177/199 (89%)	177 (100%)	0	100	100
4	2	175/199 (88%)	174 (99%)	1 (1%)	86	92
4	3	180/199 (90%)	179 (99%)	1 (1%)	86	92
4	4	197/199 (99%)	195 (99%)	2 (1%)	76	85
5	5	205/219 (94%)	204 (100%)	1 (0%)	88	93
6	6	41/71 (58%)	41 (100%)	0	100	100
6	7	69/71 (97%)	69 (100%)	0	100	100
6	8	69/71 (97%)	69 (100%)	0	100	100
6	9	70/71 (99%)	70 (100%)	0	100	100
7	AM	34/88 (39%)	33 (97%)	1 (3%)	42	64
7	AN	71/88 (81%)	71 (100%)	0	100	100
7	AO	76/88 (86%)	75 (99%)	1 (1%)	69	81
7	AP	77/88 (88%)	75 (97%)	2 (3%)	46	67
7	AQ	77/88 (88%)	76 (99%)	1 (1%)	69	81
7	AR	76/88 (86%)	76 (100%)	0	100	100
8	AS	50/67 (75%)	47 (94%)	3 (6%)	19	47
8	AT	50/67 (75%)	44 (88%)	6 (12%)	5	23
8	AU	50/67 (75%)	44 (88%)	6 (12%)	5	23
8	AV	50/67 (75%)	47 (94%)	3 (6%)	19	47
8	AW	50/67 (75%)	42 (84%)	8 (16%)	2	15
8	AX	62/67 (92%)	62 (100%)	0	100	100
8	AY	66/67 (98%)	66 (100%)	0	100	100
8	AZ	51/67 (76%)	51 (100%)	0	100	100
8	BA	48/67 (72%)	48 (100%)	0	100	100
8	BB	42/67 (63%)	42 (100%)	0	100	100
8	BC	42/67 (63%)	42 (100%)	0	100	100
8	BD	42/67 (63%)	42 (100%)	0	100	100
8	BE	37/67 (55%)	37 (100%)	0	100	100
All	All	12615/23777 (53%)	12519 (99%)	96 (1%)	82	88

5 of 96 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AJ	77	LEU
8	AS	64	THR
4	0	81	THR
7	AM	87	LEU
8	AT	51	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 136 such sidechains are listed below:

Mol	Chain	Res	Type
7	AO	53	ASN
8	AS	48	GLN
8	AZ	78	ASN
3	W	318	ASN
3	V	318	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20556. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 125



Y Index: 125



Z Index: 125


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 114



Y Index: 112



Z Index: 123


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.035. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 715 nm³; this corresponds to an approximate mass of 646 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20556 and PDB model 6Q16. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.035 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.035).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.035) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6335	 0.4040
0	 0.5528	 0.3700
1	 0.5445	 0.3610
2	 0.5423	 0.3690
3	 0.5658	 0.3750
4	 0.5497	 0.3790
5	 0.6248	 0.4070
6	 0.2588	 0.3530
7	 0.3124	 0.3520
8	 0.4929	 0.3670
9	 0.5500	 0.3760
A	 0.7017	 0.4050
AA	 0.6493	 0.4220
AB	 0.6600	 0.4270
AC	 0.6736	 0.4340
AD	 0.6529	 0.4250
AE	 0.6657	 0.4250
AF	 0.6493	 0.4340
AG	 0.6650	 0.4230
AH	 0.6550	 0.4280
AI	 0.6614	 0.4230
AJ	 0.6465	 0.4260
AK	 0.6522	 0.4200
AL	 0.6714	 0.4290
AM	 0.5000	 0.3590
AN	 0.4845	 0.3490
AO	 0.4992	 0.3630
AP	 0.5128	 0.3510
AQ	 0.5023	 0.3480
AR	 0.4458	 0.3380
AS	 0.4205	 0.3130
AT	 0.4793	 0.2900
AU	 0.4641	 0.3050
AV	 0.4488	 0.2850
AW	 0.3638	 0.2910





































Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
AX	0.0989	0.2850
AY	0.2521	0.2530
AZ	0.3186	0.2720
B	0.6948	0.4010
BA	0.3147	0.2660
BB	0.2763	0.2440
BC	0.0658	0.2520
BD	0.0263	0.2330
BE	0.0501	0.1660
C	0.7155	0.4140
D	0.6913	0.4050
E	0.6389	0.3980
F	0.6998	0.4120
G	0.6948	0.4180
H	0.7219	0.4150
I	0.6922	0.4060
J	0.7118	0.4160
K	0.6886	0.4050
L	0.7247	0.4150
M	0.6940	0.4100
N	0.7118	0.4160
O	0.6948	0.4080
P	0.6998	0.4010
Q	0.6931	0.4000
R	0.6953	0.4100
S	0.6926	0.4120
T	0.6496	0.4110
U	0.6840	0.4200
V	0.6813	0.4160
W	0.6288	0.4120
X	0.6897	0.4150
Y	0.6881	0.4200
Z	0.6350	0.4150
a	0.6789	0.4200
b	0.6943	0.4240
c	0.6665	0.4180
d	0.7106	0.4240
e	0.6932	0.4110
f	0.6704	0.4150
g	0.6891	0.4160
h	0.6943	0.4150
i	0.6620	0.4160

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
j	 0.6930	 0.4180
k	 0.6977	 0.4150
l	 0.6541	 0.4130
m	 0.6914	 0.4140
n	 0.7011	 0.4220
o	 0.6522	 0.4300
p	 0.6422	 0.4230
q	 0.6450	 0.4220
r	 0.6408	 0.4270
s	 0.6344	 0.4220
t	 0.6322	 0.4230
u	 0.6379	 0.4220
v	 0.6294	 0.4140
w	 0.6415	 0.4230
x	 0.6622	 0.4300
y	 0.6622	 0.4170
z	 0.6536	 0.4280