

Full wwPDB X-ray Structure Validation Report (i)

Feb 3, 2025 – 06:21 pm GMT

PDB ID	:	8Q2I
Title	:	Crystal structure of Ser33 in complex 2HG (2-hydroxyglutarate) and Serine
Authors	:	Perrone, S.; Cifuente, J.O.; Marina, A.; Mastrella, L.; Trastoy, B.; Linster,
		C.L.; Guerin, M.E.
Deposited on	:	2023-08-02
Resolution	:	2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} {\rm Whole \ archive} \\ (\#{\rm Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	164625	5504 (2.50-2.50)
Clashscore	180529	6282 (2.50-2.50)
Ramachandran outliers	177936	6191 (2.50-2.50)
Sidechain outliers	177891	6193 (2.50-2.50)
RSRZ outliers	164620	5504 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	Λ	460	%	1.20/	110/
	Π	409	2%	12% •	
1	В	469	82%	13%	• 5%
1	C	460	2%	1.20/	50/
1	C	409	<u> </u>	13%	5%
1	D	469	80%	14%	• 5%
1	Б	400	.% •		
	E	469	83%	12%	5%



Mol	Chain	Length	Quality of chain		
1	F	469	% 8 1%	13%	• 6%
1	G	469	% 	11%	10%
1	Н	469	80%	13%	7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SER	В	502	-	-	Х	-
3	SER	D	502	-	-	Х	-
3	SER	Н	502	-	-	Х	-



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 27369 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Λ	410	Total	С	Ν	0	\mathbf{S}	0	1	0
	A	419	3208	2023	548	627	10	0	1	0
1	В	447	Total	С	Ν	0	S	0	0	0
1	D	447	3389	2139	579	661	10	0	0	0
1	С	444	Total	С	Ν	0	S	0	Ο	0
1		444	3407	2151	584	662	10	0	0	0
1	Л	446	Total	С	Ν	0	S	0	0	0
1	D	440	3425	2163	586	665	11	0	0	0
1	F	444	Total	С	Ν	Ο	\mathbf{S}	0	0	0
L	Ľ	444	3407	2151	584	662	10		0	0
1	F	449	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	Ľ	442	3382	2136	580	656	10	0	0	0
1	C	491	Total	\mathbf{C}	Ν	0	\mathbf{S}	0	0	0
	G	421	3200	2020	548	622	10	0	0	0
1	1 II	434	Total	С	Ν	0	S	0	0	0
	11	404	3321	2099	565	647	10	0	0	

• Molecule 1 is a protein called D-3-phosphoglycerate dehydrogenase 2.

• Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf										
0	Λ	1	Total	С	Ν	Ο	Р	0	0										
	A	1	44	21	7	14	2	0	0										
0	В	1	Total	С	Ν	Ο	Р	0	0										
	D	1	44	21	7	14	2	0	0										
0	С	C	1	Total	С	Ν	0	Р	0	0									
	C	1	44	21	$\overline{7}$	14	2	0	0										
0	р	D	D	Л	п	П	р	р	п	Л	П	1	Total	С	Ν	0	Р	0	0
	D	1	44	21	7	14	2	0	0										
0	F	E 1	Total	С	Ν	0	Р	0	0										
	Ľ		44	21	7	14	2	0	0										
0	Б	1	Total	С	Ν	0	Р	0	0										
	Г	1	44	21	7	14	2	0	0										
0	С	1	Total	С	Ν	0	Р	0	0										
	Z G	1	44	21	7	14	2	0											
9	9 II	1	Total	С	Ν	Ο	Р	0	0										
	11	1	44	21	7	14	2	U	U										

• Molecule 3 is SERINE (three-letter code: SER) (formula: $C_3H_7NO_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0
3	D	1	$\begin{array}{ccccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0
3	Е	1	$\begin{array}{ccccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0
3	F	1	$\begin{array}{ccccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0
3	G	1	$\begin{array}{cccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0
3	Н	1	$\begin{array}{cccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 7 & 3 & 1 & 3 \end{array}$	0	0

• Molecule 4 is (2R)-2-hydroxypentanedioic acid (three-letter code: 2HG) (formula: $C_5H_8O_5$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 10 5 5 \end{array}$	0	0
4	Е	1	Total C O 10 5 5	0	0
4	F	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 10 5 5 \end{array}$	0	0
4	G	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 10 5 5 \end{array}$	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	20	TotalO2020	0	0
5	В	29	Total O 29 29	0	0
5	С	22	$\begin{array}{cc} \text{Total} & \text{O} \\ 22 & 22 \end{array}$	0	0
5	D	22	$\begin{array}{cc} \text{Total} & \text{O} \\ 22 & 22 \end{array}$	0	0
5	Е	19	Total O 19 19	0	0
5	F	33	Total O 33 33	0	0
5	G	21	TotalO2121	0	0
5	Н	16	Total O 16 16	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: D-3-phosphoglycerate dehydrogenase 2







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	107.29Å 112.38Å 117.36Å	Deneiten
a, b, c, α , β , γ	64.99° 66.56° 67.18°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	20.02 - 2.51	Depositor
Resolution (A)	20.02 - 2.51	EDS
% Data completeness	97.0 (20.02-2.51)	Depositor
(in resolution range)	97.3 (20.02-2.51)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.84 (at 2.50Å)	Xtriage
Refinement program	PHENIX (1.19.2_4158: ???)	Depositor
P. P.	0.236 , 0.253	Depositor
n, n_{free}	0.236 , 0.252	DCC
R_{free} test set	7575 reflections $(5.05%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	59.7	Xtriage
Anisotropy	0.119	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34, 23.9	EDS
L-test for twinning ²	$< L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	27369	wwPDB-VP
Average B, all atoms $(Å^2)$	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 27.58 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.1437e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 2HG, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	Bond lengths		angles
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.46	0/3259	0.74	0/4417
1	В	0.46	0/3445	0.72	0/4674
1	С	0.46	0/3464	0.73	0/4697
1	D	0.46	0/3483	0.76	0/4723
1	Е	0.47	0/3464	0.75	0/4697
1	F	0.48	0/3439	0.74	0/4663
1	G	0.45	0/3251	0.72	0/4409
1	Н	0.44	0/3377	0.74	0/4579
All	All	0.46	0/27182	0.74	0/36859

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3208	0	3236	58	0
1	В	3389	0	3388	50	0
1	С	3407	0	3449	54	0
1	D	3425	0	3465	55	0
1	Е	3407	0	3449	38	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3382	0	3420	39	0
1	G	3200	0	3215	37	0
1	Н	3321	0	3353	51	0
2	А	44	0	26	1	0
2	В	44	0	26	0	0
2	С	44	0	26	1	0
2	D	44	0	26	1	0
2	Е	44	0	26	0	0
2	F	44	0	26	0	0
2	G	44	0	26	1	0
2	Н	44	0	26	0	0
3	А	7	0	4	2	0
3	В	7	0	4	5	0
3	С	7	0	4	2	0
3	D	7	0	4	6	0
3	Е	7	0	4	1	0
3	F	7	0	4	1	0
3	G	7	0	4	2	0
3	Н	7	0	4	6	0
4	А	10	0	6	0	0
4	Е	10	0	6	1	0
4	F	10	0	6	0	0
4	G	10	0	6	0	0
5	А	20	0	0	3	0
5	В	29	0	0	1	0
5	С	22	0	0	0	0
5	D	22	0	0	0	0
5	Е	19	0	0	1	0
5	F	33	0	0	1	0
5	G	21	0	0	0	0
5	Н	16	0	0	0	0
All	All	27369	0	27239	347	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (347) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:300:VAL:HG21	1:H:339:LEU:HD13	1.42	0.99
1:A:353:GLU:HB3	1:B:28:THR:CG2	1.93	0.98



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:D:398:VAL:HG21	1:D:449:ILE:HD12	1.46	0.97
1:D:398:VAL:HG21	1:D:449:ILE:CD1	2.00	0.91
1:D:444:VAL:HG11	1:D:449:ILE:HD13	1.53	0.91
1:H:62:LEU:HD11	1:H:64:LEU:HD21	1.56	0.87
1:H:241:VAL:HG23	1:H:246:GLU:OE1	1.75	0.86
1:A:241:VAL:HG23	1:A:246:GLU:OE1	1.77	0.85
1:C:354:GLU:HB3	1:D:31:THR:HG21	1.58	0.85
1:F:398:VAL:HG21	1:F:449:ILE:CD1	2.07	0.84
1:C:423:ILE:H	3:D:502:SER:N	1.76	0.84
1:A:342:ILE:HG22	1:A:344:LEU:HD21	1.59	0.83
1:F:398:VAL:HG21	1:F:449:ILE:HD12	1.61	0.83
1:H:241:VAL:HG23	1:H:246:GLU:CD	1.99	0.82
1:A:241:VAL:HG23	1:A:246:GLU:CD	2.00	0.82
1:D:444:VAL:CG1	1:D:449:ILE:CD1	2.59	0.80
1:D:444:VAL:HG11	1:D:449:ILE:CD1	2.11	0.80
1:D:444:VAL:CG1	1:D:449:ILE:HD13	2.10	0.80
1:G:241:VAL:HG23	1:G:246:GLU:CD	2.03	0.80
1:A:244:LEU:HD21	1:A:248:LEU:HD11	1.64	0.79
1:B:172:ARG:NH2	1:D:158:SER:O	2.16	0.79
1:C:126:ILE:HG13	1:C:146:ILE:HD11	1.63	0.79
1:G:241:VAL:HG23	1:G:246:GLU:OE1	1.84	0.78
1:A:353:GLU:HB3	1:B:28:THR:HG22	1.64	0.78
1:A:273:PHE:HD1	1:A:276:MET:CE	1.97	0.77
1:B:106:ILE:HD13	1:B:112:LEU:HD23	1.67	0.76
1:A:353:GLU:CB	1:B:28:THR:HG22	2.16	0.75
1:C:141:ALA:O	1:C:146:ILE:HG23	1.87	0.74
1:A:261:THR:O	1:A:265:GLU:HG3	1.87	0.74
1:A:398:VAL:HG22	1:A:469:TYR:HB3	1.68	0.74
1:B:411:LEU:HG	3:B:502:SER:HB3	1.69	0.74
1:A:342:ILE:HG22	1:A:344:LEU:CD2	2.18	0.73
1:H:300:VAL:CG2	1:H:339:LEU:HD13	2.16	0.73
1:A:344:LEU:HD22	1:A:344:LEU:N	2.05	0.72
1:A:172:ARG:NH2	1:C:158:SER:O	2.22	0.72
1:G:423:ILE:H	3:H:502:SER:N	1.88	0.72
1:C:208:HIS:CE1	1:D:38:LEU:HD22	2.26	0.70
1:G:97:LYS:O	1:G:101:VAL:HG13	1.91	0.70
1:H:410:VAL:H	3:H:502:SER:CB	2.03	0.70
1:A:353:GLU:HB3	1:B:28:THR:HG21	1.71	0.70
2:C:501:NAD:O3B	1:D:41:ARG:NH2	2.25	0.69
1:A:63:LEU:HD12	1:A:72:ILE:HD13	1.74	0.69
1:A:407:VAL:O	3:A:502:SER:N	2.27	0.68



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:141:ALA:O	1:C:146:ILE:CG2	2.42	0.67
1:E:233:MET:HB2	1:F:40:ARG:HG2	1.75	0.67
1:G:387:LEU:HD12	1:G:438:MET:HG2	1.78	0.66
1:H:410:VAL:H	3:H:502:SER:HB2	1.60	0.66
1:B:411:LEU:H	3:B:502:SER:CB	2.09	0.66
1:E:59:MET:HE3	1:E:371:ILE:HG23	1.78	0.66
1:B:106:ILE:HD13	1:B:112:LEU:CD2	2.26	0.65
1:H:81:GLN:HA	1:H:81:GLN:HE21	1.61	0.65
1:A:343:ILE:C	1:A:344:LEU:HD22	2.18	0.64
1:D:410:VAL:H	3:D:502:SER:HB2	1.62	0.64
1:B:72:ILE:HD11	1:B:84:PHE:CD2	2.33	0.64
1:B:398:VAL:HG22	1:B:469:TYR:HB3	1.80	0.64
1:H:59:MET:HE3	1:H:371:ILE:CG2	2.28	0.64
1:C:126:ILE:CG1	1:C:146:ILE:HD11	2.29	0.63
1:D:444:VAL:CG1	1:D:449:ILE:HD11	2.29	0.63
1:D:444:VAL:HG12	1:D:449:ILE:CD1	2.29	0.63
1:E:411:LEU:HG	3:E:502:SER:O	1.97	0.62
1:C:387:LEU:HD12	1:C:438:MET:HG2	1.81	0.62
1:A:387:LEU:HD12	1:A:438:MET:HG2	1.80	0.62
1:B:369:LYS:NZ	5:B:602:HOH:O	2.33	0.62
1:E:44:ILE:O	1:E:44:ILE:HG22	2.00	0.61
1:A:342:ILE:CG2	1:A:344:LEU:HD21	2.31	0.61
1:C:98:ILE:HD11	1:C:123:LEU:HD22	1.83	0.60
1:B:158:SER:HB3	1:D:172:ARG:HH21	1.65	0.60
1:A:72:ILE:HD11	1:A:84:PHE:CD1	2.37	0.60
1:E:219:ALA:HB1	1:G:219:ALA:HB1	1.83	0.60
1:E:387:LEU:HD12	1:E:438:MET:HG2	1.84	0.60
1:F:172:ARG:HB2	1:F:174:LEU:HD13	1.84	0.60
1:B:81:GLN:HE21	1:B:81:GLN:HA	1.67	0.59
1:A:241:VAL:CG2	1:A:246:GLU:CD	2.71	0.59
1:H:62:LEU:HD11	1:H:64:LEU:CD2	2.30	0.59
1:F:407:VAL:O	3:F:502:SER:N	2.36	0.59
1:H:241:VAL:CG2	1:H:246:GLU:HB3	2.33	0.59
1:F:387:LEU:HD12	1:F:438:MET:HG2	1.85	0.59
1:B:158:SER:HB3	1:D:172:ARG:NH2	2.18	0.58
1:F:44:ILE:HG23	1:F:44:ILE:O	2.02	0.58
1:A:119:HIS:O	1:A:121:ARG:HD2	2.02	0.58
1:C:141:ALA:C	1:C:146:ILE:HG23	2.24	0.58
1:B:453:TYR:HD1	1:B:467:LEU:HD13	1.69	0.58
1:D:387:LEU:HD12	1:D:438:MET:HG2	1.86	0.58
1:A:273:PHE:HD1	1:A:276:MET:HE3	1.67	0.58



	, and pagetti	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:398:VAL:HG21	1:F:449:ILE:HD11	1.86	0.58
1:H:387:LEU:HD12	1:H:438:MET:HG2	1.84	0.58
1:E:61:ILE:HD13	1:E:80:TYR:HB3	1.84	0.58
1:A:219:ALA:HB1	1:C:219:ALA:HB1	1.86	0.58
1:D:400:VAL:HA	1:D:467:LEU:HD23	1.86	0.58
1:F:30:PRO:O	1:F:32:GLN:NE2	2.36	0.58
1:A:30:PRO:O	1:A:31:THR:HG23	2.03	0.57
1:H:241:VAL:CG2	1:H:246:GLU:CD	2.72	0.57
1:B:219:ALA:HB1	1:D:219:ALA:HB1	1.85	0.57
1:D:61:ILE:HD13	1:D:80:TYR:HB3	1.87	0.57
1:G:102:HIS:O	1:G:124:VAL:HG22	2.05	0.57
1:G:241:VAL:CG2	1:G:246:GLU:HB3	2.35	0.56
1:B:279:GLY:HA2	1:B:306:ALA:HB2	1.88	0.56
1:D:279:GLY:HA2	1:D:306:ALA:HB2	1.88	0.56
1:D:410:VAL:H	3:D:502:SER:CB	2.18	0.56
1:A:241:VAL:CG2	1:A:246:GLU:HB3	2.36	0.56
1:G:279:GLY:HA2	1:G:306:ALA:HB2	1.87	0.56
1:C:44:ILE:HG23	1:C:44:ILE:O	2.06	0.56
1:F:279:GLY:HA2	1:F:306:ALA:HB2	1.88	0.56
1:F:61:ILE:HD13	1:F:80:TYR:HB3	1.87	0.56
1:B:387:LEU:HD12	1:B:438:MET:HG2	1.87	0.55
1:A:244:LEU:HD21	1:A:248:LEU:CD1	2.36	0.55
1:D:398:VAL:HG21	1:D:449:ILE:HD11	1.85	0.55
1:C:354:GLU:CB	1:D:31:THR:HG21	2.34	0.55
1:E:279:GLY:HA2	1:E:306:ALA:HB2	1.88	0.55
1:E:191:ALA:O	1:E:192:ARG:HB2	2.07	0.55
1:A:172:ARG:HD2	5:A:603:HOH:O	2.07	0.55
1:A:353:GLU:HB2	1:B:28:THR:HG22	1.89	0.54
1:C:141:ALA:CA	1:C:146:ILE:HG23	2.36	0.54
1:C:398:VAL:HG22	1:C:441:ILE:CG1	2.37	0.54
1:E:38:LEU:HG	1:F:208:HIS:CE1	2.43	0.54
1:H:172:ARG:HB2	1:H:174:LEU:HD13	1.89	0.54
1:H:300:VAL:HG21	1:H:339:LEU:CD1	2.28	0.54
1:A:279:GLY:HA2	1:A:306:ALA:HB2	1.88	0.54
1:B:414:VAL:HG11	1:B:437:LEU:CD2	2.38	0.54
1:C:36:ASN:ND2	1:D:153:PHE:O	2.40	0.54
1:C:38:LEU:HD11	1:D:208:HIS:N	2.23	0.54
1:G:95:ILE:HG23	1:G:119:HIS:CD2	2.43	0.54
1:C:61:ILE:HD13	1:C:80:TYR:HB3	1.88	0.54
1:B:252:ASP:OD1	1:C:26:VAL:HG22	2.08	0.53
1:E:26:VAL:HG22	1:H:252:ASP:OD1	2.08	0.53



	A h C	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:423:ILE:HB	3:B:502:SER:HA	1.90	0.53
1:C:407:VAL:HG13	1:C:408:PRO:HD2	1.90	0.53
1:D:32:GLN:O	1:D:34:PHE:N	2.39	0.53
1:G:61:ILE:HD13	1:G:80:TYR:HB3	1.90	0.53
1:A:344:LEU:CD2	1:A:344:LEU:N	2.71	0.53
1:B:465:ILE:HG12	1:B:466:ARG:N	2.24	0.53
1:C:126:ILE:CD1	1:C:146:ILE:HD11	2.38	0.53
1:C:411:LEU:HG	3:C:502:SER:O	2.09	0.53
1:E:74:ILE:O	1:E:78:GLN:HG2	2.09	0.53
1:G:273:PHE:O	1:G:304:LYS:HE2	2.09	0.53
1:G:414:VAL:HG11	1:G:437:LEU:CD2	2.39	0.53
1:H:279:GLY:HA2	1:H:306:ALA:HB2	1.90	0.53
1:C:279:GLY:HA2	1:C:306:ALA:HB2	1.90	0.52
1:F:74:ILE:O	1:F:78:GLN:HG2	2.09	0.52
1:H:74:ILE:O	1:H:78:GLN:HG2	2.09	0.52
1:B:46:LYS:HG3	1:B:47:GLN:N	2.25	0.52
1:H:297:ILE:HG23	1:H:339:LEU:HD11	1.91	0.52
1:B:74:ILE:O	1:B:78:GLN:HG2	2.10	0.52
1:D:273:PHE:O	1:D:304:LYS:HE2	2.10	0.52
1:A:273:PHE:CD1	1:A:276:MET:CE	2.87	0.52
1:D:191:ALA:O	1:D:192:ARG:HB2	2.08	0.52
1:G:74:ILE:O	1:G:78:GLN:HG2	2.09	0.52
1:G:241:VAL:CG2	1:G:246:GLU:CD	2.74	0.52
1:C:273:PHE:O	1:C:304:LYS:HE2	2.09	0.52
3:A:502:SER:N	1:B:422:ASN:OD1	2.43	0.52
1:D:40:ARG:HH11	1:D:40:ARG:HB2	1.74	0.52
1:G:423:ILE:HG12	1:G:441:ILE:HG22	1.92	0.52
1:D:398:VAL:HG22	1:D:469:TYR:HB3	1.92	0.52
1:G:456:LEU:CB	1:G:465:ILE:HD12	2.40	0.52
1:C:413:THR:HG21	1:C:459:THR:HG23	1.91	0.52
1:A:74:ILE:O	1:A:78:GLN:HG2	2.09	0.51
1:B:273:PHE:O	1:B:304:LYS:HE2	2.10	0.51
1:E:273:PHE:O	1:E:304:LYS:HE2	2.09	0.51
1:B:61:ILE:HD13	1:B:80:TYR:HB3	1.92	0.51
1:H:410:VAL:HB	3:H:502:SER:HB3	1.93	0.51
1:A:398:VAL:HG21	1:A:449:ILE:CD1	2.40	0.51
1:C:74:ILE:O	1:C:78:GLN:HG2	2.10	0.51
1:D:414:VAL:HG11	1:D:437:LEU:CD2	2.41	0.51
1:G:209:ILE:HD12	2:G:501:NAD:H51N	1.92	0.51
1:B:456:LEU:CB	1:B:465:ILE:HD12	2.40	0.51
1:D:44:ILE:HG22	1:D:44:ILE:O	2.10	0.51



	t i c	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:273:PHE:O	1:A:304:LYS:HE2	2.10	0.51
1:B:93:GLU:HA	1:B:96:GLU:OE2	2.11	0.51
1:C:414:VAL:HG11	1:C:437:LEU:CD2	2.41	0.51
1:F:219:ALA:HB1	1:H:219:ALA:HB1	1.92	0.51
1:A:63:LEU:CD1	1:A:72:ILE:HD13	2.39	0.51
1:E:414:VAL:HG11	1:E:437:LEU:CD2	2.41	0.51
1:F:252:ASP:OD1	1:G:26:VAL:HG22	2.11	0.51
1:H:273:PHE:O	1:H:304:LYS:HE2	2.11	0.51
1:F:273:PHE:O	1:F:304:LYS:HE2	2.11	0.51
1:H:414:VAL:HG11	1:H:437:LEU:CD2	2.41	0.51
1:G:110:THR:HG22	1:G:112:LEU:CD1	2.40	0.51
1:A:365:THR:HG22	1:A:369:LYS:HD2	1.93	0.50
1:A:414:VAL:HG11	1:A:437:LEU:CD2	2.41	0.50
1:B:21:GLY:O	1:B:22:SER:CB	2.59	0.50
1:C:123:LEU:HD23	1:C:146:ILE:CD1	2.42	0.50
1:F:414:VAL:HG11	1:F:437:LEU:CD2	2.41	0.50
1:H:61:ILE:HD13	1:H:80:TYR:HB3	1.94	0.50
1:F:72:ILE:HD11	1:F:84:PHE:CD1	2.47	0.49
1:B:410:VAL:H	3:B:502:SER:HB2	1.77	0.49
1:C:423:ILE:HG12	1:C:441:ILE:HG22	1.94	0.49
1:D:196:VAL:CG1	1:D:222:LEU:HD11	2.42	0.49
1:A:241:VAL:CG2	1:A:246:GLU:OE1	2.56	0.49
1:D:72:ILE:HD11	1:D:84:PHE:CD1	2.48	0.48
1:H:53:PRO:HG2	1:H:59:MET:HE2	1.95	0.48
1:H:102:HIS:CD2	1:H:122:ASN:HB3	2.47	0.48
1:E:398:VAL:HG22	1:E:441:ILE:CG1	2.42	0.48
1:A:100:ASP:HA	1:A:122:ASN:HD22	1.79	0.48
1:B:456:LEU:HB2	1:B:465:ILE:HD12	1.95	0.48
1:B:109:LYS:HD3	1:B:318:ALA:O	2.14	0.48
1:F:398:VAL:HG22	1:F:469:TYR:HB3	1.96	0.48
1:B:28:THR:HG23	1:C:194:TRP:HZ3	1.79	0.47
1:A:61:ILE:HD13	1:A:80:TYR:HB3	1.96	0.47
1:D:423:ILE:HG12	1:D:441:ILE:HG22	1.94	0.47
1:H:411:LEU:H	3:H:502:SER:CB	2.28	0.47
1:H:241:VAL:HG21	1:H:246:GLU:CG	2.44	0.47
1:E:233:MET:CB	1:F:40:ARG:HG2	2.43	0.47
1:F:423:ILE:HG12	1:F:441:ILE:HG22	1.96	0.47
1:A:453:TYR:O	1:A:457:ASN:HB2	2.15	0.47
1:E:51:LEU:HB3	1:E:468:LEU:HB3	1.96	0.47
1:F:340:PRO:HG2	5:F:622:HOH:O	2.14	0.47
1:G:407:VAL:O	3:G:502:SER:N	2.48	0.47



	, and pagetti	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:411:LEU:H	3:B:502:SER:HB3	1.77	0.47
1:E:130:CYS:HB2	4:E:503:2HG:C1	2.45	0.47
1:E:453:TYR:O	1:E:457:ASN:HB2	2.15	0.47
1:F:453:TYR:O	1:F:457:ASN:HB2	2.15	0.47
1:G:453:TYR:O	1:G:457:ASN:HB2	2.15	0.47
1:C:231:THR:CG2	1:D:42:VAL:HG21	2.46	0.46
1:D:411:LEU:H	3:D:502:SER:CB	2.27	0.46
1:A:56:THR:O	1:A:80:TYR:HD1	1.98	0.46
1:C:72:ILE:HD11	1:C:84:PHE:CD1	2.51	0.46
1:H:453:TYR:O	1:H:457:ASN:HB2	2.15	0.46
1:C:398:VAL:HG22	1:C:441:ILE:HG12	1.97	0.46
1:D:404:HIS:NE2	1:D:435:ALA:HB3	2.31	0.46
1:E:426:GLN:HG3	1:E:437:LEU:HD11	1.97	0.46
1:H:241:VAL:HG21	1:H:246:GLU:HB3	1.98	0.46
1:A:172:ARG:NH1	5:A:603:HOH:O	2.33	0.46
1:B:243:THR:HG21	1:F:266:LYS:HE3	1.97	0.46
1:C:426:GLN:HG3	1:C:437:LEU:HD11	1.98	0.46
1:A:91:GLU:OE2	1:A:115:LYS:HE3	2.16	0.46
1:B:453:TYR:O	1:B:457:ASN:HB2	2.15	0.46
1:D:453:TYR:O	1:D:457:ASN:HB2	2.16	0.46
1:D:410:VAL:HB	3:D:502:SER:HB3	1.97	0.46
1:G:456:LEU:HB3	1:G:465:ILE:HD12	1.96	0.45
1:A:91:GLU:HG3	1:A:116:ILE:HD11	1.99	0.45
1:A:121:ARG:HD2	1:A:121:ARG:H	1.81	0.45
1:G:241:VAL:HG21	1:G:246:GLU:CG	2.45	0.45
1:B:423:ILE:HG12	1:B:441:ILE:HG22	1.99	0.45
1:C:53:PRO:HB2	1:C:56:THR:OG1	2.16	0.45
1:C:453:TYR:O	1:C:457:ASN:HB2	2.16	0.45
1:E:152:PRO:HD2	5:E:609:HOH:O	2.17	0.45
1:F:444:VAL:HB	1:F:449:ILE:HD11	1.98	0.45
1:H:426:GLN:HG3	1:H:437:LEU:HD11	1.97	0.45
1:G:72:ILE:HD11	1:G:84:PHE:CD1	2.51	0.45
1:H:62:LEU:HD13	1:H:64:LEU:HG	1.99	0.45
1:H:241:VAL:CG2	1:H:246:GLU:OE1	2.56	0.45
1:B:465:ILE:HD11	1:B:467:LEU:HD11	1.98	0.45
1:A:441:ILE:HG13	1:A:444:VAL:HG21	1.99	0.45
1:H:59:MET:HA	1:H:102:HIS:ND1	2.32	0.45
1:H:404:HIS:NE2	1:H:435:ALA:HB3	2.32	0.45
1:D:465:ILE:HG12	1:D:466:ARG:N	2.32	0.45
1:E:407:VAL:CG1	1:E:408:PRO:HD2	2.46	0.44
1:H:241:VAL:CG2	1:H:246:GLU:CG	2.95	0.44



	to do pagom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:72:ILE:HD11	1:E:84:PHE:CD1	2.52	0.44
1:F:267:MET:HG2	1:F:290:VAL:HG13	2.00	0.44
1:D:78:GLN:HG2	1:D:80:TYR:CZ	2.52	0.44
1:C:91:GLU:HG3	1:C:116:ILE:HD11	2.00	0.44
3:G:502:SER:N	1:H:422:ASN:OD1	2.51	0.43
1:H:59:MET:HE3	1:H:371:ILE:HG21	1.99	0.43
1:C:407:VAL:O	3:C:502:SER:N	2.51	0.43
1:G:241:VAL:HG21	1:G:246:GLU:HB3	2.00	0.43
1:A:423:ILE:HG12	1:A:441:ILE:HG22	2.01	0.43
1:A:155:ASN:HB2	2:A:501:NAD:H5N	2.01	0.43
1:A:241:VAL:HG21	1:A:246:GLU:CG	2.48	0.43
1:B:345:THR:HB	1:B:348:ILE:HG13	2.01	0.43
1:B:456:LEU:HB3	1:B:465:ILE:HD12	2.01	0.43
1:E:317:PRO:HD2	1:G:186:TRP:CD2	2.54	0.43
1:D:38:LEU:HD12	1:D:39:PRO:HD2	1.99	0.43
1:H:59:MET:CE	1:H:371:ILE:CG2	2.96	0.43
1:H:115:LYS:O	1:H:118:GLN:HG2	2.18	0.43
1:H:118:GLN:HG3	1:H:119:HIS:CD2	2.54	0.43
1:F:109:LYS:NZ	1:F:319:LYS:HG2	2.33	0.43
1:G:345:THR:HB	1:G:348:ILE:HG13	2.01	0.43
1:B:11:ASP:O	1:B:13:PHE:N	2.46	0.43
1:C:345:THR:HB	1:C:348:ILE:HG13	2.01	0.43
1:B:64:LEU:HD22	1:B:89:LEU:HD13	2.01	0.42
1:E:40:ARG:HD2	1:F:233:MET:SD	2.59	0.42
1:E:407:VAL:HG13	1:E:408:PRO:HD2	2.02	0.42
1:F:396:ASN:O	1:F:443:SER:N	2.52	0.42
1:G:393:ASP:O	1:G:395:GLU:N	2.52	0.42
1:C:38:LEU:HA	1:C:38:LEU:HD12	1.76	0.42
1:D:51:LEU:HB3	1:D:468:LEU:HB3	2.02	0.42
1:C:123:LEU:HD23	1:C:146:ILE:HD12	2.01	0.42
1:E:53:PRO:HB2	1:E:56:THR:OG1	2.19	0.42
1:F:345:THR:HB	1:F:348:ILE:HG13	2.02	0.42
1:H:59:MET:CE	1:H:371:ILE:HG23	2.50	0.42
1:H:345:THR:HB	1:H:348:ILE:HG13	2.01	0.42
1:E:91:GLU:HG3	1:E:116:ILE:HD11	2.00	0.42
1:A:345:THR:HB	1:A:348:ILE:HG13	2.01	0.42
1:E:456:LEU:HB2	1:E:465:ILE:HD12	2.00	0.42
1:F:426:GLN:HG3	1:F:437:LEU:HD11	2.02	0.42
1:G:241:VAL:CG2	1:G:246:GLU:CG	2.97	0.42
1:H:423:ILE:HG12	1:H:441:ILE:HG22	2.01	0.42
1:B:112:LEU:N	1:B:112:LEU:HD22	2.35	0.42



	hi a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:51:LEU:HB3	1:C:468:LEU:HB3	2.01	0.42
1:E:456:LEU:CB	1:E:465:ILE:HD12	2.50	0.42
1:A:405:ARG:NH2	1:A:460:SER:O	2.53	0.42
1:C:141:ALA:O	1:C:146:ILE:HG22	2.19	0.42
1:C:231:THR:CG2	1:D:42:VAL:CG2	2.98	0.42
1:A:241:VAL:HG21	1:A:246:GLU:HB3	2.01	0.42
1:B:353:GLU:O	1:B:357:SER:HB3	2.20	0.42
1:C:41:ARG:NH2	2:D:501:NAD:O3B	2.52	0.42
1:E:181:LEU:HD23	1:E:181:LEU:HA	1.93	0.42
1:E:404:HIS:NE2	1:E:435:ALA:HB3	2.34	0.42
1:H:410:VAL:N	3:H:502:SER:CB	2.79	0.42
1:B:46:LYS:HG2	1:B:391:ASP:HB3	2.02	0.41
1:C:123:LEU:CD2	1:C:146:ILE:CD1	2.98	0.41
1:D:345:THR:HB	1:D:348:ILE:HG13	2.02	0.41
1:G:57:GLY:O	1:G:58:ASP:HB2	2.20	0.41
1:H:99:LYS:O	1:H:121:ARG:HG2	2.20	0.41
1:E:38:LEU:HG	1:F:208:HIS:NE2	2.35	0.41
1:B:121:ARG:H	1:B:121:ARG:HG2	1.66	0.41
1:E:61:ILE:HD13	1:E:80:TYR:CB	2.49	0.41
1:E:162:LEU:CD1	1:G:174:LEU:HD21	2.50	0.41
1:C:141:ALA:HB1	1:C:146:ILE:HG23	2.01	0.41
1:C:181:LEU:HD23	1:C:181:LEU:HA	1.92	0.41
1:D:32:GLN:HB2	1:D:35:MET:HE3	2.02	0.41
1:D:387:LEU:CD1	1:D:438:MET:HG2	2.50	0.41
1:H:53:PRO:HB2	1:H:56:THR:HB	2.02	0.41
1:H:243:THR:HG23	1:H:246:GLU:H	1.85	0.41
1:B:91:GLU:HG3	1:B:116:ILE:HD11	2.02	0.41
1:B:106:ILE:HG21	1:B:112:LEU:HD21	2.03	0.41
1:H:120:ALA:HB1	1:H:123:LEU:HB2	2.03	0.41
1:C:38:LEU:HD13	1:D:208:HIS:CD2	2.55	0.41
1:E:345:THR:HB	1:E:348:ILE:HG13	2.02	0.41
1:G:456:LEU:HB2	1:G:465:ILE:HD12	2.01	0.41
1:H:114:GLU:HG3	1:H:140:TYR:CZ	2.55	0.41
1:C:423:ILE:HB	3:D:502:SER:HA	2.02	0.41
1:D:313:TYR:CD1	1:D:313:TYR:N	2.89	0.41
1:F:371:ILE:O	1:F:466:ARG:NH2	2.54	0.41
1:G:29:SER:HB3	1:G:30:PRO:HD2	2.03	0.41
1:A:426:GLN:HG3	1:A:437:LEU:HD11	2.03	0.41
1:D:53:PRO:HB2	1:D:56:THR:OG1	2.20	0.41
1:F:417:ILE:HG12	1:F:455:LYS:HE2	2.03	0.41
1:A:345:THR:OG1	5:A:601:HOH:O	2.22	0.40



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	$distance ({ m \AA})$	overlap (Å)
1:D:267:MET:HG2	1:D:290:VAL:HG13	2.02	0.40
1:E:241:VAL:HG21	1:E:247:LEU:HB2	2.02	0.40
1:G:426:GLN:HG3	1:G:437:LEU:HD11	2.03	0.40
1:D:118:GLN:HG3	1:D:119:HIS:CD2	2.56	0.40
1:E:313:TYR:CD1	1:E:313:TYR:N	2.89	0.40
1:F:387:LEU:CD1	1:F:438:MET:HG2	2.51	0.40
1:C:267:MET:HG2	1:C:290:VAL:HG13	2.03	0.40
1:D:29:SER:HB3	1:D:30:PRO:HD2	2.04	0.40
1:A:244:LEU:CD2	1:A:248:LEU:CD1	2.99	0.40
1:C:38:LEU:HD13	1:D:208:HIS:CG	2.57	0.40
1:C:313:TYR:CD1	1:C:313:TYR:N	2.89	0.40
1:F:26:VAL:HG22	1:G:252:ASP:OD1	2.21	0.40
1:F:313:TYR:CD1	1:F:313:TYR:N	2.89	0.40
1:G:241:VAL:CG2	1:G:246:GLU:OE1	2.64	0.40
1:H:313:TYR:CD1	1:H:313:TYR:N	2.89	0.40
1:F:61:ILE:HD13	1:F:80:TYR:CB	2.51	0.40
1:F:317:PRO:CG	1:F:324:SER:HB3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	414/469~(88%)	399~(96%)	15 (4%)	0	100	100
1	В	443/469~(94%)	422 (95%)	17 (4%)	4 (1%)	14	28
1	С	440/469~(94%)	423 (96%)	16 (4%)	1 (0%)	44	64
1	D	444/469~(95%)	425 (96%)	18 (4%)	1 (0%)	44	64
1	Е	440/469~(94%)	425 (97%)	15 (3%)	0	100	100
1	F	438/469~(93%)	421 (96%)	15 (3%)	2 (0%)	25	44
1	G	417/469~(89%)	400 (96%)	16 (4%)	1 (0%)	44	64



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
10101	Chain	7 maryseu	ravourcu	mowcu	Guillers	I CICC	
1	Н	430/469~(92%)	414 (96%)	16~(4%)	0	100	100
All	All	3466/3752~(92%)	3329~(96%)	128 (4%)	9~(0%)	37	56

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	16	ALA
1	В	22	SER
1	D	33	SER
1	F	44	ILE
1	В	58	ASP
1	С	54	PHE
1	G	394	GLN
1	В	21	GLY
1	F	23	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	357/401~(89%)	348~(98%)	9(2%)	42 69
1	В	370/401~(92%)	362~(98%)	8 (2%)	47 73
1	С	380/401~(95%)	371~(98%)	9(2%)	44 70
1	D	382/401~(95%)	371~(97%)	11 (3%)	37 64
1	Ε	380/401~(95%)	373~(98%)	7 (2%)	54 78
1	F	376/401~(94%)	365~(97%)	11 (3%)	37 64
1	G	351/401~(88%)	344~(98%)	7 (2%)	50 75
1	Н	369/401~(92%)	359~(97%)	10 (3%)	40 67
All	All	2965/3208~(92%)	2893 (98%)	72 (2%)	42 70

All (72) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	58	ASP
1	А	96	GLU
1	А	100	ASP
1	А	121	ARG
1	А	172	ARG
1	А	357	SER
1	А	382	PHE
1	А	405	ARG
1	А	462	LYS
1	В	81	GLN
1	В	154	SER
1	В	334	SER
1	В	357	SER
1	В	382	PHE
1	В	405	ARG
1	В	462	LYS
1	В	465	ILE
1	С	38	LEU
1	С	55	SER
1	С	98	ILE
1	С	154	SER
1	С	334	SER
1	С	357	SER
1	С	382	PHE
1	С	405	ARG
1	С	462	LYS
1	D	33	SER
1	D	35	MET
1	D	40	ARG
1	D	43	SER
1	D	46	LYS
1	D	154	SER
1	D	357	SER
1	D	382	PHE
1	D	450	LYS
1	D	462	LYS
1	D	465	ILE
1	Е	154	SER
1	Е	233	MET
1	Ε	357	SER
1	Е	382	PHE
1	Е	446	GLN
1	Е	462	LYS



Mol	Chain	Res	Type
1	Е	465	ILE
1	F	40	ARG
1	F	46	LYS
1	F	154	SER
1	F	298	GLN
1	F	328	GLU
1	F	334	SER
1	F	357	SER
1	F	382	PHE
1	F	405	ARG
1	F	444	VAL
1	F	462	LYS
1	G	28	THR
1	G	154	SER
1	G	334	SER
1	G	357	SER
1	G	382	PHE
1	G	462	LYS
1	G	465	ILE
1	Н	28	THR
1	Н	46	LYS
1	Н	81	GLN
1	Н	154	SER
1	Н	174	LEU
1	Н	222	LEU
1	Н	357	SER
1	Н	382	PHE
1	Н	462	LYS
1	Н	469	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	122	ASN
1	А	415	ASN
1	А	426	GLN
1	А	446	GLN
1	В	81	GLN
1	В	212	GLN
1	В	415	ASN
1	В	426	GLN
1	С	36	ASN



Mol	Chain	Res	Type
1	С	208	HIS
1	С	415	ASN
1	С	426	GLN
1	D	119	HIS
1	D	212	GLN
1	D	415	ASN
1	D	426	GLN
1	Е	212	GLN
1	Е	415	ASN
1	Е	426	GLN
1	F	415	ASN
1	F	426	GLN
1	G	119	HIS
1	G	415	ASN
1	G	426	GLN
1	Н	81	GLN
1	Н	212	GLN
1	Н	415	ASN
1	Н	426	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



Mal	Turne	Chain	Bos Link Bond lengths Bon			ond ang	les			
WIOI	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
2	NAD	Н	501	-	42,48,48	0.84	2(4%)	50,73,73	1.06	3 (6%)
3	SER	В	502	-	$5,\!6,\!6$	1.56	2 (40%)	5,7,7	0.60	0
2	NAD	С	501	-	42,48,48	0.76	2 (4%)	50,73,73	0.99	2 (4%)
3	SER	А	502	-	$5,\!6,\!6$	1.38	1 (20%)	5,7,7	0.71	0
2	NAD	Е	501	-	42,48,48	0.79	1 (2%)	50,73,73	0.95	1 (2%)
2	NAD	В	501	-	42,48,48	0.84	2 (4%)	50,73,73	0.98	2 (4%)
3	SER	Е	502	-	$5,\!6,\!6$	1.23	1 (20%)	5,7,7	0.90	0
2	NAD	D	501	-	42,48,48	0.80	1 (2%)	50,73,73	1.02	4 (8%)
3	SER	Н	502	-	$5,\!6,\!6$	1.36	2 (40%)	5,7,7	0.61	0
3	SER	D	502	-	$5,\!6,\!6$	1.57	2 (40%)	5,7,7	0.49	0
2	NAD	F	501	-	42,48,48	0.79	2 (4%)	50,73,73	1.20	6 (12%)
3	SER	F	502	-	$5,\!6,\!6$	1.46	1 (20%)	5,7,7	0.80	0
4	2HG	F	503	-	9,9,9	1.20	1 (11%)	10,11,11	1.25	1 (10%)
3	SER	С	502	-	$5,\!6,\!6$	1.29	1 (20%)	5,7,7	0.77	0
4	2HG	Е	503	-	9,9,9	1.18	0	10,11,11	1.74	2 (20%)
4	2HG	А	503	-	9,9,9	1.18	0	10,11,11	1.97	3 (30%)
2	NAD	G	501	-	42,48,48	0.77	1 (2%)	50,73,73	0.98	2 (4%)
2	NAD	А	501	-	42,48,48	0.85	1 (2%)	50,73,73	1.14	2 (4%)
3	SER	G	502	-	5,6,6	1.44	1 (20%)	5,7,7	0.58	0
4	2HG	G	503	-	9,9,9	1.08	0	10,11,11	1.38	2 (20%)

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	Н	501	-	-	6/26/62/62	0/5/5/5
3	SER	В	502	-	-	1/6/6/6	-
2	NAD	С	501	-	-	8/26/62/62	0/5/5/5
3	SER	А	502	-	-	4/6/6/6	-
2	NAD	Е	501	-	-	7/26/62/62	0/5/5/5
2	NAD	В	501	-	-	6/26/62/62	0/5/5/5
3	SER	Е	502	-	_	4/6/6/6	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	D	501	-	-	7/26/62/62	0/5/5/5
3	SER	Н	502	-	-	0/6/6/6	-
3	SER	D	502	-	-	0/6/6/6	-
2	NAD	F	501	-	-	7/26/62/62	0/5/5/5
3	SER	F	502	-	-	4/6/6/6	-
4	2HG	F	503	-	-	8/9/9/9	-
3	SER	С	502	-	-	2/6/6/6	-
4	2HG	Е	503	-	-	5/9/9/9	-
4	2HG	А	503	-	-	6/9/9/9	-
2	NAD	G	501	-	-	7/26/62/62	0/5/5/5
2	NAD	А	501	_	_	9/26/62/62	0/5/5/5
3	SER	G	502	-	-	2/6/6/6	-
4	2HG	G	503	-	-	3/9/9/9	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
2	А	501	NAD	C2N-N1N	3.67	1.39	1.35
2	Н	501	NAD	C2N-N1N	3.65	1.39	1.35
2	G	501	NAD	C2N-N1N	3.30	1.39	1.35
2	D	501	NAD	C2N-N1N	3.12	1.38	1.35
2	В	501	NAD	C2N-N1N	3.01	1.38	1.35
2	F	501	NAD	C2N-N1N	3.00	1.38	1.35
2	С	501	NAD	C2N-N1N	3.00	1.38	1.35
2	Е	501	NAD	C2N-N1N	2.86	1.38	1.35
3	G	502	SER	OXT-C	-2.66	1.21	1.30
3	F	502	SER	OXT-C	-2.65	1.21	1.30
3	А	502	SER	OXT-C	-2.65	1.21	1.30
3	В	502	SER	CB-CA	-2.58	1.46	1.53
3	D	502	SER	CB-CA	-2.52	1.46	1.53
3	Е	502	SER	OXT-C	-2.52	1.22	1.30
3	С	502	SER	OXT-C	-2.43	1.22	1.30
3	D	502	SER	OXT-C	-2.43	1.22	1.30
3	В	502	SER	OXT-C	-2.35	1.22	1.30
3	Н	502	SER	OXT-C	-2.16	1.23	1.30
3	Н	502	SER	CB-CA	-2.10	1.47	1.53
4	F	503	2HG	C2-C1	2.06	1.55	1.52
2	F	501	NAD	C8A-N7A	-2.04	1.31	1.34
2	В	501	NAD	O4D-C1D	2.03	1.43	1.41
2	Н	501	NAD	C8A-N7A	-2.02	1.31	1.34



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
2	С	501	NAD	C8A-N7A	-2.01	1.31	1.34

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	501	NAD	C6N-N1N-C2N	-4.27	118.08	121.97
4	А	503	2HG	O1-C1-C2	-3.95	114.81	122.54
4	А	503	2HG	O2-C1-C2	3.60	120.64	112.72
4	Е	503	2HG	O2-C1-C2	3.27	119.91	112.72
2	G	501	NAD	C6N-N1N-C2N	-3.23	119.03	121.97
4	Е	503	2HG	O1-C1-C2	-3.17	116.34	122.54
2	А	501	NAD	O4D-C1D-C2D	-3.02	102.52	106.93
2	Н	501	NAD	C3N-C7N-N7N	3.01	121.36	117.75
2	В	501	NAD	C3D-C2D-C1D	-2.92	96.58	100.98
2	D	501	NAD	C6N-N1N-C2N	-2.92	119.32	121.97
2	Е	501	NAD	C6N-N1N-C2N	-2.84	119.39	121.97
2	В	501	NAD	O3B-C3B-C4B	2.75	119.00	111.05
2	Н	501	NAD	C3D-C2D-C1D	-2.72	96.88	100.98
4	G	503	2HG	O1-C1-C2	-2.62	117.43	122.54
2	F	501	NAD	O4B-C1B-C2B	-2.49	103.28	106.93
2	D	501	NAD	PN-O3-PA	-2.45	124.44	132.83
2	С	501	NAD	O4B-C1B-C2B	-2.43	103.38	106.93
2	F	501	NAD	C6N-N1N-C2N	-2.38	119.80	121.97
2	F	501	NAD	PN-O5D-C5D	-2.31	108.11	121.68
2	F	501	NAD	O2A-PA-O1A	2.28	123.49	112.24
4	А	503	2HG	O3-C2-C3	-2.25	103.13	109.42
2	С	501	NAD	C6N-N1N-C2N	-2.21	119.96	121.97
2	F	501	NAD	C3D-C2D-C1D	-2.20	97.66	100.98
2	D	501	NAD	C3D-C2D-C1D	-2.18	97.69	100.98
2	Н	501	NAD	C5A-C6A-N6A	2.17	123.65	120.35
4	F	503	2HG	O2-C1-C2	2.17	117.48	112.72
2	G	501	NAD	O2A-PA-O1A	2.12	122.70	112.24
2	F	501	NAD	PN-O3-PA	-2.10	125.60	132.83
2	D	501	NAD	O4B-C1B-C2B	-2.10	103.86	106.93
4	G	503	2HG	O2-C1-C2	2.09	117.32	112.72

There are no chirality outliers.

All (96) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	501	NAD	C5B-O5B-PA-O1A
2	А	501	NAD	O4D-C1D-N1N-C2N



Mol	Chain	Res	Type	Atoms
2	А	501	NAD	O4D-C1D-N1N-C6N
2	А	501	NAD	C2D-C1D-N1N-C2N
2	А	501	NAD	C2D-C1D-N1N-C6N
2	В	501	NAD	O4D-C1D-N1N-C2N
2	В	501	NAD	O4D-C1D-N1N-C6N
2	В	501	NAD	C2D-C1D-N1N-C2N
2	В	501	NAD	C2D-C1D-N1N-C6N
2	С	501	NAD	O4D-C1D-N1N-C2N
2	С	501	NAD	O4D-C1D-N1N-C6N
2	С	501	NAD	C2D-C1D-N1N-C2N
2	С	501	NAD	C2D-C1D-N1N-C6N
2	D	501	NAD	O4D-C1D-N1N-C2N
2	D	501	NAD	O4D-C1D-N1N-C6N
2	D	501	NAD	C2D-C1D-N1N-C2N
2	D	501	NAD	C2D-C1D-N1N-C6N
2	Е	501	NAD	O4D-C1D-N1N-C2N
2	Е	501	NAD	O4D-C1D-N1N-C6N
2	Е	501	NAD	C2D-C1D-N1N-C2N
2	Е	501	NAD	C2D-C1D-N1N-C6N
2	F	501	NAD	O4D-C1D-N1N-C2N
2	F	501	NAD	O4D-C1D-N1N-C6N
2	F	501	NAD	C2D-C1D-N1N-C2N
2	F	501	NAD	C2D-C1D-N1N-C6N
2	G	501	NAD	O4D-C1D-N1N-C2N
2	G	501	NAD	O4D-C1D-N1N-C6N
2	G	501	NAD	C2D-C1D-N1N-C2N
2	G	501	NAD	C2D-C1D-N1N-C6N
2	Н	501	NAD	O4D-C1D-N1N-C2N
2	Н	501	NAD	O4D-C1D-N1N-C6N
2	Н	501	NAD	C2D-C1D-N1N-C2N
2	Н	501	NAD	C2D-C1D-N1N-C6N
3	A	502	SER	N-CA-CB-OG
3	A	502	SER	C-CA-CB-OG
3	F	502	SER	N-CA-CB-OG
3	F	502	SER	C-CA-CB-OG
4	A	503	2HG	O1-C1-C2-C3
4	A	503	2HG	O1-C1-C2-O3
4	А	503	2HG	O2-C1-C2-C3
4	A	503	2HG	O2-C1-C2-O3
4	F	503	2HG	O2-C1-C2-O3
4	F	503	2HG	C1-C2-C3-C4
4	F	503	2HG	O3-C2-C3-C4

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	G	503	2HG	O1-C1-C2-O3
3	А	502	SER	O-C-CA-CB
3	С	502	SER	O-C-CA-CB
3	Е	502	SER	O-C-CA-CB
3	G	502	SER	O-C-CA-CB
2	А	501	NAD	O4B-C4B-C5B-O5B
4	F	503	2HG	O1-C1-C2-O3
4	G	503	2HG	O2-C1-C2-O3
2	D	501	NAD	PN-O3-PA-O1A
2	Е	501	NAD	PN-O3-PA-O1A
2	G	501	NAD	PN-O3-PA-O1A
4	F	503	2HG	O2-C1-C2-C3
3	Е	502	SER	C-CA-CB-OG
2	А	501	NAD	C5B-O5B-PA-O3
3	А	502	SER	OXT-C-CA-CB
3	С	502	SER	OXT-C-CA-CB
3	G	502	SER	OXT-C-CA-CB
2	F	501	NAD	PN-O3-PA-O2A
2	Н	501	NAD	C5B-O5B-PA-O1A
3	Е	502	SER	N-CA-CB-OG
2	D	501	NAD	PN-O3-PA-O2A
2	Е	501	NAD	PN-O3-PA-O2A
2	G	501	NAD	PN-O3-PA-O2A
2	G	501	NAD	O4B-C4B-C5B-O5B
4	F	503	2HG	O1-C1-C2-C3
2	С	501	NAD	C4N-C3N-C7N-N7N
3	Е	502	SER	OXT-C-CA-CB
3	F	502	SER	O-C-CA-CB
3	F	502	SER	OXT-C-CA-CB
4	F	503	2HG	C3-C4-C5-O4
4	А	503	2HG	C3-C4-C5-O4
4	А	503	2HG	C3-C4-C5-O5
2	С	501	NAD	PN-O3-PA-O1A
2	F	501	NAD	PN-O3-PA-O1A
4	F	503	2HG	C3-C4-C5-O5
4	Е	503	2HG	C3-C4-C5-O5
2	А	501	NAD	C3B-C4B-C5B-O5B
2	В	501	NAD	C4N-C3N-C7N-N7N
4	Е	503	2HG	C3-C4-C5-O4
2	С	501	NAD	O4B-C4B-C5B-O5B
3	В	502	SER	OXT-C-CA-CB
2	D	501	NAD	O4B-C4B-C5B-O5B

Continued from previous page...



		1	1 0	
Mol	Chain	Res	Type	Atoms
2	Е	501	NAD	O4B-C4B-C5B-O5B
2	С	501	NAD	PN-O3-PA-O2A
2	А	501	NAD	C5B-O5B-PA-O2A
2	В	501	NAD	O4B-C4B-C5B-O5B
2	F	501	NAD	O4B-C4B-C5B-O5B
2	Н	501	NAD	O4B-C4B-C5B-O5B
4	Е	503	2HG	O3-C2-C3-C4
4	G	503	2HG	C2-C3-C4-C5
4	Е	503	2HG	O1-C1-C2-C3
4	Е	503	2HG	O2-C1-C2-C3

There are no ring outliers.

13 monomers are involved in 30 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	В	502	SER	5	0
2	С	501	NAD	1	0
3	А	502	SER	2	0
3	Е	502	SER	1	0
2	D	501	NAD	1	0
3	Н	502	SER	6	0
3	D	502	SER	6	0
3	F	502	SER	1	0
3	С	502	SER	2	0
4	Е	503	2HG	1	0
2	G	501	NAD	1	0
2	А	501	NAD	1	0
3	G	502	SER	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and similar rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





































Rings

Torsions





























5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	А	419/469~(89%)	-0.23	3 (0%) 84 81	17, 35, 55, 85	1 (0%)
1	В	447/469~(95%)	-0.06	9 (2%) 64 62	18, 37, 71, 116	0
1	С	444/469~(94%)	0.02	8 (1%) 67 64	15, 36, 64, 94	0
1	D	446/469~(95%)	-0.09	5 (1%) 77 74	16, 38, 69, 111	0
1	Ε	444/469~(94%)	-0.26	3 (0%) 84 81	17, 35, 57, 89	0
1	F	442/469~(94%)	-0.08	5 (1%) 77 74	17, 37, 68, 130	0
1	G	421/469~(89%)	-0.10	7 (1%) 69 65	22, 36, 54, 110	0
1	Н	434/469~(92%)	0.01	4 (0%) 81 78	20, 36, 69, 119	0
All	All	3497/3752~(93%)	-0.10	44 (1%) 74 71	15, 36, 64, 130	1 (0%)

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	22	SER	3.8
1	Н	23	PRO	3.8
1	G	57	GLY	3.6
1	В	421	HIS	3.4
1	С	24	GLY	3.3
1	В	56	THR	3.3
1	D	396	ASN	2.9
1	А	23	PRO	2.9
1	F	45	THR	2.9
1	С	105	GLY	2.8
1	В	23	PRO	2.7
1	С	23	PRO	2.7
1	Е	24	GLY	2.7
1	С	420	ASP	2.6
1	С	121	ARG	2.6
1	А	24	GLY	2.6



Mol	Chain	Res	Type	RSRZ
1	Н	31	THR	2.6
1	Е	23	PRO	2.6
1	D	392	TYR	2.5
1	В	18	ASN	2.5
1	В	390	LEU	2.4
1	G	416	ASP	2.4
1	Н	418	LEU	2.4
1	F	421	HIS	2.3
1	D	420	ASP	2.3
1	F	58	ASP	2.3
1	F	44	ILE	2.3
1	G	421	HIS	2.3
1	G	391	ASP	2.3
1	А	265	GLU	2.3
1	G	31	THR	2.3
1	G	393	ASP	2.3
1	В	16	ALA	2.3
1	В	60	ASN	2.2
1	F	392	TYR	2.2
1	D	24	GLY	2.2
1	С	96	GLU	2.1
1	С	36	ASN	2.1
1	С	44	ILE	2.1
1	Е	227	TYR	2.1
1	В	11	ASP	2.1
1	Н	181	LEU	2.1
1	G	396	ASN	2.1
1	D	38	LEU	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



8Q21

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
4	2HG	Е	503	10/10	0.57	0.18	70,98,110,112	0
3	SER	F	502	7/7	0.62	0.17	29,32,34,36	0
4	2HG	F	503	10/10	0.67	0.18	83,103,113,126	0
4	2HG	А	503	10/10	0.68	0.20	86,107,118,122	0
3	SER	Н	502	7/7	0.69	0.11	29,32,34,36	0
3	SER	В	502	7/7	0.69	0.13	29,32,34,36	0
3	SER	Е	502	7/7	0.72	0.15	29,32,34,36	0
3	SER	D	502	7/7	0.75	0.12	29,32,34,36	0
3	SER	G	502	7/7	0.78	0.12	29,32,34,36	0
3	SER	А	502	7/7	0.79	0.10	29,32,34,36	0
4	2HG	G	503	10/10	0.79	0.21	81,107,117,140	0
3	SER	С	502	7/7	0.82	0.10	29,32,34,36	0
2	NAD	А	501	44/44	0.94	0.07	32,40,45,50	0
2	NAD	С	501	44/44	0.94	0.09	29,35,43,46	0
2	NAD	D	501	44/44	0.94	0.07	31,36,42,45	0
2	NAD	Е	501	44/44	0.94	0.08	24,36,42,44	0
2	NAD	F	501	44/44	0.95	0.09	32,37,43,47	0
2	NAD	G	501	44/44	0.95	0.07	29,35,42,44	0
2	NAD	Н	501	44/44	0.95	0.07	29,38,46,52	0
2	NAD	В	501	44/44	0.96	0.07	30,35,39,46	0

median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.













6.5 Other polymers (i)

There are no such residues in this entry.

