



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2023 – 06:56 AM EDT

PDB ID : 3Q4Z
Title : Structure of unphosphorylated PAK1 kinase domain
Authors : Wang, J.; Wu, J.-W.; Wang, Z.-X.
Deposited on : 2010-12-26
Resolution : 1.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)
RSRZ outliers	127900	9303 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	306	
1	B	306	

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 4670 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase PAK 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	282	2218	1408	371	422	17	0	1	0
1	B	279	2188	1389	367	417	15	0	0	0


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	259	ILE	SER	ENGINEERED MUTATION	UNP Q13153
A	299	ARG	LYS	ENGINEERED MUTATION	UNP Q13153
A	389	ASN	ASP	ENGINEERED MUTATION	UNP Q13153
A	516	ILE	LEU	ENGINEERED MUTATION	UNP Q13153
A	546	LEU	-	EXPRESSION TAG	UNP Q13153
A	547	GLU	-	EXPRESSION TAG	UNP Q13153
A	548	HIS	-	EXPRESSION TAG	UNP Q13153
A	549	HIS	-	EXPRESSION TAG	UNP Q13153
A	550	HIS	-	EXPRESSION TAG	UNP Q13153
A	551	HIS	-	EXPRESSION TAG	UNP Q13153
A	552	HIS	-	EXPRESSION TAG	UNP Q13153
A	553	HIS	-	EXPRESSION TAG	UNP Q13153
B	259	ILE	SER	ENGINEERED MUTATION	UNP Q13153
B	299	ARG	LYS	ENGINEERED MUTATION	UNP Q13153
B	389	ASN	ASP	ENGINEERED MUTATION	UNP Q13153
B	516	ILE	LEU	ENGINEERED MUTATION	UNP Q13153
B	546	LEU	-	EXPRESSION TAG	UNP Q13153
B	547	GLU	-	EXPRESSION TAG	UNP Q13153
B	548	HIS	-	EXPRESSION TAG	UNP Q13153
B	549	HIS	-	EXPRESSION TAG	UNP Q13153
B	550	HIS	-	EXPRESSION TAG	UNP Q13153
B	551	HIS	-	EXPRESSION TAG	UNP Q13153
B	552	HIS	-	EXPRESSION TAG	UNP Q13153
B	553	HIS	-	EXPRESSION TAG	UNP Q13153

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	95	Total	O	0	0
			95	95		
4	B	137	Total	O	0	0
			137	137		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase PAK 1



- Molecule 1: Serine/threonine-protein kinase PAK 1



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.99Å 80.00Å 65.66Å 90.00° 107.51° 90.00°	Depositor
Resolution (Å)	31.99 – 1.89 31.99 – 1.89	Depositor EDS
% Data completeness (in resolution range)	49.6 (31.99-1.89) 97.5 (31.99-1.89)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 1.89Å)	Xtrriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.184 , 0.231 0.180 , 0.225	Depositor DCC
R_{free} test set	2466 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	36.6	Xtrriage
Anisotropy	0.106	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 56.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.018 for l,-k,h	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4670	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ANP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.44	0/2252	0.55	1/3043 (0.0%)
1	B	0.44	0/2222	0.57	1/3002 (0.0%)
All	All	0.44	0/4474	0.56	2/6045 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	337	GLY	N-CA-C	-6.66	96.44	113.10
1	B	279	GLY	N-CA-C	-6.05	97.97	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2218	0	2248	90	0
1	B	2188	0	2230	74	0
2	A	1	0	0	0	0
3	A	31	0	13	5	0
4	A	95	0	0	2	0
4	B	137	0	0	0	0
All	All	4670	0	4491	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:GLY:HA3	1:B:282:GLY:O	1.33	1.25
1:B:310:GLU:CB	1:B:312:ILE:HG23	1.83	1.08
1:B:277:GLY:HA2	1:B:278:GLN:HB2	1.13	1.07
1:A:309:LYS:HG2	1:A:310:GLU:H	1.20	1.07
1:B:310:GLU:HB3	1:B:312:ILE:HG23	1.36	1.03
1:A:546:LEU:C	1:A:546:LEU:HD23	1.81	1.00
1:B:353:THR:HG21	1:B:393:ASP:OD1	1.65	0.95
1:B:301:MET:O	1:B:302:ASN:HB2	1.64	0.94
1:A:276:ILE:HD11	3:A:800:ANP:O4'	1.69	0.92
1:B:309:LYS:NZ	1:B:309:LYS:HB3	1.86	0.91
1:A:276:ILE:HG22	1:A:286:THR:OG1	1.71	0.89
1:A:336:VAL:O	1:A:336:VAL:HG22	1.72	0.89
1:B:277:GLY:CA	1:B:278:GLN:HB2	2.02	0.88
1:B:310:GLU:OE1	1:B:312:ILE:HG22	1.72	0.88
1:B:277:GLY:HA2	1:B:278:GLN:CB	2.03	0.88
1:A:546:LEU:C	1:A:546:LEU:CD2	2.42	0.88
1:A:287:ALA:HB3	1:A:298:ILE:HD13	1.59	0.82
1:B:309:LYS:O	1:B:310:GLU:HG3	1.79	0.82
1:A:256:LYS:O	1:A:259:ILE:HG13	1.79	0.82
1:B:308:LYS:O	1:B:309:LYS:HG2	1.77	0.81
1:B:308:LYS:O	1:B:309:LYS:CG	2.30	0.80
1:B:310:GLU:OE1	1:B:312:ILE:CG2	2.30	0.79
1:A:309:LYS:HG2	1:A:310:GLU:N	1.99	0.77
1:B:309:LYS:HB3	1:B:309:LYS:HZ3	1.46	0.76
1:B:312:ILE:HG12	1:B:313:ILE:N	2.01	0.76
1:B:310:GLU:HB2	1:B:312:ILE:HD12	1.68	0.76
1:A:353:THR:O	1:A:357:THR:HB	1.86	0.75
1:B:310:GLU:HB2	1:B:312:ILE:HG23	1.70	0.72
1:B:310:GLU:HB3	1:B:312:ILE:H	1.55	0.72
1:A:357:THR:HG22	1:A:358:GLU:HG2	1.72	0.71
1:B:254:LEU:HA	1:B:257:LEU:HD12	1.73	0.71
1:A:309:LYS:CG	1:A:310:GLU:H	2.01	0.68
1:A:260:ILE:HG23	1:A:320:ARG:HH21	1.59	0.67
1:A:288:MET:HG2	1:A:289:ASP:N	2.09	0.66
1:A:300:GLN:C	1:A:301:MET:HG3	2.15	0.66
1:B:309:LYS:O	1:B:310:GLU:CG	2.44	0.66
1:A:276:ILE:HG13	1:A:277:GLY:N	2.11	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:493:ILE:HD11	1:A:519:GLN:C	2.16	0.65
1:A:336:VAL:C	1:A:337:GLY:O	2.33	0.63
1:A:337:GLY:O	1:A:338:ASP:C	2.34	0.63
1:A:340:LEU:HD23	1:A:341:TRP:N	2.13	0.63
1:B:256:LYS:HB2	1:B:313:ILE:HG21	1.80	0.63
1:B:347:LEU:HB2	1:B:396:LEU:HG	1.79	0.62
1:A:301:MET:O	1:A:340:LEU:N	2.29	0.62
1:B:312:ILE:HG12	1:B:313:ILE:HG13	1.79	0.62
1:A:318:VAL:HG21	1:A:411:CYS:SG	2.40	0.62
1:B:353:THR:HG22	1:B:392:SER:C	2.20	0.61
1:A:315:GLU:O	1:A:319:MET:HG3	1.99	0.61
1:A:503:GLU:HG2	1:A:508:LYS:HB2	1.81	0.61
1:A:337:GLY:O	1:A:339:GLU:N	2.32	0.61
1:B:387:HIS:CD2	1:B:408:PHE:HB3	2.35	0.61
1:A:336:VAL:O	1:A:336:VAL:CG2	2.47	0.61
1:B:347:LEU:H	1:B:396:LEU:HD21	1.65	0.60
1:A:324:ASN:ND2	1:A:326:ASN:H	2.00	0.59
1:A:255:GLU:O	1:A:259:ILE:HG23	2.02	0.59
1:A:281:SER:N	1:A:282:GLY:HA2	2.17	0.59
1:B:314:ASN:O	1:B:318:VAL:HG23	2.03	0.58
1:A:324:ASN:HD22	1:A:326:ASN:H	1.52	0.58
1:A:256:LYS:N	1:A:256:LYS:HD2	2.20	0.57
1:A:296:VAL:HG12	1:A:298:ILE:HD11	1.87	0.57
1:A:298:ILE:HG13	1:A:343:VAL:HG22	1.87	0.56
1:B:302:ASN:ND2	1:B:307:PRO:HB3	2.20	0.56
1:B:253:ILE:O	1:B:257:LEU:HG	2.05	0.56
1:B:309:LYS:NZ	1:B:309:LYS:CB	2.67	0.56
1:A:337:GLY:O	1:A:338:ASP:CB	2.51	0.55
1:B:252:GLU:O	1:B:256:LYS:HG2	2.06	0.55
1:A:310:GLU:OE2	1:A:314:ASN:HB2	2.06	0.55
1:A:340:LEU:HD23	1:A:341:TRP:H	1.71	0.55
1:B:519:GLN:OE1	1:B:522:LYS:HE2	2.07	0.55
1:A:340:LEU:C	1:A:341:TRP:HD1	2.10	0.54
1:A:257:LEU:HD11	1:A:340:LEU:HD11	1.88	0.54
1:B:324:ASN:ND2	1:B:326:ASN:H	2.06	0.54
1:A:331:LEU:HB2	1:A:343:VAL:HG12	1.91	0.53
1:B:313:ILE:O	1:B:317:LEU:HG	2.08	0.53
1:B:254:LEU:HD23	1:B:257:LEU:HD12	1.90	0.53
1:A:534:ILE:O	1:A:538:LYS:HG2	2.08	0.53
1:B:312:ILE:CG1	1:B:313:ILE:N	2.72	0.53
1:A:296:VAL:HG12	1:A:298:ILE:CD1	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:337:GLY:O	1:A:338:ASP:HB3	2.10	0.52
1:A:274:GLU:CB	1:A:286:THR:HB	2.39	0.52
1:A:263:VAL:HG23	1:A:263:VAL:O	2.09	0.52
1:A:428:PRO:HB3	1:A:473:LEU:HD13	1.91	0.52
1:A:300:GLN:O	1:A:301:MET:HG3	2.09	0.51
1:A:279:GLY:HA2	4:A:175:HOH:O	2.10	0.51
1:A:371:ARG:O	1:A:375:GLN:HG3	2.11	0.51
1:A:276:ILE:CD1	3:A:800:ANP:O4'	2.53	0.51
1:A:520:PHE:O	1:A:523:ILE:HG12	2.11	0.51
1:B:338:ASP:CG	1:B:338:ASP:O	2.49	0.51
1:B:310:GLU:CB	1:B:312:ILE:HD12	2.40	0.50
1:A:276:ILE:HD11	3:A:800:ANP:C4'	2.41	0.50
1:A:357:THR:CG2	1:A:358:GLU:HG2	2.42	0.50
1:B:326:ASN:HD21	1:B:375:GLN:HE21	1.59	0.50
1:A:266:PRO:O	1:A:267:LYS:HB2	2.12	0.50
1:A:301:MET:CE	1:A:312:ILE:HD11	2.42	0.50
1:A:348:ALA:HB3	1:A:399:MET:HG2	1.93	0.50
1:A:275:LYS:HG3	1:A:285:TYR:CD2	2.47	0.50
1:A:276:ILE:CG1	1:A:277:GLY:N	2.76	0.49
1:A:287:ALA:HB3	1:A:298:ILE:CD1	2.36	0.49
1:A:301:MET:HE2	1:A:312:ILE:HD11	1.94	0.49
1:A:286:THR:HG22	1:A:287:ALA:N	2.28	0.49
1:A:336:VAL:O	1:A:337:GLY:O	2.30	0.49
1:B:308:LYS:O	1:B:309:LYS:HG3	2.11	0.49
1:A:274:GLU:HB3	1:A:286:THR:HB	1.93	0.49
1:B:387:HIS:O	1:B:388:ARG:HB2	2.13	0.49
1:B:260:ILE:CG1	1:B:320:ARG:HD2	2.43	0.49
1:A:328:VAL:HG12	1:A:344[B]:MET:HE1	1.95	0.48
3:A:800:ANP:O2G	3:A:800:ANP:O1B	2.31	0.48
1:A:312:ILE:HD13	1:A:340:LEU:HD13	1.95	0.48
1:B:326:ASN:ND2	1:B:375:GLN:HE21	2.12	0.48
1:A:279:GLY:HA3	3:A:800:ANP:O2A	2.14	0.48
1:B:299:ARG:CD	1:B:344:MET:HE1	2.43	0.48
1:A:276:ILE:C	1:A:276:ILE:HD12	2.33	0.48
1:B:488:GLU:CD	1:B:488:GLU:H	2.17	0.48
1:B:284:VAL:HG22	1:B:299:ARG:HB3	1.96	0.47
1:B:338:ASP:O	1:B:338:ASP:OD1	2.31	0.47
1:A:259:ILE:C	1:A:259:ILE:HD12	2.35	0.47
1:B:312:ILE:HG12	1:B:313:ILE:H	1.78	0.47
1:B:311:LEU:O	1:B:312:ILE:C	2.53	0.47
1:B:260:ILE:HD11	1:B:320:ARG:CD	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:458:ILE:HD11	1:A:494:PHE:CZ	2.50	0.47
1:A:257:LEU:HD11	1:A:340:LEU:CD1	2.45	0.46
1:A:335:LEU:HG	1:A:337:GLY:H	1.81	0.46
1:B:280:ALA:HB1	1:B:281:SER:OG	2.16	0.46
1:B:265:ASP:HB3	1:B:268:LYS:HE2	1.98	0.46
1:B:487:PRO:HD2	1:B:488:GLU:OE2	2.15	0.46
1:B:310:GLU:CD	1:B:312:ILE:CG2	2.84	0.45
1:B:280:ALA:CB	1:B:281:SER:HA	2.35	0.45
1:B:302:ASN:HD21	1:B:307:PRO:HB3	1.80	0.45
1:A:540:ALA:O	1:A:543:ASN:HB2	2.17	0.45
1:B:390:ILE:HB	1:B:449:SER:HB2	1.99	0.44
1:A:298:ILE:HD12	1:A:298:ILE:N	2.32	0.44
1:B:310:GLU:OE1	1:B:312:ILE:HG23	2.15	0.44
1:A:531:THR:OG1	1:A:532:PRO:HD3	2.17	0.44
1:B:280:ALA:HA	1:B:281:SER:HA	1.34	0.44
1:A:265:ASP:HA	1:A:266:PRO:HD2	1.86	0.44
1:B:308:LYS:HB3	1:B:308:LYS:HE3	1.68	0.44
1:B:253:ILE:CG2	1:B:313:ILE:HD11	2.47	0.43
1:A:335:LEU:HG	1:A:336:VAL:N	2.32	0.43
1:B:279:GLY:HA2	1:B:280:ALA:C	2.39	0.43
1:A:495:ARG:NH1	1:A:499:ASN:OD1	2.52	0.43
1:A:259:ILE:HD12	1:A:260:ILE:N	2.34	0.43
1:B:324:ASN:HD22	1:B:326:ASN:H	1.65	0.43
1:B:312:ILE:N	1:B:312:ILE:HD13	2.35	0.42
1:B:508:LYS:HD2	1:B:508:LYS:O	2.19	0.42
1:A:317:LEU:O	1:A:321:GLU:HG3	2.20	0.42
1:B:308:LYS:C	1:B:309:LYS:CG	2.88	0.42
1:B:320:ARG:HG3	1:B:330:TYR:CE2	2.55	0.42
1:A:260:ILE:HA	4:A:38:HOH:O	2.20	0.41
1:A:388:ARG:CZ	1:A:412:ALA:HB2	2.50	0.41
1:A:278:GLN:HB3	1:A:283:THR:CG2	2.50	0.41
1:A:335:LEU:HD12	1:A:340:LEU:HG	2.01	0.41
1:B:271:THR:HG23	1:B:290:VAL:CG1	2.50	0.41
1:A:309:LYS:CG	1:A:310:GLU:N	2.71	0.41
1:A:332:ASP:OD2	1:A:333:SER:N	2.54	0.41
1:A:319:MET:HE1	1:A:344[B]:MET:HE1	2.03	0.41
1:A:330:TYR:HA	1:A:344[B]:MET:HE3	2.02	0.41
1:A:311:LEU:HD22	1:A:409:GLY:O	2.21	0.41
1:A:266:PRO:O	1:A:267:LYS:CB	2.69	0.41
1:B:418:GLN:O	1:B:438:ARG:NH2	2.53	0.41
1:A:252:GLU:H	1:A:252:GLU:HG3	1.47	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:410:PHE:CZ	1:B:423:THR:HG21	2.56	0.40
1:B:299:ARG:HG3	1:B:342:VAL:HB	2.03	0.40
1:B:261:VAL:HG13	1:B:334:TYR:HA	2.04	0.40
1:B:282:GLY:HA3	1:B:301:MET:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/306 (90%)	266 (97%)	9 (3%)	0	100	100
1	B	273/306 (89%)	264 (97%)	9 (3%)	0	100	100
All	All	548/612 (90%)	530 (97%)	18 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/267 (92%)	228 (93%)	18 (7%)	14	5
1	B	242/267 (91%)	231 (96%)	11 (4%)	27	16
All	All	488/534 (91%)	459 (94%)	29 (6%)	20	9

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	252	GLU
1	A	256	LYS
1	A	257	LEU
1	A	261	VAL
1	A	276	ILE
1	A	289	ASP
1	A	300	GLN
1	A	301	MET
1	A	320	ARG
1	A	335	LEU
1	A	344[A]	MET
1	A	344[B]	MET
1	A	357	THR
1	A	389	ASN
1	A	393	ASP
1	A	406	THR
1	A	473	LEU
1	A	546	LEU
1	B	255	GLU
1	B	299	ARG
1	B	302	ASN
1	B	311	LEU
1	B	312	ILE
1	B	315	GLU
1	B	328	VAL
1	B	338	ASP
1	B	353	THR
1	B	483	GLU
1	B	484	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	278	GLN
1	A	324	ASN
1	A	389	ASN
1	B	302	ASN
1	B	324	ASN
1	B	326	ASN
1	B	375	GLN
1	B	468	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ANP	A	800	2	29,33,33	3.07	13 (44%)	31,52,52	2.77	9 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	800	2	-	4/14/38/38	0/3/3/3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	800	ANP	PB-O3A	8.02	1.69	1.59
3	A	800	ANP	PB-O1B	7.50	1.58	1.46
3	A	800	ANP	PB-N3B	5.71	1.78	1.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	800	ANP	PG-O1G	5.35	1.54	1.46
3	A	800	ANP	PB-O2B	4.47	1.68	1.56
3	A	800	ANP	C6-N6	3.54	1.47	1.34
3	A	800	ANP	C5'-C4'	-3.10	1.41	1.51
3	A	800	ANP	C2'-C1'	-2.92	1.49	1.53
3	A	800	ANP	O3'-C3'	-2.48	1.37	1.43
3	A	800	ANP	PG-O3G	-2.30	1.50	1.56
3	A	800	ANP	C3'-C4'	-2.25	1.47	1.53
3	A	800	ANP	O2'-C2'	-2.25	1.37	1.43
3	A	800	ANP	PG-N3B	2.10	1.68	1.63

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	800	ANP	O1B-PB-N3B	-8.01	99.98	111.77
3	A	800	ANP	O2B-PB-O1B	-7.55	94.10	109.92
3	A	800	ANP	N3-C2-N1	-4.38	121.83	128.68
3	A	800	ANP	O2B-PB-O3A	4.12	118.39	104.64
3	A	800	ANP	O3A-PB-N3B	3.90	117.42	106.59
3	A	800	ANP	C3'-C2'-C1'	3.87	106.81	100.98
3	A	800	ANP	PB-O3A-PA	-3.62	119.86	132.62
3	A	800	ANP	O5'-C5'-C4'	2.95	119.16	108.99
3	A	800	ANP	C4-C5-N7	-2.48	106.82	109.40

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	800	ANP	PA-O3A-PB-O1B
3	A	800	ANP	PB-O3A-PA-O2A
3	A	800	ANP	C4'-C5'-O5'-PA
3	A	800	ANP	O4'-C4'-C5'-O5'


There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	800	ANP	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	282/306 (92%)	0.74	41 (14%) 2 2	27, 50, 152, 268	0
1	B	279/306 (91%)	0.32	29 (10%) 6 7	27, 46, 143, 297	0
All	All	561/612 (91%)	0.53	70 (12%) 3 4	27, 48, 147, 297	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	280	ALA	9.7
1	A	276	ILE	8.8
1	B	253	ILE	8.6
1	B	278	GLN	7.4
1	A	253	ILE	6.8
1	A	337	GLY	6.8
1	A	254	LEU	6.5
1	B	259	ILE	6.4
1	A	416	PRO	6.2
1	A	264	GLY	6.0
1	A	273	PHE	6.0
1	A	279	GLY	5.1
1	B	260	ILE	5.0
1	A	545	HIS	4.9
1	B	309	LYS	4.8
1	B	251	GLU	4.8
1	B	338	ASP	4.7
1	A	281	SER	4.6
1	A	390	ILE	4.5
1	A	335	LEU	4.4
1	B	308	LYS	4.0
1	B	281	SER	4.0
1	B	418	GLN	3.8
1	B	263	VAL	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	251	GLU	3.7
1	B	311	LEU	3.7
1	A	294	GLN	3.7
1	A	450	LEU	3.6
1	A	417	GLU	3.6
1	B	307	PRO	3.6
1	A	360	CYS	3.5
1	A	546	LEU	3.4
1	A	285	TYR	3.4
1	B	313	ILE	3.4
1	B	250	ASP	3.3
1	A	278	GLN	3.3
1	A	542	LYS	3.2
1	A	543	ASN	3.2
1	A	339	GLU	3.1
1	A	263	VAL	3.1
1	A	302	ASN	3.0
1	B	310	GLU	3.0
1	B	360	CYS	3.0
1	A	418	GLN	3.0
1	A	544	ASN	2.9
1	A	415	THR	2.9
1	A	452	ILE	2.9
1	A	284	VAL	2.9
1	A	453	MET	2.8
1	B	279	GLY	2.6
1	B	465	LEU	2.5
1	B	283	THR	2.5
1	B	321	GLU	2.5
1	A	430	TRP	2.4
1	A	457	MET	2.4
1	B	317	LEU	2.3
1	B	275	LYS	2.3
1	A	341	TRP	2.3
1	B	256	LYS	2.2
1	B	318	VAL	2.2
1	A	309	LYS	2.2
1	A	280	ALA	2.2
1	A	454	ALA	2.1
1	B	369	VAL	2.1
1	A	483	GLU	2.1
1	A	298	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	301	MET	2.0
1	A	340	LEU	2.0
1	A	455	ILE	2.0
1	B	312	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ANP	A	800	31/31	0.89	0.14	49,83,110,116	0
2	MG	A	1	1/1	0.95	0.15	69,69,69,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.