



# Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2024 – 03:33 pm BST

PDB ID : 8Q5W  
Title : MgADP-bound Fe protein of the molybdenum nitrogenase from *Methanocaldococcus infernus*  
Authors : Maslac, N.; Wagner, T.  
Deposited on : 2023-08-09  
Resolution : 2.49 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	284	 2% 95%
1	B	284	 4% 92% 7%
1	C	284	 4% 95%
1	D	284	 20% 89% 8%
1	E	284	 14% 90% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	284	 2% 94% 5%
1	G	284	 4% 94% 5%
1	H	284	 5% 93% 6%
1	I	284	 2% 92% 6%
1	J	284	 5% 91% 7%
1	K	284	 2% 91% 8%
1	L	284	 2% 92% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NO3	L	403	-	-	-	X

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 26165 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitrogenase iron protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	280	Total 2138	C 1358	N 354	O 408	S 18	0	0	0
1	B	280	Total 2144	C 1364	N 354	O 408	S 18	0	0	0
1	C	279	Total 2130	C 1352	N 353	O 407	S 18	0	0	0
1	D	277	Total 2113	C 1340	N 351	O 404	S 18	0	0	0
1	E	279	Total 2133	C 1355	N 353	O 407	S 18	0	0	0
1	F	280	Total 2144	C 1364	N 354	O 408	S 18	0	0	0
1	G	281	Total 2150	C 1367	N 355	O 410	S 18	0	0	0
1	H	280	Total 2144	C 1364	N 354	O 408	S 18	0	0	0
1	I	280	Total 2138	C 1358	N 354	O 408	S 18	0	0	0
1	J	279	Total 2132	C 1355	N 353	O 406	S 18	0	0	0
1	K	281	Total 2150	C 1367	N 355	O 410	S 18	0	0	0
1	L	280	Total 2144	C 1364	N 354	O 408	S 18	0	0	0

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	F	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	I	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	J	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	K	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	L	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0
3	E	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0
3	G	1	Total Mg 1 1	0	0
3	H	1	Total Mg 1 1	0	0
3	I	1	Total Mg 1 1	0	0
3	J	1	Total Mg 1 1	0	0
3	K	1	Total Mg 1 1	0	0
3	L	1	Total Mg 1 1	0	0

- Molecule 4 is NITRATE ION (three-letter code: NO3) (formula: NO<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total N O 4 1 3	0	0
4	A	1	Total N O 4 1 3	0	0
4	A	1	Total N O 4 1 3	0	0
4	F	1	Total N O 4 1 3	0	0
4	F	1	Total N O 4 1 3	0	0
4	H	1	Total N O 4 1 3	0	0
4	I	1	Total N O 4 1 3	0	0
4	I	1	Total N O 4 1 3	0	0
4	K	1	Total N O 4 1 3	0	0
4	L	1	Total N O 4 1 3	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	G	1	Total C O 4 2 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	G	1	Total C O 4 2 2	0	0
5	H	1	Total C O 4 2 2	0	0
5	I	1	Total C O 4 2 2	0	0
5	I	1	Total C O 4 2 2	0	0

- Molecule 6 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total Fe S 8 4 4	0	0
6	C	1	Total Fe S 8 4 4	0	0
6	E	1	Total Fe S 8 4 4	0	0
6	H	1	Total Fe S 8 4 4	0	0
6	I	1	Total Fe S 8 4 4	0	0
6	K	1	Total Fe S 8 4 4	0	0

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	E	1	Total Cl 1 1	0	0
7	G	1	Total Cl 1 1	0	0
7	J	1	Total Cl 1 1	0	0
7	L	1	Total Cl 1 1	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	I	1	Total C O 6 3 3	0	0
8	K	1	Total C O 6 3 3	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	11	Total O 11 11	0	0
9	B	1	Total O 1 1	0	0
9	C	2	Total O 2 2	0	0
9	D	2	Total O 2 2	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
9	E	1	Total O 1 1	0	0
9	F	1	Total O 1 1	0	0
9	G	5	Total O 5 5	0	0
9	H	2	Total O 2 2	0	0
9	I	5	Total O 5 5	0	0
9	J	1	Total O 1 1	0	0
9	K	2	Total O 2 2	0	0
9	L	8	Total O 8 8	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitrogenase iron protein





- Molecule 1: Nitrogenase iron protein




- Molecule 1: Nitrogenase iron protein




- Molecule 1: Nitrogenase iron protein




- Molecule 1: Nitrogenase iron protein




- Molecule 1: Nitrogenase iron protein




- Molecule 1: Nitrogenase iron protein




- Molecule 1: Nitrogenase iron protein




- Molecule 1: Nitrogenase iron protein



- Molecule 1: Nitrogenase iron protein



- Molecule 1: Nitrogenase iron protein







- Molecule 1: Nitrogenase iron protein

Chain L: 92% 6%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	147.95Å 156.73Å 206.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.26 – 2.49 120.26 – 2.49	Depositor EDS
% Data completeness (in resolution range)	54.4 (49.26-2.49) 54.4 (120.26-2.49)	Depositor EDS
$R_{merge}$	0.18	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.55 (at 2.48Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, $R_{free}$	0.221 , 0.242 0.220 , 0.239	Depositor DCC
$R_{free}$ test set	4422 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	66.9	Xtrriage
Anisotropy	0.064	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 18.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	26165	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.83 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.4891e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP, GOL, CL, NO3, SF4, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/2174	0.47	0/2925
1	B	0.32	0/2181	0.47	0/2935
1	C	0.28	0/2166	0.47	0/2914
1	D	0.33	0/2148	0.50	0/2890
1	E	0.35	0/2169	0.51	0/2919
1	F	0.32	0/2181	0.47	0/2935
1	G	0.30	0/2187	0.47	0/2943
1	H	0.29	0/2181	0.47	0/2935
1	I	0.29	0/2174	0.47	0/2925
1	J	0.30	0/2168	0.48	0/2917
1	K	0.33	0/2187	0.48	0/2943
1	L	0.29	0/2181	0.46	0/2935
All	All	0.31	0/26097	0.48	0/35116

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2138	0	2153	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2144	0	2157	14	0
1	C	2130	0	2142	7	0
1	D	2113	0	2128	16	0
1	E	2133	0	2147	14	0
1	F	2144	0	2157	7	0
1	G	2150	0	2162	10	0
1	H	2144	0	2157	11	0
1	I	2138	0	2153	12	0
1	J	2132	0	2148	11	0
1	K	2150	0	2162	15	0
1	L	2144	0	2157	12	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
2	E	27	0	12	0	0
2	F	27	0	12	0	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0
2	I	27	0	12	0	0
2	J	27	0	12	0	0
2	K	27	0	12	1	0
2	L	27	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
4	A	12	0	0	0	0
4	F	8	0	0	0	0
4	H	4	0	0	0	0
4	I	8	0	0	1	0
4	K	4	0	0	0	0
4	L	4	0	0	0	0
5	A	4	0	6	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	G	8	0	12	0	0
5	H	4	0	6	0	0
5	I	8	0	12	0	0
6	B	8	0	0	0	0
6	C	8	0	0	0	0
6	E	8	0	0	0	0
6	H	8	0	0	0	0
6	I	8	0	0	0	0
6	K	8	0	0	0	0
7	E	1	0	0	1	0
7	G	1	0	0	0	0
7	J	1	0	0	0	0
7	L	1	0	0	0	0
8	I	6	0	8	0	0
8	K	6	0	8	0	0
9	A	11	0	0	0	0
9	B	1	0	0	0	0
9	C	2	0	0	0	0
9	D	2	0	0	0	0
9	E	1	0	0	0	0
9	F	1	0	0	0	0
9	G	5	0	0	0	0
9	H	2	0	0	0	0
9	I	5	0	0	0	0
9	J	1	0	0	0	0
9	K	2	0	0	0	0
9	L	8	0	0	0	0
All	All	26165	0	26019	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:238:PHE:CZ	1:E:108:ARG:HB2	2.29	0.67
1:E:108:ARG:NH2	7:E:301:CL:CL	2.74	0.58
1:J:281:LEU:HD23	1:J:281:LEU:N	2.24	0.53
1:D:177:LEU:HD23	1:D:263:ILE:CG2	2.42	0.50
1:K:122:GLY:O	1:K:124:PRO:HD3	2.12	0.50
1:J:146:PRO:HA	1:J:151:LEU:HB2	1.94	0.50

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:247:GLU:HA	1:H:250:LYS:HD2	1.94	0.49
1:H:155:ILE:HG21	1:H:176:ILE:HD11	1.92	0.49
1:B:203:LEU:HD23	1:B:281:LEU:HD11	1.93	0.49
1:D:177:LEU:HD22	1:D:177:LEU:O	2.13	0.49
1:B:42:GLY:HA3	1:B:129:PHE:CZ	2.48	0.49
1:L:278:LYS:HE3	1:L:279:TYR:CE1	2.48	0.49
1:D:38:TYR:CE2	1:D:40:LEU:HD21	2.48	0.48
1:B:281:LEU:HB2	1:B:282:TYR:CD1	2.48	0.48
1:F:220:PRO:HD2	1:F:244:GLN:OE1	2.13	0.48
1:C:155:ILE:HG21	1:C:176:ILE:HD11	1.96	0.48
1:A:203:LEU:HD23	1:A:281:LEU:HD11	1.96	0.48
1:L:6:ILE:O	1:L:6:ILE:HG13	2.14	0.48
1:G:130:LEU:HD21	1:G:132:PHE:CZ	2.49	0.48
1:L:281:LEU:HB2	1:L:282:TYR:CD1	2.49	0.47
1:G:197:VAL:HG21	1:G:282:TYR:CE1	2.49	0.47
1:G:281:LEU:HD23	1:G:281:LEU:N	2.29	0.47
1:B:197:VAL:HG11	1:B:282:TYR:CE2	2.50	0.47
1:C:55:ARG:NH1	1:D:273:GLU:OE2	2.48	0.47
1:D:105:CYS:O	1:D:108:ARG:HG2	2.15	0.47
1:G:42:GLY:HA3	1:G:129:PHE:CZ	2.49	0.47
1:K:281:LEU:HD23	1:K:281:LEU:N	2.29	0.47
1:A:36:TYR:O	1:A:39:LYS:HE2	2.14	0.47
1:H:281:LEU:HB2	1:H:282:TYR:CD1	2.50	0.47
1:J:180:ALA:HB1	1:J:263:ILE:HG12	1.97	0.47
1:L:21:ILE:HD12	1:L:195:ARG:HH21	1.80	0.47
1:L:279:TYR:HB3	1:L:281:LEU:HD21	1.97	0.47
1:F:194:SER:O	1:F:221:ARG:HB2	2.15	0.47
1:C:50:LYS:HG3	1:D:167:TYR:CZ	2.49	0.47
1:G:237:GLU:OE2	1:I:108:ARG:NH1	2.48	0.47
1:H:6:ILE:O	1:H:12:LYS:NZ	2.47	0.46
1:E:180:ALA:HB1	1:E:263:ILE:HG12	1.97	0.46
1:H:279:TYR:HB3	1:H:281:LEU:HD21	1.98	0.46
1:G:264:PRO:O	1:G:266:PRO:HD3	2.15	0.46
1:D:110:VAL:O	1:D:114:VAL:HG23	2.14	0.46
1:J:270:ASP:O	1:J:274:LYS:HG3	2.15	0.46
1:K:16:TYR:HB3	1:K:172:ILE:HD13	1.96	0.46
1:B:124:PRO:HB2	1:B:127:LEU:HG	1.97	0.46
1:E:29:ASN:OD1	1:E:235:VAL:HB	2.15	0.46
1:I:182:GLN:NE2	4:I:305:NO3:O1	2.48	0.46
1:I:237:GLU:OE2	1:L:108:ARG:NH1	2.49	0.46
1:D:177:LEU:HD23	1:D:263:ILE:HG23	1.96	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:122:GLY:O	1:I:124:PRO:HD3	2.15	0.46
1:B:174:LYS:O	1:B:178:LYS:HG2	2.16	0.46
1:E:198:ASP:O	1:E:281:LEU:HD22	2.15	0.45
1:B:108:ARG:NE	1:L:239:ALA:HB2	2.31	0.45
1:F:161:GLY:HA3	1:F:281:LEU:HD12	1.98	0.45
1:K:124:PRO:HD2	1:K:127:LEU:HD11	1.98	0.45
1:K:200:GLU:O	1:K:204:MET:HG2	2.15	0.45
1:A:269:MET:O	1:A:273:GLU:HG3	2.17	0.45
1:K:6:ILE:O	1:K:6:ILE:HG13	2.16	0.45
1:K:23:LYS:HG3	2:K:302:ADP:O2B	2.17	0.45
1:D:75:GLU:CD	1:D:75:GLU:O	2.56	0.45
1:G:197:VAL:HG21	1:G:282:TYR:OH	2.17	0.45
1:K:124:PRO:HB2	1:K:127:LEU:HG	1.99	0.45
1:H:281:LEU:HD23	1:H:281:LEU:N	2.32	0.44
1:K:42:GLY:HA3	1:K:129:PHE:CZ	2.52	0.44
1:B:279:TYR:HB3	1:B:281:LEU:CD2	2.47	0.44
1:H:39:LYS:O	1:H:39:LYS:HG3	2.18	0.43
1:L:34:LEU:CD1	1:L:252:GLY:HA3	2.48	0.43
1:J:147:LEU:HA	1:J:185:VAL:HG11	1.98	0.43
1:L:75:GLU:O	1:L:75:GLU:HG2	2.19	0.43
1:E:111:ILE:HG23	1:E:145:MET:HE1	2.01	0.43
1:L:180:ALA:HB1	1:L:263:ILE:HG12	2.00	0.43
1:B:41:LYS:HE2	1:B:126:ASP:OD1	2.19	0.43
1:B:138:VAL:HG22	1:B:140:CYS:SG	2.58	0.43
1:D:35:ALA:O	1:D:39:LYS:HA	2.18	0.43
1:B:127:LEU:HD23	1:B:127:LEU:HA	1.84	0.43
1:E:5:GLU:O	1:E:8:PRO:HD3	2.18	0.43
1:B:264:PRO:O	1:B:266:PRO:HD3	2.19	0.43
1:D:246:LEU:O	1:D:250:LYS:HG3	2.19	0.43
1:A:203:LEU:CD2	1:A:281:LEU:HD11	2.49	0.43
1:H:145:MET:HG3	1:H:149:ASP:OD2	2.19	0.43
1:D:34:LEU:HD23	1:D:129:PHE:CD1	2.54	0.42
1:D:200:GLU:O	1:D:204:MET:HG2	2.19	0.42
1:E:194:SER:HB2	1:E:218:PHE:CZ	2.54	0.42
1:I:55:ARG:HG3	1:I:60:GLY:HA2	2.00	0.42
1:I:75:GLU:O	1:I:75:GLU:HG2	2.18	0.42
1:K:11:LYS:HD2	1:K:256:MET:HA	2.02	0.42
1:L:107:GLY:O	1:L:142:GLY:HA3	2.20	0.42
1:C:270:ASP:O	1:C:274:LYS:HG2	2.20	0.42
1:E:155:ILE:HG21	1:E:176:ILE:HD11	2.02	0.42
1:G:82:LYS:NZ	1:I:76:GLU:CD	2.73	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:191:ILE:HD13	1:E:216:ILE:CG2	2.50	0.42
1:B:195:ARG:O	1:B:195:ARG:HG3	2.20	0.42
1:F:203:LEU:HA	1:F:279:TYR:CE2	2.55	0.42
1:G:107:GLY:O	1:G:142:GLY:HA3	2.20	0.42
1:J:145:MET:HB3	1:J:146:PRO:HD3	2.02	0.42
1:L:42:GLY:HA3	1:L:129:PHE:CZ	2.55	0.42
1:C:137:ASP:OD2	1:D:137:ASP:HB3	2.20	0.41
1:H:52:ASP:HB2	1:H:55:ARG:HD3	2.01	0.41
1:K:207:PHE:CE2	1:K:211:LEU:HD12	2.55	0.41
1:D:80:LEU:HD21	1:D:122:GLY:HA2	2.02	0.41
1:E:75:GLU:CD	1:E:75:GLU:O	2.59	0.41
1:K:232:LYS:O	1:K:233:MET:HG3	2.20	0.41
1:K:279:TYR:HB3	1:K:281:LEU:HD21	2.01	0.41
1:A:42:GLY:HA3	1:A:129:PHE:CZ	2.55	0.41
1:I:42:GLY:HA3	1:I:129:PHE:CZ	2.55	0.41
1:E:107:GLY:O	1:E:142:GLY:HA3	2.21	0.41
1:C:107:GLY:O	1:C:142:GLY:HA3	2.20	0.41
1:I:107:GLY:O	1:I:142:GLY:HA3	2.21	0.41
1:F:130:LEU:HD22	1:F:132:PHE:CE2	2.56	0.41
1:I:6:ILE:O	1:I:6:ILE:HG13	2.20	0.41
1:A:279:TYR:HB3	1:A:281:LEU:HD21	2.03	0.41
1:E:279:TYR:HB3	1:E:281:LEU:CD2	2.51	0.41
1:F:127:LEU:HD23	1:F:127:LEU:HA	1.84	0.41
1:H:42:GLY:HA3	1:H:129:PHE:CZ	2.56	0.41
1:H:203:LEU:O	1:H:203:LEU:HD23	2.21	0.41
1:F:125:ASP:C	1:F:127:LEU:H	2.24	0.41
1:I:238:PHE:CZ	1:K:108:ARG:HB2	2.56	0.40
1:J:148:ARG:HA	1:J:179:TYR:CD2	2.57	0.40
1:J:156:TYR:CE2	1:J:255:ILE:HG12	2.56	0.40
1:E:274:LYS:O	1:E:278:LYS:HG2	2.22	0.40
1:B:281:LEU:N	1:B:281:LEU:HD23	2.36	0.40
1:D:122:GLY:O	1:D:124:PRO:HD3	2.22	0.40
1:G:130:LEU:CD2	1:G:132:PHE:CE2	3.04	0.40
1:I:135:LEU:HD11	1:I:137:ASP:OD2	2.22	0.40
1:K:201:ARG:O	1:K:205:GLU:HG3	2.22	0.40
1:J:42:GLY:HA3	1:J:129:PHE:CZ	2.56	0.40
1:J:45:HIS:CD2	1:J:94:VAL:HG23	2.57	0.40
1:J:107:GLY:O	1:J:142:GLY:HA3	2.21	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	278/284 (98%)	274 (99%)	4 (1%)	0	100	100
1	B	278/284 (98%)	274 (99%)	4 (1%)	0	100	100
1	C	277/284 (98%)	274 (99%)	3 (1%)	0	100	100
1	D	275/284 (97%)	269 (98%)	6 (2%)	0	100	100
1	E	277/284 (98%)	275 (99%)	2 (1%)	0	100	100
1	F	278/284 (98%)	272 (98%)	5 (2%)	1 (0%)	34	54
1	G	279/284 (98%)	274 (98%)	5 (2%)	0	100	100
1	H	278/284 (98%)	274 (99%)	4 (1%)	0	100	100
1	I	278/284 (98%)	274 (99%)	4 (1%)	0	100	100
1	J	277/284 (98%)	271 (98%)	6 (2%)	0	100	100
1	K	279/284 (98%)	275 (99%)	4 (1%)	0	100	100
1	L	278/284 (98%)	273 (98%)	5 (2%)	0	100	100
All	All	3332/3408 (98%)	3279 (98%)	52 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	126	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/232 (98%)	228 (100%)	0	100	100
1	B	228/232 (98%)	228 (100%)	0	100	100
1	C	227/232 (98%)	227 (100%)	0	100	100
1	D	225/232 (97%)	225 (100%)	0	100	100
1	E	227/232 (98%)	227 (100%)	0	100	100
1	F	228/232 (98%)	228 (100%)	0	100	100
1	G	229/232 (99%)	229 (100%)	0	100	100
1	H	228/232 (98%)	228 (100%)	0	100	100
1	I	228/232 (98%)	227 (100%)	1 (0%)	91	97
1	J	227/232 (98%)	227 (100%)	0	100	100
1	K	229/232 (99%)	229 (100%)	0	100	100
1	L	228/232 (98%)	228 (100%)	0	100	100
All	All	2732/2784 (98%)	2731 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	231	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

Of 52 ligands modelled in this entry, 16 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	SF4	K	301	1	0,12,12	-	-	-	-	-
4	NO3	I	305	-	1,3,3	0.30	0	0,3,3	-	-
2	ADP	I	302	3	24,29,29	0.95	1 (4%)	29,45,45	1.29	4 (13%)
8	GOL	I	306	-	5,5,5	0.08	0	5,5,5	0.31	0
4	NO3	L	403	-	1,3,3	0.20	0	0,3,3	-	-
2	ADP	A	501	3	24,29,29	0.99	1 (4%)	29,45,45	1.27	4 (13%)
4	NO3	F	403	-	1,3,3	0.13	0	0,3,3	-	-
2	ADP	E	303	-	24,29,29	0.97	1 (4%)	29,45,45	1.31	4 (13%)
4	NO3	I	307	-	1,3,3	0.37	0	0,3,3	-	-
4	NO3	A	503	-	1,3,3	0.18	0	0,3,3	-	-
2	ADP	K	302	3	24,29,29	0.96	1 (4%)	29,45,45	1.31	4 (13%)
5	EDO	A	505	-	3,3,3	0.06	0	2,2,2	0.15	0
5	EDO	I	304	-	3,3,3	0.05	0	2,2,2	0.18	0
5	EDO	G	504	-	3,3,3	0.06	0	2,2,2	0.20	0
4	NO3	F	404	-	1,3,3	0.09	0	0,3,3	-	-
6	SF4	E	302	1	0,12,12	-	-	-	-	-
2	ADP	J	401	3	24,29,29	0.93	1 (4%)	29,45,45	1.32	3 (10%)
2	ADP	G	501	3	24,29,29	0.95	1 (4%)	29,45,45	1.28	3 (10%)
6	SF4	B	301	1	0,12,12	-	-	-	-	-
6	SF4	I	301	1	0,12,12	-	-	-	-	-
4	NO3	A	504	-	1,3,3	0.27	0	0,3,3	-	-
2	ADP	B	302	3	24,29,29	0.98	1 (4%)	29,45,45	1.30	4 (13%)
5	EDO	I	308	-	3,3,3	0.06	0	2,2,2	0.20	0
2	ADP	H	302	3	24,29,29	0.95	1 (4%)	29,45,45	1.32	4 (13%)
4	NO3	K	304	-	1,3,3	0.05	0	0,3,3	-	-
2	ADP	C	302	3	24,29,29	0.96	1 (4%)	29,45,45	1.29	4 (13%)
2	ADP	D	401	3	24,29,29	0.95	1 (4%)	29,45,45	1.30	3 (10%)
5	EDO	G	503	-	3,3,3	0.06	0	2,2,2	0.18	0
6	SF4	C	301	1	0,12,12	-	-	-	-	-
6	SF4	H	301	1	0,12,12	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	GOL	K	305	-	5,5,5	0.09	0	5,5,5	0.33	0
4	NO3	A	506	-	1,3,3	0.25	0	0,3,3	-	-
2	ADP	F	401	3	24,29,29	0.95	1 (4%)	29,45,45	1.31	4 (13%)
4	NO3	H	305	-	1,3,3	0.20	0	0,3,3	-	-
2	ADP	L	401	3	24,29,29	0.93	1 (4%)	29,45,45	1.29	3 (10%)
5	EDO	H	304	-	3,3,3	0.05	0	2,2,2	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SF4	K	301	1	-	-	0/6/5/5
2	ADP	I	302	3	-	0/12/32/32	0/3/3/3
8	GOL	I	306	-	-	2/4/4/4	-
2	ADP	A	501	3	-	1/12/32/32	0/3/3/3
2	ADP	E	303	-	-	0/12/32/32	0/3/3/3
2	ADP	K	302	3	-	0/12/32/32	0/3/3/3
5	EDO	A	505	-	-	0/1/1/1	-
5	EDO	I	304	-	-	1/1/1/1	-
5	EDO	G	504	-	-	1/1/1/1	-
6	SF4	E	302	1	-	-	0/6/5/5
2	ADP	J	401	3	-	0/12/32/32	0/3/3/3
2	ADP	G	501	3	-	0/12/32/32	0/3/3/3
6	SF4	B	301	1	-	-	0/6/5/5
6	SF4	I	301	1	-	-	0/6/5/5
2	ADP	B	302	3	-	0/12/32/32	0/3/3/3
5	EDO	I	308	-	-	1/1/1/1	-
2	ADP	H	302	3	-	0/12/32/32	0/3/3/3
2	ADP	C	302	3	-	0/12/32/32	0/3/3/3
2	ADP	D	401	3	-	0/12/32/32	0/3/3/3
5	EDO	G	503	-	-	1/1/1/1	-
6	SF4	C	301	1	-	-	0/6/5/5
6	SF4	H	301	1	-	-	0/6/5/5
8	GOL	K	305	-	-	2/4/4/4	-
2	ADP	F	401	3	-	0/12/32/32	0/3/3/3
5	EDO	H	304	-	-	0/1/1/1	-
2	ADP	L	401	3	-	0/12/32/32	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	ADP	C5-C4	2.49	1.47	1.40
2	E	303	ADP	C5-C4	2.45	1.47	1.40
2	F	401	ADP	C5-C4	2.45	1.47	1.40
2	K	302	ADP	C5-C4	2.41	1.47	1.40
2	H	302	ADP	C5-C4	2.41	1.47	1.40
2	I	302	ADP	C5-C4	2.41	1.47	1.40
2	B	302	ADP	C5-C4	2.40	1.47	1.40
2	C	302	ADP	C5-C4	2.40	1.47	1.40
2	L	401	ADP	C5-C4	2.40	1.47	1.40
2	D	401	ADP	C5-C4	2.39	1.47	1.40
2	G	501	ADP	C5-C4	2.39	1.47	1.40
2	J	401	ADP	C5-C4	2.33	1.47	1.40

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	302	ADP	N3-C2-N1	-3.99	122.45	128.68
2	F	401	ADP	N3-C2-N1	-3.98	122.46	128.68
2	K	302	ADP	N3-C2-N1	-3.94	122.52	128.68
2	E	303	ADP	N3-C2-N1	-3.93	122.54	128.68
2	D	401	ADP	N3-C2-N1	-3.90	122.58	128.68
2	C	302	ADP	N3-C2-N1	-3.85	122.67	128.68
2	I	302	ADP	N3-C2-N1	-3.84	122.67	128.68
2	B	302	ADP	N3-C2-N1	-3.80	122.74	128.68
2	G	501	ADP	N3-C2-N1	-3.77	122.78	128.68
2	L	401	ADP	N3-C2-N1	-3.72	122.87	128.68
2	J	401	ADP	N3-C2-N1	-3.72	122.87	128.68
2	A	501	ADP	N3-C2-N1	-3.66	122.96	128.68
2	J	401	ADP	C4-C5-N7	-3.05	106.22	109.40
2	G	501	ADP	C4-C5-N7	-3.03	106.24	109.40
2	A	501	ADP	C4-C5-N7	-3.01	106.26	109.40
2	J	401	ADP	PA-O3A-PB	-2.98	122.61	132.83
2	H	302	ADP	PA-O3A-PB	-2.95	122.69	132.83
2	E	303	ADP	C4-C5-N7	-2.93	106.34	109.40
2	K	302	ADP	C4-C5-N7	-2.89	106.39	109.40
2	L	401	ADP	C4-C5-N7	-2.89	106.39	109.40
2	B	302	ADP	C4-C5-N7	-2.89	106.39	109.40
2	D	401	ADP	PA-O3A-PB	-2.88	122.95	132.83
2	B	302	ADP	PA-O3A-PB	-2.87	122.96	132.83
2	I	302	ADP	C4-C5-N7	-2.81	106.47	109.40
2	C	302	ADP	C4-C5-N7	-2.77	106.51	109.40
2	K	302	ADP	PA-O3A-PB	-2.77	123.32	132.83
2	F	401	ADP	PA-O3A-PB	-2.77	123.33	132.83

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	401	ADP	PA-O3A-PB	-2.77	123.33	132.83
2	E	303	ADP	PA-O3A-PB	-2.76	123.37	132.83
2	D	401	ADP	C4-C5-N7	-2.69	106.59	109.40
2	C	302	ADP	PA-O3A-PB	-2.66	123.68	132.83
2	I	302	ADP	PA-O3A-PB	-2.66	123.72	132.83
2	H	302	ADP	C4-C5-N7	-2.63	106.66	109.40
2	A	501	ADP	PA-O3A-PB	-2.62	123.83	132.83
2	G	501	ADP	PA-O3A-PB	-2.61	123.86	132.83
2	F	401	ADP	C4-C5-N7	-2.48	106.81	109.40
2	F	401	ADP	C2-N1-C6	2.25	122.61	118.75
2	H	302	ADP	C2-N1-C6	2.20	122.52	118.75
2	I	302	ADP	C2-N1-C6	2.17	122.46	118.75
2	C	302	ADP	C2-N1-C6	2.11	122.36	118.75
2	K	302	ADP	C2-N1-C6	2.10	122.34	118.75
2	B	302	ADP	C2-N1-C6	2.04	122.24	118.75
2	E	303	ADP	C2-N1-C6	2.02	122.21	118.75
2	A	501	ADP	C2-N1-C6	2.02	122.20	118.75

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	K	305	GOL	O1-C1-C2-C3
8	K	305	GOL	O1-C1-C2-O2
8	I	306	GOL	O1-C1-C2-C3
5	I	308	EDO	O1-C1-C2-O2
5	G	503	EDO	O1-C1-C2-O2
8	I	306	GOL	O2-C2-C3-O3
5	G	504	EDO	O1-C1-C2-O2
5	I	304	EDO	O1-C1-C2-O2
2	A	501	ADP	PA-O3A-PB-O1B


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	I	305	NO3	1	0
2	K	302	ADP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight  $> 250$  and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























## Ligand SF4 I 301




Bond lengths



Bond angles






Torsions





Rings

















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	280/284 (98%)	0.45	7 (2%) 57 61	48, 60, 91, 123	0
1	B	280/284 (98%)	0.43	11 (3%) 39 42	54, 75, 102, 121	0
1	C	279/284 (98%)	0.46	12 (4%) 35 38	52, 77, 125, 151	0
1	D	277/284 (97%)	1.04	56 (20%) 1 0	57, 118, 154, 182	0
1	E	279/284 (98%)	0.89	39 (13%) 2 2	65, 114, 148, 167	0
1	F	280/284 (98%)	0.37	6 (2%) 63 66	51, 69, 103, 132	0
1	G	281/284 (98%)	0.44	12 (4%) 35 38	48, 61, 93, 122	0
1	H	280/284 (98%)	0.39	13 (4%) 32 34	48, 72, 102, 139	0
1	I	280/284 (98%)	0.25	6 (2%) 63 66	46, 58, 90, 118	0
1	J	279/284 (98%)	0.49	13 (4%) 31 33	50, 85, 116, 140	0
1	K	281/284 (98%)	0.31	6 (2%) 63 66	48, 69, 96, 180	0
1	L	280/284 (98%)	0.29	3 (1%) 80 82	46, 58, 84, 117	0
All	All	3356/3408 (98%)	0.48	184 (5%) 25 26	46, 73, 129, 182	0

All (184) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	3	PHE	13.5
1	D	44	ILE	10.1
1	K	3	PHE	8.3
1	D	224	ILE	7.5
1	E	230	PHE	7.2
1	K	2	SER	7.2
1	C	198	ASP	6.4
1	G	282	TYR	6.1
1	E	282	TYR	5.7
1	B	281	LEU	5.7
1	D	123	TYR	5.6

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	203	LEU	5.5
1	F	281	LEU	5.3
1	B	3	PHE	5.3
1	I	2	SER	5.2
1	D	195	ARG	5.2
1	C	272	LEU	5.1
1	B	282	TYR	5.0
1	E	255	ILE	4.8
1	E	78	VAL	4.8
1	E	86	VAL	4.7
1	E	123	TYR	4.6
1	D	38	TYR	4.5
1	F	282	TYR	4.5
1	D	21	ILE	4.5
1	E	129	PHE	4.5
1	D	179	TYR	4.4
1	E	79	THR	4.4
1	D	116	LEU	4.3
1	D	231	ASN	4.3
1	J	269	MET	4.3
1	E	143	PHE	4.3
1	B	75	GLU	4.3
1	E	241	ASP	4.2
1	D	83	VAL	4.1
1	J	272	LEU	4.1
1	A	3	PHE	4.1
1	H	75	GLU	4.0
1	E	44	ILE	4.0
1	D	154	GLU	4.0
1	E	127	LEU	3.9
1	G	3	PHE	3.9
1	E	131	PHE	3.9
1	C	161	GLY	3.9
1	D	251	LEU	3.8
1	E	248	TYR	3.8
1	J	227	LYS	3.8
1	E	88	PHE	3.8
1	H	230	PHE	3.8
1	E	31	ALA	3.7
1	D	207	PHE	3.7
1	J	135	LEU	3.6
1	A	198	ASP	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	E	91	ILE	3.6
1	I	3	PHE	3.6
1	J	116	LEU	3.5
1	D	37	TYR	3.5
1	B	230	PHE	3.5
1	D	6	ILE	3.5
1	D	198	ASP	3.4
1	D	144	ALA	3.4
1	D	78	VAL	3.4
1	J	149	ASP	3.4
1	D	272	LEU	3.4
1	D	197	VAL	3.4
1	E	16	TYR	3.3
1	E	92	TYR	3.3
1	D	132	PHE	3.3
1	B	111	ILE	3.2
1	C	230	PHE	3.2
1	G	2	SER	3.2
1	H	144	ALA	3.2
1	I	103	VAL	3.1
1	B	70	LEU	3.1
1	A	61	LYS	3.1
1	G	272	LEU	3.1
1	E	269	MET	3.0
1	G	198	ASP	3.0
1	C	103	VAL	3.0
1	D	9	ASN	3.0
1	C	207	PHE	3.0
1	J	6	ILE	3.0
1	D	159	SER	3.0
1	E	147	LEU	3.0
1	H	3	PHE	2.9
1	L	282	TYR	2.9
1	F	207	PHE	2.9
1	E	138	VAL	2.9
1	D	232	LYS	2.9
1	D	16	TYR	2.9
1	E	260	GLU	2.8
1	D	191	ILE	2.8
1	D	221	ARG	2.8
1	B	238	PHE	2.8
1	D	190	ILE	2.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	163	MET	2.8
1	I	274	LYS	2.8
1	D	244	GLN	2.7
1	D	164	MET	2.7
1	H	131	PHE	2.7
1	E	6	ILE	2.7
1	E	116	LEU	2.7
1	D	216	ILE	2.7
1	D	20	GLY	2.7
1	E	164	MET	2.7
1	D	255	ILE	2.7
1	E	198	ASP	2.7
1	E	101	PRO	2.6
1	D	256	MET	2.6
1	D	61	LYS	2.6
1	H	147	LEU	2.6
1	J	281	LEU	2.6
1	D	219	ILE	2.6
1	I	281	LEU	2.6
1	G	262	VAL	2.6
1	K	61	LYS	2.6
1	E	75	GLU	2.6
1	H	61	LYS	2.5
1	J	231	ASN	2.5
1	D	227	LYS	2.5
1	E	158	VAL	2.5
1	D	75	GLU	2.5
1	D	135	LEU	2.4
1	G	230	PHE	2.4
1	B	178	LYS	2.4
1	J	195	ARG	2.4
1	A	272	LEU	2.4
1	E	155	ILE	2.4
1	H	195	ARG	2.4
1	C	275	LEU	2.4
1	C	163	MET	2.3
1	D	275	LEU	2.3
1	D	151	LEU	2.3
1	B	118	LYS	2.3
1	J	145	MET	2.3
1	D	230	PHE	2.3
1	D	110	VAL	2.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	156	TYR	2.3
1	A	158	VAL	2.3
1	G	91	ILE	2.3
1	E	85	LYS	2.2
1	D	31	ALA	2.2
1	E	154	GLU	2.2
1	A	2	SER	2.2
1	C	276	VAL	2.2
1	C	157	ILE	2.2
1	E	62	PRO	2.2
1	D	32	ALA	2.2
1	D	92	TYR	2.2
1	F	230	PHE	2.2
1	C	279	TYR	2.2
1	G	69	VAL	2.2
1	D	210	LYS	2.1
1	H	282	TYR	2.1
1	D	119	GLU	2.1
1	I	100	GLU	2.1
1	K	282	TYR	2.1
1	D	131	PHE	2.1
1	A	275	LEU	2.1
1	G	281	LEU	2.1
1	H	238	PHE	2.1
1	E	151	LEU	2.1
1	G	269	MET	2.1
1	E	117	MET	2.1
1	C	262	VAL	2.1
1	E	27	THR	2.1
1	G	64	GLU	2.1
1	B	131	PHE	2.1
1	F	262	VAL	2.1
1	D	57	ILE	2.1
1	E	45	HIS	2.1
1	H	224	ILE	2.1
1	L	230	PHE	2.1
1	F	198	ASP	2.0
1	H	227	LYS	2.0
1	D	130	LEU	2.0
1	H	167	TYR	2.0
1	K	151	LEU	2.0
1	D	218	PHE	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	195	ARG	2.0
1	K	105	CYS	2.0
1	E	195	ARG	2.0
1	D	91	ILE	2.0
1	J	198	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NO3	L	403	4/4	0.53	0.67	86,87,90,105	0
8	GOL	K	305	6/6	0.69	0.35	69,77,81,82	0
5	EDO	I	308	4/4	0.70	0.33	55,57,62,65	0
4	NO3	H	305	4/4	0.76	0.13	88,90,90,91	0
5	EDO	G	504	4/4	0.76	0.26	76,77,77,81	0
7	CL	L	404	1/1	0.77	0.11	72,72,72,72	0
4	NO3	K	304	4/4	0.83	0.41	67,70,72,80	0
4	NO3	A	504	4/4	0.83	0.63	66,71,73,73	0
5	EDO	A	505	4/4	0.84	0.37	60,61,62,69	0
4	NO3	I	305	4/4	0.85	0.47	75,79,83,88	0
4	NO3	A	503	4/4	0.85	0.58	84,86,87,88	0
7	CL	E	301	1/1	0.86	0.20	73,73,73,73	0
5	EDO	G	503	4/4	0.88	0.42	70,71,71,72	0
8	GOL	I	306	6/6	0.88	0.10	78,79,80,82	0
4	NO3	A	506	4/4	0.88	0.51	62,64,66,83	0
4	NO3	F	404	4/4	0.89	0.19	64,68,69,72	0
2	ADP	D	401	27/27	0.90	0.13	99,110,121,125	0
3	MG	D	402	1/1	0.90	0.35	105,105,105,105	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	EDO	H	304	4/4	0.92	0.59	71,72,72,73	0
3	MG	C	303	1/1	0.92	0.30	63,63,63,63	0
4	NO3	I	307	4/4	0.93	0.13	61,62,62,64	0
2	ADP	E	303	27/27	0.93	0.14	84,93,106,110	0
3	MG	E	304	1/1	0.93	0.26	88,88,88,88	0
3	MG	J	402	1/1	0.93	0.28	66,66,66,66	0
5	EDO	I	304	4/4	0.94	0.24	56,56,59,64	0
3	MG	F	402	1/1	0.94	0.37	58,58,58,58	0
3	MG	I	303	1/1	0.95	0.38	50,50,50,50	0
3	MG	L	402	1/1	0.95	0.37	50,50,50,50	0
7	CL	J	403	1/1	0.95	0.18	71,71,71,71	0
2	ADP	F	401	27/27	0.96	0.17	58,62,72,74	0
2	ADP	H	302	27/27	0.96	0.14	53,56,62,64	0
3	MG	A	502	1/1	0.96	0.32	49,49,49,49	0
2	ADP	B	302	27/27	0.96	0.16	59,65,71,73	0
2	ADP	C	302	27/27	0.96	0.17	65,69,75,76	0
4	NO3	F	403	4/4	0.97	0.50	67,73,75,76	0
3	MG	K	303	1/1	0.97	0.37	54,54,54,54	0
2	ADP	J	401	27/27	0.97	0.14	65,68,81,86	0
3	MG	H	303	1/1	0.97	0.35	56,56,56,56	0
2	ADP	L	401	27/27	0.97	0.16	43,49,56,57	0
2	ADP	A	501	27/27	0.97	0.17	42,53,58,59	0
6	SF4	B	301	8/8	0.98	0.25	44,51,53,53	0
6	SF4	C	301	8/8	0.98	0.23	56,57,60,62	0
6	SF4	H	301	8/8	0.98	0.24	46,51,54,54	0
6	SF4	K	301	8/8	0.98	0.26	46,49,52,56	0
2	ADP	I	302	27/27	0.98	0.18	43,50,53,55	0
7	CL	G	505	1/1	0.98	0.24	71,71,71,71	0
2	ADP	G	501	27/27	0.98	0.17	38,51,54,55	0
3	MG	B	303	1/1	0.98	0.38	61,61,61,61	0
3	MG	G	502	1/1	0.98	0.31	49,49,49,49	0
2	ADP	K	302	27/27	0.98	0.14	47,58,65,66	0
6	SF4	I	301	8/8	0.99	0.21	53,54,57,58	0
6	SF4	E	302	8/8	0.99	0.26	65,71,74,86	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around ADP D 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG D 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG C 303:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG E 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG J 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG F 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG I 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG L 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ADP F 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ADP H 302:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG A 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG K 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ADP J 401:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG H 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ADP L 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ADP A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 B 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around SF4 C 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SF4 H 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 K 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ADP I 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ADP G 501:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG B 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG G 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ADP K 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 I 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around SF4 E 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.