



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 2, 2026 – 08:48 PM EDT

PDB ID : 9Q6T / pdb_00009q6t
Title : Crystal structure of the wild-type *Thermus thermophilus* 70S ribosome in complex with tiamulin and protein Y at 2.65Å resolution
Authors : Killam, B.Y.; Kopec, I.; Breiner, L.M.; Hoernig, M.; LoPresti, M.; Abdelsattar, A.S.; Abouelkhair, A.A.; Briganti, A.J.; Slowinski, R.P.; Vogelaar, N.J.; Seleem, M.N.; Brown, A.M.; Lowell, A.N.; Polikanov, Y.S.
Deposited on : 2025-08-22
Resolution : 2.65 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)
RNA backbone	3983	1090 (2.90-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	5% 66%27%5%
1	2A	2915	6% 62%30%7%
2	1B	121	% 73%24%
2	2B	121	2% 62%33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	
15	1T	146	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	
27	25	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	
40	1i	128	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	
52	2u	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	1y	113	
53	2y	113	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	MG	1B	206	-	-	-	X
54	MG	1n	101	-	-	-	X

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 298432 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2872	Total	C	N	O	P	0	0	0
			61869	27540	11574	19884	2871			
1	2A	2867	Total	C	N	O	P	0	0	0
			61758	27491	11552	19850	2865			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2572	1145	476	832	119			
2	2B	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2131	1346	422	360	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1426	916	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1424	912	259	249	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	173	Total	C	N	O	S	0	0	0
			1324	842	247	234	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	147	Total	C	N	O	S	0	0	0
			1094	699	191	203	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1076	687	186	202	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1121	722	208	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			877	553	175	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			775	498	141	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			810	520	153	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			810	519	153	132	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	203	Total	C	N	O	S	0	0	0
			1587	1011	282	292	2			
21	2Z	201	Total	C	N	O	S	0	0	0
			1557	995	274	286	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	77	Total	C	N	O	S	0	0	0
			608	375	129	103	1			
22	20	77	Total	C	N	O	S	0	0	0
			608	375	129	103	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			754	475	148	130	1			
23	21	97	Total	C	N	O	S	0	0	0
			759	478	149	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			592	368	119	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			546	346	96	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			536	342	98	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1504	Total	C	N	O	P	0	0	0
			32331	14396	5990	10441	1504			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1842	1175	330	332	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1558	979	305	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1665	1043	329	286	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1668	1047	330	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			814	516	144	151	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1229	766	241	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1098	694	210	192	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			986	625	193	168			
40	2i	126	Total	C	N	O	0	0	0
			966	613	186	167			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			719	446	142	131			
41	2j	96	Total	C	N	O	0	0	0
			710	442	137	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			834	520	156	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	116	Total	C	N	O	S	0	0	0
			914	564	189	159	2			
44	2m	114	Total	C	N	O	S	0	0	0
			895	550	186	157	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			648	415	120	111	2			
50	2s	83	Total	C	N	O	S	0	0	0
			645	410	118	115	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			732	449	157	124	2			
51	2t	98	Total	C	N	O	S	0	0	0
			733	451	154	126	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O	0	0	0
			199	122	48	29			
52	2u	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 53 is a protein called Ribosome-associated inhibitor A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1y	97	Total	C	N	O	S	0	0	0
			764	478	144	139	3			
53	2y	96	Total	C	N	O	S	0	0	0
			749	468	141	137	3			

- Molecule 54 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1A	1053	Total	Mg	0	0
			1053	1053		
54	1B	31	Total	Mg	0	0
			31	31		
54	1D	15	Total	Mg	0	0
			15	15		
54	1E	10	Total	Mg	0	0
			10	10		
54	1F	17	Total	Mg	0	0
			17	17		
54	1G	4	Total	Mg	0	0
			4	4		
54	1H	3	Total	Mg	0	0
			3	3		
54	1N	4	Total	Mg	0	0
			4	4		
54	1O	2	Total	Mg	0	0
			2	2		
54	1P	7	Total	Mg	0	0
			7	7		
54	1Q	8	Total	Mg	0	0
			8	8		
54	1R	6	Total	Mg	0	0
			6	6		
54	1S	1	Total	Mg	0	0
			1	1		
54	1T	6	Total	Mg	0	0
			6	6		
54	1U	7	Total	Mg	0	0
			7	7		
54	1V	6	Total	Mg	0	0
			6	6		
54	1W	3	Total	Mg	0	0
			3	3		
54	1X	4	Total	Mg	0	0
			4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1Y	2	Total 2	Mg 2	0	0
54	1Z	1	Total 1	Mg 1	0	0
54	10	8	Total 8	Mg 8	0	0
54	11	3	Total 3	Mg 3	0	0
54	13	4	Total 4	Mg 4	0	0
54	14	1	Total 1	Mg 1	0	0
54	15	5	Total 5	Mg 5	0	0
54	17	5	Total 5	Mg 5	0	0
54	18	2	Total 2	Mg 2	0	0
54	19	3	Total 3	Mg 3	0	0
54	1a	272	Total 272	Mg 272	0	0
54	1b	1	Total 1	Mg 1	0	0
54	1d	4	Total 4	Mg 4	0	0
54	1e	5	Total 5	Mg 5	0	0
54	1f	1	Total 1	Mg 1	0	0
54	1g	3	Total 3	Mg 3	0	0
54	1h	1	Total 1	Mg 1	0	0
54	1k	1	Total 1	Mg 1	0	0
54	1l	2	Total 2	Mg 2	0	0
54	1m	2	Total 2	Mg 2	0	0
54	1n	2	Total 2	Mg 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1o	2	Total 2	Mg 2	0	0
54	1p	1	Total 1	Mg 1	0	0
54	1q	1	Total 1	Mg 1	0	0
54	1r	1	Total 1	Mg 1	0	0
54	1t	3	Total 3	Mg 3	0	0
54	1y	5	Total 5	Mg 5	0	0
54	2A	770	Total 770	Mg 770	0	0
54	2B	20	Total 20	Mg 20	0	0
54	2D	10	Total 10	Mg 10	0	0
54	2E	8	Total 8	Mg 8	0	0
54	2F	5	Total 5	Mg 5	0	0
54	2G	3	Total 3	Mg 3	0	0
54	2I	1	Total 1	Mg 1	0	0
54	2N	1	Total 1	Mg 1	0	0
54	2O	3	Total 3	Mg 3	0	0
54	2P	3	Total 3	Mg 3	0	0
54	2Q	4	Total 4	Mg 4	0	0
54	2R	2	Total 2	Mg 2	0	0
54	2T	3	Total 3	Mg 3	0	0
54	2V	4	Total 4	Mg 4	0	0
54	2W	2	Total 2	Mg 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	2X	2	Total 2	Mg 2	0	0
54	2Y	1	Total 1	Mg 1	0	0
54	20	1	Total 1	Mg 1	0	0
54	21	1	Total 1	Mg 1	0	0
54	23	1	Total 1	Mg 1	0	0
54	25	3	Total 3	Mg 3	0	0
54	26	1	Total 1	Mg 1	0	0
54	28	1	Total 1	Mg 1	0	0
54	2a	199	Total 199	Mg 199	0	0
54	2e	1	Total 1	Mg 1	0	0
54	2f	1	Total 1	Mg 1	0	0
54	2j	1	Total 1	Mg 1	0	0
54	2k	1	Total 1	Mg 1	0	0
54	2o	1	Total 1	Mg 1	0	0
54	2t	1	Total 1	Mg 1	0	0

- Molecule 55 is TIAMULIN (CCD ID: MUL) (formula: $C_{28}H_{47}NO_4S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
55	1A	1	Total 34	C 28	N 1	O 4	S 1	0	0
55	2A	1	Total 34	C 28	N 1	O 4	S 1	0	0

- Molecule 56 is ARGININE (CCD ID: ARG) (formula: $\text{C}_6\text{H}_{15}\text{N}_4\text{O}_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
56	1A	1	Total 12	C 6	N 4	O 2	0	0
56	1B	1	Total 12	C 6	N 4	O 2	0	0

- Molecule 57 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
57	1A	1	Total	C	O	0	0
			8	6	2		
57	18	1	Total	C	O	0	0
			8	6	2		
57	1a	1	Total	C	O	0	0
			8	6	2		
57	1a	1	Total	C	O	0	0
			8	6	2		
57	2A	1	Total	C	O	0	0
			8	6	2		
57	2A	1	Total	C	O	0	0
			8	6	2		
57	2B	1	Total	C	O	0	0
			8	6	2		

- Molecule 58 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
58	1Y	1	Total	Zn	0	0
			1	1		
58	14	1	Total	Zn	0	0
			1	1		
58	15	1	Total	Zn	0	0
			1	1		
58	16	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
58	19	1	Total	Zn	0	0
			1	1		
58	1n	1	Total	Zn	0	0
			1	1		
58	2Y	1	Total	Zn	0	0
			1	1		
58	24	1	Total	Zn	0	0
			1	1		
58	25	1	Total	Zn	0	0
			1	1		
58	26	1	Total	Zn	0	0
			1	1		
58	29	1	Total	Zn	0	0
			1	1		
58	2n	1	Total	Zn	0	0
			1	1		

- Molecule 59 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
59	1d	1	Total	Fe	S	0	0
			8	4	4		
59	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 60 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	1A	4116	Total 4116	O 4116	0	0
60	1B	105	Total 105	O 105	0	0
60	1D	116	Total 116	O 116	0	0
60	1E	82	Total 82	O 82	0	0
60	1F	69	Total 69	O 69	0	0
60	1G	21	Total 21	O 21	0	0
60	1H	15	Total 15	O 15	0	0
60	1I	6	Total 6	O 6	0	0
60	1N	57	Total 57	O 57	0	0
60	1O	27	Total 27	O 27	0	0
60	1P	66	Total 66	O 66	0	0
60	1Q	45	Total 45	O 45	0	0
60	1R	35	Total 35	O 35	0	0
60	1S	12	Total 12	O 12	0	0
60	1T	36	Total 36	O 36	0	0
60	1U	44	Total 44	O 44	0	0
60	1V	40	Total 40	O 40	0	0
60	1W	30	Total 30	O 30	0	0
60	1X	26	Total 26	O 26	0	0
60	1Y	17	Total 17	O 17	0	0
60	1Z	12	Total 12	O 12	0	0
60	10	23	Total 23	O 23	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	11	27	Total 27	O 27	0	0
60	12	11	Total 11	O 11	0	0
60	13	26	Total 26	O 26	0	0
60	14	3	Total 3	O 3	0	0
60	15	27	Total 27	O 27	0	0
60	16	17	Total 17	O 17	0	0
60	17	15	Total 15	O 15	0	0
60	18	33	Total 33	O 33	0	0
60	19	11	Total 11	O 11	0	0
60	1a	574	Total 574	O 574	0	0
60	1c	1	Total 1	O 1	0	0
60	1d	8	Total 8	O 8	0	0
60	1e	12	Total 12	O 12	0	0
60	1f	3	Total 3	O 3	0	0
60	1g	1	Total 1	O 1	0	0
60	1h	1	Total 1	O 1	0	0
60	1j	1	Total 1	O 1	0	0
60	1l	4	Total 4	O 4	0	0
60	1m	2	Total 2	O 2	0	0
60	1n	1	Total 1	O 1	0	0
60	1o	7	Total 7	O 7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	1p	4	Total 4	O 4	0	0
60	1t	2	Total 2	O 2	0	0
60	1y	4	Total 4	O 4	0	0
60	2A	2550	Total 2550	O 2550	0	0
60	2B	61	Total 61	O 61	0	0
60	2D	65	Total 65	O 65	0	0
60	2E	37	Total 37	O 37	0	0
60	2F	20	Total 20	O 20	0	0
60	2G	7	Total 7	O 7	0	0
60	2H	4	Total 4	O 4	0	0
60	2I	3	Total 3	O 3	0	0
60	2N	7	Total 7	O 7	0	0
60	2O	20	Total 20	O 20	0	0
60	2P	34	Total 34	O 34	0	0
60	2Q	25	Total 25	O 25	0	0
60	2R	14	Total 14	O 14	0	0
60	2S	4	Total 4	O 4	0	0
60	2T	13	Total 13	O 13	0	0
60	2U	16	Total 16	O 16	0	0
60	2V	6	Total 6	O 6	0	0
60	2W	25	Total 25	O 25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	2X	10	Total 10	O 10	0	0
60	2Y	5	Total 5	O 5	0	0
60	2Z	11	Total 11	O 11	0	0
60	20	15	Total 15	O 15	0	0
60	21	21	Total 21	O 21	0	0
60	22	4	Total 4	O 4	0	0
60	23	5	Total 5	O 5	0	0
60	25	7	Total 7	O 7	0	0
60	26	5	Total 5	O 5	0	0
60	27	13	Total 13	O 13	0	0
60	28	16	Total 16	O 16	0	0
60	29	2	Total 2	O 2	0	0
60	2a	457	Total 457	O 457	0	0
60	2d	7	Total 7	O 7	0	0
60	2e	2	Total 2	O 2	0	0
60	2f	1	Total 1	O 1	0	0
60	2j	2	Total 2	O 2	0	0
60	2l	3	Total 3	O 3	0	0
60	2o	4	Total 4	O 4	0	0
60	2p	4	Total 4	O 4	0	0
60	2q	1	Total 1	O 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	2r	5	Total	O	0	0
			5	5		
60	2t	2	Total	O	0	0
			2	2		
60	2u	1	Total	O	0	0
			1	1		
60	2y	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S Ribosomal RNA




G2468	G2469	U2584	U2585	C2475	A2476	C2364	G2365	G2372	G2502	A2503	U2504	G2505	U2506	C2507	C2512	G2513	G2623	G2624	A2629	G2630	C2646	U2647	C2648	U2649	A2654	G2659	U2682	C2683	U2687	U2688	U2689	C2690	C2691	U2698	C2699	C2703	U2712	A2712A	A2713	C2714	G2722	C2723	U2726	C2730	G2731										
G2354	G2251	C2359	A2360	C2364	G2365	G2372	G2380	C2381	G2382	G2383	G2384	C2385	U2390	A2393	G2400	G2405	U2406	G2407	G2414	C2417	G2421	A2422	U2423	G2424	A2425	A2426	G2427	G2428	G2429	A2430	U2431	A2434	A2435	U2438	A2439	C2440	C2441	A2448	G2454	G2455	A2572	C2573	G2574	C2575	C2464										
G2155	G2156	G2157	A2158	G2159	C2160	C2161	C2162	C2163	C2164	G2165	G2166	U2167	G2168	A2169	A2170	A2171	U2172	A2173	C2174	C2175	G2176	C2177	C2178	C2179	U2180	G2181	C2182	C2183	G2184	C2185	G2186	C2187	C2188	U2189	G2190	G2191	G2192	A2198	G2206	G2207	A2208	U2218	G2219	G2224	A2225	C2226	U2233	G2234	G2238	A2239	C2240	U2243	U2244		
G2094	C2095	G2096	U2097	U2098	U2099	G2100	C2103	G2104	C2107	C2108	U2109	C2110	C2111	G2112	U2113	A2114	C2115	G2116	A2117	U2118	A2119	G2120	G2121	U2122	C2123	G2124	G2125	A2126	G2127	C2128	C2129	U2130	G2131	U2132	G2133	A2134	C2135	C2136	C2137	C2138	C2139	G2140	C2141	C2142	C2143	U2144	C2145	C2146	C2147	G2148	C2149	U2150	G2151	G2152	G2154
A1960	C1961	G1962	U1963	G1964	A1965	U1966	C1967	A1970	A1971	A1972	U1993	C1996	G1997	A2013	U2017	A2020	C2021	U2022	G2023	G2027	U2028	A2030	A2031	C2032	A2033	C2043	C2050	G2053	A2054	C2055	G2056	A2060	G2061	A2062	C2063	C2064	C2065	C2066	G2069	G2070	A2071	U2074	U2075	U2079											
A1815	G1816	G1817	G1824	A1825	G1826	G1827	A1828	A1829	G1839	G1840	U1841	G1842	A1847	A1848	G1858	G1865	A1877	G1878	G1883	A1889	A1890	G1896	G1899	A1900	G1906	U1911	A1912	A1913	C1914	U1915	A1916	U1917	G1920	G1921	G1929	G1930	A1937	A1938	U1939	C1942	U1955	U2079													
A1558	G1559	A1567	G1568	A1569	A1570	A1571	U1578	A1579	C1584	A1586	A1587	C1588	G1594	G1595	U1602	C1607	A1608	A1609	A1610	C1611	A1631A	A1634	A1637	C1638	U1639	A1640	A1641	G1645	C1646	G1647	C1648	G1651	A1652	G1653	A1654	A1664	A1665	G1666	A1669	C1670	U1671	G1674	G1678	U1688											
G1171	G1173	A1174	U1175	G1176	A1177	C1178	C1179	C1180	C1181	A1182	G1183	G1187	A1188	A1189	A1210	U1211	G1212	C1218	G1219	A1220	G1223	A1226	G1239	G1381	U1240	G1243	G1244	G1250	A1253	G1256	G1280	G1284	A1285	G1286	U1287	A1288	G1271	A1272	U1273	A1278	C1289	C1290	U1300	A1301											



• Molecule 1: 23S Ribosomal RNA



G2526	G2527	U2528	G2529	A2533	U2537	C2538	G2543	G2544	G2545	U2552	G2553	U2554	A2564	A2565	A2566	G2567	G2568	G2569	G2570	C2571	A2572	G2573	G2574	A2577	G2578	C2579	U2584	U2585	U2586	A2590	C2601	A2602	G2603	U2604	U2605	G2608	U2610	U2611	C2612	U2615	G2616	G2617	A2629	G2630														
G2316	C2318	G2319	A2320	G2321	A2322	G2323	G2324	G2325	G2326	A2327	A2328	G2334	G2335	A2336	C2343	C2347	C2350	G2353	G2354	G2358	C2359	A2360	A2361	C2364	G2365	A2366	C2374	A2377	A2378	G2379	C2380	G2383	G2384	C2385	G2389	U2390	G2391	C2395	G2396	G2397	G2400	U2406	G2407	U2408														
A2198	U2203	C2205	G2206	G2207	A2208	U2218	G2224	G2225	G2234	G2235	C2236	G2237	G2238	G2239	U2243	U2244	G2251	U2262	A2268	A2269	A2273	A2274	C2275	G2279	C2283	C2284	C2285	A2286	A2287	A2288	G2289	G2290	U2291	U2296	C2297	A2298	G2302	G2303	A2304	A2305	G2308	A2311	U2312	C2313														
C2134	A2135	C2136	C2137	G2138	C2139	C2140	G2141	C2142	C2143	U2144	G2145	G2146	G2147	G2148	G2149	U2150	G2151	G2152	G2153	G2154	G2155	G2156	G2157	A2158	G2159	C2160	C2161	C2162	C2163	C2164	G2165	G2166	G2167	C2168	A2169	A2170	A2171	A2172	A2173	C2174	C2175	A2176	C2177	C2178	U2179	G2180	G2181	G2182	C2183	G2184	C2185	G2186	G2187	C2188	G2189	C2190	G2191	G2192
A2042	C2043	A2051	C2055	G2056	A2059	A2060	G2061	A2062	G2069	U2074	U2075	U2079	U2092	G2093	U2096	U2099	G2100	G2101	U2102	C2103	G2104	G2105	G2106	C2107	U2108	U2109	G2110	G2111	G2112	U2113	A2114	G2115	G2116	A2117	U2118	A2119	G2120	G2121	U2122	G2123	G2124	A2125	A2126	G2127	G2128	G2129	G2130	U2131	U2132	G2133								
U1931	A1932	G1933	A1937	G1938	A1939	C1942	U1955	C1962	U1963	C1967	G1968	A1969	A1970	A1971	A1972	G1984	U1991	G1992	C1996	C1997	G1998	C1999	C2006	G2010	U2011	G2012	A2013	A2014	A2019	A2020	C2021	U2022	G2023	G2026	G2027	C2028	A2030	A2031	G2032	A2033	G2037	G2038	C2039	U2041														
U1796	C1797	G1798	G1800	G1801	A1802	A1803	C1804	U1805	A1809	G1814	A1815	A1816	A1829	G1835	G1839	G1840	C1843	A1847	A1848	G1857	G1858	G1861	A1877	G1878	C1879	C1880	A1889	A1890	G1899	A1900	G1906	U1911	U1912	U1913	U1914	U1915	U1916	U1917	G1920	G1921	G1929	G1930																
C1656	C1657	C1658	G1667	A1668	A1669	G1674	C1683	C1684	U1688	G1696	A1700	A1701	G1702	G1703	U1709	C1710	U1720	G1721	U1722	U1739	G1750	C1754	A1755	G1756	G1761	A1762	G1763	G1764	C1765	U1766	C1767	A1773	G1776	U1777	U1778	U1779	A1780	C1781	C1782	A1783	A1784	A1791	G1792	C1793														
A1537	A1542	C1543	A1544	A1545	C1550	C1557	C1558	G1559	A1566	A1569	A1572	U1578	A1579	A1580	A1583	C1584	A1586	A1587	C1588	U1589	U1590	G1593	G1594	C1598	A1608	A1609	A1610	G1613	G1620	A1631A	A1632	G1633	C1636	A1637	C1640	A1641	G1647	G1648	G1653	A1654	A1655																	
A1427	C1428	G1442	A1445	G1450	G1459	C1462	C1467	A1471	A1472	G1473	C1474	G1482	A1490	G1491	G1492	C1493	A1494	U1497	G1500	U1503	C1504	A1507	A1508	C1509	A1509A	U1512	C1513	U1514	G1515	U1523	G1524	G1525	G1526	G1527	A1528	A1528A	G1529	C1530	C1531	C1532	U	A	C1536															
C1318	G1319	A1321	G1324	G1332	C1333	G1334	U1340	A1341	A1342	G1343	G1344	G1345	G1346	A1349	U1352	G1356	A1359	A1360	C1363	G1364	A1365	G1368	G1371	U1372	A1379	G1380	A1384	G1385	C1386	G1400	U1405	U1406	A1412	G1413	G1416	C1417	C1418	U1419	U1420	G1421	G1426																	
G1236	U1239	A1240	A1241	G1243	G1244	A1247	G1250	G1251	G1252	A1254	G1255	G1256	G1257	C1258	A1262	U1263	G1264	A1265	G1266	G1271	A1272	U1273	A1274	A1275	A1276	G1277	G1278	G1279	G1280	G1281	U1282	A1284	A1287	U1288	C1289	C1290	C1291	U1300	A1301	G1303	A1308	C1314	C1315	U1316	A1317													
G1125	A1126	A1129	U1130	G1131	C1136	G1136	U1141	U1142	G1144	C1145	C1153	G1154	A1155	G1160	C1161	U1165	G1166	U1167	G1168	G1169	G1170	U1273	G	A	U	G	A	C1178	C1179	C1180	G1186	G1187	U1188	A1189	C1200	C1201	C1202	A1210	U1211	G1216	A1220	G1223	A1226	G1227														





• Molecule 2: 5S Ribosomal RNA





• Molecule 2: 5S Ribosomal RNA




• Molecule 3: 50S ribosomal protein L2




• Molecule 3: 50S ribosomal protein L2




- Molecule 4: 50S ribosomal protein L3




- Molecule 4: 50S ribosomal protein L3




- Molecule 5: 50S ribosomal protein L4




- Molecule 5: 50S ribosomal protein L4




- Molecule 6: 50S ribosomal protein L5







• Molecule 6: 50S ribosomal protein L5



• Molecule 7: 50S ribosomal protein L6




• Molecule 7: 50S ribosomal protein L6




• Molecule 8: 50S ribosomal protein L9








• Molecule 8: 50S ribosomal protein L9




• Molecule 9: 50S ribosomal protein L13




• Molecule 9: 50S ribosomal protein L13



• Molecule 10: 50S ribosomal protein L14




• Molecule 10: 50S ribosomal protein L14







- Molecule 11: 50S ribosomal protein L15




- Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16



- Molecule 12: 50S ribosomal protein L16




- Molecule 13: 50S ribosomal protein L17





- Molecule 13: 50S ribosomal protein L17







- Molecule 14: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20




- Molecule 16: 50S ribosomal protein L20




- Molecule 17: 50S ribosomal protein L21




- Molecule 17: 50S ribosomal protein L21




- Molecule 18: 50S ribosomal protein L22



- Molecule 18: 50S ribosomal protein L22



- Molecule 19: 50S ribosomal protein L23



- Molecule 19: 50S ribosomal protein L23








- Molecule 20: 50S ribosomal protein L24




- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25




- Molecule 21: 50S ribosomal protein L25



- Molecule 22: 50S ribosomal protein L27









- Molecule 22: 50S ribosomal protein L27




- Molecule 23: 50S ribosomal protein L28




- Molecule 23: 50S ribosomal protein L28




- Molecule 24: 50S ribosomal protein L29




- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30




- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31




- Molecule 27: 50S ribosomal protein L32



- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33




- Molecule 28: 50S ribosomal protein L33







- Molecule 29: 50S ribosomal protein L34



- Molecule 29: 50S ribosomal protein L34



- Molecule 30: 50S ribosomal protein L35



- Molecule 30: 50S ribosomal protein L35



- Molecule 31: 50S ribosomal protein L36




- Molecule 31: 50S ribosomal protein L36





- Molecule 32: 16S Ribosomal RNA














• Molecule 34: 30S ribosomal protein S3




• Molecule 34: 30S ribosomal protein S3




• Molecule 35: 30S ribosomal protein S4







• Molecule 35: 30S ribosomal protein S4




• Molecule 36: 30S ribosomal protein S5




• Molecule 36: 30S ribosomal protein S5




• Molecule 37: 30S ribosomal protein S6




• Molecule 37: 30S ribosomal protein S6




• Molecule 38: 30S ribosomal protein S7




• Molecule 38: 30S ribosomal protein S7




• Molecule 39: 30S ribosomal protein S8




• Molecule 39: 30S ribosomal protein S8




• Molecule 40: 30S ribosomal protein S9




• Molecule 40: 30S ribosomal protein S9




• Molecule 41: 30S ribosomal protein S10



• Molecule 41: 30S ribosomal protein S10





• Molecule 42: 30S ribosomal protein S11








- Molecule 42: 30S ribosomal protein S11





- Molecule 43: 30S ribosomal protein S12



- Molecule 43: 30S ribosomal protein S12




- Molecule 44: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S13








- Molecule 45: 30S ribosomal protein S14 type Z



- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15




- Molecule 46: 30S ribosomal protein S15





- Molecule 47: 30S ribosomal protein S16



- Molecule 47: 30S ribosomal protein S16




- Molecule 48: 30S ribosomal protein S17



- Molecule 48: 30S ribosomal protein S17




- Molecule 49: 30S ribosomal protein S18




- Molecule 49: 30S ribosomal protein S18






- Molecule 50: 30S ribosomal protein S19








- Molecule 50: 30S ribosomal protein S19





- Molecule 51: 30S ribosomal protein S20





- Molecule 51: 30S ribosomal protein S20




- Molecule 52: 30S ribosomal protein Thx




- Molecule 52: 30S ribosomal protein Thx



● Molecule 53: Ribosome-associated inhibitor A



● Molecule 53: Ribosome-associated inhibitor A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	210.78Å 451.71Å 625.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	257.25 – 2.65 257.25 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.5 (257.25-2.65) 99.7 (257.25-2.65)	Depositor EDS
R_{merge}	0.35	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.25 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.17.1	Depositor
R, R_{free}	0.212 , 0.260 0.210 , 0.256	Depositor DCC
R_{free} test set	85370 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	50.4	Xtriage
Anisotropy	0.083	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 133.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	298432	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, MA6, OMU, MUL, OMG, 2MG, ZN, G7M, OMC, 0TD, 4OC, 5MU, UR3, MG, M2G, 2MA, PSU, MPD, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.30	1/69031 (0.0%)	0.48	1/107754 (0.0%)
1	2A	0.24	1/68903 (0.0%)	0.42	2/107552 (0.0%)
2	1B	0.23	0/2876	0.42	0/4486
2	2B	0.20	0/2878	0.37	0/4490
3	1D	0.27	0/2181	0.52	0/2940
3	2D	0.24	0/2186	0.47	0/2944
4	1E	0.28	0/1592	0.53	0/2149
4	2E	0.23	0/1592	0.50	0/2149
5	1F	0.28	0/1619	0.51	0/2193
5	2F	0.22	0/1615	0.50	2/2188 (0.1%)
6	1G	0.24	0/1451	0.46	0/1961
6	2G	0.21	0/1449	0.43	0/1957
7	1H	0.23	0/1356	0.44	0/1834
7	2H	0.21	0/1350	0.41	0/1826
8	1I	0.23	0/1109	0.47	0/1512
8	2I	0.21	0/1091	0.44	0/1490
9	1N	0.28	0/1148	0.48	0/1547
9	2N	0.21	0/1144	0.43	0/1543
10	1O	0.28	0/943	0.51	0/1269
10	2O	0.24	0/943	0.49	0/1269
11	1P	0.28	0/1152	0.51	0/1533
11	2P	0.23	0/1152	0.46	0/1533
12	1Q	0.27	0/1143	0.47	0/1527
12	2Q	0.22	0/1143	0.44	0/1527
13	1R	0.30	0/982	0.51	0/1312
13	2R	0.24	0/982	0.49	0/1312
14	1S	0.22	0/887	0.45	0/1180
14	2S	0.22	0/880	0.42	0/1172
15	1T	0.28	0/1105	0.52	0/1477
15	2T	0.24	0/1097	0.46	0/1468
16	1U	0.31	0/977	0.53	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.22	0/977	0.44	0/1301
17	1V	0.28	0/786	0.49	0/1053
17	2V	0.20	0/782	0.42	0/1049
18	1W	0.30	0/897	0.48	0/1205
18	2W	0.24	0/897	0.46	0/1205
19	1X	0.26	0/764	0.48	0/1025
19	2X	0.22	0/764	0.45	0/1025
20	1Y	0.25	0/823	0.53	0/1099
20	2Y	0.22	0/823	0.45	0/1100
21	1Z	0.24	0/1620	0.44	0/2200
21	2Z	0.21	0/1590	0.43	0/2162
22	10	0.28	0/616	0.51	0/821
22	20	0.23	0/616	0.47	0/821
23	11	0.28	0/761	0.50	0/1013
23	21	0.25	0/766	0.45	0/1018
24	12	0.25	0/590	0.45	0/781
24	22	0.20	0/594	0.40	0/785
25	13	0.29	0/474	0.48	0/635
25	23	0.21	0/469	0.42	0/630
26	14	0.28	0/559	0.55	0/754
26	24	0.29	0/549	0.67	2/741 (0.3%)
27	15	0.27	0/473	0.48	0/639
27	25	0.24	0/469	0.44	0/635
28	16	0.23	0/460	0.45	0/613
28	26	0.21	0/456	0.44	0/608
29	17	0.32	0/426	0.54	0/561
29	27	0.26	0/426	0.48	0/561
30	18	0.29	0/525	0.50	0/691
30	28	0.23	0/525	0.41	0/691
31	19	0.26	0/310	0.45	0/407
31	29	0.20	0/310	0.41	0/407
32	1a	0.22	0/35795	0.40	0/55864
32	2a	0.21	1/35890 (0.0%)	0.39	1/56012 (0.0%)
33	1b	0.25	0/1876	0.51	0/2533
33	2b	0.23	0/1860	0.45	0/2518
34	1c	0.21	0/1582	0.46	0/2137
34	2c	0.22	0/1566	0.42	0/2119
35	1d	0.21	0/1695	0.48	0/2274
35	2d	0.24	0/1698	0.45	0/2277
36	1e	0.22	0/1149	0.46	0/1548
36	2e	0.21	0/1149	0.46	0/1548
37	1f	0.20	0/827	0.41	0/1120
37	2f	0.22	0/829	0.44	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.20	0/1254	0.41	0/1683
38	2g	0.21	0/1248	0.40	0/1676
39	1h	0.20	0/1118	0.43	0/1506
39	2h	0.20	0/1108	0.40	0/1494
40	1i	0.21	0/1005	0.45	0/1351
40	2i	0.25	0/985	0.48	0/1329
41	1j	0.22	0/732	0.41	0/993
41	2j	0.22	0/723	0.44	0/984
42	1k	0.21	0/849	0.40	0/1150
42	2k	0.21	0/848	0.47	0/1149
43	1l	0.21	0/937	0.43	0/1260
43	2l	0.22	0/937	0.46	0/1260
44	1m	0.22	0/924	0.47	0/1242
44	2m	0.29	1/905 (0.1%)	0.47	0/1217
45	1n	0.23	0/501	0.44	0/664
45	2n	0.23	0/501	0.43	0/664
46	1o	0.21	0/739	0.42	0/985
46	2o	0.18	0/739	0.38	0/985
47	1p	0.22	0/697	0.50	0/939
47	2p	0.22	0/693	0.46	0/935
48	1q	0.22	0/836	0.45	0/1117
48	2q	0.20	0/836	0.41	0/1117
49	1r	0.22	0/560	0.45	0/746
49	2r	0.23	0/560	0.46	0/746
50	1s	0.21	0/663	0.44	0/895
50	2s	0.20	0/660	0.42	0/893
51	1t	0.23	0/734	0.49	0/969
51	2t	0.20	0/736	0.41	0/976
52	1u	0.21	0/203	0.41	0/266
52	2u	0.26	0/203	0.49	0/266
53	1y	0.20	0/776	0.36	0/1048
53	2y	0.23	0/761	0.36	0/1030
All	All	0.25	4/309941 (0.0%)	0.44	8/463239 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	2D	0	1
14	1S	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
33	1b	0	1
33	2b	0	1
43	2l	0	1
All	All	0	5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2A	2552	OMU	O3'-P	5.42	1.61	1.56
32	2a	527	G7M	O3'-P	5.29	1.61	1.56
44	2m	66	LEU	CA-C	-5.23	1.49	1.52
1	1A	2552	OMU	O3'-P	5.09	1.61	1.56

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2A	1992	G	C2'-C3'-O3'	6.43	119.15	109.50
5	2F	21	ALA	CA-C-N	5.25	131.14	121.70
5	2F	21	ALA	C-N-CA	5.25	131.14	121.70
1	1A	1653	G	C2'-C3'-O3'	5.24	117.37	109.50
1	2A	1210	A	C4'-C3'-O3'	5.09	117.03	109.40

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
14	1S	58	LEU	Peptide
33	1b	231	GLU	Peptide
3	2D	274	ARG	Peptide
33	2b	199	TYR	Peptide
43	2l	86	ARG	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61869	0	31204	543	0
1	2A	61758	0	31152	624	0
2	1B	2572	0	1305	19	0
2	2B	2573	0	1306	21	0
3	1D	2131	0	2207	47	0
3	2D	2136	0	2218	34	0
4	1E	1559	0	1618	31	0
4	2E	1559	0	1618	43	0
5	1F	1584	0	1625	33	0
5	2F	1580	0	1619	39	0
6	1G	1426	0	1445	44	0
6	2G	1424	0	1441	59	0
7	1H	1330	0	1407	18	0
7	2H	1324	0	1402	37	0
8	1I	1094	0	1127	24	0
8	2I	1076	0	1094	20	0
9	1N	1121	0	1194	13	0
9	2N	1117	0	1184	20	0
10	1O	933	0	996	15	0
10	2O	933	0	996	25	0
11	1P	1135	0	1212	21	0
11	2P	1135	0	1212	25	0
12	1Q	1122	0	1179	20	0
12	2Q	1122	0	1179	27	0
13	1R	968	0	1033	15	0
13	2R	968	0	1033	19	0
14	1S	877	0	938	16	0
14	2S	870	0	923	24	0
15	1T	1091	0	1151	22	0
15	2T	1083	0	1136	21	0
16	1U	959	0	1019	17	0
16	2U	959	0	1019	20	0
17	1V	775	0	841	18	0
17	2V	771	0	830	22	0
18	1W	886	0	940	11	0
18	2W	886	0	940	11	0
19	1X	750	0	814	13	0
19	2X	750	0	814	15	0
20	1Y	810	0	892	18	0
20	2Y	810	0	887	24	0
21	1Z	1587	0	1598	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
21	2Z	1557	0	1564	44	0
22	10	608	0	622	13	0
22	20	608	0	622	11	0
23	11	754	0	823	14	0
23	21	759	0	837	15	0
24	12	588	0	643	7	0
24	22	592	0	654	8	0
25	13	469	0	518	10	0
25	23	464	0	514	8	0
26	14	546	0	522	25	0
26	24	536	0	514	27	0
27	15	459	0	476	15	0
27	25	455	0	465	12	0
28	16	453	0	473	4	0
28	26	449	0	469	7	0
29	17	418	0	467	12	0
29	27	418	0	467	2	0
30	18	517	0	582	17	0
30	28	517	0	582	11	0
31	19	307	0	335	3	0
31	29	307	0	335	7	0
32	1a	32246	0	16294	414	0
32	2a	32331	0	16338	396	0
33	1b	1842	0	1862	51	0
33	2b	1825	0	1828	71	0
34	1c	1558	0	1557	35	0
34	2c	1542	0	1517	40	0
35	1d	1665	0	1687	66	0
35	2d	1668	0	1703	50	0
36	1e	1133	0	1191	32	0
36	2e	1133	0	1191	25	0
37	1f	814	0	808	20	0
37	2f	816	0	808	20	0
38	1g	1235	0	1249	19	0
38	2g	1229	0	1238	31	0
39	1h	1098	0	1143	32	0
39	2h	1088	0	1126	35	0
40	1i	986	0	990	32	0
40	2i	966	0	953	42	0
41	1j	719	0	672	21	0
41	2j	710	0	661	27	0
42	1k	834	0	838	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	2k	833	0	836	12	0
43	1l	932	0	981	12	0
43	2l	932	0	981	13	0
44	1m	914	0	954	24	0
44	2m	895	0	920	28	0
45	1n	492	0	529	16	0
45	2n	492	0	529	15	0
46	1o	728	0	760	12	0
46	2o	728	0	760	18	0
47	1p	681	0	697	28	0
47	2p	677	0	686	18	0
48	1q	823	0	891	19	0
48	2q	823	0	891	20	0
49	1r	555	0	618	8	0
49	2r	555	0	618	13	0
50	1s	648	0	658	20	0
50	2s	645	0	635	23	0
51	1t	732	0	809	13	0
51	2t	733	0	795	17	0
52	1u	199	0	208	2	0
52	2u	199	0	208	6	0
53	1y	764	0	786	22	0
53	2y	749	0	757	25	0
54	10	8	0	0	0	0
54	11	3	0	0	0	0
54	13	4	0	0	0	0
54	14	1	0	0	0	0
54	15	5	0	0	0	0
54	17	5	0	0	0	0
54	18	2	0	0	0	0
54	19	3	0	0	0	0
54	1A	1053	0	0	0	0
54	1B	31	0	0	0	0
54	1D	15	0	0	0	0
54	1E	10	0	0	0	0
54	1F	17	0	0	0	0
54	1G	4	0	0	0	0
54	1H	3	0	0	0	0
54	1N	4	0	0	0	0
54	1O	2	0	0	0	0
54	1P	7	0	0	0	0
54	1Q	8	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	1R	6	0	0	0	0
54	1S	1	0	0	0	0
54	1T	6	0	0	0	0
54	1U	7	0	0	0	0
54	1V	6	0	0	0	0
54	1W	3	0	0	0	0
54	1X	4	0	0	0	0
54	1Y	2	0	0	0	0
54	1Z	1	0	0	0	0
54	1a	272	0	0	0	0
54	1b	1	0	0	0	0
54	1d	4	0	0	0	0
54	1e	5	0	0	0	0
54	1f	1	0	0	0	0
54	1g	3	0	0	0	0
54	1h	1	0	0	0	0
54	1k	1	0	0	0	0
54	1l	2	0	0	0	0
54	1m	2	0	0	0	0
54	1n	2	0	0	0	0
54	1o	2	0	0	0	0
54	1p	1	0	0	0	0
54	1q	1	0	0	0	0
54	1r	1	0	0	0	0
54	1t	3	0	0	0	0
54	1y	5	0	0	0	0
54	20	1	0	0	0	0
54	21	1	0	0	0	0
54	23	1	0	0	0	0
54	25	3	0	0	0	0
54	26	1	0	0	0	0
54	28	1	0	0	0	0
54	2A	770	0	0	0	0
54	2B	20	0	0	0	0
54	2D	10	0	0	0	0
54	2E	8	0	0	0	0
54	2F	5	0	0	0	0
54	2G	3	0	0	0	0
54	2I	1	0	0	0	0
54	2N	1	0	0	0	0
54	2O	3	0	0	0	0
54	2P	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	2Q	4	0	0	0	0
54	2R	2	0	0	0	0
54	2T	3	0	0	0	0
54	2V	4	0	0	0	0
54	2W	2	0	0	0	0
54	2X	2	0	0	0	0
54	2Y	1	0	0	0	0
54	2a	199	0	0	0	0
54	2e	1	0	0	0	0
54	2f	1	0	0	0	0
54	2j	1	0	0	0	0
54	2k	1	0	0	0	0
54	2o	1	0	0	0	0
54	2t	1	0	0	0	0
55	1A	34	0	47	4	0
55	2A	34	0	47	4	0
56	1A	12	0	12	4	0
56	1B	12	0	12	1	0
57	18	8	0	14	3	0
57	1A	8	0	14	1	0
57	1a	16	0	25	2	0
57	2A	16	0	28	2	0
57	2B	8	0	14	0	0
58	14	1	0	0	0	0
58	15	1	0	0	0	0
58	16	1	0	0	0	0
58	19	1	0	0	0	0
58	1Y	1	0	0	0	0
58	1n	1	0	0	0	0
58	24	1	0	0	0	0
58	25	1	0	0	0	0
58	26	1	0	0	0	0
58	29	1	0	0	0	0
58	2Y	1	0	0	0	0
58	2n	1	0	0	0	0
59	1d	8	0	0	1	0
59	2d	8	0	0	0	0
60	10	23	0	0	2	0
60	11	27	0	0	1	0
60	12	11	0	0	1	0
60	13	26	0	0	1	0
60	14	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
60	15	27	0	0	2	0
60	16	17	0	0	0	0
60	17	15	0	0	2	0
60	18	33	0	0	1	0
60	19	11	0	0	1	0
60	1A	4116	0	0	124	0
60	1B	105	0	0	7	0
60	1D	116	0	0	6	0
60	1E	82	0	0	3	0
60	1F	69	0	0	4	0
60	1G	21	0	0	1	0
60	1H	15	0	0	0	0
60	1I	6	0	0	0	0
60	1N	57	0	0	1	0
60	1O	27	0	0	0	0
60	1P	66	0	0	0	0
60	1Q	45	0	0	0	0
60	1R	35	0	0	2	0
60	1S	12	0	0	0	0
60	1T	36	0	0	3	0
60	1U	44	0	0	3	0
60	1V	40	0	0	2	0
60	1W	30	0	0	0	0
60	1X	26	0	0	2	0
60	1Y	17	0	0	2	0
60	1Z	12	0	0	1	0
60	1a	574	0	0	27	0
60	1c	1	0	0	0	0
60	1d	8	0	0	2	0
60	1e	12	0	0	0	0
60	1f	3	0	0	0	0
60	1g	1	0	0	0	0
60	1h	1	0	0	0	0
60	1j	1	0	0	0	0
60	1l	4	0	0	0	0
60	1m	2	0	0	0	0
60	1n	1	0	0	0	0
60	1o	7	0	0	0	0
60	1p	4	0	0	0	0
60	1t	2	0	0	0	0
60	1y	4	0	0	1	0
60	20	15	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
60	21	21	0	0	1	0
60	22	4	0	0	0	0
60	23	5	0	0	1	0
60	25	7	0	0	1	0
60	26	5	0	0	0	0
60	27	13	0	0	0	0
60	28	16	0	0	2	0
60	29	2	0	0	0	0
60	2A	2550	0	0	110	0
60	2B	61	0	0	6	0
60	2D	65	0	0	1	0
60	2E	37	0	0	2	0
60	2F	20	0	0	0	0
60	2G	7	0	0	1	0
60	2H	4	0	0	0	0
60	2I	3	0	0	2	0
60	2N	7	0	0	1	0
60	2O	20	0	0	2	0
60	2P	34	0	0	1	0
60	2Q	25	0	0	2	0
60	2R	14	0	0	1	0
60	2S	4	0	0	0	0
60	2T	13	0	0	1	0
60	2U	16	0	0	4	0
60	2V	6	0	0	0	0
60	2W	25	0	0	1	0
60	2X	10	0	0	0	0
60	2Y	5	0	0	1	0
60	2Z	11	0	0	1	0
60	2a	457	0	0	33	0
60	2d	7	0	0	0	0
60	2e	2	0	0	0	0
60	2f	1	0	0	0	0
60	2j	2	0	0	0	0
60	2l	3	0	0	0	0
60	2o	4	0	0	0	0
60	2p	4	0	0	1	0
60	2q	1	0	0	0	0
60	2r	5	0	0	0	0
60	2t	2	0	0	1	0
60	2u	1	0	0	0	0
60	2y	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	298432	0	194606	3728	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 3728 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.46	1.12
1:1A:1082:U:O4	1:1A:1086:A:N1	1.99	0.95
32:1a:1158:C:H5	32:1a:1181:G:H1	1.11	0.95
1:1A:1082:U:H3	1:1A:1086:A:H61	0.95	0.94
1:2A:2319:G:H22	14:2S:3:ARG:HD3	1.32	0.94

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	260 (95%)	13 (5%)	0	100	100
3	2D	273/276 (99%)	257 (94%)	16 (6%)	0	100	100
4	1E	202/206 (98%)	194 (96%)	7 (4%)	1 (0%)	24	39
4	2E	202/206 (98%)	194 (96%)	7 (4%)	1 (0%)	24	39
5	1F	201/210 (96%)	191 (95%)	9 (4%)	1 (0%)	24	39
5	2F	201/210 (96%)	188 (94%)	11 (6%)	2 (1%)	12	20
6	1G	179/182 (98%)	161 (90%)	15 (8%)	3 (2%)	7	12
6	2G	179/182 (98%)	155 (87%)	20 (11%)	4 (2%)	5	9
7	1H	172/180 (96%)	164 (95%)	6 (4%)	2 (1%)	10	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	2H	171/180 (95%)	151 (88%)	19 (11%)	1 (1%)	21	34
8	1I	145/148 (98%)	125 (86%)	16 (11%)	4 (3%)	4	6
8	2I	144/148 (97%)	126 (88%)	14 (10%)	4 (3%)	4	6
9	1N	138/140 (99%)	135 (98%)	3 (2%)	0	100	100
9	2N	138/140 (99%)	132 (96%)	5 (4%)	1 (1%)	18	30
10	1O	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
10	2O	120/122 (98%)	112 (93%)	7 (6%)	1 (1%)	16	27
11	1P	147/150 (98%)	141 (96%)	5 (3%)	1 (1%)	18	30
11	2P	147/150 (98%)	137 (93%)	8 (5%)	2 (1%)	9	14
12	1Q	139/141 (99%)	132 (95%)	6 (4%)	1 (1%)	18	30
12	2Q	139/141 (99%)	131 (94%)	8 (6%)	0	100	100
13	1R	116/118 (98%)	114 (98%)	2 (2%)	0	100	100
13	2R	116/118 (98%)	110 (95%)	6 (5%)	0	100	100
14	1S	108/112 (96%)	98 (91%)	9 (8%)	1 (1%)	14	24
14	2S	108/112 (96%)	99 (92%)	9 (8%)	0	100	100
15	1T	129/146 (88%)	122 (95%)	7 (5%)	0	100	100
15	2T	129/146 (88%)	119 (92%)	9 (7%)	1 (1%)	16	27
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	112 (98%)	2 (2%)	0	100	100
17	1V	99/101 (98%)	95 (96%)	3 (3%)	1 (1%)	12	20
17	2V	99/101 (98%)	93 (94%)	5 (5%)	1 (1%)	12	20
18	1W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
18	2W	110/113 (97%)	106 (96%)	4 (4%)	0	100	100
19	1X	93/96 (97%)	91 (98%)	2 (2%)	0	100	100
19	2X	93/96 (97%)	89 (96%)	3 (3%)	1 (1%)	11	19
20	1Y	105/110 (96%)	93 (89%)	11 (10%)	1 (1%)	12	20
20	2Y	105/110 (96%)	96 (91%)	9 (9%)	0	100	100
21	1Z	201/206 (98%)	185 (92%)	16 (8%)	0	100	100
21	2Z	199/206 (97%)	172 (86%)	24 (12%)	3 (2%)	8	13
22	10	75/85 (88%)	72 (96%)	3 (4%)	0	100	100
22	20	75/85 (88%)	70 (93%)	5 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
23	11	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	11	19
23	21	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	11	19
24	12	68/72 (94%)	68 (100%)	0	0	100	100
24	22	68/72 (94%)	66 (97%)	2 (3%)	0	100	100
25	13	57/60 (95%)	54 (95%)	3 (5%)	0	100	100
25	23	57/60 (95%)	54 (95%)	3 (5%)	0	100	100
26	14	67/71 (94%)	50 (75%)	10 (15%)	7 (10%)	0	0
26	24	67/71 (94%)	46 (69%)	15 (22%)	6 (9%)	0	0
27	15	57/60 (95%)	57 (100%)	0	0	100	100
27	25	57/60 (95%)	54 (95%)	3 (5%)	0	100	100
28	16	51/54 (94%)	48 (94%)	3 (6%)	0	100	100
28	26	51/54 (94%)	46 (90%)	5 (10%)	0	100	100
29	17	46/49 (94%)	46 (100%)	0	0	100	100
29	27	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
30	18	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
30	28	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
31	19	35/37 (95%)	35 (100%)	0	0	100	100
31	29	35/37 (95%)	35 (100%)	0	0	100	100
33	1b	229/256 (90%)	187 (82%)	32 (14%)	10 (4%)	2	2
33	2b	229/256 (90%)	195 (85%)	25 (11%)	9 (4%)	2	3
34	1c	204/239 (85%)	172 (84%)	30 (15%)	2 (1%)	12	20
34	2c	204/239 (85%)	182 (89%)	20 (10%)	2 (1%)	12	20
35	1d	206/209 (99%)	187 (91%)	18 (9%)	1 (0%)	24	39
35	2d	206/209 (99%)	187 (91%)	16 (8%)	3 (2%)	8	13
36	1e	146/162 (90%)	131 (90%)	14 (10%)	1 (1%)	18	30
36	2e	146/162 (90%)	136 (93%)	10 (7%)	0	100	100
37	1f	98/101 (97%)	92 (94%)	6 (6%)	0	100	100
37	2f	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
38	1g	153/156 (98%)	149 (97%)	4 (3%)	0	100	100
38	2g	153/156 (98%)	142 (93%)	7 (5%)	4 (3%)	4	6
39	1h	135/138 (98%)	127 (94%)	8 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	2h	135/138 (98%)	127 (94%)	7 (5%)	1 (1%)	18	30
40	1i	125/128 (98%)	106 (85%)	18 (14%)	1 (1%)	16	27
40	2i	124/128 (97%)	100 (81%)	23 (18%)	1 (1%)	16	27
41	1j	95/105 (90%)	75 (79%)	15 (16%)	5 (5%)	1	2
41	2j	94/105 (90%)	80 (85%)	12 (13%)	2 (2%)	5	9
42	1k	112/129 (87%)	100 (89%)	11 (10%)	1 (1%)	14	24
42	2k	112/129 (87%)	100 (89%)	11 (10%)	1 (1%)	14	24
43	1l	119/132 (90%)	111 (93%)	7 (6%)	1 (1%)	16	27
43	2l	119/132 (90%)	108 (91%)	11 (9%)	0	100	100
44	1m	114/126 (90%)	105 (92%)	7 (6%)	2 (2%)	6	11
44	2m	112/126 (89%)	104 (93%)	5 (4%)	3 (3%)	4	6
45	1n	58/61 (95%)	56 (97%)	2 (3%)	0	100	100
45	2n	58/61 (95%)	52 (90%)	6 (10%)	0	100	100
46	1o	86/89 (97%)	81 (94%)	4 (5%)	1 (1%)	10	17
46	2o	86/89 (97%)	84 (98%)	2 (2%)	0	100	100
47	1p	80/88 (91%)	70 (88%)	9 (11%)	1 (1%)	9	16
47	2p	80/88 (91%)	70 (88%)	10 (12%)	0	100	100
48	1q	97/105 (92%)	89 (92%)	8 (8%)	0	100	100
48	2q	97/105 (92%)	90 (93%)	7 (7%)	0	100	100
49	1r	66/88 (75%)	62 (94%)	3 (4%)	1 (2%)	8	13
49	2r	66/88 (75%)	63 (96%)	3 (4%)	0	100	100
50	1s	81/93 (87%)	74 (91%)	7 (9%)	0	100	100
50	2s	81/93 (87%)	68 (84%)	12 (15%)	1 (1%)	10	17
51	1t	94/106 (89%)	90 (96%)	1 (1%)	3 (3%)	3	4
51	2t	96/106 (91%)	90 (94%)	4 (4%)	2 (2%)	5	9
52	1u	21/27 (78%)	20 (95%)	1 (5%)	0	100	100
52	2u	21/27 (78%)	18 (86%)	1 (5%)	2 (10%)	0	0
53	1y	95/113 (84%)	92 (97%)	3 (3%)	0	100	100
53	2y	94/113 (83%)	87 (93%)	6 (6%)	1 (1%)	11	19
All	All	11629/12354 (94%)	10717 (92%)	797 (7%)	115 (1%)	12	20

5 of 115 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	1F	130	ALA
6	1G	47	LYS
17	1V	79	VAL
26	14	49	PHE
26	14	56	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	214/218 (98%)	192 (90%)	22 (10%)	7	10
3	2D	215/218 (99%)	191 (89%)	24 (11%)	6	8
4	1E	164/166 (99%)	145 (88%)	19 (12%)	5	8
4	2E	164/166 (99%)	144 (88%)	20 (12%)	5	7
5	1F	160/166 (96%)	143 (89%)	17 (11%)	6	10
5	2F	159/166 (96%)	141 (89%)	18 (11%)	5	8
6	1G	144/156 (92%)	128 (89%)	16 (11%)	6	9
6	2G	142/156 (91%)	127 (89%)	15 (11%)	6	10
7	1H	144/148 (97%)	126 (88%)	18 (12%)	4	6
7	2H	143/148 (97%)	125 (87%)	18 (13%)	4	6
8	1I	111/124 (90%)	95 (86%)	16 (14%)	3	4
8	2I	108/124 (87%)	93 (86%)	15 (14%)	3	5
9	1N	119/119 (100%)	104 (87%)	15 (13%)	4	6
9	2N	118/119 (99%)	100 (85%)	18 (15%)	3	4
10	1O	100/100 (100%)	93 (93%)	7 (7%)	14	24
10	2O	100/100 (100%)	91 (91%)	9 (9%)	9	14
11	1P	115/116 (99%)	107 (93%)	8 (7%)	14	24
11	2P	115/116 (99%)	108 (94%)	7 (6%)	17	30
12	1Q	111/111 (100%)	101 (91%)	10 (9%)	9	14
12	2Q	111/111 (100%)	103 (93%)	8 (7%)	13	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	1R	101/101 (100%)	85 (84%)	16 (16%)	2	3
13	2R	101/101 (100%)	84 (83%)	17 (17%)	2	2
14	1S	87/88 (99%)	76 (87%)	11 (13%)	4	6
14	2S	85/88 (97%)	75 (88%)	10 (12%)	5	7
15	1T	115/127 (91%)	106 (92%)	9 (8%)	11	20
15	2T	113/127 (89%)	105 (93%)	8 (7%)	13	23
16	1U	93/94 (99%)	84 (90%)	9 (10%)	8	12
16	2U	93/94 (99%)	85 (91%)	8 (9%)	10	16
17	1V	81/82 (99%)	70 (86%)	11 (14%)	3	5
17	2V	80/82 (98%)	65 (81%)	15 (19%)	1	2
18	1W	90/92 (98%)	82 (91%)	8 (9%)	9	15
18	2W	90/92 (98%)	83 (92%)	7 (8%)	11	20
19	1X	77/78 (99%)	72 (94%)	5 (6%)	15	27
19	2X	77/78 (99%)	71 (92%)	6 (8%)	11	20
20	1Y	86/91 (94%)	78 (91%)	8 (9%)	8	13
20	2Y	86/91 (94%)	81 (94%)	5 (6%)	18	31
21	1Z	169/179 (94%)	151 (89%)	18 (11%)	6	9
21	2Z	165/179 (92%)	148 (90%)	17 (10%)	7	10
22	10	61/67 (91%)	59 (97%)	2 (3%)	33	55
22	20	61/67 (91%)	58 (95%)	3 (5%)	22	38
23	11	79/83 (95%)	71 (90%)	8 (10%)	7	11
23	21	81/83 (98%)	71 (88%)	10 (12%)	4	7
24	12	65/67 (97%)	59 (91%)	6 (9%)	8	14
24	22	66/67 (98%)	58 (88%)	8 (12%)	5	7
25	13	51/52 (98%)	46 (90%)	5 (10%)	7	11
25	23	50/52 (96%)	47 (94%)	3 (6%)	17	30
26	14	58/63 (92%)	52 (90%)	6 (10%)	7	10
26	24	54/63 (86%)	44 (82%)	10 (18%)	1	2
27	15	51/52 (98%)	46 (90%)	5 (10%)	7	11
27	25	50/52 (96%)	47 (94%)	3 (6%)	17	30
28	16	51/52 (98%)	45 (88%)	6 (12%)	5	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	26	50/52 (96%)	43 (86%)	7 (14%)	3	5
29	17	41/42 (98%)	39 (95%)	2 (5%)	22	38
29	27	41/42 (98%)	39 (95%)	2 (5%)	22	38
30	18	54/55 (98%)	49 (91%)	5 (9%)	8	13
30	28	54/55 (98%)	51 (94%)	3 (6%)	19	32
31	19	34/34 (100%)	33 (97%)	1 (3%)	37	58
31	29	34/34 (100%)	31 (91%)	3 (9%)	9	15
33	1b	191/220 (87%)	169 (88%)	22 (12%)	5	8
33	2b	187/220 (85%)	170 (91%)	17 (9%)	9	14
34	1c	144/188 (77%)	128 (89%)	16 (11%)	6	9
34	2c	140/188 (74%)	122 (87%)	18 (13%)	4	6
35	1d	171/181 (94%)	148 (86%)	23 (14%)	4	5
35	2d	172/181 (95%)	154 (90%)	18 (10%)	6	10
36	1e	114/123 (93%)	100 (88%)	14 (12%)	4	7
36	2e	114/123 (93%)	102 (90%)	12 (10%)	6	10
37	1f	85/90 (94%)	73 (86%)	12 (14%)	3	5
37	2f	85/90 (94%)	75 (88%)	10 (12%)	5	7
38	1g	120/127 (94%)	110 (92%)	10 (8%)	10	18
38	2g	119/127 (94%)	110 (92%)	9 (8%)	12	21
39	1h	116/119 (98%)	98 (84%)	18 (16%)	2	3
39	2h	114/119 (96%)	101 (89%)	13 (11%)	5	8
40	1i	91/99 (92%)	80 (88%)	11 (12%)	5	7
40	2i	88/99 (89%)	79 (90%)	9 (10%)	7	10
41	1j	68/92 (74%)	61 (90%)	7 (10%)	7	10
41	2j	68/92 (74%)	61 (90%)	7 (10%)	7	10
42	1k	83/99 (84%)	77 (93%)	6 (7%)	13	22
42	2k	83/99 (84%)	68 (82%)	15 (18%)	2	2
43	1l	96/108 (89%)	86 (90%)	10 (10%)	7	10
43	2l	96/108 (89%)	82 (85%)	14 (15%)	3	4
44	1m	90/101 (89%)	81 (90%)	9 (10%)	7	11
44	2m	87/101 (86%)	77 (88%)	10 (12%)	5	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	1n	49/50 (98%)	44 (90%)	5 (10%)	7	10
45	2n	49/50 (98%)	45 (92%)	4 (8%)	10	18
46	1o	78/80 (98%)	70 (90%)	8 (10%)	7	10
46	2o	78/80 (98%)	74 (95%)	4 (5%)	21	36
47	1p	69/74 (93%)	58 (84%)	11 (16%)	2	3
47	2p	68/74 (92%)	57 (84%)	11 (16%)	2	3
48	1q	94/97 (97%)	85 (90%)	9 (10%)	8	12
48	2q	94/97 (97%)	87 (93%)	7 (7%)	13	21
49	1r	59/77 (77%)	51 (86%)	8 (14%)	3	5
49	2r	59/77 (77%)	51 (86%)	8 (14%)	3	5
50	1s	68/80 (85%)	61 (90%)	7 (10%)	7	10
50	2s	67/80 (84%)	56 (84%)	11 (16%)	2	3
51	1t	71/82 (87%)	57 (80%)	14 (20%)	1	1
51	2t	70/82 (85%)	62 (89%)	8 (11%)	5	8
52	1u	18/22 (82%)	18 (100%)	0	100	100
52	2u	18/22 (82%)	18 (100%)	0	100	100
53	1y	82/98 (84%)	75 (92%)	7 (8%)	10	17
53	2y	79/98 (81%)	63 (80%)	16 (20%)	1	1
All	All	9524/10260 (93%)	8490 (89%)	1034 (11%)	6	9

5 of 1034 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
42	2k	14	VAL
43	2l	117	ARG
41	2j	95	GLU
39	1h	24	THR
38	1g	22	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 137 such sidechains are listed below:

Mol	Chain	Res	Type
38	2g	97	GLN
40	2i	31	GLN
48	2q	93	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
40	1i	3	GLN
38	1g	148	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2865/2915 (98%)	428 (14%)	30 (1%)
1	2A	2858/2915 (98%)	495 (17%)	35 (1%)
2	1B	119/121 (98%)	13 (10%)	0
2	2B	119/121 (98%)	19 (15%)	0
32	1a	1497/1521 (98%)	274 (18%)	0
32	2a	1501/1521 (98%)	264 (17%)	0
All	All	8959/9114 (98%)	1493 (16%)	65 (0%)

5 of 1493 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	12	U
1	1A	14	A
1	1A	15	G
1	1A	34	C
1	1A	36	G

5 of 65 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2A	2126	A
1	2A	2172	U
1	1A	2126	A
1	1A	2111	C
1	2A	2321	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

48 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
32	5MC	2a	967	32	19,22,23	1.79	3 (15%)	26,32,35	1.11	2 (7%)
32	5MC	1a	1400	32	19,22,23	1.68	3 (15%)	26,32,35	1.18	2 (7%)
32	M2G	2a	966	32	24,27,28	1.29	4 (16%)	33,40,43	1.81	6 (18%)
32	G7M	2a	527	32	23,26,27	1.46	4 (17%)	34,39,42	1.71	5 (14%)
1	5MU	2A	1915	1	19,22,23	1.44	4 (21%)	27,32,35	2.24	10 (37%)
1	PSU	1A	1911	1	18,21,22	1.39	2 (11%)	21,30,33	2.06	3 (14%)
1	OMU	1A	2552	1,54	19,22,23	1.22	3 (15%)	25,31,34	1.75	4 (16%)
1	2MA	1A	2503	1,54	22,25,26	1.47	4 (18%)	32,37,40	2.30	7 (21%)
32	5MC	1a	967	32	19,22,23	1.64	3 (15%)	26,32,35	1.09	2 (7%)
1	OMC	2A	1920	1	19,22,23	0.80	0	25,31,34	0.87	1 (4%)
1	5MC	2A	1942	1	19,22,23	1.60	3 (15%)	26,32,35	1.13	2 (7%)
32	2MG	2a	1207	32	23,26,27	1.26	4 (17%)	33,38,41	2.06	6 (18%)
32	M2G	1a	966	32	24,27,28	1.27	3 (12%)	33,40,43	1.82	6 (18%)
32	5MC	1a	1404	32	19,22,23	1.83	3 (15%)	26,32,35	1.26	3 (11%)
32	PSU	2a	516	32	18,21,22	1.35	2 (11%)	21,30,33	1.99	5 (23%)
32	5MC	2a	1407	32	19,22,23	1.73	3 (15%)	26,32,35	1.20	3 (11%)
1	PSU	2A	1911	1	18,21,22	1.37	3 (16%)	21,30,33	1.99	5 (23%)
32	UR3	1a	1498	32	19,22,23	0.97	2 (10%)	26,32,35	1.71	5 (19%)
1	5MU	1A	1915	1	19,22,23	1.41	5 (26%)	27,32,35	2.34	9 (33%)
32	MA6	2a	1519	32	23,26,27	0.41	0	33,38,41	2.13	9 (27%)
32	MA6	2a	1518	32	23,26,27	0.42	0	33,38,41	2.02	9 (27%)
32	2MG	1a	1207	32	23,26,27	1.23	2 (8%)	33,38,41	2.30	8 (24%)
1	OMC	1A	1920	1	19,22,23	0.78	0	25,31,34	0.93	1 (4%)
32	4OC	1a	1402	32	20,23,24	0.80	0	25,32,35	0.87	1 (4%)
32	4OC	2a	1402	32	20,23,24	0.76	0	25,32,35	0.98	1 (4%)
1	OMG	1A	2251	1,54	23,26,27	1.30	3 (13%)	32,38,41	2.04	6 (18%)
1	5MC	2A	1962	1,54	19,22,23	1.67	3 (15%)	26,32,35	1.07	2 (7%)
1	OMU	2A	2552	1,54	19,22,23	1.22	2 (10%)	25,31,34	1.85	7 (28%)
32	5MC	2a	1404	32	19,22,23	1.70	3 (15%)	26,32,35	1.19	3 (11%)
1	OMG	2A	2251	1,54	23,26,27	1.20	3 (13%)	32,38,41	2.12	9 (28%)
1	2MA	2A	2503	1,54	22,25,26	1.52	4 (18%)	32,37,40	2.40	8 (25%)
32	G7M	1a	527	32,54	23,26,27	1.53	4 (17%)	34,39,42	1.63	5 (14%)
32	5MC	2a	1400	32	19,22,23	1.69	3 (15%)	26,32,35	1.27	4 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	UR3	2a	1498	32	19,22,23	0.92	0	26,32,35	1.85	3 (11%)
43	0TD	1l	92	43	8,9,10	4.41	1 (12%)	6,11,13	3.28	2 (33%)
1	5MU	1A	1939	1,54	19,22,23	1.47	5 (26%)	27,32,35	2.14	6 (22%)
1	PSU	1A	1917	1	18,21,22	1.42	2 (11%)	21,30,33	2.04	3 (14%)
32	MA6	1a	1518	32	23,26,27	0.39	0	33,38,41	2.05	10 (30%)
1	PSU	2A	1917	1	18,21,22	1.39	2 (11%)	21,30,33	1.96	3 (14%)
32	PSU	1a	516	32,54	18,21,22	1.39	2 (11%)	21,30,33	2.02	5 (23%)
32	5MC	1a	1407	32	19,22,23	1.84	2 (10%)	26,32,35	1.12	4 (15%)
32	MA6	1a	1519	32	23,26,27	0.41	0	33,38,41	2.09	9 (27%)
1	5MC	1A	1942	1	19,22,23	1.57	3 (15%)	26,32,35	1.16	2 (7%)
1	5MC	1A	1962	1,54	19,22,23	1.66	3 (15%)	26,32,35	1.14	2 (7%)
1	PSU	1A	2605	1	18,21,22	1.45	3 (16%)	21,30,33	2.00	4 (19%)
1	5MU	2A	1939	1,54	19,22,23	1.41	5 (26%)	27,32,35	2.17	6 (22%)
1	PSU	2A	2605	1	18,21,22	1.41	3 (16%)	21,30,33	2.02	4 (19%)
43	0TD	2l	92	43	8,9,10	4.33	1 (12%)	6,11,13	2.08	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
32	5MC	1a	1400	32	-	2/7/25/26	0/2/2/2
32	M2G	2a	966	32	-	0/11/29/30	0/3/3/3
32	G7M	2a	527	32	-	0/7/25/26	0/3/3/3
1	5MU	2A	1915	1	-	2/7/25/26	0/2/2/2
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
1	OMU	1A	2552	1,54	-	0/9/27/28	0/2/2/2
1	2MA	1A	2503	1,54	-	1/7/25/26	0/3/3/3
32	5MC	1a	967	32	-	0/7/25/26	0/2/2/2
1	OMC	2A	1920	1	-	0/9/27/28	0/2/2/2
1	5MC	2A	1942	1	-	0/7/25/26	0/2/2/2
32	2MG	2a	1207	32	-	0/9/27/28	0/3/3/3
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
32	PSU	2a	516	32	-	2/7/25/26	0/2/2/2
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	2A	1911	1	-	1/7/25/26	0/2/2/2
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
1	5MU	1A	1915	1	-	2/7/25/26	0/2/2/2
32	MA6	2a	1519	32	-	2/11/29/30	0/3/3/3
32	MA6	2a	1518	32	-	0/11/29/30	0/3/3/3
32	2MG	1a	1207	32	-	0/9/27/28	0/3/3/3
1	OMC	1A	1920	1	-	0/9/27/28	0/2/2/2
32	4OC	1a	1402	32	-	2/9/29/30	0/2/2/2
32	4OC	2a	1402	32	-	2/9/29/30	0/2/2/2
1	OMG	1A	2251	1,54	-	0/9/27/28	0/3/3/3
1	5MC	2A	1962	1,54	-	0/7/25/26	0/2/2/2
1	OMU	2A	2552	1,54	-	0/9/27/28	0/2/2/2
32	5MC	2a	1404	32	-	0/7/25/26	0/2/2/2
1	OMG	2A	2251	1,54	-	0/9/27/28	0/3/3/3
1	2MA	2A	2503	1,54	-	1/7/25/26	0/3/3/3
32	G7M	1a	527	32,54	-	1/7/25/26	0/3/3/3
32	5MC	2a	1400	32	-	0/7/25/26	0/2/2/2
32	UR3	2a	1498	32	-	0/7/25/26	0/2/2/2
43	0TD	1l	92	43	-	3/7/12/14	-
1	5MU	1A	1939	1,54	-	0/7/25/26	0/2/2/2
1	PSU	1A	1917	1	-	1/7/25/26	0/2/2/2
32	MA6	1a	1518	32	-	0/11/29/30	0/3/3/3
1	PSU	2A	1917	1	-	0/7/25/26	0/2/2/2
32	PSU	1a	516	32,54	-	1/7/25/26	0/2/2/2
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
32	MA6	1a	1519	32	-	2/11/29/30	0/3/3/3
1	5MC	1A	1942	1	-	0/7/25/26	0/2/2/2
1	5MC	1A	1962	1,54	-	2/7/25/26	0/2/2/2
1	PSU	1A	2605	1	-	0/7/25/26	0/2/2/2
1	5MU	2A	1939	1,54	-	0/7/25/26	0/2/2/2
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
43	0TD	2l	92	43	-	3/7/12/14	-

The worst 5 of 117 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	1l	92	0TD	CB-SB	-12.03	1.70	1.82
43	2l	92	0TD	CB-SB	-11.94	1.70	1.82
32	1a	1407	5MC	C5-C4	6.98	1.49	1.44
32	1a	1404	5MC	C5-C4	6.85	1.49	1.44
32	2a	967	5MC	C5-C4	6.70	1.49	1.44

The worst 5 of 225 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2A	2503	2MA	C5-C4-N3	-8.83	117.88	127.18
1	1A	2503	2MA	C5-C4-N3	-8.59	118.13	127.18
32	2a	1498	UR3	C4-N3-C2	-7.62	118.44	124.58
43	1l	92	0TD	CSB-SB-CB	-7.44	89.00	102.36
32	1a	1207	2MG	C2-N3-C4	7.35	121.19	112.00

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1A	1915	5MU	O4'-C1'-N1-C2
1	1A	1915	5MU	O4'-C1'-N1-C6
1	2A	1915	5MU	O4'-C1'-N1-C2
1	2A	1915	5MU	O4'-C1'-N1-C6
32	1a	1402	4OC	O4'-C4'-C5'-O5'

There are no ring outliers.

20 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	1a	1400	5MC	2	0
1	2A	1915	5MU	1	0
1	2A	1920	OMC	1	0
32	2a	1207	2MG	1	0
32	2a	1519	MA6	2	0
32	2a	1518	MA6	1	0
32	1a	1207	2MG	2	0
1	1A	1920	OMC	1	0
32	1a	1402	4OC	2	0
32	2a	1402	4OC	2	0
32	2a	1404	5MC	1	0
1	2A	2251	OMG	1	0
1	2A	2503	2MA	2	0
32	1a	527	G7M	1	0
32	2a	1400	5MC	2	0
43	1l	92	0TD	1	0
1	1A	1939	5MU	1	0
32	1a	1518	MA6	3	0
32	1a	1519	MA6	3	0
43	2l	92	0TD	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2608 ligands modelled in this entry, 2595 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
57	MPD	2A	3773	-	7,7,7	0.33	0	9,10,10	0.23	0
59	SF4	2d	501	35	0,12,12	-	-	-		
55	MUL	2A	3771	-	36,36,36	1.27	7 (19%)	55,55,55	2.13	19 (34%)
57	MPD	2A	3772	-	7,7,7	0.30	0	9,10,10	0.37	0
56	ARG	1B	232	54	10,11,11	0.77	1 (10%)	9,13,13	0.95	1 (11%)
57	MPD	1a	1873	-	7,7,7	0.36	0	9,10,10	0.40	0
57	MPD	2B	221	-	7,7,7	0.34	0	9,10,10	0.30	0
57	MPD	18	103	-	7,7,7	0.24	0	9,10,10	0.56	0
57	MPD	1a	1874	32	7,7,7	0.34	0	9,10,10	0.40	0
57	MPD	1A	4056	-	7,7,7	0.40	0	9,10,10	0.20	0
59	SF4	1d	305	35	0,12,12	-	-	-		
56	ARG	1A	4055	-	10,11,11	0.75	1 (10%)	9,13,13	0.94	1 (11%)
55	MUL	1A	4054	-	36,36,36	1.27	5 (13%)	55,55,55	2.06	16 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	MPD	2A	3773	-	-	2/5/5/5	-
59	SF4	2d	501	35	-	-	0/6/5/5
55	MUL	2A	3771	-	-	2/18/79/79	0/3/3/3
57	MPD	2A	3772	-	-	1/5/5/5	-
56	ARG	1B	232	54	-	3/11/11/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	MPD	1a	1873	-	-	0/5/5/5	-
57	MPD	2B	221	-	-	1/5/5/5	-
57	MPD	18	103	-	-	5/5/5/5	-
57	MPD	1a	1874	32	-	4/5/5/5	-
57	MPD	1A	4056	-	-	2/5/5/5	-
59	SF4	1d	305	35	-	-	0/6/5/5
56	ARG	1A	4055	-	-	3/11/11/11	-
55	MUL	1A	4054	-	-	1/18/79/79	0/3/3/3

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	1A	4054	MUL	O3-C21	3.74	1.44	1.34
55	2A	3771	MUL	O3-C21	3.63	1.44	1.34
55	2A	3771	MUL	O3-C14	-2.74	1.41	1.46
55	1A	4054	MUL	O3-C14	-2.58	1.42	1.46
55	1A	4054	MUL	C5-C14	-2.46	1.54	1.56

The worst 5 of 37 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	2A	3771	MUL	O3-C21-C22	5.14	119.01	110.52
55	2A	3771	MUL	C15-C5-C14	-4.88	103.82	108.81
55	1A	4054	MUL	O3-C21-C22	4.85	118.52	110.52
55	1A	4054	MUL	C15-C5-C14	-4.58	104.14	108.81
55	2A	3771	MUL	C2-C3-C4	4.48	113.29	108.53

There are no chirality outliers.

5 of 24 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
57	18	103	MPD	C2-C3-C4-O4
57	18	103	MPD	C2-C3-C4-C5
57	1a	1874	MPD	C2-C3-C4-O4
57	2A	3773	MPD	C2-C3-C4-O4
57	2A	3773	MPD	C2-C3-C4-C5


There are no ring outliers.

9 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
55	2A	3771	MUL	4	0
57	2A	3772	MPD	2	0
56	1B	232	ARG	1	0
57	18	103	MPD	3	0
57	1a	1874	MPD	2	0
57	1A	4056	MPD	1	0
59	1d	305	SF4	1	0
56	1A	4055	ARG	4	0
55	1A	4054	MUL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2861/2915 (98%)	-0.49	147 (5%) 33 26	16, 33, 89, 103	0
1	2A	2856/2915 (97%)	-0.00	167 (5%) 29 22	29, 52, 92, 105	0
2	1B	120/121 (99%)	-0.27	1 (0%) 82 79	30, 51, 64, 78	0
2	2B	120/121 (99%)	0.54	2 (1%) 69 64	56, 73, 81, 86	0
3	1D	275/276 (99%)	-0.25	3 (1%) 78 75	16, 34, 49, 66	0
3	2D	275/276 (99%)	0.14	4 (1%) 72 67	27, 46, 59, 73	0
4	1E	204/206 (99%)	-0.19	2 (0%) 79 76	16, 38, 56, 72	0
4	2E	204/206 (99%)	0.25	4 (1%) 65 59	32, 52, 68, 77	0
5	1F	203/210 (96%)	-0.21	3 (1%) 72 67	15, 37, 64, 83	0
5	2F	203/210 (96%)	0.44	5 (2%) 58 52	32, 59, 73, 86	0
6	1G	181/182 (99%)	0.87	20 (11%) 10 9	47, 65, 79, 87	0
6	2G	181/182 (99%)	1.42	37 (20%) 3 1	69, 78, 87, 90	0
7	1H	174/180 (96%)	0.30	1 (0%) 85 83	35, 52, 62, 69	0
7	2H	173/180 (96%)	1.23	22 (12%) 8 6	64, 76, 86, 90	0
8	1I	147/148 (99%)	0.74	5 (3%) 48 40	39, 67, 76, 82	0
8	2I	146/148 (98%)	1.09	17 (11%) 9 8	47, 73, 84, 88	0
9	1N	140/140 (100%)	-0.16	0 100 100	20, 35, 57, 71	0
9	2N	140/140 (100%)	0.44	5 (3%) 46 38	41, 58, 71, 77	0
10	1O	122/122 (100%)	-0.23	1 (0%) 82 79	25, 38, 56, 64	0
10	2O	122/122 (100%)	0.07	1 (0%) 82 79	39, 49, 62, 71	0
11	1P	149/150 (99%)	-0.12	1 (0%) 84 82	17, 43, 61, 77	0
11	2P	149/150 (99%)	0.44	3 (2%) 65 59	33, 61, 76, 87	0
12	1Q	141/141 (100%)	-0.20	1 (0%) 84 82	21, 37, 50, 70	0
12	2Q	141/141 (100%)	0.53	5 (3%) 47 38	39, 57, 68, 78	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	-0.36	0 100 100	23, 32, 46, 59	0
13	2R	118/118 (100%)	0.05	0 100 100	36, 49, 58, 65	0
14	1S	110/112 (98%)	0.23	2 (1%) 67 63	38, 51, 63, 70	0
14	2S	110/112 (98%)	1.22	18 (16%) 4 3	60, 68, 77, 80	0
15	1T	131/146 (89%)	0.11	5 (3%) 44 36	29, 42, 65, 75	0
15	2T	131/146 (89%)	0.33	4 (3%) 51 43	47, 55, 68, 77	0
16	1U	116/118 (98%)	-0.44	1 (0%) 81 78	20, 28, 43, 62	0
16	2U	116/118 (98%)	0.29	2 (1%) 69 64	36, 54, 68, 76	0
17	1V	101/101 (100%)	-0.32	0 100 100	20, 38, 55, 63	0
17	2V	101/101 (100%)	0.53	0 100 100	37, 63, 71, 77	0
18	1W	112/113 (99%)	-0.27	1 (0%) 81 78	19, 27, 47, 78	0
18	2W	112/113 (99%)	0.10	0 100 100	35, 44, 62, 79	0
19	1X	95/96 (98%)	-0.19	1 (1%) 78 75	23, 35, 56, 63	0
19	2X	95/96 (98%)	0.51	3 (3%) 50 42	41, 55, 68, 77	0
20	1Y	107/110 (97%)	0.26	1 (0%) 81 78	32, 47, 65, 73	0
20	2Y	107/110 (97%)	1.07	14 (13%) 7 6	48, 65, 77, 83	0
21	1Z	203/206 (98%)	0.43	4 (1%) 65 59	34, 56, 70, 77	0
21	2Z	201/206 (97%)	0.92	12 (5%) 27 21	58, 71, 79, 85	0
22	10	77/85 (90%)	-0.08	1 (1%) 75 71	27, 35, 51, 57	0
22	20	77/85 (90%)	0.77	5 (6%) 25 19	48, 58, 65, 70	0
23	11	97/98 (98%)	0.06	2 (2%) 63 57	24, 41, 63, 68	0
23	21	97/98 (98%)	0.45	2 (2%) 63 57	36, 50, 70, 72	0
24	12	70/72 (97%)	0.18	2 (2%) 53 46	31, 44, 55, 72	0
24	22	70/72 (97%)	0.85	5 (7%) 22 16	51, 65, 73, 78	0
25	13	59/60 (98%)	-0.12	1 (1%) 69 64	23, 34, 60, 72	0
25	23	59/60 (98%)	0.48	4 (6%) 23 17	46, 56, 73, 80	0
26	14	69/71 (97%)	1.31	16 (23%) 2 1	59, 80, 90, 94	0
26	24	69/71 (97%)	1.92	27 (39%) 1 0	76, 87, 93, 97	0
27	15	59/60 (98%)	-0.33	1 (1%) 69 64	17, 31, 57, 68	0
27	25	59/60 (98%)	0.22	0 100 100	31, 48, 66, 75	0
28	16	53/54 (98%)	-0.25	0 100 100	32, 42, 55, 60	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.18	0 100 100	51, 57, 65, 68	0
29	17	48/49 (97%)	-0.21	2 (4%) 40 32	18, 24, 61, 66	0
29	27	48/49 (97%)	-0.01	3 (6%) 26 19	30, 39, 64, 73	0
30	18	64/65 (98%)	-0.45	0 100 100	24, 30, 39, 48	0
30	28	64/65 (98%)	0.23	1 (1%) 70 66	41, 49, 58, 65	0
31	19	37/37 (100%)	-0.27	0 100 100	27, 39, 55, 57	0
31	29	37/37 (100%)	0.70	2 (5%) 31 25	52, 61, 70, 74	0
32	1a	1488/1521 (97%)	0.60	98 (6%) 24 18	34, 71, 92, 105	0
32	2a	1492/1521 (98%)	0.63	89 (5%) 27 21	38, 71, 91, 103	0
33	1b	231/256 (90%)	1.35	41 (17%) 4 2	66, 77, 87, 90	0
33	2b	231/256 (90%)	1.39	51 (22%) 2 1	67, 78, 86, 90	0
34	1c	206/239 (86%)	1.44	45 (21%) 2 1	66, 76, 83, 87	0
34	2c	206/239 (86%)	1.68	61 (29%) 1 1	69, 79, 84, 91	0
35	1d	208/209 (99%)	1.36	38 (18%) 3 2	58, 71, 79, 88	0
35	2d	208/209 (99%)	1.03	18 (8%) 16 12	55, 67, 78, 81	0
36	1e	148/162 (91%)	0.81	6 (4%) 41 33	44, 64, 71, 80	0
36	2e	148/162 (91%)	0.95	10 (6%) 23 17	53, 67, 76, 80	0
37	1f	100/101 (99%)	0.85	6 (6%) 27 21	56, 67, 73, 80	0
37	2f	100/101 (99%)	0.69	5 (5%) 34 26	54, 66, 74, 79	0
38	1g	155/156 (99%)	1.01	18 (11%) 9 8	63, 73, 79, 85	0
38	2g	155/156 (99%)	1.19	23 (14%) 5 4	67, 75, 81, 85	0
39	1h	137/138 (99%)	0.63	1 (0%) 84 82	53, 66, 74, 80	0
39	2h	137/138 (99%)	0.75	6 (4%) 39 31	60, 67, 74, 75	0
40	1i	127/128 (99%)	1.77	43 (33%) 1 0	68, 78, 82, 92	0
40	2i	126/128 (98%)	2.09	65 (51%) 0 0	67, 80, 84, 87	0
41	1j	97/105 (92%)	1.82	37 (38%) 1 0	68, 79, 87, 88	0
41	2j	96/105 (91%)	1.96	48 (50%) 0 0	73, 80, 88, 90	0
42	1k	114/129 (88%)	0.56	4 (3%) 47 38	38, 61, 73, 79	0
42	2k	114/129 (88%)	1.02	17 (14%) 5 4	53, 67, 77, 79	0
43	1l	121/132 (91%)	0.56	7 (5%) 29 22	46, 59, 68, 75	0
43	2l	121/132 (91%)	0.86	8 (6%) 24 18	52, 63, 70, 73	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	116/126 (92%)	1.33	26 (22%) 2 1	66, 76, 81, 85	0
44	2m	114/126 (90%)	1.54	31 (27%) 1 1	70, 79, 85, 90	0
45	1n	60/61 (98%)	1.31	11 (18%) 3 2	68, 75, 81, 83	0
45	2n	60/61 (98%)	1.88	23 (38%) 1 0	72, 80, 85, 87	0
46	1o	88/89 (98%)	0.64	7 (7%) 18 14	47, 63, 74, 80	0
46	2o	88/89 (98%)	0.64	5 (5%) 29 23	54, 67, 74, 78	0
47	1p	82/88 (93%)	1.47	17 (20%) 2 1	58, 71, 79, 84	0
47	2p	82/88 (93%)	0.94	6 (7%) 21 15	56, 64, 74, 80	0
48	1q	99/105 (94%)	0.88	6 (6%) 27 20	50, 65, 73, 77	0
48	2q	99/105 (94%)	0.70	5 (5%) 33 26	53, 64, 73, 76	0
49	1r	68/88 (77%)	0.71	2 (2%) 53 46	53, 66, 73, 78	0
49	2r	68/88 (77%)	0.65	2 (2%) 53 46	56, 66, 73, 78	0
50	1s	83/93 (89%)	1.59	23 (27%) 1 1	68, 78, 86, 90	0
50	2s	83/93 (89%)	1.92	34 (40%) 0 0	75, 82, 87, 90	0
51	1t	96/106 (90%)	1.33	20 (20%) 2 1	60, 71, 78, 81	0
51	2t	98/106 (92%)	0.96	7 (7%) 22 16	54, 65, 75, 79	0
52	1u	23/27 (85%)	1.66	8 (34%) 1 0	71, 75, 79, 82	0
52	2u	23/27 (85%)	1.92	11 (47%) 0 0	73, 78, 82, 84	0
53	1y	97/113 (85%)	0.67	4 (4%) 41 33	50, 66, 75, 79	0
53	2y	96/113 (84%)	1.43	23 (23%) 2 1	65, 75, 84, 88	0
All	All	20766/21468 (96%)	0.40	1615 (7%) 19 14	15, 60, 85, 105	0

The worst 5 of 1615 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1A	1072	C	9.1
1	1A	1089	G	8.4
1	1A	1087	G	8.2
1	1A	1093	G	8.0
1	1A	1076	C	7.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
32	2MG	2a	1207	24/25	0.76	0.15	80,85,92,100	0
1	5MU	2A	1915	21/22	0.83	0.12	75,83,88,99	0
1	5MU	1A	1915	21/22	0.86	0.12	73,82,86,91	0
32	PSU	2a	516	20/21	0.88	0.10	76,78,86,86	0
32	M2G	2a	966	25/26	0.88	0.14	60,68,76,79	0
32	2MG	1a	1207	24/25	0.88	0.11	77,82,86,92	0
32	5MC	2a	967	21/22	0.89	0.13	66,70,77,81	0
1	PSU	2A	1911	20/21	0.90	0.10	68,71,83,86	0
32	G7M	2a	527	24/25	0.91	0.12	56,66,70,72	0
1	PSU	1A	1917	20/21	0.91	0.10	58,71,84,85	0
32	5MC	1a	967	21/22	0.92	0.11	58,65,74,74	0
1	PSU	1A	1911	20/21	0.92	0.10	60,65,68,69	0
32	M2G	1a	966	25/26	0.92	0.11	54,61,75,76	0
1	PSU	2A	1917	20/21	0.93	0.08	68,74,79,84	0
32	5MC	1a	1407	21/22	0.93	0.10	35,49,55,59	0
43	0TD	1l	92	10/11	0.93	0.15	55,58,61,67	0
43	0TD	2l	92	10/11	0.93	0.11	62,65,68,80	0
32	5MC	2a	1400	21/22	0.94	0.10	52,65,68,69	0
32	4OC	2a	1402	22/23	0.94	0.10	50,62,64,69	0
32	5MC	2a	1404	21/22	0.94	0.10	47,54,58,63	0
32	PSU	1a	516	20/21	0.94	0.09	54,67,73,77	0
32	5MC	1a	1400	21/22	0.95	0.10	52,58,61,66	0
32	G7M	1a	527	24/25	0.95	0.09	49,57,61,64	0
32	5MC	2a	1407	21/22	0.95	0.12	49,60,63,68	0
32	UR3	2a	1498	21/22	0.95	0.10	52,57,63,65	0
1	5MC	2A	1942	21/22	0.95	0.08	42,47,53,58	0
1	5MC	2A	1962	21/22	0.96	0.08	35,41,52,61	0
32	4OC	1a	1402	22/23	0.96	0.09	47,53,58,59	0
32	5MC	1a	1404	21/22	0.96	0.09	43,47,52,60	0
1	OMC	1A	1920	21/22	0.96	0.09	47,53,58,60	0
1	OMC	2A	1920	21/22	0.96	0.08	59,66,70,72	0
32	MA6	2a	1518	24/25	0.96	0.12	49,60,63,64	0
32	MA6	2a	1519	24/25	0.96	0.16	53,58,62,67	0
1	5MC	1A	1942	21/22	0.96	0.08	26,32,38,39	0
32	MA6	1a	1519	24/25	0.97	0.08	42,48,52,55	0
32	UR3	1a	1498	21/22	0.97	0.09	41,48,53,67	0
1	OMG	2A	2251	24/25	0.97	0.09	29,35,38,44	0
1	2MA	2A	2503	23/24	0.97	0.09	24,30,36,37	0
1	PSU	2A	2605	20/21	0.97	0.09	29,34,39,40	0
1	5MU	2A	1939	21/22	0.97	0.08	31,34,38,39	0
1	5MC	1A	1962	21/22	0.98	0.06	27,32,35,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	OMU	2A	2552	21/22	0.98	0.06	30,36,39,41	0
1	OMG	1A	2251	24/25	0.98	0.07	17,21,24,25	0
1	2MA	1A	2503	23/24	0.98	0.07	15,17,21,23	0
32	MA6	1a	1518	24/25	0.98	0.07	40,44,49,50	0
1	OMU	1A	2552	21/22	0.98	0.07	21,26,31,34	0
1	PSU	1A	2605	20/21	0.98	0.07	21,23,30,33	0
1	5MU	1A	1939	21/22	0.98	0.07	21,25,29,31	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1772	1/1	0.44	0.23	88,88,88,88	0
54	MG	2A	3523	1/1	0.47	0.27	67,67,67,67	0
54	MG	1a	1740	1/1	0.52	0.22	65,65,65,65	0
54	MG	2A	3714	1/1	0.57	0.25	81,81,81,81	0
54	MG	2A	3536	1/1	0.59	0.17	62,62,62,62	0
54	MG	2A	3755	1/1	0.59	0.19	81,81,81,81	0
54	MG	1a	1760	1/1	0.60	0.26	70,70,70,70	0
54	MG	1a	1732	1/1	0.60	0.25	78,78,78,78	0
54	MG	1a	1790	1/1	0.60	0.22	81,81,81,81	0
54	MG	2A	3160	1/1	0.60	0.38	72,72,72,72	0
54	MG	2T	203	1/1	0.60	0.20	68,68,68,68	0
54	MG	2a	3046	1/1	0.60	0.16	73,73,73,73	0
54	MG	2A	3110	1/1	0.62	0.17	74,74,74,74	0
54	MG	2A	3516	1/1	0.62	0.22	76,76,76,76	0
54	MG	2A	3522	1/1	0.63	0.18	71,71,71,71	0
54	MG	1A	3739	1/1	0.64	0.29	52,52,52,52	0
54	MG	1A	3845	1/1	0.65	0.23	78,78,78,78	0
54	MG	2A	3746	1/1	0.66	0.26	72,72,72,72	0
54	MG	1a	1850	1/1	0.66	0.19	61,61,61,61	0
54	MG	2A	3383	1/1	0.67	0.23	73,73,73,73	0
54	MG	1A	4051	1/1	0.67	0.20	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3249	1/1	0.68	0.21	79,79,79,79	0
54	MG	2a	3019	1/1	0.69	0.30	86,86,86,86	0
54	MG	2A	3379	1/1	0.69	0.20	66,66,66,66	0
54	MG	1A	3403	1/1	0.70	0.17	61,61,61,61	0
54	MG	1A	3295	1/1	0.70	0.14	86,86,86,86	0
54	MG	1B	206	1/1	0.70	0.44	82,82,82,82	0
54	MG	2a	3061	1/1	0.70	0.20	81,81,81,81	0
54	MG	1A	3834	1/1	0.71	0.19	63,63,63,63	0
54	MG	1B	213	1/1	0.71	0.15	64,64,64,64	0
54	MG	2a	3181	1/1	0.71	0.26	73,73,73,73	0
54	MG	2A	3210	1/1	0.72	0.24	68,68,68,68	0
54	MG	1a	1609	1/1	0.72	0.20	66,66,66,66	0
54	MG	1a	1601	1/1	0.72	0.26	79,79,79,79	0
54	MG	1a	1816	1/1	0.72	0.17	86,86,86,86	0
54	MG	2D	308	1/1	0.73	0.36	53,53,53,53	0
54	MG	2a	3011	1/1	0.73	0.15	76,76,76,76	0
57	MPD	2B	221	8/8	0.73	0.30	62,72,76,78	0
54	MG	1A	3610	1/1	0.74	0.15	66,66,66,66	0
54	MG	1A	3745	1/1	0.74	0.22	64,64,64,64	0
54	MG	2A	3496	1/1	0.74	0.18	67,67,67,67	0
54	MG	1t	202	1/1	0.75	0.15	80,80,80,80	0
54	MG	2A	3719	1/1	0.75	0.16	51,51,51,51	0
54	MG	1a	1797	1/1	0.75	0.27	76,76,76,76	0
54	MG	1d	303	1/1	0.75	0.17	73,73,73,73	0
54	MG	2A	3519	1/1	0.76	0.17	60,60,60,60	0
54	MG	2G	202	1/1	0.76	0.25	85,85,85,85	0
54	MG	1D	309	1/1	0.76	0.21	39,39,39,39	0
54	MG	2A	3355	1/1	0.76	0.20	73,73,73,73	0
54	MG	1A	3418	1/1	0.76	0.19	49,49,49,49	0
54	MG	1A	3855	1/1	0.76	0.10	28,28,28,28	0
54	MG	2A	3427	1/1	0.76	0.21	70,70,70,70	0
54	MG	2a	3102	1/1	0.76	0.19	70,70,70,70	0
54	MG	2a	3125	1/1	0.76	0.17	76,76,76,76	0
54	MG	2a	3175	1/1	0.76	0.24	77,77,77,77	0
54	MG	1A	3953	1/1	0.76	0.29	88,88,88,88	0
54	MG	2a	3195	1/1	0.76	0.22	75,75,75,75	0
54	MG	2A	3232	1/1	0.76	0.18	68,68,68,68	0
54	MG	1E	306	1/1	0.77	0.15	46,46,46,46	0
54	MG	2A	3024	1/1	0.77	0.29	67,67,67,67	0
54	MG	2A	3452	1/1	0.77	0.29	68,68,68,68	0
54	MG	2A	3475	1/1	0.77	0.15	71,71,71,71	0
54	MG	2A	3088	1/1	0.77	0.23	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3657	1/1	0.77	0.17	60,60,60,60	0
54	MG	1A	3877	1/1	0.77	0.17	57,57,57,57	0
54	MG	1a	1688	1/1	0.77	0.30	70,70,70,70	0
54	MG	2A	3227	1/1	0.77	0.12	55,55,55,55	0
54	MG	1a	1704	1/1	0.77	0.21	72,72,72,72	0
54	MG	2a	3165	1/1	0.77	0.25	87,87,87,87	0
54	MG	2A	3615	1/1	0.77	0.13	56,56,56,56	0
54	MG	1B	228	1/1	0.77	0.12	66,66,66,66	0
54	MG	1A	4053	1/1	0.77	0.20	70,70,70,70	0
54	MG	2j	201	1/1	0.77	0.12	78,78,78,78	0
54	MG	1n	101	1/1	0.77	0.51	78,78,78,78	0
54	MG	1a	1749	1/1	0.78	0.22	84,84,84,84	0
54	MG	1a	1750	1/1	0.78	0.16	73,73,73,73	0
54	MG	2A	3161	1/1	0.78	0.18	68,68,68,68	0
54	MG	1a	1857	1/1	0.78	0.19	71,71,71,71	0
54	MG	1d	301	1/1	0.78	0.27	76,76,76,76	0
54	MG	1a	1756	1/1	0.78	0.22	69,69,69,69	0
54	MG	1T	205	1/1	0.78	0.14	66,66,66,66	0
54	MG	1A	3994	1/1	0.78	0.15	80,80,80,80	0
54	MG	2A	3705	1/1	0.78	0.24	78,78,78,78	0
54	MG	1t	203	1/1	0.78	0.12	74,74,74,74	0
54	MG	1a	1608	1/1	0.78	0.12	77,77,77,77	0
54	MG	2A	3078	1/1	0.78	0.17	76,76,76,76	0
54	MG	2A	3450	1/1	0.78	0.15	58,58,58,58	0
56	ARG	1A	4055	12/12	0.78	0.20	42,68,78,89	0
54	MG	1A	3561	1/1	0.78	0.12	36,36,36,36	0
54	MG	2A	3486	1/1	0.79	0.18	70,70,70,70	0
54	MG	2A	3488	1/1	0.79	0.30	69,69,69,69	0
54	MG	1g	201	1/1	0.79	0.27	71,71,71,71	0
54	MG	2A	3511	1/1	0.79	0.25	72,72,72,72	0
54	MG	1a	1767	1/1	0.79	0.14	76,76,76,76	0
54	MG	1A	3218	1/1	0.79	0.15	42,42,42,42	0
54	MG	1A	3646	1/1	0.79	0.17	71,71,71,71	0
54	MG	1a	1605	1/1	0.79	0.33	70,70,70,70	0
54	MG	2A	3373	1/1	0.79	0.13	45,45,45,45	0
54	MG	2A	3605	1/1	0.79	0.14	45,45,45,45	0
54	MG	1A	4024	1/1	0.79	0.17	41,41,41,41	0
54	MG	1A	3601	1/1	0.79	0.29	72,72,72,72	0
54	MG	2A	3094	1/1	0.79	0.21	66,66,66,66	0
54	MG	2a	3197	1/1	0.79	0.10	70,70,70,70	0
54	MG	1a	1755	1/1	0.79	0.32	86,86,86,86	0
54	MG	1a	1614	1/1	0.79	0.17	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3909	1/1	0.79	0.18	35,35,35,35	0
54	MG	1A	3558	1/1	0.80	0.18	65,65,65,65	0
54	MG	2A	3697	1/1	0.80	0.25	70,70,70,70	0
54	MG	1A	3268	1/1	0.80	0.12	65,65,65,65	0
54	MG	2A	3289	1/1	0.80	0.13	61,61,61,61	0
54	MG	1a	1871	1/1	0.80	0.13	79,79,79,79	0
54	MG	1b	301	1/1	0.80	0.24	70,70,70,70	0
54	MG	1l	102	1/1	0.80	0.17	60,60,60,60	0
54	MG	2A	3380	1/1	0.80	0.31	72,72,72,72	0
54	MG	1A	3682	1/1	0.80	0.27	70,70,70,70	0
54	MG	2Q	202	1/1	0.80	0.17	54,54,54,54	0
54	MG	1A	3876	1/1	0.80	0.17	46,46,46,46	0
54	MG	1A	3629	1/1	0.80	0.17	54,54,54,54	0
54	MG	1A	3636	1/1	0.80	0.21	84,84,84,84	0
54	MG	1A	3946	1/1	0.80	0.23	82,82,82,82	0
54	MG	1a	1761	1/1	0.80	0.21	76,76,76,76	0
54	MG	2a	3065	1/1	0.80	0.17	68,68,68,68	0
54	MG	2a	3087	1/1	0.80	0.26	71,71,71,71	0
54	MG	1a	1636	1/1	0.80	0.18	75,75,75,75	0
54	MG	1a	1653	1/1	0.80	0.21	80,80,80,80	0
54	MG	2A	3502	1/1	0.80	0.18	33,33,33,33	0
54	MG	1a	1656	1/1	0.80	0.31	70,70,70,70	0
54	MG	1A	3750	1/1	0.80	0.15	51,51,51,51	0
54	MG	1a	1696	1/1	0.80	0.25	79,79,79,79	0
54	MG	1a	1820	1/1	0.80	0.15	55,55,55,55	0
54	MG	1a	1832	1/1	0.80	0.12	63,63,63,63	0
54	MG	1a	1844	1/1	0.80	0.15	68,68,68,68	0
54	MG	2A	3230	1/1	0.80	0.23	68,68,68,68	0
54	MG	2B	213	1/1	0.81	0.21	69,69,69,69	0
54	MG	1a	1841	1/1	0.81	0.15	67,67,67,67	0
54	MG	1A	3623	1/1	0.81	0.36	31,31,31,31	0
54	MG	1a	1720	1/1	0.81	0.13	81,81,81,81	0
54	MG	2T	201	1/1	0.81	0.11	66,66,66,66	0
54	MG	2A	3307	1/1	0.81	0.14	53,53,53,53	0
54	MG	1A	3990	1/1	0.81	0.13	69,69,69,69	0
54	MG	2A	3085	1/1	0.81	0.21	79,79,79,79	0
54	MG	1a	1863	1/1	0.81	0.16	62,62,62,62	0
54	MG	1a	1865	1/1	0.81	0.15	70,70,70,70	0
54	MG	2a	3062	1/1	0.81	0.38	80,80,80,80	0
54	MG	1B	220	1/1	0.81	0.11	52,52,52,52	0
54	MG	2A	3415	1/1	0.81	0.14	61,61,61,61	0
54	MG	2A	3624	1/1	0.81	0.15	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3677	1/1	0.81	0.14	79,79,79,79	0
54	MG	2a	3155	1/1	0.81	0.13	62,62,62,62	0
54	MG	2A	3689	1/1	0.81	0.13	70,70,70,70	0
54	MG	2a	3173	1/1	0.81	0.17	74,74,74,74	0
54	MG	1a	1744	1/1	0.81	0.10	62,62,62,62	0
54	MG	2A	3703	1/1	0.81	0.13	52,52,52,52	0
54	MG	1a	1660	1/1	0.81	0.27	79,79,79,79	0
54	MG	2A	3183	1/1	0.81	0.18	64,64,64,64	0
54	MG	1Z	301	1/1	0.81	0.16	61,61,61,61	0
54	MG	2o	101	1/1	0.81	0.12	57,57,57,57	0
54	MG	1a	1690	1/1	0.81	0.20	62,62,62,62	0
54	MG	1A	3901	1/1	0.81	0.11	41,41,41,41	0
54	MG	2A	3675	1/1	0.82	0.09	53,53,53,53	0
54	MG	2a	3036	1/1	0.82	0.25	79,79,79,79	0
54	MG	1A	3677	1/1	0.82	0.14	66,66,66,66	0
54	MG	1A	4026	1/1	0.82	0.19	72,72,72,72	0
54	MG	1a	1630	1/1	0.82	0.32	74,74,74,74	0
54	MG	1y	203	1/1	0.82	0.22	71,71,71,71	0
54	MG	2a	3066	1/1	0.82	0.15	76,76,76,76	0
54	MG	1D	313	1/1	0.82	0.15	67,67,67,67	0
54	MG	2A	3708	1/1	0.82	0.39	58,58,58,58	0
54	MG	1A	4035	1/1	0.82	0.15	66,66,66,66	0
54	MG	1H	202	1/1	0.82	0.09	56,56,56,56	0
54	MG	2A	3356	1/1	0.82	0.19	56,56,56,56	0
54	MG	1H	203	1/1	0.82	0.11	58,58,58,58	0
54	MG	2A	3762	1/1	0.82	0.21	71,71,71,71	0
54	MG	1A	4050	1/1	0.82	0.15	64,64,64,64	0
54	MG	2a	3194	1/1	0.82	0.15	72,72,72,72	0
54	MG	1A	3573	1/1	0.82	0.11	56,56,56,56	0
54	MG	1A	3683	1/1	0.82	0.24	56,56,56,56	0
54	MG	2a	3199	1/1	0.82	0.17	79,79,79,79	0
54	MG	2A	3559	1/1	0.82	0.16	48,48,48,48	0
54	MG	1A	3892	1/1	0.82	0.12	36,36,36,36	0
54	MG	1A	3993	1/1	0.82	0.14	44,44,44,44	0
57	MPD	1a	1874	8/8	0.82	0.18	54,72,76,79	0
54	MG	1A	3659	1/1	0.82	0.17	51,51,51,51	0
54	MG	2A	3293	1/1	0.83	0.12	30,30,30,30	0
54	MG	1a	1667	1/1	0.83	0.27	61,61,61,61	0
54	MG	1a	1675	1/1	0.83	0.17	66,66,66,66	0
54	MG	1T	201	1/1	0.83	0.10	43,43,43,43	0
54	MG	1A	3617	1/1	0.83	0.20	32,32,32,32	0
54	MG	2a	3024	1/1	0.83	0.20	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3607	1/1	0.83	0.13	37,37,37,37	0
54	MG	1B	205	1/1	0.83	0.12	51,51,51,51	0
54	MG	1A	3860	1/1	0.83	0.14	52,52,52,52	0
54	MG	2A	3654	1/1	0.83	0.18	86,86,86,86	0
54	MG	1A	3863	1/1	0.83	0.24	37,37,37,37	0
54	MG	2A	3399	1/1	0.83	0.24	73,73,73,73	0
54	MG	2a	3077	1/1	0.83	0.18	72,72,72,72	0
54	MG	1A	3865	1/1	0.83	0.22	50,50,50,50	0
54	MG	1B	224	1/1	0.83	0.14	52,52,52,52	0
54	MG	2a	3104	1/1	0.83	0.17	71,71,71,71	0
54	MG	2A	3433	1/1	0.83	0.12	62,62,62,62	0
54	MG	2a	3143	1/1	0.83	0.21	71,71,71,71	0
54	MG	1A	3874	1/1	0.83	0.15	54,54,54,54	0
54	MG	1A	3190	1/1	0.83	0.13	62,62,62,62	0
54	MG	2A	3710	1/1	0.83	0.17	65,65,65,65	0
54	MG	1a	1622	1/1	0.83	0.12	63,63,63,63	0
54	MG	2A	3194	1/1	0.83	0.19	59,59,59,59	0
54	MG	1D	311	1/1	0.83	0.28	36,36,36,36	0
54	MG	2A	3752	1/1	0.83	0.19	61,61,61,61	0
54	MG	1A	3187	1/1	0.83	0.16	63,63,63,63	0
54	MG	1a	1757	1/1	0.83	0.19	68,68,68,68	0
54	MG	1A	3510	1/1	0.83	0.16	57,57,57,57	0
54	MG	2B	214	1/1	0.83	0.16	95,95,95,95	0
54	MG	1A	3344	1/1	0.83	0.27	63,63,63,63	0
54	MG	1A	3853	1/1	0.83	0.09	60,60,60,60	0
57	MPD	2A	3772	8/8	0.83	0.28	44,49,54,56	0
57	MPD	2A	3773	8/8	0.83	0.23	65,72,77,78	0
54	MG	2G	203	1/1	0.83	0.15	68,68,68,68	0
54	MG	2A	3410	1/1	0.84	0.10	72,72,72,72	0
54	MG	1d	302	1/1	0.84	0.14	60,60,60,60	0
54	MG	2a	3042	1/1	0.84	0.30	75,75,75,75	0
54	MG	1A	3430	1/1	0.84	0.22	61,61,61,61	0
54	MG	2a	3059	1/1	0.84	0.20	76,76,76,76	0
54	MG	2A	3206	1/1	0.84	0.25	67,67,67,67	0
54	MG	1a	1803	1/1	0.84	0.12	96,96,96,96	0
54	MG	2A	3220	1/1	0.84	0.23	70,70,70,70	0
54	MG	1a	1659	1/1	0.84	0.12	69,69,69,69	0
54	MG	1p	101	1/1	0.84	0.21	71,71,71,71	0
54	MG	1A	3686	1/1	0.84	0.28	47,47,47,47	0
54	MG	2a	3101	1/1	0.84	0.13	58,58,58,58	0
54	MG	2A	3233	1/1	0.84	0.13	63,63,63,63	0
54	MG	1A	3976	1/1	0.84	0.18	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1672	1/1	0.84	0.16	61,61,61,61	0
54	MG	1B	226	1/1	0.84	0.11	61,61,61,61	0
54	MG	2A	3045	1/1	0.84	0.17	65,65,65,65	0
54	MG	2A	3769	1/1	0.84	0.12	62,62,62,62	0
54	MG	2a	3171	1/1	0.84	0.10	63,63,63,63	0
54	MG	2B	202	1/1	0.84	0.11	72,72,72,72	0
54	MG	2B	206	1/1	0.84	0.23	67,67,67,67	0
54	MG	1a	1684	1/1	0.84	0.22	63,63,63,63	0
54	MG	1A	3858	1/1	0.84	0.09	46,46,46,46	0
54	MG	1A	3806	1/1	0.84	0.16	65,65,65,65	0
54	MG	2A	3377	1/1	0.84	0.14	38,38,38,38	0
54	MG	2A	3578	1/1	0.84	0.13	55,55,55,55	0
54	MG	1a	1633	1/1	0.84	0.20	76,76,76,76	0
54	MG	1A	3700	1/1	0.84	0.33	31,31,31,31	0
54	MG	1A	3618	1/1	0.84	0.18	76,76,76,76	0
54	MG	2A	3387	1/1	0.84	0.13	53,53,53,53	0
54	MG	2a	3016	1/1	0.84	0.26	72,72,72,72	0
54	MG	1a	1724	1/1	0.84	0.19	72,72,72,72	0
54	MG	2a	3021	1/1	0.84	0.25	55,55,55,55	0
54	MG	1A	3196	1/1	0.85	0.12	56,56,56,56	0
54	MG	1a	1679	1/1	0.85	0.19	65,65,65,65	0
54	MG	1A	3565	1/1	0.85	0.25	34,34,34,34	0
54	MG	1T	202	1/1	0.85	0.12	68,68,68,68	0
54	MG	1T	204	1/1	0.85	0.11	74,74,74,74	0
54	MG	1A	3297	1/1	0.85	0.14	39,39,39,39	0
54	MG	1A	3213	1/1	0.85	0.10	57,57,57,57	0
54	MG	1A	3606	1/1	0.85	0.13	23,23,23,23	0
54	MG	1A	3178	1/1	0.85	0.14	46,46,46,46	0
54	MG	2A	3416	1/1	0.85	0.15	60,60,60,60	0
54	MG	1A	3234	1/1	0.85	0.09	61,61,61,61	0
54	MG	1A	3716	1/1	0.85	0.13	30,30,30,30	0
54	MG	1A	3734	1/1	0.85	0.22	68,68,68,68	0
54	MG	25	102	1/1	0.85	0.28	53,53,53,53	0
54	MG	1A	3422	1/1	0.85	0.19	56,56,56,56	0
54	MG	2A	3462	1/1	0.85	0.19	75,75,75,75	0
54	MG	2A	3470	1/1	0.85	0.17	36,36,36,36	0
54	MG	1a	1620	1/1	0.85	0.11	63,63,63,63	0
54	MG	1A	3740	1/1	0.85	0.13	57,57,57,57	0
54	MG	2A	3052	1/1	0.85	0.18	72,72,72,72	0
54	MG	1a	1627	1/1	0.85	0.23	73,73,73,73	0
54	MG	2a	3043	1/1	0.85	0.19	62,62,62,62	0
54	MG	1A	3249	1/1	0.85	0.10	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3056	1/1	0.85	0.24	68,68,68,68	0
54	MG	2A	3508	1/1	0.85	0.20	57,57,57,57	0
54	MG	1A	3478	1/1	0.85	0.12	33,33,33,33	0
54	MG	2A	3093	1/1	0.85	0.23	61,61,61,61	0
54	MG	1A	3757	1/1	0.85	0.12	32,32,32,32	0
54	MG	1a	1637	1/1	0.85	0.27	72,72,72,72	0
54	MG	2a	3067	1/1	0.85	0.15	80,80,80,80	0
54	MG	2a	3073	1/1	0.85	0.14	64,64,64,64	0
54	MG	2a	3075	1/1	0.85	0.16	56,56,56,56	0
54	MG	1a	1641	1/1	0.85	0.18	65,65,65,65	0
54	MG	1a	1773	1/1	0.85	0.14	73,73,73,73	0
54	MG	2a	3097	1/1	0.85	0.22	65,65,65,65	0
54	MG	2a	3099	1/1	0.85	0.19	67,67,67,67	0
54	MG	2A	3162	1/1	0.85	0.17	78,78,78,78	0
54	MG	2A	3569	1/1	0.85	0.19	68,68,68,68	0
54	MG	2A	3164	1/1	0.85	0.13	62,62,62,62	0
54	MG	1a	1774	1/1	0.85	0.12	66,66,66,66	0
54	MG	2A	3193	1/1	0.85	0.19	61,61,61,61	0
54	MG	1a	1778	1/1	0.85	0.14	71,71,71,71	0
54	MG	2A	3622	1/1	0.85	0.11	49,49,49,49	0
54	MG	1a	1782	1/1	0.85	0.20	72,72,72,72	0
54	MG	1a	1643	1/1	0.85	0.25	61,61,61,61	0
54	MG	1a	1648	1/1	0.85	0.12	58,58,58,58	0
54	MG	1a	1798	1/1	0.85	0.23	66,66,66,66	0
54	MG	1A	3192	1/1	0.85	0.23	43,43,43,43	0
54	MG	1A	3643	1/1	0.85	0.11	30,30,30,30	0
54	MG	2a	3196	1/1	0.85	0.15	69,69,69,69	0
54	MG	1A	3841	1/1	0.85	0.18	73,73,73,73	0
54	MG	1G	201	1/1	0.85	0.18	74,74,74,74	0
54	MG	1a	1662	1/1	0.85	0.21	71,71,71,71	0
54	MG	1a	1843	1/1	0.85	0.14	65,65,65,65	0
54	MG	2A	3294	1/1	0.85	0.13	70,70,70,70	0
57	MPD	1a	1873	8/8	0.85	0.19	65,69,73,76	0
54	MG	1a	1663	1/1	0.85	0.13	70,70,70,70	0
54	MG	1G	202	1/1	0.85	0.19	60,60,60,60	0
54	MG	2A	3749	1/1	0.85	0.15	75,75,75,75	0
54	MG	1A	3293	1/1	0.85	0.17	65,65,65,65	0
58	ZN	14	102	1/1	0.85	0.19	144,144,144,144	0
54	MG	2A	3398	1/1	0.86	0.11	46,46,46,46	0
54	MG	1a	1784	1/1	0.86	0.15	74,74,74,74	0
54	MG	1a	1787	1/1	0.86	0.20	73,73,73,73	0
54	MG	1F	315	1/1	0.86	0.16	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1791	1/1	0.86	0.15	75,75,75,75	0
54	MG	2A	3422	1/1	0.86	0.29	36,36,36,36	0
54	MG	2B	216	1/1	0.86	0.10	79,79,79,79	0
54	MG	1A	3699	1/1	0.86	0.12	28,28,28,28	0
54	MG	2G	201	1/1	0.86	0.13	78,78,78,78	0
54	MG	1A	3462	1/1	0.86	0.16	33,33,33,33	0
54	MG	1A	3269	1/1	0.86	0.10	46,46,46,46	0
54	MG	1a	1813	1/1	0.86	0.32	70,70,70,70	0
54	MG	2A	3454	1/1	0.86	0.16	67,67,67,67	0
54	MG	2A	3118	1/1	0.86	0.32	47,47,47,47	0
54	MG	1a	1705	1/1	0.86	0.16	60,60,60,60	0
54	MG	2a	3003	1/1	0.86	0.14	60,60,60,60	0
54	MG	2a	3005	1/1	0.86	0.13	63,63,63,63	0
54	MG	1A	3908	1/1	0.86	0.21	58,58,58,58	0
54	MG	1a	1828	1/1	0.86	0.14	76,76,76,76	0
54	MG	1A	3724	1/1	0.86	0.12	35,35,35,35	0
54	MG	2A	3494	1/1	0.86	0.13	59,59,59,59	0
54	MG	1A	3664	1/1	0.86	0.19	68,68,68,68	0
54	MG	2A	3184	1/1	0.86	0.14	63,63,63,63	0
54	MG	2A	3186	1/1	0.86	0.29	65,65,65,65	0
54	MG	2A	3188	1/1	0.86	0.17	56,56,56,56	0
54	MG	1a	1737	1/1	0.86	0.15	75,75,75,75	0
54	MG	1B	209	1/1	0.86	0.24	71,71,71,71	0
54	MG	1a	1848	1/1	0.86	0.20	68,68,68,68	0
54	MG	1A	3441	1/1	0.86	0.13	55,55,55,55	0
54	MG	1A	3965	1/1	0.86	0.12	47,47,47,47	0
54	MG	2A	3221	1/1	0.86	0.20	43,43,43,43	0
54	MG	2A	3563	1/1	0.86	0.14	46,46,46,46	0
54	MG	1A	3571	1/1	0.86	0.15	51,51,51,51	0
54	MG	1a	1751	1/1	0.86	0.18	75,75,75,75	0
54	MG	13	102	1/1	0.86	0.13	60,60,60,60	0
54	MG	14	101	1/1	0.86	0.08	62,62,62,62	0
54	MG	2a	3082	1/1	0.86	0.19	54,54,54,54	0
54	MG	2A	3612	1/1	0.86	0.13	38,38,38,38	0
54	MG	2A	3613	1/1	0.86	0.17	37,37,37,37	0
54	MG	15	103	1/1	0.86	0.11	44,44,44,44	0
54	MG	2A	3254	1/1	0.86	0.14	65,65,65,65	0
54	MG	2A	3288	1/1	0.86	0.24	70,70,70,70	0
54	MG	2A	3649	1/1	0.86	0.12	86,86,86,86	0
54	MG	1A	3530	1/1	0.86	0.09	35,35,35,35	0
54	MG	1A	3749	1/1	0.86	0.15	47,47,47,47	0
54	MG	1a	1670	1/1	0.86	0.11	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1g	202	1/1	0.86	0.12	72,72,72,72	0
54	MG	2A	3336	1/1	0.86	0.14	62,62,62,62	0
54	MG	2A	3342	1/1	0.86	0.13	73,73,73,73	0
54	MG	1a	1769	1/1	0.86	0.09	83,83,83,83	0
54	MG	2A	3706	1/1	0.86	0.15	54,54,54,54	0
54	MG	2a	3193	1/1	0.86	0.22	69,69,69,69	0
54	MG	1A	3653	1/1	0.86	0.13	68,68,68,68	0
54	MG	2A	3368	1/1	0.86	0.13	27,27,27,27	0
54	MG	1q	3100	1/1	0.86	0.13	58,58,58,58	0
54	MG	1a	1674	1/1	0.86	0.27	65,65,65,65	0
54	MG	2A	3732	1/1	0.86	0.09	43,43,43,43	0
54	MG	2A	3733	1/1	0.86	0.15	64,64,64,64	0
54	MG	2A	3738	1/1	0.86	0.15	74,74,74,74	0
54	MG	2A	3742	1/1	0.86	0.12	49,49,49,49	0
54	MG	1A	4011	1/1	0.86	0.12	58,58,58,58	0
54	MG	1A	3687	1/1	0.86	0.25	39,39,39,39	0
54	MG	2A	3751	1/1	0.86	0.20	63,63,63,63	0
54	MG	2A	3022	1/1	0.86	0.21	75,75,75,75	0
54	MG	2A	3754	1/1	0.86	0.17	63,63,63,63	0
54	MG	1A	3777	1/1	0.86	0.11	56,56,56,56	0
54	MG	1a	1762	1/1	0.87	0.13	65,65,65,65	0
54	MG	1A	3983	1/1	0.87	0.13	40,40,40,40	0
54	MG	2A	3002	1/1	0.87	0.13	56,56,56,56	0
54	MG	2A	3010	1/1	0.87	0.23	57,57,57,57	0
54	MG	1A	3824	1/1	0.87	0.10	36,36,36,36	0
54	MG	1A	3479	1/1	0.87	0.12	40,40,40,40	0
54	MG	2A	3036	1/1	0.87	0.20	69,69,69,69	0
54	MG	1A	3483	1/1	0.87	0.12	39,39,39,39	0
54	MG	1a	1669	1/1	0.87	0.17	68,68,68,68	0
54	MG	2B	207	1/1	0.87	0.09	81,81,81,81	0
54	MG	1a	1777	1/1	0.87	0.22	68,68,68,68	0
54	MG	2A	3434	1/1	0.87	0.17	65,65,65,65	0
54	MG	2A	3449	1/1	0.87	0.09	66,66,66,66	0
54	MG	1A	3996	1/1	0.87	0.12	47,47,47,47	0
54	MG	1A	4009	1/1	0.87	0.12	49,49,49,49	0
54	MG	1A	3705	1/1	0.87	0.12	30,30,30,30	0
54	MG	1a	1785	1/1	0.87	0.15	66,66,66,66	0
54	MG	2I	201	1/1	0.87	0.11	86,86,86,86	0
54	MG	1a	1786	1/1	0.87	0.18	75,75,75,75	0
54	MG	1A	3280	1/1	0.87	0.11	70,70,70,70	0
54	MG	1A	3723	1/1	0.87	0.11	44,44,44,44	0
54	MG	1a	1681	1/1	0.87	0.30	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3002	1/1	0.87	0.21	61,61,61,61	0
54	MG	1A	3609	1/1	0.87	0.15	41,41,41,41	0
54	MG	1A	3440	1/1	0.87	0.14	46,46,46,46	0
54	MG	2a	3008	1/1	0.87	0.16	56,56,56,56	0
54	MG	2A	3178	1/1	0.87	0.15	53,53,53,53	0
54	MG	2A	3503	1/1	0.87	0.10	54,54,54,54	0
54	MG	1a	1689	1/1	0.87	0.18	75,75,75,75	0
54	MG	1A	3537	1/1	0.87	0.11	42,42,42,42	0
54	MG	1A	3668	1/1	0.87	0.11	60,60,60,60	0
54	MG	1a	1700	1/1	0.87	0.16	74,74,74,74	0
54	MG	1a	1821	1/1	0.87	0.19	70,70,70,70	0
54	MG	1a	1822	1/1	0.87	0.23	71,71,71,71	0
54	MG	2A	3203	1/1	0.87	0.23	65,65,65,65	0
54	MG	2A	3539	1/1	0.87	0.15	63,63,63,63	0
54	MG	2A	3551	1/1	0.87	0.11	69,69,69,69	0
54	MG	2A	3554	1/1	0.87	0.09	68,68,68,68	0
54	MG	2A	3556	1/1	0.87	0.15	33,33,33,33	0
54	MG	1a	1702	1/1	0.87	0.16	41,41,41,41	0
54	MG	1A	3872	1/1	0.87	0.15	81,81,81,81	0
54	MG	2A	3217	1/1	0.87	0.15	59,59,59,59	0
54	MG	2a	3068	1/1	0.87	0.32	66,66,66,66	0
54	MG	2a	3072	1/1	0.87	0.28	61,61,61,61	0
54	MG	1a	1834	1/1	0.87	0.12	75,75,75,75	0
54	MG	2A	3590	1/1	0.87	0.09	73,73,73,73	0
54	MG	2A	3592	1/1	0.87	0.12	33,33,33,33	0
54	MG	1A	3105	1/1	0.87	0.14	59,59,59,59	0
54	MG	1a	1711	1/1	0.87	0.13	69,69,69,69	0
54	MG	1B	208	1/1	0.87	0.14	51,51,51,51	0
54	MG	1A	3194	1/1	0.87	0.27	61,61,61,61	0
54	MG	1a	1728	1/1	0.87	0.23	66,66,66,66	0
54	MG	2A	3239	1/1	0.87	0.17	60,60,60,60	0
54	MG	1a	1852	1/1	0.87	0.14	92,92,92,92	0
54	MG	2a	3118	1/1	0.87	0.20	54,54,54,54	0
54	MG	1a	1856	1/1	0.87	0.13	64,64,64,64	0
54	MG	2A	3263	1/1	0.87	0.15	53,53,53,53	0
54	MG	2A	3266	1/1	0.87	0.19	65,65,65,65	0
54	MG	1A	3628	1/1	0.87	0.12	65,65,65,65	0
54	MG	2A	3681	1/1	0.87	0.28	72,72,72,72	0
54	MG	2A	3686	1/1	0.87	0.14	62,62,62,62	0
54	MG	2A	3688	1/1	0.87	0.21	61,61,61,61	0
54	MG	1A	3756	1/1	0.87	0.16	65,65,65,65	0
54	MG	2a	3184	1/1	0.87	0.21	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3290	1/1	0.87	0.12	56,56,56,56	0
54	MG	1A	3464	1/1	0.87	0.10	27,27,27,27	0
54	MG	1A	3770	1/1	0.87	0.16	31,31,31,31	0
54	MG	1a	1746	1/1	0.87	0.17	76,76,76,76	0
54	MG	1A	3062	1/1	0.87	0.09	55,55,55,55	0
54	MG	1A	3915	1/1	0.87	0.10	50,50,50,50	0
54	MG	1A	3940	1/1	0.87	0.10	13,13,13,13	0
54	MG	1A	3790	1/1	0.87	0.32	30,30,30,30	0
54	MG	2A	3729	1/1	0.87	0.17	69,69,69,69	0
57	MPD	1A	4056	8/8	0.87	0.27	48,56,61,64	0
54	MG	1A	3800	1/1	0.87	0.16	52,52,52,52	0
54	MG	1A	3693	1/1	0.87	0.11	55,55,55,55	0
54	MG	1a	1758	1/1	0.87	0.25	79,79,79,79	0
54	MG	1A	3818	1/1	0.87	0.12	51,51,51,51	0
54	MG	2A	3744	1/1	0.87	0.15	66,66,66,66	0
54	MG	1A	3982	1/1	0.87	0.12	29,29,29,29	0
54	MG	1P	204	1/1	0.88	0.13	30,30,30,30	0
54	MG	2A	3089	1/1	0.88	0.13	50,50,50,50	0
54	MG	1A	3084	1/1	0.88	0.16	53,53,53,53	0
54	MG	1A	3559	1/1	0.88	0.13	57,57,57,57	0
54	MG	1A	4002	1/1	0.88	0.12	58,58,58,58	0
54	MG	1a	1796	1/1	0.88	0.15	79,79,79,79	0
54	MG	2A	3764	1/1	0.88	0.16	48,48,48,48	0
54	MG	2A	3124	1/1	0.88	0.38	62,62,62,62	0
54	MG	1A	3647	1/1	0.88	0.07	19,19,19,19	0
54	MG	2A	3469	1/1	0.88	0.10	61,61,61,61	0
54	MG	1T	206	1/1	0.88	0.14	65,65,65,65	0
54	MG	1A	3303	1/1	0.88	0.22	55,55,55,55	0
54	MG	1a	1805	1/1	0.88	0.17	62,62,62,62	0
54	MG	10	108	1/1	0.88	0.37	45,45,45,45	0
54	MG	1A	4017	1/1	0.88	0.11	65,65,65,65	0
54	MG	2A	3495	1/1	0.88	0.17	64,64,64,64	0
54	MG	1A	3322	1/1	0.88	0.18	69,69,69,69	0
54	MG	2A	3497	1/1	0.88	0.15	42,42,42,42	0
54	MG	1A	3031	1/1	0.88	0.21	49,49,49,49	0
54	MG	1A	4033	1/1	0.88	0.14	57,57,57,57	0
54	MG	18	102	1/1	0.88	0.28	37,37,37,37	0
54	MG	2A	3510	1/1	0.88	0.09	51,51,51,51	0
54	MG	2W	202	1/1	0.88	0.13	67,67,67,67	0
54	MG	2X	101	1/1	0.88	0.13	58,58,58,58	0
54	MG	1a	1709	1/1	0.88	0.12	60,60,60,60	0
54	MG	25	103	1/1	0.88	0.14	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3662	1/1	0.88	0.12	52,52,52,52	0
54	MG	2A	3518	1/1	0.88	0.11	63,63,63,63	0
54	MG	1a	1602	1/1	0.88	0.16	73,73,73,73	0
54	MG	2a	3006	1/1	0.88	0.23	73,73,73,73	0
54	MG	1A	3751	1/1	0.88	0.10	30,30,30,30	0
54	MG	2A	3212	1/1	0.88	0.10	59,59,59,59	0
54	MG	2A	3214	1/1	0.88	0.22	64,64,64,64	0
54	MG	1a	1726	1/1	0.88	0.10	66,66,66,66	0
54	MG	2A	3545	1/1	0.88	0.13	44,44,44,44	0
54	MG	2a	3023	1/1	0.88	0.20	61,61,61,61	0
54	MG	1A	3350	1/1	0.88	0.11	65,65,65,65	0
54	MG	1A	3574	1/1	0.88	0.16	73,73,73,73	0
54	MG	1A	3576	1/1	0.88	0.06	15,15,15,15	0
54	MG	1A	3292	1/1	0.88	0.07	38,38,38,38	0
54	MG	1A	3409	1/1	0.88	0.16	38,38,38,38	0
54	MG	2A	3565	1/1	0.88	0.14	75,75,75,75	0
54	MG	1a	1623	1/1	0.88	0.14	58,58,58,58	0
54	MG	1a	1747	1/1	0.88	0.14	65,65,65,65	0
54	MG	1A	3917	1/1	0.88	0.32	62,62,62,62	0
54	MG	1A	3685	1/1	0.88	0.26	55,55,55,55	0
54	MG	2A	3601	1/1	0.88	0.11	30,30,30,30	0
54	MG	1B	216	1/1	0.88	0.14	64,64,64,64	0
54	MG	1A	3943	1/1	0.88	0.20	40,40,40,40	0
54	MG	1A	3416	1/1	0.88	0.12	32,32,32,32	0
54	MG	1A	3947	1/1	0.88	0.15	55,55,55,55	0
54	MG	1B	227	1/1	0.88	0.10	75,75,75,75	0
54	MG	2A	3621	1/1	0.88	0.16	64,64,64,64	0
54	MG	2a	3079	1/1	0.88	0.21	65,65,65,65	0
54	MG	2a	3080	1/1	0.88	0.30	73,73,73,73	0
54	MG	1a	1759	1/1	0.88	0.10	73,73,73,73	0
54	MG	1o	102	1/1	0.88	0.16	56,56,56,56	0
54	MG	2a	3089	1/1	0.88	0.16	68,68,68,68	0
54	MG	2a	3092	1/1	0.88	0.26	60,60,60,60	0
54	MG	2A	3643	1/1	0.88	0.14	51,51,51,51	0
54	MG	1a	1644	1/1	0.88	0.19	69,69,69,69	0
54	MG	2A	3335	1/1	0.88	0.10	39,39,39,39	0
54	MG	2A	3663	1/1	0.88	0.26	67,67,67,67	0
54	MG	1A	3950	1/1	0.88	0.12	48,48,48,48	0
54	MG	2a	3112	1/1	0.88	0.10	66,66,66,66	0
54	MG	2a	3114	1/1	0.88	0.24	69,69,69,69	0
54	MG	2A	3337	1/1	0.88	0.11	40,40,40,40	0
54	MG	1t	201	1/1	0.88	0.19	70,70,70,70	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3141	1/1	0.88	0.10	70,70,70,70	0
54	MG	1A	3502	1/1	0.88	0.10	39,39,39,39	0
54	MG	1A	3206	1/1	0.88	0.28	41,41,41,41	0
54	MG	2a	3161	1/1	0.88	0.11	53,53,53,53	0
54	MG	1A	3420	1/1	0.88	0.13	45,45,45,45	0
54	MG	2A	3369	1/1	0.88	0.10	51,51,51,51	0
54	MG	1E	304	1/1	0.88	0.08	20,20,20,20	0
54	MG	1A	3532	1/1	0.88	0.08	58,58,58,58	0
54	MG	2a	3179	1/1	0.88	0.16	85,85,85,85	0
54	MG	2A	3016	1/1	0.88	0.11	48,48,48,48	0
54	MG	1A	3030	1/1	0.88	0.16	45,45,45,45	0
54	MG	1a	1775	1/1	0.88	0.12	66,66,66,66	0
54	MG	2A	3713	1/1	0.88	0.24	60,60,60,60	0
54	MG	2A	3025	1/1	0.88	0.17	52,52,52,52	0
54	MG	2A	3716	1/1	0.88	0.21	65,65,65,65	0
54	MG	2A	3718	1/1	0.88	0.15	59,59,59,59	0
54	MG	2A	3033	1/1	0.88	0.24	65,65,65,65	0
54	MG	2A	3720	1/1	0.88	0.10	76,76,76,76	0
54	MG	1A	3986	1/1	0.88	0.26	46,46,46,46	0
54	MG	2t	201	1/1	0.88	0.11	56,56,56,56	0
54	MG	2A	3407	1/1	0.88	0.17	83,83,83,83	0
54	MG	1A	3988	1/1	0.88	0.18	71,71,71,71	0
54	MG	2A	3735	1/1	0.88	0.19	63,63,63,63	0
54	MG	2A	3737	1/1	0.88	0.10	62,62,62,62	0
54	MG	1A	3549	1/1	0.88	0.11	52,52,52,52	0
54	MG	1A	3554	1/1	0.88	0.10	51,51,51,51	0
54	MG	2A	3420	1/1	0.88	0.12	51,51,51,51	0
54	MG	1a	1673	1/1	0.88	0.14	57,57,57,57	0
54	MG	2A	3126	1/1	0.89	0.25	60,60,60,60	0
54	MG	2A	3767	1/1	0.89	0.13	58,58,58,58	0
54	MG	1a	1697	1/1	0.89	0.12	56,56,56,56	0
54	MG	1a	1808	1/1	0.89	0.12	64,64,64,64	0
54	MG	2B	203	1/1	0.89	0.15	72,72,72,72	0
54	MG	2B	205	1/1	0.89	0.11	56,56,56,56	0
54	MG	1a	1809	1/1	0.89	0.12	67,67,67,67	0
54	MG	2A	3487	1/1	0.89	0.12	62,62,62,62	0
54	MG	1A	3499	1/1	0.89	0.15	72,72,72,72	0
54	MG	2A	3490	1/1	0.89	0.13	57,57,57,57	0
54	MG	1A	3575	1/1	0.89	0.13	66,66,66,66	0
54	MG	2A	3181	1/1	0.89	0.15	64,64,64,64	0
54	MG	2D	309	1/1	0.89	0.09	31,31,31,31	0
54	MG	1a	1818	1/1	0.89	0.11	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3766	1/1	0.89	0.11	23,23,23,23	0
54	MG	2A	3499	1/1	0.89	0.13	53,53,53,53	0
54	MG	1A	3928	1/1	0.89	0.09	57,57,57,57	0
54	MG	2O	202	1/1	0.89	0.18	69,69,69,69	0
54	MG	2P	201	1/1	0.89	0.16	58,58,58,58	0
54	MG	1A	3364	1/1	0.89	0.12	45,45,45,45	0
54	MG	2R	201	1/1	0.89	0.22	56,56,56,56	0
54	MG	2A	3506	1/1	0.89	0.18	52,52,52,52	0
54	MG	1a	1823	1/1	0.89	0.10	76,76,76,76	0
54	MG	1A	3676	1/1	0.89	0.10	60,60,60,60	0
54	MG	2A	3199	1/1	0.89	0.18	58,58,58,58	0
54	MG	1a	1715	1/1	0.89	0.14	75,75,75,75	0
54	MG	1a	1833	1/1	0.89	0.10	67,67,67,67	0
54	MG	26	101	1/1	0.89	0.16	61,61,61,61	0
54	MG	2A	3208	1/1	0.89	0.18	54,54,54,54	0
54	MG	1A	3578	1/1	0.89	0.15	55,55,55,55	0
54	MG	2a	3004	1/1	0.89	0.14	61,61,61,61	0
54	MG	1A	3583	1/1	0.89	0.13	42,42,42,42	0
54	MG	1A	3948	1/1	0.89	0.10	63,63,63,63	0
54	MG	2A	3537	1/1	0.89	0.10	58,58,58,58	0
54	MG	2a	3010	1/1	0.89	0.31	62,62,62,62	0
54	MG	1a	1619	1/1	0.89	0.12	63,63,63,63	0
54	MG	1a	1730	1/1	0.89	0.17	56,56,56,56	0
54	MG	1A	3600	1/1	0.89	0.13	37,37,37,37	0
54	MG	1a	1734	1/1	0.89	0.12	56,56,56,56	0
54	MG	1B	223	1/1	0.89	0.10	52,52,52,52	0
54	MG	2A	3558	1/1	0.89	0.12	37,37,37,37	0
54	MG	2a	3029	1/1	0.89	0.23	65,65,65,65	0
54	MG	1A	3372	1/1	0.89	0.07	23,23,23,23	0
54	MG	2a	3038	1/1	0.89	0.24	55,55,55,55	0
54	MG	1A	3401	1/1	0.89	0.09	18,18,18,18	0
54	MG	1A	3831	1/1	0.89	0.14	47,47,47,47	0
54	MG	1A	3977	1/1	0.89	0.13	72,72,72,72	0
54	MG	2a	3054	1/1	0.89	0.18	74,74,74,74	0
54	MG	1A	3980	1/1	0.89	0.30	38,38,38,38	0
54	MG	2a	3058	1/1	0.89	0.17	59,59,59,59	0
54	MG	1A	3261	1/1	0.89	0.20	40,40,40,40	0
54	MG	1A	3446	1/1	0.89	0.24	58,58,58,58	0
54	MG	2A	3596	1/1	0.89	0.12	48,48,48,48	0
54	MG	2A	3277	1/1	0.89	0.16	68,68,68,68	0
54	MG	1a	1752	1/1	0.89	0.13	50,50,50,50	0
54	MG	1a	1642	1/1	0.89	0.12	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3610	1/1	0.89	0.15	67,67,67,67	0
54	MG	1A	3541	1/1	0.89	0.18	51,51,51,51	0
54	MG	1A	3548	1/1	0.89	0.12	51,51,51,51	0
54	MG	1F	312	1/1	0.89	0.14	48,48,48,48	0
54	MG	2A	3303	1/1	0.89	0.13	59,59,59,59	0
54	MG	1a	1649	1/1	0.89	0.21	61,61,61,61	0
54	MG	2A	3312	1/1	0.89	0.09	34,34,34,34	0
54	MG	2A	3319	1/1	0.89	0.09	41,41,41,41	0
54	MG	2A	3645	1/1	0.89	0.12	91,91,91,91	0
54	MG	1A	3312	1/1	0.89	0.12	65,65,65,65	0
54	MG	1a	1654	1/1	0.89	0.12	80,80,80,80	0
54	MG	1A	3202	1/1	0.89	0.20	56,56,56,56	0
54	MG	2A	3338	1/1	0.89	0.13	56,56,56,56	0
54	MG	2a	3100	1/1	0.89	0.08	66,66,66,66	0
54	MG	1A	3026	1/1	0.89	0.16	58,58,58,58	0
54	MG	2A	3343	1/1	0.89	0.20	50,50,50,50	0
54	MG	2A	3682	1/1	0.89	0.07	71,71,71,71	0
54	MG	1A	3419	1/1	0.89	0.16	51,51,51,51	0
54	MG	2a	3113	1/1	0.89	0.14	72,72,72,72	0
54	MG	1A	3732	1/1	0.89	0.09	60,60,60,60	0
54	MG	1N	3303	1/1	0.89	0.18	63,63,63,63	0
54	MG	2A	3014	1/1	0.89	0.26	78,78,78,78	0
54	MG	2A	3370	1/1	0.89	0.17	69,69,69,69	0
54	MG	1A	3560	1/1	0.89	0.09	16,16,16,16	0
54	MG	2a	3147	1/1	0.89	0.12	87,87,87,87	0
54	MG	2A	3375	1/1	0.89	0.12	42,42,42,42	0
54	MG	1A	3482	1/1	0.89	0.08	67,67,67,67	0
54	MG	2a	3163	1/1	0.89	0.11	61,61,61,61	0
54	MG	2A	3023	1/1	0.89	0.11	60,60,60,60	0
54	MG	1a	1776	1/1	0.89	0.09	83,83,83,83	0
54	MG	1A	4012	1/1	0.89	0.12	79,79,79,79	0
54	MG	2a	3174	1/1	0.89	0.13	68,68,68,68	0
54	MG	1T	203	1/1	0.89	0.12	61,61,61,61	0
54	MG	1A	4015	1/1	0.89	0.13	52,52,52,52	0
54	MG	2A	3041	1/1	0.89	0.09	47,47,47,47	0
54	MG	1A	3144	1/1	0.89	0.23	65,65,65,65	0
54	MG	2a	3187	1/1	0.89	0.18	71,71,71,71	0
54	MG	2a	3188	1/1	0.89	0.10	62,62,62,62	0
54	MG	2A	3051	1/1	0.89	0.17	70,70,70,70	0
54	MG	1A	3652	1/1	0.89	0.17	27,27,27,27	0
54	MG	1V	206	1/1	0.89	0.09	72,72,72,72	0
54	MG	1Y	201	1/1	0.89	0.14	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3567	1/1	0.89	0.11	62,62,62,62	0
54	MG	2a	3198	1/1	0.89	0.15	60,60,60,60	0
54	MG	2A	3423	1/1	0.89	0.11	69,69,69,69	0
54	MG	10	103	1/1	0.89	0.15	46,46,46,46	0
54	MG	2A	3091	1/1	0.89	0.15	71,71,71,71	0
54	MG	1a	1795	1/1	0.89	0.12	74,74,74,74	0
54	MG	2A	3441	1/1	0.89	0.28	47,47,47,47	0
54	MG	1A	3489	1/1	0.89	0.09	37,37,37,37	0
54	MG	1A	3493	1/1	0.89	0.10	46,46,46,46	0
54	MG	2A	3116	1/1	0.89	0.17	53,53,53,53	0
54	MG	1a	1691	1/1	0.89	0.16	47,47,47,47	0
54	MG	2A	3756	1/1	0.89	0.12	59,59,59,59	0
54	MG	2A	3759	1/1	0.89	0.13	44,44,44,44	0
54	MG	1A	4044	1/1	0.89	0.15	48,48,48,48	0
54	MG	1A	3949	1/1	0.90	0.14	62,62,62,62	0
54	MG	2A	3021	1/1	0.90	0.22	47,47,47,47	0
54	MG	2A	3743	1/1	0.90	0.09	55,55,55,55	0
54	MG	1A	3397	1/1	0.90	0.14	53,53,53,53	0
54	MG	1A	3797	1/1	0.90	0.30	35,35,35,35	0
54	MG	2A	3393	1/1	0.90	0.11	62,62,62,62	0
54	MG	2A	3394	1/1	0.90	0.14	51,51,51,51	0
54	MG	2A	3397	1/1	0.90	0.43	72,72,72,72	0
54	MG	1a	1768	1/1	0.90	0.11	72,72,72,72	0
54	MG	1A	3954	1/1	0.90	0.14	34,34,34,34	0
54	MG	1a	1770	1/1	0.90	0.14	74,74,74,74	0
54	MG	2A	3757	1/1	0.90	0.16	59,59,59,59	0
54	MG	2A	3758	1/1	0.90	0.46	40,40,40,40	0
54	MG	2A	3408	1/1	0.90	0.12	53,53,53,53	0
54	MG	1A	3961	1/1	0.90	0.13	62,62,62,62	0
54	MG	2A	3414	1/1	0.90	0.12	59,59,59,59	0
54	MG	1a	1652	1/1	0.90	0.30	66,66,66,66	0
54	MG	1A	3437	1/1	0.90	0.10	45,45,45,45	0
54	MG	2A	3418	1/1	0.90	0.11	37,37,37,37	0
54	MG	2A	3046	1/1	0.90	0.10	49,49,49,49	0
54	MG	2A	3050	1/1	0.90	0.20	56,56,56,56	0
54	MG	1A	3966	1/1	0.90	0.12	49,49,49,49	0
54	MG	2A	3426	1/1	0.90	0.13	66,66,66,66	0
54	MG	2B	210	1/1	0.90	0.20	61,61,61,61	0
54	MG	2B	212	1/1	0.90	0.10	55,55,55,55	0
54	MG	1A	3972	1/1	0.90	0.10	57,57,57,57	0
54	MG	2A	3053	1/1	0.90	0.33	63,63,63,63	0
54	MG	2A	3062	1/1	0.90	0.10	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3436	1/1	0.90	0.25	57,57,57,57	0
54	MG	2A	3440	1/1	0.90	0.08	53,53,53,53	0
54	MG	2A	3071	1/1	0.90	0.20	53,53,53,53	0
54	MG	2A	3443	1/1	0.90	0.16	74,74,74,74	0
54	MG	1A	3804	1/1	0.90	0.17	44,44,44,44	0
54	MG	2A	3080	1/1	0.90	0.18	54,54,54,54	0
54	MG	1F	314	1/1	0.90	0.17	41,41,41,41	0
54	MG	1a	1780	1/1	0.90	0.12	65,65,65,65	0
54	MG	2A	3456	1/1	0.90	0.13	68,68,68,68	0
54	MG	1A	3212	1/1	0.90	0.14	62,62,62,62	0
54	MG	1A	3808	1/1	0.90	0.15	32,32,32,32	0
54	MG	1a	1665	1/1	0.90	0.19	70,70,70,70	0
54	MG	2V	203	1/1	0.90	0.25	49,49,49,49	0
54	MG	1A	3620	1/1	0.90	0.16	42,42,42,42	0
54	MG	2A	3481	1/1	0.90	0.15	67,67,67,67	0
54	MG	2A	3483	1/1	0.90	0.13	55,55,55,55	0
54	MG	2A	3108	1/1	0.90	0.14	44,44,44,44	0
54	MG	1a	1668	1/1	0.90	0.23	60,60,60,60	0
54	MG	2A	3112	1/1	0.90	0.09	57,57,57,57	0
54	MG	1A	3310	1/1	0.90	0.19	67,67,67,67	0
54	MG	1A	3985	1/1	0.90	0.14	56,56,56,56	0
54	MG	1A	3516	1/1	0.90	0.08	49,49,49,49	0
54	MG	1O	202	1/1	0.90	0.17	61,61,61,61	0
54	MG	2a	3007	1/1	0.90	0.10	71,71,71,71	0
54	MG	2A	3132	1/1	0.90	0.14	61,61,61,61	0
54	MG	2A	3148	1/1	0.90	0.10	49,49,49,49	0
54	MG	2A	3153	1/1	0.90	0.07	50,50,50,50	0
54	MG	2a	3013	1/1	0.90	0.11	62,62,62,62	0
54	MG	2a	3015	1/1	0.90	0.20	55,55,55,55	0
54	MG	1A	3408	1/1	0.90	0.11	33,33,33,33	0
54	MG	1A	3171	1/1	0.90	0.18	52,52,52,52	0
54	MG	1A	3992	1/1	0.90	0.24	55,55,55,55	0
54	MG	1a	1804	1/1	0.90	0.09	71,71,71,71	0
54	MG	2A	3165	1/1	0.90	0.15	58,58,58,58	0
54	MG	2A	3174	1/1	0.90	0.17	50,50,50,50	0
54	MG	2a	3030	1/1	0.90	0.16	61,61,61,61	0
54	MG	2a	3031	1/1	0.90	0.17	83,83,83,83	0
54	MG	2a	3032	1/1	0.90	0.14	63,63,63,63	0
54	MG	1A	3844	1/1	0.90	0.12	23,23,23,23	0
54	MG	1A	3708	1/1	0.90	0.08	38,38,38,38	0
54	MG	2a	3039	1/1	0.90	0.17	55,55,55,55	0
54	MG	2a	3041	1/1	0.90	0.17	70,70,70,70	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3521	1/1	0.90	0.11	64,64,64,64	0
54	MG	1A	3712	1/1	0.90	0.14	33,33,33,33	0
54	MG	2a	3044	1/1	0.90	0.14	73,73,73,73	0
54	MG	1A	3079	1/1	0.90	0.14	43,43,43,43	0
54	MG	2A	3526	1/1	0.90	0.10	34,34,34,34	0
54	MG	2A	3533	1/1	0.90	0.09	65,65,65,65	0
54	MG	1V	203	1/1	0.90	0.27	51,51,51,51	0
54	MG	1V	205	1/1	0.90	0.10	50,50,50,50	0
54	MG	2A	3189	1/1	0.90	0.11	55,55,55,55	0
54	MG	1a	1692	1/1	0.90	0.26	58,58,58,58	0
54	MG	1A	4006	1/1	0.90	0.14	62,62,62,62	0
54	MG	1A	4008	1/1	0.90	0.23	37,37,37,37	0
54	MG	1A	3720	1/1	0.90	0.14	59,59,59,59	0
54	MG	1a	1824	1/1	0.90	0.14	63,63,63,63	0
54	MG	1A	3538	1/1	0.90	0.08	44,44,44,44	0
54	MG	10	106	1/1	0.90	0.10	37,37,37,37	0
54	MG	1A	3539	1/1	0.90	0.15	47,47,47,47	0
54	MG	1a	1706	1/1	0.90	0.16	62,62,62,62	0
54	MG	2A	3216	1/1	0.90	0.25	53,53,53,53	0
54	MG	1A	3648	1/1	0.90	0.08	49,49,49,49	0
54	MG	1A	3651	1/1	0.90	0.22	51,51,51,51	0
54	MG	1A	3736	1/1	0.90	0.09	26,26,26,26	0
54	MG	2A	3225	1/1	0.90	0.16	60,60,60,60	0
54	MG	1a	1718	1/1	0.90	0.10	60,60,60,60	0
54	MG	1A	3577	1/1	0.90	0.13	49,49,49,49	0
54	MG	1A	3183	1/1	0.90	0.26	68,68,68,68	0
54	MG	1a	1854	1/1	0.90	0.12	52,52,52,52	0
54	MG	1A	3542	1/1	0.90	0.12	70,70,70,70	0
54	MG	2A	3614	1/1	0.90	0.12	52,52,52,52	0
54	MG	2A	3246	1/1	0.90	0.12	58,58,58,58	0
54	MG	2a	3111	1/1	0.90	0.13	64,64,64,64	0
54	MG	1a	1727	1/1	0.90	0.16	58,58,58,58	0
54	MG	1a	1858	1/1	0.90	0.11	56,56,56,56	0
54	MG	1A	4042	1/1	0.90	0.07	73,73,73,73	0
54	MG	2a	3115	1/1	0.90	0.24	70,70,70,70	0
54	MG	2a	3117	1/1	0.90	0.16	64,64,64,64	0
54	MG	1A	4043	1/1	0.90	0.13	58,58,58,58	0
54	MG	2A	3267	1/1	0.90	0.10	28,28,28,28	0
54	MG	2A	3276	1/1	0.90	0.19	55,55,55,55	0
54	MG	1a	1869	1/1	0.90	0.09	51,51,51,51	0
54	MG	2A	3280	1/1	0.90	0.09	54,54,54,54	0
54	MG	2A	3664	1/1	0.90	0.10	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3156	1/1	0.90	0.09	73,73,73,73	0
54	MG	1A	3590	1/1	0.90	0.15	32,32,32,32	0
54	MG	1A	3593	1/1	0.90	0.16	61,61,61,61	0
54	MG	1a	1613	1/1	0.90	0.18	67,67,67,67	0
54	MG	1A	3141	1/1	0.90	0.13	61,61,61,61	0
54	MG	1a	1618	1/1	0.90	0.13	69,69,69,69	0
54	MG	2A	3687	1/1	0.90	0.11	68,68,68,68	0
54	MG	1e	204	1/1	0.90	0.11	74,74,74,74	0
54	MG	2a	3177	1/1	0.90	0.11	61,61,61,61	0
54	MG	1f	201	1/1	0.90	0.12	47,47,47,47	0
54	MG	2A	3690	1/1	0.90	0.13	63,63,63,63	0
54	MG	2A	3691	1/1	0.90	0.09	58,58,58,58	0
54	MG	2A	3694	1/1	0.90	0.10	49,49,49,49	0
54	MG	1A	3910	1/1	0.90	0.10	43,43,43,43	0
54	MG	2A	3317	1/1	0.90	0.11	62,62,62,62	0
54	MG	1A	3260	1/1	0.90	0.16	54,54,54,54	0
54	MG	1l	202	1/1	0.90	0.15	54,54,54,54	0
54	MG	1a	1748	1/1	0.90	0.13	50,50,50,50	0
54	MG	1A	3672	1/1	0.90	0.10	24,24,24,24	0
54	MG	1A	3760	1/1	0.90	0.10	35,35,35,35	0
54	MG	1A	3602	1/1	0.90	0.25	38,38,38,38	0
54	MG	2e	201	1/1	0.90	0.32	61,61,61,61	0
54	MG	2f	201	1/1	0.90	0.13	48,48,48,48	0
54	MG	1A	3942	1/1	0.90	0.09	39,39,39,39	0
54	MG	1A	3421	1/1	0.90	0.08	62,62,62,62	0
54	MG	1a	1634	1/1	0.90	0.32	72,72,72,72	0
54	MG	1y	202	1/1	0.90	0.09	63,63,63,63	0
54	MG	2A	3727	1/1	0.90	0.10	58,58,58,58	0
54	MG	1A	3010	1/1	0.90	0.12	29,29,29,29	0
54	MG	1A	3782	1/1	0.90	0.20	62,62,62,62	0
54	MG	1a	1638	1/1	0.90	0.11	64,64,64,64	0
54	MG	2A	3734	1/1	0.90	0.17	65,65,65,65	0
54	MG	1A	3783	1/1	0.90	0.14	55,55,55,55	0
54	MG	2A	3015	1/1	0.90	0.29	47,47,47,47	0
54	MG	1A	3094	1/1	0.91	0.07	47,47,47,47	0
54	MG	1a	1655	1/1	0.91	0.19	45,45,45,45	0
54	MG	2A	3492	1/1	0.91	0.17	66,66,66,66	0
54	MG	1A	3871	1/1	0.91	0.08	25,25,25,25	0
54	MG	1a	1658	1/1	0.91	0.15	66,66,66,66	0
54	MG	2D	302	1/1	0.91	0.43	37,37,37,37	0
54	MG	1A	3564	1/1	0.91	0.09	46,46,46,46	0
54	MG	1n	102	1/1	0.91	0.09	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3498	1/1	0.91	0.10	61,61,61,61	0
54	MG	1A	3519	1/1	0.91	0.20	61,61,61,61	0
54	MG	2A	3500	1/1	0.91	0.21	58,58,58,58	0
54	MG	1a	1764	1/1	0.91	0.13	64,64,64,64	0
54	MG	1a	1766	1/1	0.91	0.14	71,71,71,71	0
54	MG	2O	203	1/1	0.91	0.14	64,64,64,64	0
54	MG	1r	101	1/1	0.91	0.11	71,71,71,71	0
54	MG	1A	4000	1/1	0.91	0.11	47,47,47,47	0
54	MG	1A	3522	1/1	0.91	0.10	51,51,51,51	0
54	MG	2A	3240	1/1	0.91	0.18	50,50,50,50	0
54	MG	2A	3241	1/1	0.91	0.14	56,56,56,56	0
54	MG	2A	3244	1/1	0.91	0.10	58,58,58,58	0
54	MG	2W	201	1/1	0.91	0.19	49,49,49,49	0
54	MG	2A	3245	1/1	0.91	0.29	57,57,57,57	0
54	MG	1A	3375	1/1	0.91	0.09	25,25,25,25	0
54	MG	2Y	201	1/1	0.91	0.21	52,52,52,52	0
54	MG	2A	3248	1/1	0.91	0.24	68,68,68,68	0
54	MG	1a	1666	1/1	0.91	0.29	62,62,62,62	0
54	MG	1A	3465	1/1	0.91	0.11	20,20,20,20	0
54	MG	28	3800	1/1	0.91	0.14	57,57,57,57	0
54	MG	1y	204	1/1	0.91	0.15	77,77,77,77	0
54	MG	2A	3265	1/1	0.91	0.21	62,62,62,62	0
54	MG	1A	3894	1/1	0.91	0.07	13,13,13,13	0
54	MG	1A	3898	1/1	0.91	0.10	23,23,23,23	0
54	MG	2A	3543	1/1	0.91	0.10	58,58,58,58	0
54	MG	2A	3269	1/1	0.91	0.08	29,29,29,29	0
54	MG	1A	3627	1/1	0.91	0.20	31,31,31,31	0
54	MG	1a	1671	1/1	0.91	0.15	61,61,61,61	0
54	MG	1A	3772	1/1	0.91	0.14	47,47,47,47	0
54	MG	2A	3281	1/1	0.91	0.13	41,41,41,41	0
54	MG	1A	3775	1/1	0.91	0.15	47,47,47,47	0
54	MG	1a	1779	1/1	0.91	0.08	62,62,62,62	0
54	MG	1A	3467	1/1	0.91	0.10	31,31,31,31	0
54	MG	2A	3291	1/1	0.91	0.14	49,49,49,49	0
54	MG	1X	104	1/1	0.91	0.15	43,43,43,43	0
54	MG	1A	4025	1/1	0.91	0.09	54,54,54,54	0
54	MG	2A	3298	1/1	0.91	0.10	52,52,52,52	0
54	MG	2A	3302	1/1	0.91	0.11	53,53,53,53	0
54	MG	2A	3599	1/1	0.91	0.13	41,41,41,41	0
54	MG	1A	3692	1/1	0.91	0.10	47,47,47,47	0
54	MG	1A	4030	1/1	0.91	0.08	38,38,38,38	0
54	MG	1a	1686	1/1	0.91	0.17	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3380	1/1	0.91	0.09	32,32,32,32	0
54	MG	2a	3040	1/1	0.91	0.16	65,65,65,65	0
54	MG	1A	3788	1/1	0.91	0.13	62,62,62,62	0
54	MG	2A	3328	1/1	0.91	0.21	59,59,59,59	0
54	MG	2A	3330	1/1	0.91	0.10	34,34,34,34	0
54	MG	1A	4038	1/1	0.91	0.15	54,54,54,54	0
54	MG	2a	3045	1/1	0.91	0.33	73,73,73,73	0
54	MG	1A	3932	1/1	0.91	0.16	60,60,60,60	0
54	MG	1A	3935	1/1	0.91	0.11	52,52,52,52	0
54	MG	1a	1695	1/1	0.91	0.15	53,53,53,53	0
54	MG	2a	3057	1/1	0.91	0.11	79,79,79,79	0
54	MG	1A	3939	1/1	0.91	0.17	20,20,20,20	0
54	MG	1A	4048	1/1	0.91	0.09	61,61,61,61	0
54	MG	2a	3060	1/1	0.91	0.26	65,65,65,65	0
54	MG	2A	3346	1/1	0.91	0.18	55,55,55,55	0
54	MG	2A	3077	1/1	0.91	0.11	44,44,44,44	0
54	MG	2A	3656	1/1	0.91	0.11	43,43,43,43	0
54	MG	2A	3657	1/1	0.91	0.12	27,27,27,27	0
54	MG	2A	3658	1/1	0.91	0.13	46,46,46,46	0
54	MG	1A	3633	1/1	0.91	0.09	36,36,36,36	0
54	MG	2A	3357	1/1	0.91	0.24	62,62,62,62	0
54	MG	2A	3362	1/1	0.91	0.09	64,64,64,64	0
54	MG	2a	3074	1/1	0.91	0.08	56,56,56,56	0
54	MG	1A	3941	1/1	0.91	0.09	49,49,49,49	0
54	MG	2A	3084	1/1	0.91	0.10	40,40,40,40	0
54	MG	1a	1604	1/1	0.91	0.10	74,74,74,74	0
54	MG	2A	3684	1/1	0.91	0.08	34,34,34,34	0
54	MG	2a	3081	1/1	0.91	0.07	49,49,49,49	0
54	MG	2A	3372	1/1	0.91	0.10	42,42,42,42	0
54	MG	1A	3796	1/1	0.91	0.10	73,73,73,73	0
54	MG	1A	3095	1/1	0.91	0.14	64,64,64,64	0
54	MG	1a	1707	1/1	0.91	0.13	70,70,70,70	0
54	MG	1A	3703	1/1	0.91	0.21	23,23,23,23	0
54	MG	1B	207	1/1	0.91	0.10	41,41,41,41	0
54	MG	2A	3102	1/1	0.91	0.15	66,66,66,66	0
54	MG	2A	3384	1/1	0.91	0.23	53,53,53,53	0
54	MG	1a	1714	1/1	0.91	0.11	70,70,70,70	0
54	MG	1A	3146	1/1	0.91	0.19	63,63,63,63	0
54	MG	2a	3107	1/1	0.91	0.19	64,64,64,64	0
54	MG	1a	1617	1/1	0.91	0.09	73,73,73,73	0
54	MG	2A	3707	1/1	0.91	0.19	69,69,69,69	0
54	MG	2A	3114	1/1	0.91	0.16	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1827	1/1	0.91	0.08	69,69,69,69	0
54	MG	1A	3644	1/1	0.91	0.06	27,27,27,27	0
54	MG	2a	3116	1/1	0.91	0.16	59,59,59,59	0
54	MG	2A	3120	1/1	0.91	0.12	46,46,46,46	0
54	MG	1a	1721	1/1	0.91	0.17	51,51,51,51	0
54	MG	2a	3120	1/1	0.91	0.13	61,61,61,61	0
54	MG	2A	3717	1/1	0.91	0.08	31,31,31,31	0
54	MG	2a	3128	1/1	0.91	0.15	58,58,58,58	0
54	MG	2a	3140	1/1	0.91	0.13	73,73,73,73	0
54	MG	2A	3409	1/1	0.91	0.16	57,57,57,57	0
54	MG	1A	3159	1/1	0.91	0.16	53,53,53,53	0
54	MG	1A	3813	1/1	0.91	0.08	14,14,14,14	0
54	MG	2A	3722	1/1	0.91	0.14	53,53,53,53	0
54	MG	2A	3136	1/1	0.91	0.19	57,57,57,57	0
54	MG	1A	3814	1/1	0.91	0.13	29,29,29,29	0
54	MG	2A	3151	1/1	0.91	0.17	58,58,58,58	0
54	MG	1A	3581	1/1	0.91	0.07	50,50,50,50	0
54	MG	2a	3169	1/1	0.91	0.09	75,75,75,75	0
54	MG	1A	3958	1/1	0.91	0.08	32,32,32,32	0
54	MG	1a	1846	1/1	0.91	0.13	66,66,66,66	0
54	MG	2A	3736	1/1	0.91	0.12	53,53,53,53	0
54	MG	1B	225	1/1	0.91	0.16	66,66,66,66	0
54	MG	2A	3163	1/1	0.91	0.09	49,49,49,49	0
54	MG	2A	3431	1/1	0.91	0.18	70,70,70,70	0
54	MG	1A	3582	1/1	0.91	0.09	52,52,52,52	0
54	MG	1A	3825	1/1	0.91	0.09	49,49,49,49	0
54	MG	2A	3171	1/1	0.91	0.18	63,63,63,63	0
54	MG	2A	3439	1/1	0.91	0.10	56,56,56,56	0
54	MG	2a	3191	1/1	0.91	0.09	65,65,65,65	0
54	MG	1a	1738	1/1	0.91	0.10	67,67,67,67	0
54	MG	1a	1739	1/1	0.91	0.14	46,46,46,46	0
54	MG	2A	3753	1/1	0.91	0.12	50,50,50,50	0
54	MG	2A	3179	1/1	0.91	0.08	55,55,55,55	0
54	MG	1A	3544	1/1	0.91	0.10	42,42,42,42	0
54	MG	1A	3359	1/1	0.91	0.10	41,41,41,41	0
54	MG	1A	3063	1/1	0.91	0.12	52,52,52,52	0
54	MG	1A	3599	1/1	0.91	0.24	32,32,32,32	0
54	MG	1A	3497	1/1	0.91	0.08	15,15,15,15	0
54	MG	2A	3761	1/1	0.91	0.18	68,68,68,68	0
54	MG	2A	3459	1/1	0.91	0.08	32,32,32,32	0
54	MG	2A	3763	1/1	0.91	0.14	72,72,72,72	0
54	MG	1A	3738	1/1	0.91	0.08	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3410	1/1	0.91	0.13	22,22,22,22	0
54	MG	1A	3856	1/1	0.91	0.15	30,30,30,30	0
54	MG	1A	3367	1/1	0.91	0.09	44,44,44,44	0
54	MG	1A	3665	1/1	0.91	0.08	53,53,53,53	0
54	MG	1e	201	1/1	0.91	0.27	61,61,61,61	0
54	MG	1e	203	1/1	0.91	0.20	60,60,60,60	0
54	MG	1A	3448	1/1	0.91	0.09	27,27,27,27	0
54	MG	1A	4014	1/1	0.92	0.10	53,53,53,53	0
54	MG	1A	3613	1/1	0.92	0.09	50,50,50,50	0
54	MG	1A	3053	1/1	0.92	0.11	37,37,37,37	0
54	MG	1a	1864	1/1	0.92	0.10	50,50,50,50	0
54	MG	2A	3760	1/1	0.92	0.11	57,57,57,57	0
54	MG	1A	3021	1/1	0.92	0.07	37,37,37,37	0
54	MG	2A	3442	1/1	0.92	0.11	68,68,68,68	0
54	MG	1a	1866	1/1	0.92	0.11	57,57,57,57	0
54	MG	2A	3445	1/1	0.92	0.10	67,67,67,67	0
54	MG	2A	3187	1/1	0.92	0.11	48,48,48,48	0
54	MG	1A	3452	1/1	0.92	0.09	39,39,39,39	0
54	MG	1a	1870	1/1	0.92	0.13	64,64,64,64	0
54	MG	2A	3453	1/1	0.92	0.26	63,63,63,63	0
54	MG	2B	204	1/1	0.92	0.09	65,65,65,65	0
54	MG	1A	3728	1/1	0.92	0.08	45,45,45,45	0
54	MG	1A	3731	1/1	0.92	0.13	55,55,55,55	0
54	MG	2A	3457	1/1	0.92	0.13	65,65,65,65	0
54	MG	2A	3197	1/1	0.92	0.07	51,51,51,51	0
54	MG	1A	4031	1/1	0.92	0.11	39,39,39,39	0
54	MG	2A	3463	1/1	0.92	0.15	50,50,50,50	0
54	MG	2A	3466	1/1	0.92	0.08	34,34,34,34	0
54	MG	2A	3468	1/1	0.92	0.12	58,58,58,58	0
54	MG	2B	219	1/1	0.92	0.11	72,72,72,72	0
54	MG	1A	3621	1/1	0.92	0.09	43,43,43,43	0
54	MG	2D	304	1/1	0.92	0.25	47,47,47,47	0
54	MG	2D	307	1/1	0.92	0.17	63,63,63,63	0
54	MG	2A	3204	1/1	0.92	0.12	52,52,52,52	0
54	MG	1A	3880	1/1	0.92	0.26	29,29,29,29	0
54	MG	2E	304	1/1	0.92	0.19	57,57,57,57	0
54	MG	2A	3478	1/1	0.92	0.10	58,58,58,58	0
54	MG	2A	3207	1/1	0.92	0.10	59,59,59,59	0
54	MG	1A	3889	1/1	0.92	0.11	64,64,64,64	0
54	MG	1A	3545	1/1	0.92	0.16	52,52,52,52	0
54	MG	1a	1625	1/1	0.92	0.16	62,62,62,62	0
54	MG	1A	3624	1/1	0.92	0.15	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3215	1/1	0.92	0.13	67,67,67,67	0
54	MG	1A	3197	1/1	0.92	0.30	44,44,44,44	0
54	MG	1A	3296	1/1	0.92	0.11	35,35,35,35	0
54	MG	2A	3218	1/1	0.92	0.08	51,51,51,51	0
54	MG	1A	3550	1/1	0.92	0.10	43,43,43,43	0
54	MG	1A	3392	1/1	0.92	0.21	59,59,59,59	0
54	MG	2A	3224	1/1	0.92	0.51	51,51,51,51	0
54	MG	1A	3253	1/1	0.92	0.09	76,76,76,76	0
54	MG	1B	201	1/1	0.92	0.14	55,55,55,55	0
54	MG	2A	3228	1/1	0.92	0.25	62,62,62,62	0
54	MG	20	101	1/1	0.92	0.09	57,57,57,57	0
54	MG	25	101	1/1	0.92	0.33	46,46,46,46	0
54	MG	1a	1639	1/1	0.92	0.14	71,71,71,71	0
54	MG	2A	3505	1/1	0.92	0.09	35,35,35,35	0
54	MG	1A	3639	1/1	0.92	0.12	53,53,53,53	0
54	MG	1A	3151	1/1	0.92	0.22	45,45,45,45	0
54	MG	2A	3234	1/1	0.92	0.26	53,53,53,53	0
54	MG	2A	3235	1/1	0.92	0.09	57,57,57,57	0
54	MG	2A	3512	1/1	0.92	0.27	63,63,63,63	0
54	MG	2A	3513	1/1	0.92	0.18	60,60,60,60	0
54	MG	1A	3920	1/1	0.92	0.18	70,70,70,70	0
54	MG	1A	3923	1/1	0.92	0.11	44,44,44,44	0
54	MG	1A	3925	1/1	0.92	0.22	39,39,39,39	0
54	MG	1y	201	1/1	0.92	0.08	74,74,74,74	0
54	MG	1B	210	1/1	0.92	0.07	59,59,59,59	0
54	MG	1A	3755	1/1	0.92	0.15	60,60,60,60	0
54	MG	2A	3525	1/1	0.92	0.10	53,53,53,53	0
54	MG	1A	3402	1/1	0.92	0.08	18,18,18,18	0
54	MG	2a	3017	1/1	0.92	0.09	52,52,52,52	0
54	MG	1B	219	1/1	0.92	0.11	40,40,40,40	0
54	MG	1A	3934	1/1	0.92	0.12	57,57,57,57	0
54	MG	2A	3260	1/1	0.92	0.16	58,58,58,58	0
54	MG	2A	3538	1/1	0.92	0.12	74,74,74,74	0
54	MG	2a	3025	1/1	0.92	0.31	69,69,69,69	0
54	MG	2a	3026	1/1	0.92	0.24	68,68,68,68	0
54	MG	2a	3027	1/1	0.92	0.19	63,63,63,63	0
54	MG	1A	3309	1/1	0.92	0.19	57,57,57,57	0
54	MG	2A	3541	1/1	0.92	0.32	50,50,50,50	0
54	MG	2A	3264	1/1	0.92	0.08	43,43,43,43	0
54	MG	2A	3544	1/1	0.92	0.10	74,74,74,74	0
54	MG	1A	3404	1/1	0.92	0.08	27,27,27,27	0
54	MG	1A	3039	1/1	0.92	0.07	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3017	1/1	0.92	0.21	55,55,55,55	0
54	MG	2A	3555	1/1	0.92	0.11	28,28,28,28	0
54	MG	2A	3268	1/1	0.92	0.15	58,58,58,58	0
54	MG	1A	3769	1/1	0.92	0.07	46,46,46,46	0
54	MG	2A	3275	1/1	0.92	0.09	46,46,46,46	0
54	MG	1A	3566	1/1	0.92	0.19	44,44,44,44	0
54	MG	1A	3264	1/1	0.92	0.24	70,70,70,70	0
54	MG	1D	303	1/1	0.92	0.11	49,49,49,49	0
54	MG	2a	3047	1/1	0.92	0.20	55,55,55,55	0
54	MG	2a	3048	1/1	0.92	0.22	49,49,49,49	0
54	MG	2A	3570	1/1	0.92	0.08	38,38,38,38	0
54	MG	2A	3575	1/1	0.92	0.08	84,84,84,84	0
54	MG	1A	3773	1/1	0.92	0.09	55,55,55,55	0
54	MG	2A	3580	1/1	0.92	0.09	36,36,36,36	0
54	MG	2A	3285	1/1	0.92	0.08	40,40,40,40	0
54	MG	2A	3030	1/1	0.92	0.16	30,30,30,30	0
54	MG	1a	1781	1/1	0.92	0.14	54,54,54,54	0
54	MG	2A	3598	1/1	0.92	0.09	41,41,41,41	0
54	MG	1A	3161	1/1	0.92	0.17	47,47,47,47	0
54	MG	1a	1783	1/1	0.92	0.13	80,80,80,80	0
54	MG	1A	3498	1/1	0.92	0.07	37,37,37,37	0
54	MG	1A	3411	1/1	0.92	0.09	26,26,26,26	0
54	MG	1A	3660	1/1	0.92	0.21	35,35,35,35	0
54	MG	2A	3300	1/1	0.92	0.11	55,55,55,55	0
54	MG	1A	3501	1/1	0.92	0.11	39,39,39,39	0
54	MG	1A	3339	1/1	0.92	0.07	31,31,31,31	0
54	MG	1A	3507	1/1	0.92	0.14	57,57,57,57	0
54	MG	2A	3617	1/1	0.92	0.08	54,54,54,54	0
54	MG	2A	3310	1/1	0.92	0.10	45,45,45,45	0
54	MG	2A	3055	1/1	0.92	0.09	38,38,38,38	0
54	MG	2A	3623	1/1	0.92	0.32	55,55,55,55	0
54	MG	2A	3056	1/1	0.92	0.12	57,57,57,57	0
54	MG	2A	3632	1/1	0.92	0.14	80,80,80,80	0
54	MG	2A	3318	1/1	0.92	0.12	38,38,38,38	0
54	MG	1A	3960	1/1	0.92	0.20	51,51,51,51	0
54	MG	2a	3098	1/1	0.92	0.14	63,63,63,63	0
54	MG	2A	3322	1/1	0.92	0.10	35,35,35,35	0
54	MG	2A	3324	1/1	0.92	0.13	50,50,50,50	0
54	MG	2A	3063	1/1	0.92	0.09	47,47,47,47	0
54	MG	1A	3340	1/1	0.92	0.10	16,16,16,16	0
54	MG	2A	3333	1/1	0.92	0.07	32,32,32,32	0
54	MG	2a	3106	1/1	0.92	0.09	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3075	1/1	0.92	0.07	43,43,43,43	0
54	MG	2a	3110	1/1	0.92	0.15	62,62,62,62	0
54	MG	1H	201	1/1	0.92	0.13	68,68,68,68	0
54	MG	2A	3674	1/1	0.92	0.09	60,60,60,60	0
54	MG	1A	3515	1/1	0.92	0.22	27,27,27,27	0
54	MG	2A	3676	1/1	0.92	0.09	53,53,53,53	0
54	MG	1A	3675	1/1	0.92	0.12	64,64,64,64	0
54	MG	2A	3680	1/1	0.92	0.10	54,54,54,54	0
54	MG	1A	3970	1/1	0.92	0.11	50,50,50,50	0
54	MG	1A	3163	1/1	0.92	0.51	43,43,43,43	0
54	MG	2a	3119	1/1	0.92	0.13	44,44,44,44	0
54	MG	1a	1806	1/1	0.92	0.07	57,57,57,57	0
54	MG	2a	3121	1/1	0.92	0.10	61,61,61,61	0
54	MG	2A	3353	1/1	0.92	0.23	62,62,62,62	0
54	MG	1A	3974	1/1	0.92	0.10	48,48,48,48	0
54	MG	1A	3276	1/1	0.92	0.10	50,50,50,50	0
54	MG	2A	3092	1/1	0.92	0.17	62,62,62,62	0
54	MG	1a	1812	1/1	0.92	0.08	69,69,69,69	0
54	MG	1A	3585	1/1	0.92	0.07	36,36,36,36	0
54	MG	2a	3152	1/1	0.92	0.11	68,68,68,68	0
54	MG	2A	3096	1/1	0.92	0.08	50,50,50,50	0
54	MG	2A	3101	1/1	0.92	0.20	59,59,59,59	0
54	MG	1a	1815	1/1	0.92	0.14	65,65,65,65	0
54	MG	2A	3107	1/1	0.92	0.12	54,54,54,54	0
54	MG	1A	3351	1/1	0.92	0.08	39,39,39,39	0
54	MG	1A	3591	1/1	0.92	0.31	32,32,32,32	0
54	MG	1A	3353	1/1	0.92	0.09	31,31,31,31	0
54	MG	1A	3531	1/1	0.92	0.15	42,42,42,42	0
54	MG	1A	3828	1/1	0.92	0.08	32,32,32,32	0
54	MG	1A	3356	1/1	0.92	0.14	48,48,48,48	0
54	MG	1A	3534	1/1	0.92	0.21	36,36,36,36	0
54	MG	1a	1825	1/1	0.92	0.09	71,71,71,71	0
54	MG	2A	3125	1/1	0.92	0.26	61,61,61,61	0
54	MG	1A	3991	1/1	0.92	0.21	69,69,69,69	0
54	MG	2a	3186	1/1	0.92	0.13	67,67,67,67	0
54	MG	2A	3130	1/1	0.92	0.09	54,54,54,54	0
54	MG	1A	3836	1/1	0.92	0.09	49,49,49,49	0
54	MG	2a	3190	1/1	0.92	0.08	65,65,65,65	0
54	MG	2A	3726	1/1	0.92	0.13	63,63,63,63	0
54	MG	1A	3694	1/1	0.92	0.08	39,39,39,39	0
54	MG	1A	3697	1/1	0.92	0.16	40,40,40,40	0
54	MG	2A	3149	1/1	0.92	0.18	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3217	1/1	0.92	0.10	37,37,37,37	0
54	MG	2A	3411	1/1	0.92	0.11	60,60,60,60	0
54	MG	1A	3998	1/1	0.92	0.14	54,54,54,54	0
54	MG	1A	3848	1/1	0.92	0.09	55,55,55,55	0
54	MG	1A	3851	1/1	0.92	0.09	36,36,36,36	0
54	MG	2A	3417	1/1	0.92	0.23	67,67,67,67	0
54	MG	1A	3604	1/1	0.92	0.10	55,55,55,55	0
54	MG	1A	3361	1/1	0.92	0.11	63,63,63,63	0
54	MG	1A	3284	1/1	0.92	0.22	40,40,40,40	0
54	MG	1a	1725	1/1	0.92	0.17	51,51,51,51	0
54	MG	2A	3747	1/1	0.92	0.15	54,54,54,54	0
54	MG	2A	3167	1/1	0.92	0.08	57,57,57,57	0
54	MG	1A	3540	1/1	0.92	0.07	38,38,38,38	0
54	MG	2A	3428	1/1	0.92	0.09	55,55,55,55	0
54	MG	2A	3429	1/1	0.92	0.06	43,43,43,43	0
54	MG	2A	3172	1/1	0.92	0.06	63,63,63,63	0
54	MG	1A	3612	1/1	0.92	0.10	21,21,21,21	0
54	MG	1A	3979	1/1	0.93	0.06	19,19,19,19	0
54	MG	1A	3394	1/1	0.93	0.09	42,42,42,42	0
54	MG	1A	3981	1/1	0.93	0.09	26,26,26,26	0
54	MG	2A	3182	1/1	0.93	0.14	56,56,56,56	0
54	MG	1P	202	1/1	0.93	0.27	27,27,27,27	0
54	MG	1A	3395	1/1	0.93	0.21	50,50,50,50	0
54	MG	1P	205	1/1	0.93	0.08	74,74,74,74	0
54	MG	1S	201	1/1	0.93	0.10	63,63,63,63	0
54	MG	1A	3838	1/1	0.93	0.08	28,28,28,28	0
54	MG	2A	3455	1/1	0.93	0.07	44,44,44,44	0
54	MG	1A	3168	1/1	0.93	0.15	48,48,48,48	0
54	MG	2A	3770	1/1	0.93	0.08	48,48,48,48	0
54	MG	1A	3036	1/1	0.93	0.25	48,48,48,48	0
54	MG	1a	1713	1/1	0.93	0.07	56,56,56,56	0
54	MG	2A	3460	1/1	0.93	0.13	60,60,60,60	0
54	MG	1A	3503	1/1	0.93	0.06	17,17,17,17	0
54	MG	1a	1867	1/1	0.93	0.12	71,71,71,71	0
54	MG	2A	3464	1/1	0.93	0.17	58,58,58,58	0
54	MG	2B	208	1/1	0.93	0.13	65,65,65,65	0
54	MG	2A	3201	1/1	0.93	0.20	58,58,58,58	0
54	MG	2A	3202	1/1	0.93	0.15	60,60,60,60	0
54	MG	1A	3177	1/1	0.93	0.53	38,38,38,38	0
54	MG	1A	3302	1/1	0.93	0.21	40,40,40,40	0
54	MG	2A	3472	1/1	0.93	0.13	62,62,62,62	0
54	MG	2A	3205	1/1	0.93	0.17	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3511	1/1	0.93	0.17	55,55,55,55	0
54	MG	2A	3479	1/1	0.93	0.09	57,57,57,57	0
54	MG	1a	1872	1/1	0.93	0.10	55,55,55,55	0
54	MG	1A	3715	1/1	0.93	0.10	49,49,49,49	0
54	MG	1a	1723	1/1	0.93	0.10	49,49,49,49	0
54	MG	2D	310	1/1	0.93	0.08	44,44,44,44	0
54	MG	1A	3142	1/1	0.93	0.12	29,29,29,29	0
54	MG	2E	305	1/1	0.93	0.09	34,34,34,34	0
54	MG	2E	308	1/1	0.93	0.15	61,61,61,61	0
54	MG	1A	3405	1/1	0.93	0.07	61,61,61,61	0
54	MG	1A	3307	1/1	0.93	0.07	29,29,29,29	0
54	MG	1e	202	1/1	0.93	0.23	58,58,58,58	0
54	MG	1A	3222	1/1	0.93	0.18	35,35,35,35	0
54	MG	2N	201	1/1	0.93	0.08	69,69,69,69	0
54	MG	1A	3523	1/1	0.93	0.06	19,19,19,19	0
54	MG	1A	3527	1/1	0.93	0.06	25,25,25,25	0
54	MG	10	107	1/1	0.93	0.14	61,61,61,61	0
54	MG	2P	203	1/1	0.93	0.12	52,52,52,52	0
54	MG	2A	3222	1/1	0.93	0.12	61,61,61,61	0
54	MG	2Q	204	1/1	0.93	0.16	62,62,62,62	0
54	MG	1A	4007	1/1	0.93	0.12	36,36,36,36	0
54	MG	1g	203	1/1	0.93	0.12	73,73,73,73	0
54	MG	1h	201	1/1	0.93	0.10	57,57,57,57	0
54	MG	1A	3224	1/1	0.93	0.12	49,49,49,49	0
54	MG	2A	3504	1/1	0.93	0.11	63,63,63,63	0
54	MG	2A	3229	1/1	0.93	0.12	52,52,52,52	0
54	MG	1i	103	1/1	0.93	0.08	41,41,41,41	0
54	MG	1A	3181	1/1	0.93	0.09	49,49,49,49	0
54	MG	2A	3509	1/1	0.93	0.10	44,44,44,44	0
54	MG	2i	101	1/1	0.93	0.12	69,69,69,69	0
54	MG	23	101	1/1	0.93	0.30	53,53,53,53	0
54	MG	1A	3235	1/1	0.93	0.14	58,58,58,58	0
54	MG	1a	1742	1/1	0.93	0.18	64,64,64,64	0
54	MG	1a	1743	1/1	0.93	0.10	62,62,62,62	0
54	MG	2A	3238	1/1	0.93	0.10	52,52,52,52	0
54	MG	2A	3515	1/1	0.93	0.12	71,71,71,71	0
54	MG	15	102	1/1	0.93	0.27	36,36,36,36	0
54	MG	2A	3517	1/1	0.93	0.13	59,59,59,59	0
54	MG	1a	1745	1/1	0.93	0.09	55,55,55,55	0
54	MG	1A	3328	1/1	0.93	0.12	39,39,39,39	0
54	MG	2A	3242	1/1	0.93	0.10	59,59,59,59	0
54	MG	1A	3878	1/1	0.93	0.09	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3332	1/1	0.93	0.08	40,40,40,40	0
54	MG	1A	4016	1/1	0.93	0.10	63,63,63,63	0
54	MG	1A	3885	1/1	0.93	0.10	52,52,52,52	0
54	MG	1A	3337	1/1	0.93	0.06	27,27,27,27	0
54	MG	1y	205	1/1	0.93	0.09	56,56,56,56	0
54	MG	1A	3182	1/1	0.93	0.10	49,49,49,49	0
54	MG	2A	3262	1/1	0.93	0.12	62,62,62,62	0
54	MG	1a	1753	1/1	0.93	0.12	63,63,63,63	0
54	MG	1A	3746	1/1	0.93	0.07	41,41,41,41	0
54	MG	1a	1610	1/1	0.93	0.12	66,66,66,66	0
54	MG	1a	1612	1/1	0.93	0.17	62,62,62,62	0
54	MG	1A	4029	1/1	0.93	0.14	64,64,64,64	0
54	MG	2A	3020	1/1	0.93	0.11	40,40,40,40	0
54	MG	1A	3056	1/1	0.93	0.08	43,43,43,43	0
54	MG	2A	3273	1/1	0.93	0.17	45,45,45,45	0
54	MG	1a	1615	1/1	0.93	0.10	58,58,58,58	0
54	MG	1A	3429	1/1	0.93	0.09	35,35,35,35	0
54	MG	1A	3906	1/1	0.93	0.38	34,34,34,34	0
54	MG	2a	3033	1/1	0.93	0.28	61,61,61,61	0
54	MG	2a	3034	1/1	0.93	0.11	62,62,62,62	0
54	MG	2A	3561	1/1	0.93	0.08	33,33,33,33	0
54	MG	1A	4034	1/1	0.93	0.12	67,67,67,67	0
54	MG	1a	1765	1/1	0.93	0.07	60,60,60,60	0
54	MG	1A	3099	1/1	0.93	0.13	56,56,56,56	0
54	MG	2A	3035	1/1	0.93	0.10	46,46,46,46	0
54	MG	1A	3431	1/1	0.93	0.14	50,50,50,50	0
54	MG	2A	3577	1/1	0.93	0.07	66,66,66,66	0
54	MG	2A	3037	1/1	0.93	0.10	56,56,56,56	0
54	MG	1A	4039	1/1	0.93	0.07	49,49,49,49	0
54	MG	2A	3583	1/1	0.93	0.08	54,54,54,54	0
54	MG	2A	3042	1/1	0.93	0.13	59,59,59,59	0
54	MG	2A	3043	1/1	0.93	0.12	59,59,59,59	0
54	MG	2a	3053	1/1	0.93	0.13	66,66,66,66	0
54	MG	2A	3044	1/1	0.93	0.11	57,57,57,57	0
54	MG	2A	3597	1/1	0.93	0.07	40,40,40,40	0
54	MG	1A	4041	1/1	0.93	0.14	50,50,50,50	0
54	MG	1A	3433	1/1	0.93	0.09	36,36,36,36	0
54	MG	1A	3188	1/1	0.93	0.09	49,49,49,49	0
54	MG	2A	3306	1/1	0.93	0.10	26,26,26,26	0
54	MG	2A	3606	1/1	0.93	0.08	63,63,63,63	0
54	MG	1A	3189	1/1	0.93	0.08	47,47,47,47	0
54	MG	2a	3064	1/1	0.93	0.06	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3608	1/1	0.93	0.08	56,56,56,56	0
54	MG	1A	4046	1/1	0.93	0.14	36,36,36,36	0
54	MG	1A	3147	1/1	0.93	0.20	43,43,43,43	0
54	MG	1A	4049	1/1	0.93	0.10	44,44,44,44	0
54	MG	2a	3070	1/1	0.93	0.20	60,60,60,60	0
54	MG	1A	3921	1/1	0.93	0.15	42,42,42,42	0
54	MG	2A	3061	1/1	0.93	0.13	52,52,52,52	0
54	MG	1A	3767	1/1	0.93	0.19	44,44,44,44	0
54	MG	2A	3619	1/1	0.93	0.07	82,82,82,82	0
54	MG	1A	3443	1/1	0.93	0.08	36,36,36,36	0
54	MG	2A	3068	1/1	0.93	0.14	47,47,47,47	0
54	MG	1A	3926	1/1	0.93	0.06	49,49,49,49	0
54	MG	2A	3073	1/1	0.93	0.16	53,53,53,53	0
54	MG	2A	3630	1/1	0.93	0.10	51,51,51,51	0
54	MG	1B	204	1/1	0.93	0.28	35,35,35,35	0
54	MG	2A	3633	1/1	0.93	0.09	66,66,66,66	0
54	MG	2a	3090	1/1	0.93	0.13	66,66,66,66	0
54	MG	2a	3091	1/1	0.93	0.11	53,53,53,53	0
54	MG	1A	3556	1/1	0.93	0.08	40,40,40,40	0
54	MG	1A	3444	1/1	0.93	0.09	17,17,17,17	0
54	MG	2A	3646	1/1	0.93	0.09	47,47,47,47	0
54	MG	2A	3079	1/1	0.93	0.09	48,48,48,48	0
54	MG	1A	3355	1/1	0.93	0.10	46,46,46,46	0
54	MG	2A	3081	1/1	0.93	0.14	56,56,56,56	0
54	MG	2A	3344	1/1	0.93	0.13	47,47,47,47	0
54	MG	2a	3103	1/1	0.93	0.08	64,64,64,64	0
54	MG	2A	3083	1/1	0.93	0.41	46,46,46,46	0
54	MG	1A	3148	1/1	0.93	0.36	33,33,33,33	0
54	MG	1A	3937	1/1	0.93	0.07	22,22,22,22	0
54	MG	1A	3450	1/1	0.93	0.09	46,46,46,46	0
54	MG	1B	212	1/1	0.93	0.07	45,45,45,45	0
54	MG	2A	3360	1/1	0.93	0.16	51,51,51,51	0
54	MG	1A	3780	1/1	0.93	0.14	57,57,57,57	0
54	MG	2A	3679	1/1	0.93	0.09	59,59,59,59	0
54	MG	1a	1794	1/1	0.93	0.09	60,60,60,60	0
54	MG	1a	1657	1/1	0.93	0.25	71,71,71,71	0
54	MG	1A	3781	1/1	0.93	0.07	77,77,77,77	0
54	MG	1B	217	1/1	0.93	0.07	47,47,47,47	0
54	MG	1A	3357	1/1	0.93	0.15	43,43,43,43	0
54	MG	2A	3374	1/1	0.93	0.08	46,46,46,46	0
54	MG	1a	1802	1/1	0.93	0.08	59,59,59,59	0
54	MG	2A	3376	1/1	0.93	0.11	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1661	1/1	0.93	0.10	69,69,69,69	0
54	MG	2a	3133	1/1	0.93	0.07	69,69,69,69	0
54	MG	1A	3271	1/1	0.93	0.10	39,39,39,39	0
54	MG	1B	221	1/1	0.93	0.09	62,62,62,62	0
54	MG	2A	3695	1/1	0.93	0.10	69,69,69,69	0
54	MG	2a	3145	1/1	0.93	0.09	79,79,79,79	0
54	MG	2a	3146	1/1	0.93	0.24	88,88,88,88	0
54	MG	2A	3111	1/1	0.93	0.22	68,68,68,68	0
54	MG	2A	3702	1/1	0.93	0.14	66,66,66,66	0
54	MG	1A	3104	1/1	0.93	0.16	38,38,38,38	0
54	MG	1A	3088	1/1	0.93	0.09	41,41,41,41	0
54	MG	2a	3157	1/1	0.93	0.14	66,66,66,66	0
54	MG	1A	3792	1/1	0.93	0.11	58,58,58,58	0
54	MG	1a	1810	1/1	0.93	0.17	65,65,65,65	0
54	MG	1A	3281	1/1	0.93	0.15	54,54,54,54	0
54	MG	2a	3166	1/1	0.93	0.18	57,57,57,57	0
54	MG	2A	3123	1/1	0.93	0.11	57,57,57,57	0
54	MG	1A	3470	1/1	0.93	0.08	21,21,21,21	0
54	MG	2A	3400	1/1	0.93	0.12	61,61,61,61	0
54	MG	2A	3406	1/1	0.93	0.29	50,50,50,50	0
54	MG	1A	3472	1/1	0.93	0.10	25,25,25,25	0
54	MG	1B	229	1/1	0.93	0.13	67,67,67,67	0
54	MG	1A	3801	1/1	0.93	0.10	37,37,37,37	0
54	MG	1A	3475	1/1	0.93	0.07	59,59,59,59	0
54	MG	2a	3183	1/1	0.93	0.08	41,41,41,41	0
54	MG	1A	3117	1/1	0.93	0.17	30,30,30,30	0
54	MG	2A	3413	1/1	0.93	0.18	57,57,57,57	0
54	MG	2A	3141	1/1	0.93	0.10	50,50,50,50	0
54	MG	2A	3142	1/1	0.93	0.09	52,52,52,52	0
54	MG	2A	3731	1/1	0.93	0.07	71,71,71,71	0
54	MG	1A	3287	1/1	0.93	0.07	38,38,38,38	0
54	MG	2a	3192	1/1	0.93	0.15	60,60,60,60	0
54	MG	1A	3122	1/1	0.93	0.11	61,61,61,61	0
54	MG	1A	3385	1/1	0.93	0.10	22,22,22,22	0
54	MG	1F	308	1/1	0.93	0.12	36,36,36,36	0
54	MG	2A	3421	1/1	0.93	0.08	45,45,45,45	0
54	MG	1a	1685	1/1	0.93	0.14	53,53,53,53	0
54	MG	1A	3968	1/1	0.93	0.07	42,42,42,42	0
54	MG	2A	3741	1/1	0.93	0.12	52,52,52,52	0
54	MG	1A	3389	1/1	0.93	0.12	55,55,55,55	0
54	MG	1A	3390	1/1	0.93	0.14	41,41,41,41	0
54	MG	1A	3973	1/1	0.93	0.10	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3745	1/1	0.93	0.09	58,58,58,58	0
54	MG	1a	1839	1/1	0.93	0.06	57,57,57,57	0
54	MG	1A	3691	1/1	0.93	0.25	55,55,55,55	0
54	MG	2A	3748	1/1	0.93	0.12	61,61,61,61	0
54	MG	2A	3170	1/1	0.93	0.14	51,51,51,51	0
54	MG	1A	3165	1/1	0.93	0.08	48,48,48,48	0
54	MG	1A	3587	1/1	0.93	0.24	37,37,37,37	0
54	MG	2A	3437	1/1	0.93	0.10	53,53,53,53	0
54	MG	1a	1845	1/1	0.93	0.13	54,54,54,54	0
54	MG	2A	3177	1/1	0.93	0.13	66,66,66,66	0
54	MG	1A	3879	1/1	0.94	0.20	38,38,38,38	0
54	MG	1a	1754	1/1	0.94	0.10	73,73,73,73	0
54	MG	2A	3476	1/1	0.94	0.06	50,50,50,50	0
54	MG	2A	3223	1/1	0.94	0.48	45,45,45,45	0
54	MG	2A	3008	1/1	0.94	0.07	58,58,58,58	0
54	MG	1A	3004	1/1	0.94	0.16	49,49,49,49	0
54	MG	1A	3272	1/1	0.94	0.27	53,53,53,53	0
54	MG	2B	209	1/1	0.94	0.20	71,71,71,71	0
54	MG	2A	3485	1/1	0.94	0.12	48,48,48,48	0
54	MG	1A	3631	1/1	0.94	0.21	36,36,36,36	0
54	MG	1A	3741	1/1	0.94	0.22	50,50,50,50	0
54	MG	1A	4032	1/1	0.94	0.18	45,45,45,45	0
54	MG	2A	3489	1/1	0.94	0.10	64,64,64,64	0
54	MG	1A	3555	1/1	0.94	0.19	45,45,45,45	0
54	MG	1A	3338	1/1	0.94	0.07	23,23,23,23	0
54	MG	2D	303	1/1	0.94	0.52	38,38,38,38	0
54	MG	1A	3076	1/1	0.94	0.17	32,32,32,32	0
54	MG	1a	1763	1/1	0.94	0.16	57,57,57,57	0
54	MG	2A	3237	1/1	0.94	0.15	48,48,48,48	0
54	MG	1A	3903	1/1	0.94	0.13	46,46,46,46	0
54	MG	1A	3002	1/1	0.94	0.10	51,51,51,51	0
54	MG	2A	3028	1/1	0.94	0.09	46,46,46,46	0
54	MG	1A	3110	1/1	0.94	0.18	40,40,40,40	0
54	MG	1A	3486	1/1	0.94	0.06	42,42,42,42	0
54	MG	2F	302	1/1	0.94	0.10	39,39,39,39	0
54	MG	2A	3243	1/1	0.94	0.14	50,50,50,50	0
54	MG	1A	3156	1/1	0.94	0.37	34,34,34,34	0
54	MG	1A	3911	1/1	0.94	0.07	52,52,52,52	0
54	MG	1A	3286	1/1	0.94	0.13	58,58,58,58	0
54	MG	2A	3038	1/1	0.94	0.18	56,56,56,56	0
54	MG	1A	3649	1/1	0.94	0.11	17,17,17,17	0
54	MG	1A	3919	1/1	0.94	0.18	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3256	1/1	0.94	0.20	48,48,48,48	0
54	MG	1a	1635	1/1	0.94	0.06	39,39,39,39	0
54	MG	1A	3762	1/1	0.94	0.08	27,27,27,27	0
54	MG	2A	3514	1/1	0.94	0.07	48,48,48,48	0
54	MG	1A	3764	1/1	0.94	0.11	42,42,42,42	0
54	MG	1A	3496	1/1	0.94	0.09	21,21,21,21	0
54	MG	2A	3048	1/1	0.94	0.10	48,48,48,48	0
54	MG	2V	201	1/1	0.94	0.39	48,48,48,48	0
54	MG	1A	3415	1/1	0.94	0.10	54,54,54,54	0
54	MG	1A	3569	1/1	0.94	0.12	57,57,57,57	0
54	MG	1A	3655	1/1	0.94	0.09	53,53,53,53	0
54	MG	1A	3226	1/1	0.94	0.39	29,29,29,29	0
54	MG	1A	3288	1/1	0.94	0.06	44,44,44,44	0
54	MG	1A	3048	1/1	0.94	0.15	30,30,30,30	0
54	MG	2A	3059	1/1	0.94	0.07	56,56,56,56	0
54	MG	2A	3528	1/1	0.94	0.08	30,30,30,30	0
54	MG	1A	3661	1/1	0.94	0.10	52,52,52,52	0
54	MG	2A	3535	1/1	0.94	0.07	51,51,51,51	0
54	MG	1A	3938	1/1	0.94	0.09	23,23,23,23	0
54	MG	1A	3120	1/1	0.94	0.08	40,40,40,40	0
54	MG	1A	3663	1/1	0.94	0.10	60,60,60,60	0
54	MG	2a	3001	1/1	0.94	0.10	49,49,49,49	0
54	MG	2A	3070	1/1	0.94	0.18	55,55,55,55	0
54	MG	1A	3245	1/1	0.94	0.34	43,43,43,43	0
54	MG	1A	3504	1/1	0.94	0.17	37,37,37,37	0
54	MG	1B	218	1/1	0.94	0.06	38,38,38,38	0
54	MG	2A	3076	1/1	0.94	0.14	59,59,59,59	0
54	MG	1A	3785	1/1	0.94	0.07	40,40,40,40	0
54	MG	2A	3296	1/1	0.94	0.11	58,58,58,58	0
54	MG	2a	3009	1/1	0.94	0.07	72,72,72,72	0
54	MG	1A	3944	1/1	0.94	0.09	53,53,53,53	0
54	MG	1A	3786	1/1	0.94	0.05	26,26,26,26	0
54	MG	2A	3301	1/1	0.94	0.13	46,46,46,46	0
54	MG	1A	3667	1/1	0.94	0.07	58,58,58,58	0
54	MG	1A	3789	1/1	0.94	0.14	39,39,39,39	0
54	MG	1A	3028	1/1	0.94	0.09	40,40,40,40	0
54	MG	1A	3363	1/1	0.94	0.15	55,55,55,55	0
54	MG	2A	3567	1/1	0.94	0.10	51,51,51,51	0
54	MG	1A	3951	1/1	0.94	0.10	42,42,42,42	0
54	MG	1A	3251	1/1	0.94	0.06	39,39,39,39	0
54	MG	2A	3574	1/1	0.94	0.11	53,53,53,53	0
54	MG	1A	3514	1/1	0.94	0.09	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1B	230	1/1	0.94	0.08	50,50,50,50	0
54	MG	1A	3299	1/1	0.94	0.18	40,40,40,40	0
54	MG	1a	1811	1/1	0.94	0.10	62,62,62,62	0
54	MG	1A	3959	1/1	0.94	0.16	61,61,61,61	0
54	MG	2A	3095	1/1	0.94	0.08	61,61,61,61	0
54	MG	1A	3680	1/1	0.94	0.07	39,39,39,39	0
54	MG	2A	3594	1/1	0.94	0.14	66,66,66,66	0
54	MG	2a	3035	1/1	0.94	0.07	63,63,63,63	0
54	MG	2A	3331	1/1	0.94	0.17	67,67,67,67	0
54	MG	2a	3037	1/1	0.94	0.17	57,57,57,57	0
54	MG	2A	3332	1/1	0.94	0.11	42,42,42,42	0
54	MG	1A	3586	1/1	0.94	0.07	34,34,34,34	0
54	MG	2A	3334	1/1	0.94	0.18	71,71,71,71	0
54	MG	1D	314	1/1	0.94	0.16	65,65,65,65	0
54	MG	2A	3103	1/1	0.94	0.21	48,48,48,48	0
54	MG	2A	3105	1/1	0.94	0.09	69,69,69,69	0
54	MG	2A	3106	1/1	0.94	0.23	43,43,43,43	0
54	MG	1D	315	1/1	0.94	0.11	47,47,47,47	0
54	MG	1a	1676	1/1	0.94	0.09	50,50,50,50	0
54	MG	2A	3611	1/1	0.94	0.12	72,72,72,72	0
54	MG	1a	1677	1/1	0.94	0.06	57,57,57,57	0
54	MG	2a	3050	1/1	0.94	0.11	66,66,66,66	0
54	MG	2a	3051	1/1	0.94	0.09	59,59,59,59	0
54	MG	2a	3052	1/1	0.94	0.08	57,57,57,57	0
54	MG	1A	3432	1/1	0.94	0.07	47,47,47,47	0
54	MG	2A	3347	1/1	0.94	0.08	54,54,54,54	0
54	MG	2A	3348	1/1	0.94	0.14	59,59,59,59	0
54	MG	2A	3351	1/1	0.94	0.12	61,61,61,61	0
54	MG	1a	1680	1/1	0.94	0.19	55,55,55,55	0
54	MG	1A	3589	1/1	0.94	0.07	41,41,41,41	0
54	MG	1E	308	1/1	0.94	0.10	50,50,50,50	0
54	MG	2A	3117	1/1	0.94	0.14	43,43,43,43	0
54	MG	1A	3810	1/1	0.94	0.11	29,29,29,29	0
54	MG	2A	3625	1/1	0.94	0.15	77,77,77,77	0
54	MG	1A	3517	1/1	0.94	0.06	39,39,39,39	0
54	MG	2A	3364	1/1	0.94	0.09	57,57,57,57	0
54	MG	2A	3367	1/1	0.94	0.06	32,32,32,32	0
54	MG	1a	1830	1/1	0.94	0.09	60,60,60,60	0
54	MG	1A	3368	1/1	0.94	0.10	37,37,37,37	0
54	MG	1A	3592	1/1	0.94	0.07	65,65,65,65	0
54	MG	2A	3647	1/1	0.94	0.07	51,51,51,51	0
54	MG	2A	3371	1/1	0.94	0.09	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1F	317	1/1	0.94	0.14	43,43,43,43	0
54	MG	2A	3127	1/1	0.94	0.23	58,58,58,58	0
54	MG	2A	3128	1/1	0.94	0.11	48,48,48,48	0
54	MG	1A	3820	1/1	0.94	0.07	47,47,47,47	0
54	MG	2A	3660	1/1	0.94	0.07	25,25,25,25	0
54	MG	1A	3975	1/1	0.94	0.07	54,54,54,54	0
54	MG	2a	3083	1/1	0.94	0.21	44,44,44,44	0
54	MG	2a	3086	1/1	0.94	0.14	83,83,83,83	0
54	MG	2A	3133	1/1	0.94	0.07	41,41,41,41	0
54	MG	2A	3134	1/1	0.94	0.18	62,62,62,62	0
54	MG	1a	1842	1/1	0.94	0.14	51,51,51,51	0
54	MG	2A	3381	1/1	0.94	0.07	38,38,38,38	0
54	MG	1A	3520	1/1	0.94	0.09	57,57,57,57	0
54	MG	2a	3096	1/1	0.94	0.16	59,59,59,59	0
54	MG	2A	3678	1/1	0.94	0.07	64,64,64,64	0
54	MG	1A	3595	1/1	0.94	0.24	34,34,34,34	0
54	MG	2A	3143	1/1	0.94	0.11	49,49,49,49	0
54	MG	2A	3146	1/1	0.94	0.07	44,44,44,44	0
54	MG	1A	3978	1/1	0.94	0.07	40,40,40,40	0
54	MG	2A	3683	1/1	0.94	0.13	72,72,72,72	0
54	MG	1A	3826	1/1	0.94	0.12	41,41,41,41	0
54	MG	2A	3685	1/1	0.94	0.08	39,39,39,39	0
54	MG	2A	3150	1/1	0.94	0.07	35,35,35,35	0
54	MG	1a	1847	1/1	0.94	0.11	70,70,70,70	0
54	MG	2A	3152	1/1	0.94	0.10	53,53,53,53	0
54	MG	2A	3403	1/1	0.94	0.10	54,54,54,54	0
54	MG	2A	3404	1/1	0.94	0.19	37,37,37,37	0
54	MG	1A	3597	1/1	0.94	0.17	30,30,30,30	0
54	MG	2A	3159	1/1	0.94	0.18	52,52,52,52	0
54	MG	1A	3370	1/1	0.94	0.05	19,19,19,19	0
54	MG	1A	3833	1/1	0.94	0.09	42,42,42,42	0
54	MG	2A	3698	1/1	0.94	0.10	63,63,63,63	0
54	MG	2A	3700	1/1	0.94	0.07	62,62,62,62	0
54	MG	1A	3123	1/1	0.94	0.05	34,34,34,34	0
54	MG	1P	207	1/1	0.94	0.10	34,34,34,34	0
54	MG	1A	3373	1/1	0.94	0.07	35,35,35,35	0
54	MG	2a	3123	1/1	0.94	0.09	76,76,76,76	0
54	MG	1A	3837	1/1	0.94	0.10	28,28,28,28	0
54	MG	2A	3166	1/1	0.94	0.14	39,39,39,39	0
54	MG	1A	3702	1/1	0.94	0.07	66,66,66,66	0
54	MG	2A	3168	1/1	0.94	0.15	49,49,49,49	0
54	MG	1A	3256	1/1	0.94	0.23	35,35,35,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3419	1/1	0.94	0.13	54,54,54,54	0
54	MG	2a	3144	1/1	0.94	0.09	60,60,60,60	0
54	MG	2A	3715	1/1	0.94	0.11	48,48,48,48	0
54	MG	1A	3842	1/1	0.94	0.13	55,55,55,55	0
54	MG	1A	3166	1/1	0.94	0.06	31,31,31,31	0
54	MG	2a	3150	1/1	0.94	0.09	49,49,49,49	0
54	MG	2a	3151	1/1	0.94	0.09	75,75,75,75	0
54	MG	1a	1719	1/1	0.94	0.11	54,54,54,54	0
54	MG	2a	3153	1/1	0.94	0.11	56,56,56,56	0
54	MG	1A	3706	1/1	0.94	0.19	24,24,24,24	0
54	MG	2A	3425	1/1	0.94	0.11	60,60,60,60	0
54	MG	1A	3445	1/1	0.94	0.07	34,34,34,34	0
54	MG	2A	3723	1/1	0.94	0.10	42,42,42,42	0
54	MG	2A	3725	1/1	0.94	0.12	62,62,62,62	0
54	MG	1a	1722	1/1	0.94	0.08	54,54,54,54	0
54	MG	1A	3709	1/1	0.94	0.05	21,21,21,21	0
54	MG	1A	3308	1/1	0.94	0.11	32,32,32,32	0
54	MG	2a	3170	1/1	0.94	0.09	69,69,69,69	0
54	MG	1A	3999	1/1	0.94	0.13	48,48,48,48	0
54	MG	1A	3714	1/1	0.94	0.08	37,37,37,37	0
54	MG	2A	3185	1/1	0.94	0.08	48,48,48,48	0
54	MG	2A	3435	1/1	0.94	0.07	59,59,59,59	0
54	MG	2a	3176	1/1	0.94	0.24	65,65,65,65	0
54	MG	1A	3387	1/1	0.94	0.08	24,24,24,24	0
54	MG	2a	3178	1/1	0.94	0.17	69,69,69,69	0
54	MG	1A	4004	1/1	0.94	0.10	47,47,47,47	0
54	MG	2A	3438	1/1	0.94	0.09	55,55,55,55	0
54	MG	1a	1729	1/1	0.94	0.10	50,50,50,50	0
54	MG	1A	4005	1/1	0.94	0.08	17,17,17,17	0
54	MG	2A	3192	1/1	0.94	0.07	46,46,46,46	0
54	MG	1A	3857	1/1	0.94	0.09	60,60,60,60	0
54	MG	1A	3133	1/1	0.94	0.07	39,39,39,39	0
54	MG	1a	1735	1/1	0.94	0.08	57,57,57,57	0
54	MG	2A	3446	1/1	0.94	0.07	60,60,60,60	0
54	MG	2A	3448	1/1	0.94	0.09	63,63,63,63	0
54	MG	1a	1736	1/1	0.94	0.09	68,68,68,68	0
54	MG	1A	3011	1/1	0.94	0.17	49,49,49,49	0
54	MG	2A	3451	1/1	0.94	0.09	48,48,48,48	0
54	MG	1A	3455	1/1	0.94	0.06	34,34,34,34	0
54	MG	1A	4010	1/1	0.94	0.20	61,61,61,61	0
54	MG	1A	3311	1/1	0.94	0.09	27,27,27,27	0
54	MG	1a	1741	1/1	0.94	0.06	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3463	1/1	0.94	0.06	16,16,16,16	0
54	MG	1A	3265	1/1	0.94	0.18	45,45,45,45	0
54	MG	17	105	1/1	0.94	0.09	47,47,47,47	0
54	MG	2k	201	1/1	0.94	0.15	53,53,53,53	0
54	MG	18	101	1/1	0.94	0.15	44,44,44,44	0
54	MG	1A	3013	1/1	0.94	0.16	46,46,46,46	0
54	MG	19	103	1/1	0.94	0.08	63,63,63,63	0
54	MG	1A	3733	1/1	0.94	0.19	55,55,55,55	0
54	MG	1A	3324	1/1	0.94	0.07	40,40,40,40	0
54	MG	1A	4018	1/1	0.94	0.08	78,78,78,78	0
54	MG	2A	3765	1/1	0.94	0.07	58,58,58,58	0
54	MG	1A	3097	1/1	0.94	0.14	30,30,30,30	0
54	MG	1a	1607	1/1	0.94	0.10	52,52,52,52	0
54	MG	2A	3471	1/1	0.94	0.07	38,38,38,38	0
58	ZN	24	501	1/1	0.94	0.18	149,149,149,149	0
54	MG	1A	3847	1/1	0.95	0.11	44,44,44,44	0
54	MG	1A	3174	1/1	0.95	0.49	39,39,39,39	0
54	MG	2A	3011	1/1	0.95	0.04	21,21,21,21	0
54	MG	2A	3382	1/1	0.95	0.05	40,40,40,40	0
54	MG	1A	3369	1/1	0.95	0.05	23,23,23,23	0
54	MG	1a	1645	1/1	0.95	0.15	55,55,55,55	0
54	MG	2A	3386	1/1	0.95	0.10	50,50,50,50	0
54	MG	1a	1771	1/1	0.95	0.08	69,69,69,69	0
54	MG	2A	3603	1/1	0.95	0.07	45,45,45,45	0
54	MG	2A	3390	1/1	0.95	0.09	61,61,61,61	0
54	MG	2A	3391	1/1	0.95	0.16	64,64,64,64	0
54	MG	1A	3852	1/1	0.95	0.11	26,26,26,26	0
54	MG	2A	3019	1/1	0.95	0.12	44,44,44,44	0
54	MG	2A	3395	1/1	0.95	0.06	36,36,36,36	0
54	MG	1A	3313	1/1	0.95	0.07	20,20,20,20	0
54	MG	1A	3645	1/1	0.95	0.12	18,18,18,18	0
54	MG	1A	3424	1/1	0.95	0.12	46,46,46,46	0
54	MG	1A	3425	1/1	0.95	0.07	31,31,31,31	0
54	MG	2A	3402	1/1	0.95	0.14	65,65,65,65	0
54	MG	1A	3427	1/1	0.95	0.07	44,44,44,44	0
54	MG	2A	3200	1/1	0.95	0.26	55,55,55,55	0
54	MG	2A	3620	1/1	0.95	0.07	38,38,38,38	0
54	MG	1A	3570	1/1	0.95	0.07	33,33,33,33	0
54	MG	1A	3057	1/1	0.95	0.12	55,55,55,55	0
54	MG	2A	3029	1/1	0.95	0.11	39,39,39,39	0
54	MG	1A	3323	1/1	0.95	0.15	27,27,27,27	0
54	MG	2a	3014	1/1	0.95	0.14	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3031	1/1	0.95	0.17	47,47,47,47	0
54	MG	2A	3626	1/1	0.95	0.07	60,60,60,60	0
54	MG	2A	3628	1/1	0.95	0.08	65,65,65,65	0
54	MG	2a	3018	1/1	0.95	0.22	65,65,65,65	0
54	MG	1A	3989	1/1	0.95	0.11	55,55,55,55	0
54	MG	1A	3135	1/1	0.95	0.14	41,41,41,41	0
54	MG	2a	3022	1/1	0.95	0.05	40,40,40,40	0
54	MG	1E	310	1/1	0.95	0.14	54,54,54,54	0
54	MG	2A	3642	1/1	0.95	0.17	76,76,76,76	0
54	MG	1A	3505	1/1	0.95	0.12	51,51,51,51	0
54	MG	1F	310	1/1	0.95	0.26	35,35,35,35	0
54	MG	2A	3039	1/1	0.95	0.09	45,45,45,45	0
54	MG	2A	3040	1/1	0.95	0.05	20,20,20,20	0
54	MG	1F	311	1/1	0.95	0.22	35,35,35,35	0
54	MG	1A	3376	1/1	0.95	0.07	27,27,27,27	0
54	MG	1A	3875	1/1	0.95	0.06	45,45,45,45	0
54	MG	2A	3219	1/1	0.95	0.20	44,44,44,44	0
54	MG	1A	3325	1/1	0.95	0.06	33,33,33,33	0
54	MG	1A	3995	1/1	0.95	0.09	12,12,12,12	0
54	MG	1A	3384	1/1	0.95	0.07	15,15,15,15	0
54	MG	1A	3997	1/1	0.95	0.17	34,34,34,34	0
54	MG	2A	3670	1/1	0.95	0.09	52,52,52,52	0
54	MG	1A	3761	1/1	0.95	0.11	50,50,50,50	0
54	MG	1A	3580	1/1	0.95	0.09	30,30,30,30	0
54	MG	1A	3438	1/1	0.95	0.07	48,48,48,48	0
54	MG	1N	3302	1/1	0.95	0.12	43,43,43,43	0
54	MG	2A	3054	1/1	0.95	0.19	52,52,52,52	0
54	MG	1A	3180	1/1	0.95	0.13	32,32,32,32	0
54	MG	2A	3231	1/1	0.95	0.07	54,54,54,54	0
54	MG	1A	3136	1/1	0.95	0.05	29,29,29,29	0
54	MG	2A	3057	1/1	0.95	0.09	46,46,46,46	0
54	MG	1A	3336	1/1	0.95	0.09	56,56,56,56	0
54	MG	1A	3289	1/1	0.95	0.07	44,44,44,44	0
54	MG	1A	3207	1/1	0.95	0.30	22,22,22,22	0
54	MG	1A	3900	1/1	0.95	0.09	12,12,12,12	0
54	MG	2A	3066	1/1	0.95	0.11	52,52,52,52	0
54	MG	1Q	201	1/1	0.95	0.25	31,31,31,31	0
54	MG	2a	3055	1/1	0.95	0.10	56,56,56,56	0
54	MG	1A	3588	1/1	0.95	0.07	40,40,40,40	0
54	MG	2A	3447	1/1	0.95	0.07	41,41,41,41	0
54	MG	1A	3521	1/1	0.95	0.33	22,22,22,22	0
54	MG	2A	3072	1/1	0.95	0.24	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3208	1/1	0.95	0.33	28,28,28,28	0
54	MG	1A	3779	1/1	0.95	0.10	67,67,67,67	0
54	MG	1A	4013	1/1	0.95	0.09	43,43,43,43	0
54	MG	1A	3211	1/1	0.95	0.14	26,26,26,26	0
54	MG	2A	3701	1/1	0.95	0.09	55,55,55,55	0
54	MG	1A	3118	1/1	0.95	0.21	47,47,47,47	0
54	MG	2A	3250	1/1	0.95	0.25	40,40,40,40	0
54	MG	1U	203	1/1	0.95	0.15	45,45,45,45	0
54	MG	1A	3528	1/1	0.95	0.07	42,42,42,42	0
54	MG	2A	3458	1/1	0.95	0.09	55,55,55,55	0
54	MG	2A	3258	1/1	0.95	0.17	46,46,46,46	0
54	MG	2A	3709	1/1	0.95	0.07	70,70,70,70	0
54	MG	1A	3594	1/1	0.95	0.16	28,28,28,28	0
54	MG	2a	3076	1/1	0.95	0.14	61,61,61,61	0
54	MG	2A	3711	1/1	0.95	0.07	59,59,59,59	0
54	MG	2a	3078	1/1	0.95	0.15	61,61,61,61	0
54	MG	1A	3399	1/1	0.95	0.06	42,42,42,42	0
54	MG	1a	1703	1/1	0.95	0.12	61,61,61,61	0
54	MG	1W	201	1/1	0.95	0.08	45,45,45,45	0
54	MG	2A	3465	1/1	0.95	0.06	59,59,59,59	0
54	MG	2A	3087	1/1	0.95	0.08	63,63,63,63	0
54	MG	1A	3918	1/1	0.95	0.15	37,37,37,37	0
54	MG	1A	3400	1/1	0.95	0.06	19,19,19,19	0
54	MG	1A	3787	1/1	0.95	0.12	50,50,50,50	0
54	MG	1a	1708	1/1	0.95	0.09	71,71,71,71	0
54	MG	2A	3270	1/1	0.95	0.07	44,44,44,44	0
54	MG	2A	3724	1/1	0.95	0.12	61,61,61,61	0
54	MG	2A	3271	1/1	0.95	0.13	17,17,17,17	0
54	MG	1A	3458	1/1	0.95	0.10	39,39,39,39	0
54	MG	10	104	1/1	0.95	0.06	42,42,42,42	0
54	MG	1A	3533	1/1	0.95	0.24	52,52,52,52	0
54	MG	1A	3924	1/1	0.95	0.07	67,67,67,67	0
54	MG	2A	3099	1/1	0.95	0.11	50,50,50,50	0
54	MG	2A	3100	1/1	0.95	0.35	65,65,65,65	0
54	MG	2A	3282	1/1	0.95	0.07	56,56,56,56	0
54	MG	1A	3345	1/1	0.95	0.07	37,37,37,37	0
54	MG	1a	1716	1/1	0.95	0.08	44,44,44,44	0
54	MG	11	101	1/1	0.95	0.11	36,36,36,36	0
54	MG	2a	3108	1/1	0.95	0.11	60,60,60,60	0
54	MG	1A	3535	1/1	0.95	0.06	24,24,24,24	0
54	MG	1A	3927	1/1	0.95	0.07	54,54,54,54	0
54	MG	1A	3795	1/1	0.95	0.38	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	13	103	1/1	0.95	0.16	43,43,43,43	0
54	MG	1A	4036	1/1	0.95	0.19	32,32,32,32	0
54	MG	1A	3929	1/1	0.95	0.06	58,58,58,58	0
54	MG	2A	3299	1/1	0.95	0.15	44,44,44,44	0
54	MG	1A	3119	1/1	0.95	0.22	51,51,51,51	0
54	MG	1A	4040	1/1	0.95	0.20	48,48,48,48	0
54	MG	2A	3501	1/1	0.95	0.08	48,48,48,48	0
54	MG	1A	3695	1/1	0.95	0.14	65,65,65,65	0
54	MG	1A	3164	1/1	0.95	0.06	43,43,43,43	0
54	MG	2a	3122	1/1	0.95	0.12	53,53,53,53	0
54	MG	19	101	1/1	0.95	0.09	46,46,46,46	0
54	MG	1A	3698	1/1	0.95	0.06	33,33,33,33	0
54	MG	2a	3126	1/1	0.95	0.07	64,64,64,64	0
54	MG	2a	3127	1/1	0.95	0.08	67,67,67,67	0
54	MG	2A	3308	1/1	0.95	0.06	47,47,47,47	0
54	MG	1A	3300	1/1	0.95	0.14	32,32,32,32	0
54	MG	2a	3137	1/1	0.95	0.07	41,41,41,41	0
54	MG	2A	3311	1/1	0.95	0.08	61,61,61,61	0
54	MG	1a	1868	1/1	0.95	0.07	61,61,61,61	0
54	MG	1A	3805	1/1	0.95	0.10	58,58,58,58	0
54	MG	1A	3077	1/1	0.95	0.13	30,30,30,30	0
54	MG	1A	3469	1/1	0.95	0.06	30,30,30,30	0
54	MG	1a	1606	1/1	0.95	0.15	53,53,53,53	0
54	MG	1A	3407	1/1	0.95	0.07	25,25,25,25	0
54	MG	2A	3327	1/1	0.95	0.07	48,48,48,48	0
54	MG	2A	3131	1/1	0.95	0.07	65,65,65,65	0
54	MG	1A	3704	1/1	0.95	0.16	35,35,35,35	0
54	MG	1A	4052	1/1	0.95	0.09	62,62,62,62	0
54	MG	1A	3121	1/1	0.95	0.06	44,44,44,44	0
54	MG	2B	201	1/1	0.95	0.08	72,72,72,72	0
54	MG	2A	3135	1/1	0.95	0.10	50,50,50,50	0
54	MG	2a	3160	1/1	0.95	0.07	50,50,50,50	0
54	MG	1A	3816	1/1	0.95	0.06	27,27,27,27	0
54	MG	1B	202	1/1	0.95	0.28	58,58,58,58	0
54	MG	1A	3473	1/1	0.95	0.07	20,20,20,20	0
54	MG	1A	3819	1/1	0.95	0.10	44,44,44,44	0
54	MG	1a	1616	1/1	0.95	0.09	59,59,59,59	0
54	MG	2A	3534	1/1	0.95	0.11	67,67,67,67	0
54	MG	2A	3339	1/1	0.95	0.06	38,38,38,38	0
54	MG	2A	3341	1/1	0.95	0.09	44,44,44,44	0
54	MG	2B	211	1/1	0.95	0.22	67,67,67,67	0
54	MG	1A	3304	1/1	0.95	0.10	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3032	1/1	0.95	0.05	48,48,48,48	0
54	MG	1A	3622	1/1	0.95	0.19	40,40,40,40	0
54	MG	2B	215	1/1	0.95	0.08	63,63,63,63	0
54	MG	1A	3360	1/1	0.95	0.08	55,55,55,55	0
54	MG	2B	217	1/1	0.95	0.07	60,60,60,60	0
54	MG	1A	3552	1/1	0.95	0.07	13,13,13,13	0
54	MG	2B	220	1/1	0.95	0.07	67,67,67,67	0
54	MG	1m	202	1/1	0.95	0.10	58,58,58,58	0
54	MG	2A	3154	1/1	0.95	0.17	59,59,59,59	0
54	MG	1A	3830	1/1	0.95	0.13	46,46,46,46	0
54	MG	2a	3189	1/1	0.95	0.11	51,51,51,51	0
54	MG	2A	3553	1/1	0.95	0.12	60,60,60,60	0
54	MG	1a	1624	1/1	0.95	0.06	38,38,38,38	0
54	MG	1o	101	1/1	0.95	0.13	61,61,61,61	0
54	MG	1A	3625	1/1	0.95	0.14	20,20,20,20	0
54	MG	1a	1626	1/1	0.95	0.06	49,49,49,49	0
54	MG	1B	215	1/1	0.95	0.11	65,65,65,65	0
54	MG	1a	1629	1/1	0.95	0.21	50,50,50,50	0
54	MG	1A	3717	1/1	0.95	0.16	55,55,55,55	0
54	MG	2F	303	1/1	0.95	0.12	49,49,49,49	0
54	MG	1A	3480	1/1	0.95	0.11	47,47,47,47	0
54	MG	1A	3019	1/1	0.95	0.31	43,43,43,43	0
54	MG	1A	3278	1/1	0.95	0.10	65,65,65,65	0
54	MG	1A	3727	1/1	0.95	0.06	23,23,23,23	0
54	MG	2A	3571	1/1	0.95	0.12	49,49,49,49	0
54	MG	2O	201	1/1	0.95	0.12	52,52,52,52	0
54	MG	2A	3573	1/1	0.95	0.07	55,55,55,55	0
55	MUL	2A	3771	34/34	0.95	0.12	32,39,55,61	0
54	MG	1A	3484	1/1	0.95	0.07	33,33,33,33	0
56	ARG	1B	232	12/12	0.95	0.10	29,43,50,55	0
54	MG	1A	3279	1/1	0.95	0.05	28,28,28,28	0
54	MG	1A	3635	1/1	0.95	0.08	51,51,51,51	0
54	MG	1A	3193	1/1	0.95	0.12	28,28,28,28	0
54	MG	2A	3003	1/1	0.95	0.23	60,60,60,60	0
54	MG	2A	3581	1/1	0.95	0.06	55,55,55,55	0
54	MG	2A	3005	1/1	0.95	0.07	48,48,48,48	0
54	MG	2T	202	1/1	0.95	0.06	55,55,55,55	0
54	MG	2A	3589	1/1	0.95	0.07	36,36,36,36	0
58	ZN	2n	501	1/1	0.95	0.08	95,95,95,95	0
54	MG	1A	3037	1/1	0.96	0.05	48,48,48,48	0
54	MG	2B	218	1/1	0.96	0.06	76,76,76,76	0
54	MG	1A	3238	1/1	0.96	0.13	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1Y	202	1/1	0.96	0.07	64,64,64,64	0
54	MG	2D	301	1/1	0.96	0.14	47,47,47,47	0
54	MG	1A	3314	1/1	0.96	0.09	23,23,23,23	0
54	MG	10	102	1/1	0.96	0.23	39,39,39,39	0
54	MG	1A	3317	1/1	0.96	0.06	18,18,18,18	0
54	MG	2D	306	1/1	0.96	0.16	48,48,48,48	0
54	MG	1A	3241	1/1	0.96	0.39	31,31,31,31	0
54	MG	2A	3049	1/1	0.96	0.08	38,38,38,38	0
54	MG	1A	3065	1/1	0.96	0.06	32,32,32,32	0
54	MG	1A	3247	1/1	0.96	0.13	31,31,31,31	0
54	MG	1A	3069	1/1	0.96	0.05	31,31,31,31	0
54	MG	2A	3274	1/1	0.96	0.10	42,42,42,42	0
54	MG	1A	4001	1/1	0.96	0.07	39,39,39,39	0
54	MG	1A	3070	1/1	0.96	0.09	32,32,32,32	0
54	MG	1A	4003	1/1	0.96	0.06	56,56,56,56	0
54	MG	2F	305	1/1	0.96	0.06	65,65,65,65	0
54	MG	1A	3329	1/1	0.96	0.11	53,53,53,53	0
54	MG	1A	3331	1/1	0.96	0.06	21,21,21,21	0
54	MG	2A	3058	1/1	0.96	0.15	44,44,44,44	0
54	MG	2A	3524	1/1	0.96	0.07	50,50,50,50	0
54	MG	2A	3284	1/1	0.96	0.07	33,33,33,33	0
54	MG	1A	3071	1/1	0.96	0.14	26,26,26,26	0
54	MG	2A	3286	1/1	0.96	0.07	29,29,29,29	0
54	MG	2A	3529	1/1	0.96	0.10	35,35,35,35	0
54	MG	2A	3530	1/1	0.96	0.07	54,54,54,54	0
54	MG	2P	202	1/1	0.96	0.05	54,54,54,54	0
54	MG	2A	3287	1/1	0.96	0.10	42,42,42,42	0
54	MG	15	101	1/1	0.96	0.14	37,37,37,37	0
54	MG	1A	3333	1/1	0.96	0.08	46,46,46,46	0
54	MG	1A	3255	1/1	0.96	0.07	40,40,40,40	0
54	MG	2A	3064	1/1	0.96	0.06	52,52,52,52	0
54	MG	2A	3292	1/1	0.96	0.07	37,37,37,37	0
54	MG	15	105	1/1	0.96	0.07	50,50,50,50	0
54	MG	17	101	1/1	0.96	0.14	30,30,30,30	0
54	MG	2A	3295	1/1	0.96	0.13	56,56,56,56	0
54	MG	1A	3073	1/1	0.96	0.23	33,33,33,33	0
54	MG	1A	3722	1/1	0.96	0.16	38,38,38,38	0
54	MG	2A	3550	1/1	0.96	0.07	76,76,76,76	0
54	MG	1A	3257	1/1	0.96	0.10	34,34,34,34	0
54	MG	1A	3259	1/1	0.96	0.07	46,46,46,46	0
54	MG	2A	3074	1/1	0.96	0.14	45,45,45,45	0
54	MG	1A	3861	1/1	0.96	0.05	21,21,21,21	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3075	1/1	0.96	0.14	52,52,52,52	0
54	MG	1A	3614	1/1	0.96	0.08	44,44,44,44	0
54	MG	1A	3867	1/1	0.96	0.05	24,24,24,24	0
54	MG	1A	3869	1/1	0.96	0.11	43,43,43,43	0
54	MG	2A	3562	1/1	0.96	0.06	45,45,45,45	0
54	MG	1A	3729	1/1	0.96	0.16	40,40,40,40	0
54	MG	1A	4020	1/1	0.96	0.09	54,54,54,54	0
54	MG	1A	4021	1/1	0.96	0.11	35,35,35,35	0
54	MG	1A	3730	1/1	0.96	0.12	33,33,33,33	0
54	MG	1A	3873	1/1	0.96	0.07	31,31,31,31	0
54	MG	2A	3086	1/1	0.96	0.06	34,34,34,34	0
54	MG	1a	1611	1/1	0.96	0.15	53,53,53,53	0
54	MG	1A	3616	1/1	0.96	0.06	25,25,25,25	0
54	MG	2A	3325	1/1	0.96	0.06	29,29,29,29	0
54	MG	1A	4027	1/1	0.96	0.12	41,41,41,41	0
54	MG	1A	3524	1/1	0.96	0.05	26,26,26,26	0
54	MG	2a	3012	1/1	0.96	0.06	53,53,53,53	0
54	MG	1A	3343	1/1	0.96	0.12	47,47,47,47	0
54	MG	1a	1789	1/1	0.96	0.08	71,71,71,71	0
54	MG	1A	3124	1/1	0.96	0.08	42,42,42,42	0
54	MG	2A	3587	1/1	0.96	0.06	61,61,61,61	0
54	MG	1A	3529	1/1	0.96	0.07	28,28,28,28	0
54	MG	1A	3132	1/1	0.96	0.18	23,23,23,23	0
54	MG	2A	3591	1/1	0.96	0.05	28,28,28,28	0
54	MG	1A	3348	1/1	0.96	0.06	16,16,16,16	0
54	MG	1A	3017	1/1	0.96	0.28	22,22,22,22	0
54	MG	1A	3040	1/1	0.96	0.07	28,28,28,28	0
54	MG	1A	3890	1/1	0.96	0.10	57,57,57,57	0
54	MG	1A	3744	1/1	0.96	0.07	41,41,41,41	0
54	MG	1A	3041	1/1	0.96	0.11	13,13,13,13	0
54	MG	1A	3895	1/1	0.96	0.09	18,18,18,18	0
54	MG	2a	3028	1/1	0.96	0.08	49,49,49,49	0
54	MG	1A	3896	1/1	0.96	0.06	30,30,30,30	0
54	MG	2A	3604	1/1	0.96	0.06	21,21,21,21	0
54	MG	1A	3270	1/1	0.96	0.26	38,38,38,38	0
54	MG	1a	1807	1/1	0.96	0.17	65,65,65,65	0
54	MG	1A	3536	1/1	0.96	0.14	50,50,50,50	0
54	MG	1a	1631	1/1	0.96	0.09	41,41,41,41	0
54	MG	2A	3609	1/1	0.96	0.12	74,74,74,74	0
54	MG	2A	3113	1/1	0.96	0.08	56,56,56,56	0
54	MG	2A	3352	1/1	0.96	0.14	52,52,52,52	0
54	MG	1a	1632	1/1	0.96	0.06	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3115	1/1	0.96	0.06	44,44,44,44	0
54	MG	1A	4045	1/1	0.96	0.25	34,34,34,34	0
54	MG	1A	3630	1/1	0.96	0.09	44,44,44,44	0
54	MG	2A	3616	1/1	0.96	0.06	56,56,56,56	0
54	MG	2A	3359	1/1	0.96	0.09	66,66,66,66	0
54	MG	2A	3618	1/1	0.96	0.05	60,60,60,60	0
54	MG	1A	4047	1/1	0.96	0.06	58,58,58,58	0
54	MG	1A	3902	1/1	0.96	0.13	23,23,23,23	0
54	MG	2A	3363	1/1	0.96	0.06	62,62,62,62	0
54	MG	2A	3122	1/1	0.96	0.28	47,47,47,47	0
54	MG	1A	3138	1/1	0.96	0.04	29,29,29,29	0
54	MG	1a	1817	1/1	0.96	0.09	66,66,66,66	0
54	MG	1A	3752	1/1	0.96	0.08	45,45,45,45	0
54	MG	1a	1819	1/1	0.96	0.08	46,46,46,46	0
54	MG	1A	3753	1/1	0.96	0.07	40,40,40,40	0
54	MG	1A	3632	1/1	0.96	0.10	57,57,57,57	0
54	MG	1A	3045	1/1	0.96	0.21	39,39,39,39	0
54	MG	1A	3275	1/1	0.96	0.26	39,39,39,39	0
54	MG	1A	3759	1/1	0.96	0.06	32,32,32,32	0
54	MG	1B	203	1/1	0.96	0.05	38,38,38,38	0
54	MG	1a	1646	1/1	0.96	0.12	46,46,46,46	0
54	MG	2A	3378	1/1	0.96	0.08	43,43,43,43	0
54	MG	1a	1647	1/1	0.96	0.10	55,55,55,55	0
54	MG	2a	3063	1/1	0.96	0.15	57,57,57,57	0
54	MG	2A	3648	1/1	0.96	0.12	66,66,66,66	0
54	MG	1A	3047	1/1	0.96	0.12	34,34,34,34	0
54	MG	2A	3650	1/1	0.96	0.07	49,49,49,49	0
54	MG	2A	3652	1/1	0.96	0.07	49,49,49,49	0
54	MG	2A	3653	1/1	0.96	0.05	42,42,42,42	0
54	MG	2A	3140	1/1	0.96	0.08	40,40,40,40	0
54	MG	1A	3638	1/1	0.96	0.06	42,42,42,42	0
54	MG	1a	1650	1/1	0.96	0.09	41,41,41,41	0
54	MG	1A	3447	1/1	0.96	0.08	51,51,51,51	0
54	MG	2A	3659	1/1	0.96	0.07	36,36,36,36	0
54	MG	2A	3385	1/1	0.96	0.04	29,29,29,29	0
54	MG	2A	3662	1/1	0.96	0.09	58,58,58,58	0
54	MG	1A	3641	1/1	0.96	0.13	57,57,57,57	0
54	MG	1A	3277	1/1	0.96	0.12	51,51,51,51	0
54	MG	1A	3922	1/1	0.96	0.10	40,40,40,40	0
54	MG	2A	3672	1/1	0.96	0.07	45,45,45,45	0
54	MG	2A	3673	1/1	0.96	0.05	34,34,34,34	0
54	MG	1A	3449	1/1	0.96	0.07	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3085	1/1	0.96	0.09	64,64,64,64	0
54	MG	2A	3392	1/1	0.96	0.08	29,29,29,29	0
54	MG	1A	3768	1/1	0.96	0.09	39,39,39,39	0
54	MG	2a	3088	1/1	0.96	0.07	41,41,41,41	0
54	MG	1A	3143	1/1	0.96	0.13	32,32,32,32	0
54	MG	1A	3547	1/1	0.96	0.08	48,48,48,48	0
54	MG	1A	3089	1/1	0.96	0.16	24,24,24,24	0
54	MG	2A	3156	1/1	0.96	0.29	47,47,47,47	0
54	MG	2a	3093	1/1	0.96	0.07	57,57,57,57	0
54	MG	2a	3095	1/1	0.96	0.14	50,50,50,50	0
54	MG	1A	3365	1/1	0.96	0.11	47,47,47,47	0
54	MG	1A	3774	1/1	0.96	0.08	31,31,31,31	0
54	MG	1A	3457	1/1	0.96	0.07	47,47,47,47	0
54	MG	1a	1853	1/1	0.96	0.10	58,58,58,58	0
54	MG	1A	3933	1/1	0.96	0.05	41,41,41,41	0
54	MG	2A	3405	1/1	0.96	0.10	56,56,56,56	0
54	MG	1a	1855	1/1	0.96	0.08	79,79,79,79	0
54	MG	1A	3776	1/1	0.96	0.07	26,26,26,26	0
54	MG	1A	3007	1/1	0.96	0.05	32,32,32,32	0
54	MG	2a	3105	1/1	0.96	0.14	52,52,52,52	0
54	MG	1A	3459	1/1	0.96	0.06	14,14,14,14	0
54	MG	1a	1861	1/1	0.96	0.11	61,61,61,61	0
54	MG	1A	3461	1/1	0.96	0.05	19,19,19,19	0
54	MG	1A	3198	1/1	0.96	0.13	44,44,44,44	0
54	MG	2A	3696	1/1	0.96	0.11	47,47,47,47	0
54	MG	1A	3557	1/1	0.96	0.10	35,35,35,35	0
54	MG	1A	3658	1/1	0.96	0.07	31,31,31,31	0
54	MG	2A	3699	1/1	0.96	0.06	43,43,43,43	0
54	MG	2A	3175	1/1	0.96	0.11	51,51,51,51	0
54	MG	1A	3199	1/1	0.96	0.25	46,46,46,46	0
54	MG	1A	3201	1/1	0.96	0.13	39,39,39,39	0
54	MG	1A	3049	1/1	0.96	0.17	30,30,30,30	0
54	MG	1D	305	1/1	0.96	0.12	38,38,38,38	0
54	MG	1A	3945	1/1	0.96	0.07	56,56,56,56	0
54	MG	1a	1678	1/1	0.96	0.18	64,64,64,64	0
54	MG	1D	310	1/1	0.96	0.19	31,31,31,31	0
54	MG	1A	3015	1/1	0.96	0.20	31,31,31,31	0
54	MG	1D	312	1/1	0.96	0.14	53,53,53,53	0
54	MG	1a	1682	1/1	0.96	0.17	60,60,60,60	0
54	MG	1d	304	1/1	0.96	0.11	80,80,80,80	0
54	MG	1a	1683	1/1	0.96	0.07	53,53,53,53	0
54	MG	2a	3131	1/1	0.96	0.07	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3190	1/1	0.96	0.20	61,61,61,61	0
54	MG	2a	3136	1/1	0.96	0.06	68,68,68,68	0
54	MG	2A	3432	1/1	0.96	0.07	54,54,54,54	0
54	MG	2A	3191	1/1	0.96	0.10	49,49,49,49	0
54	MG	1A	3563	1/1	0.96	0.09	35,35,35,35	0
54	MG	2a	3142	1/1	0.96	0.06	71,71,71,71	0
54	MG	1A	3054	1/1	0.96	0.16	52,52,52,52	0
54	MG	1A	3152	1/1	0.96	0.37	36,36,36,36	0
54	MG	2A	3196	1/1	0.96	0.19	64,64,64,64	0
54	MG	1A	3154	1/1	0.96	0.15	27,27,27,27	0
54	MG	1E	305	1/1	0.96	0.08	43,43,43,43	0
54	MG	2a	3148	1/1	0.96	0.07	59,59,59,59	0
54	MG	2a	3149	1/1	0.96	0.07	35,35,35,35	0
54	MG	1A	3024	1/1	0.96	0.32	37,37,37,37	0
54	MG	1A	3670	1/1	0.96	0.07	44,44,44,44	0
54	MG	1A	3798	1/1	0.96	0.07	36,36,36,36	0
54	MG	2A	3728	1/1	0.96	0.08	48,48,48,48	0
54	MG	1l	201	1/1	0.96	0.08	49,49,49,49	0
54	MG	1F	302	1/1	0.96	0.15	29,29,29,29	0
54	MG	1F	305	1/1	0.96	0.13	33,33,33,33	0
54	MG	1A	3955	1/1	0.96	0.06	39,39,39,39	0
54	MG	1F	309	1/1	0.96	0.08	28,28,28,28	0
54	MG	1A	3957	1/1	0.96	0.05	27,27,27,27	0
54	MG	1A	3799	1/1	0.96	0.16	29,29,29,29	0
54	MG	1A	3474	1/1	0.96	0.05	30,30,30,30	0
54	MG	2A	3213	1/1	0.96	0.07	61,61,61,61	0
54	MG	2A	3740	1/1	0.96	0.10	51,51,51,51	0
54	MG	1F	313	1/1	0.96	0.20	46,46,46,46	0
54	MG	1A	3673	1/1	0.96	0.15	37,37,37,37	0
54	MG	1A	3803	1/1	0.96	0.09	54,54,54,54	0
54	MG	1A	3962	1/1	0.96	0.15	48,48,48,48	0
54	MG	1A	3157	1/1	0.96	0.09	34,34,34,34	0
54	MG	1A	3476	1/1	0.96	0.05	34,34,34,34	0
54	MG	1A	3214	1/1	0.96	0.13	24,24,24,24	0
54	MG	1A	3679	1/1	0.96	0.12	47,47,47,47	0
54	MG	1A	3971	1/1	0.96	0.05	46,46,46,46	0
54	MG	1A	3809	1/1	0.96	0.13	37,37,37,37	0
54	MG	1A	3215	1/1	0.96	0.08	40,40,40,40	0
54	MG	2a	3185	1/1	0.96	0.06	60,60,60,60	0
54	MG	1N	3304	1/1	0.96	0.09	56,56,56,56	0
54	MG	2A	3226	1/1	0.96	0.07	59,59,59,59	0
54	MG	1A	3811	1/1	0.96	0.16	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1P	201	1/1	0.96	0.21	27,27,27,27	0
54	MG	1A	3812	1/1	0.96	0.12	55,55,55,55	0
54	MG	1A	3033	1/1	0.96	0.06	34,34,34,34	0
54	MG	1A	3108	1/1	0.96	0.13	28,28,28,28	0
54	MG	2A	3474	1/1	0.96	0.06	51,51,51,51	0
54	MG	1A	3016	1/1	0.96	0.07	19,19,19,19	0
54	MG	1A	3817	1/1	0.96	0.07	37,37,37,37	0
54	MG	1Q	207	1/1	0.96	0.07	41,41,41,41	0
54	MG	1R	205	1/1	0.96	0.06	34,34,34,34	0
54	MG	2A	3236	1/1	0.96	0.53	40,40,40,40	0
54	MG	1A	3111	1/1	0.96	0.08	43,43,43,43	0
54	MG	1A	3306	1/1	0.96	0.06	17,17,17,17	0
54	MG	1A	3689	1/1	0.96	0.14	34,34,34,34	0
54	MG	1A	3225	1/1	0.96	0.25	29,29,29,29	0
54	MG	1A	3984	1/1	0.96	0.06	41,41,41,41	0
54	MG	1A	3492	1/1	0.96	0.07	46,46,46,46	0
54	MG	1A	3114	1/1	0.96	0.07	19,19,19,19	0
54	MG	2A	3491	1/1	0.96	0.06	58,58,58,58	0
54	MG	1U	201	1/1	0.96	0.13	20,20,20,20	0
54	MG	1A	3494	1/1	0.96	0.08	18,18,18,18	0
54	MG	1U	206	1/1	0.96	0.37	40,40,40,40	0
57	MPD	18	103	8/8	0.96	0.11	28,32,35,37	0
54	MG	2A	3247	1/1	0.96	0.17	48,48,48,48	0
54	MG	1U	207	1/1	0.96	0.16	37,37,37,37	0
54	MG	1A	3829	1/1	0.96	0.06	43,43,43,43	0
54	MG	1A	3227	1/1	0.96	0.51	37,37,37,37	0
54	MG	1A	3229	1/1	0.96	0.23	33,33,33,33	0
54	MG	1A	3116	1/1	0.96	0.07	34,34,34,34	0
54	MG	1W	202	1/1	0.96	0.15	28,28,28,28	0
54	MG	1W	203	1/1	0.96	0.09	35,35,35,35	0
54	MG	17	104	1/1	0.97	0.17	46,46,46,46	0
54	MG	1A	3888	1/1	0.97	0.04	29,29,29,29	0
54	MG	1A	3321	1/1	0.97	0.05	27,27,27,27	0
54	MG	1A	3248	1/1	0.97	0.09	51,51,51,51	0
54	MG	1A	3412	1/1	0.97	0.05	22,22,22,22	0
54	MG	2A	3060	1/1	0.97	0.11	32,32,32,32	0
54	MG	1A	3518	1/1	0.97	0.10	51,51,51,51	0
54	MG	1A	3145	1/1	0.97	0.05	33,33,33,33	0
54	MG	2D	305	1/1	0.97	0.12	33,33,33,33	0
54	MG	1A	4037	1/1	0.97	0.09	32,32,32,32	0
54	MG	1A	3005	1/1	0.97	0.04	18,18,18,18	0
54	MG	2A	3065	1/1	0.97	0.12	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3520	1/1	0.97	0.12	40,40,40,40	0
54	MG	1A	3417	1/1	0.97	0.07	36,36,36,36	0
54	MG	2A	3067	1/1	0.97	0.12	36,36,36,36	0
54	MG	2A	3283	1/1	0.97	0.04	34,34,34,34	0
54	MG	2E	307	1/1	0.97	0.05	24,24,24,24	0
54	MG	1A	3252	1/1	0.97	0.20	33,33,33,33	0
54	MG	1A	3113	1/1	0.97	0.26	32,32,32,32	0
54	MG	1A	3626	1/1	0.97	0.09	35,35,35,35	0
54	MG	1A	3254	1/1	0.97	0.10	34,34,34,34	0
54	MG	1A	3525	1/1	0.97	0.06	31,31,31,31	0
54	MG	1A	3055	1/1	0.97	0.07	20,20,20,20	0
54	MG	2A	3532	1/1	0.97	0.05	73,73,73,73	0
54	MG	1A	3149	1/1	0.97	0.15	34,34,34,34	0
54	MG	1A	3758	1/1	0.97	0.05	31,31,31,31	0
54	MG	1A	3150	1/1	0.97	0.10	51,51,51,51	0
54	MG	1A	3912	1/1	0.97	0.05	51,51,51,51	0
54	MG	1A	3913	1/1	0.97	0.13	40,40,40,40	0
54	MG	1A	3914	1/1	0.97	0.04	47,47,47,47	0
54	MG	1a	1788	1/1	0.97	0.07	64,64,64,64	0
54	MG	2A	3297	1/1	0.97	0.08	37,37,37,37	0
54	MG	2Q	201	1/1	0.97	0.06	47,47,47,47	0
54	MG	2A	3542	1/1	0.97	0.06	58,58,58,58	0
54	MG	2A	3082	1/1	0.97	0.19	35,35,35,35	0
54	MG	1A	3334	1/1	0.97	0.04	22,22,22,22	0
54	MG	1A	3195	1/1	0.97	0.06	35,35,35,35	0
54	MG	2A	3548	1/1	0.97	0.05	50,50,50,50	0
54	MG	1A	3634	1/1	0.97	0.08	26,26,26,26	0
54	MG	1a	1792	1/1	0.97	0.12	46,46,46,46	0
54	MG	2A	3552	1/1	0.97	0.08	60,60,60,60	0
54	MG	2V	204	1/1	0.97	0.08	54,54,54,54	0
54	MG	1A	3029	1/1	0.97	0.07	32,32,32,32	0
54	MG	2A	3304	1/1	0.97	0.07	31,31,31,31	0
54	MG	1A	3078	1/1	0.97	0.14	33,33,33,33	0
54	MG	1A	3020	1/1	0.97	0.26	33,33,33,33	0
54	MG	2A	3090	1/1	0.97	0.04	43,43,43,43	0
54	MG	2A	3309	1/1	0.97	0.06	34,34,34,34	0
54	MG	1A	3080	1/1	0.97	0.41	34,34,34,34	0
54	MG	1A	3342	1/1	0.97	0.06	20,20,20,20	0
54	MG	1a	1801	1/1	0.97	0.05	67,67,67,67	0
54	MG	2A	3313	1/1	0.97	0.09	41,41,41,41	0
54	MG	2A	3566	1/1	0.97	0.13	64,64,64,64	0
54	MG	2A	3314	1/1	0.97	0.11	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3568	1/1	0.97	0.05	41,41,41,41	0
54	MG	1A	3434	1/1	0.97	0.05	37,37,37,37	0
54	MG	1a	1628	1/1	0.97	0.05	42,42,42,42	0
54	MG	1A	3267	1/1	0.97	0.16	47,47,47,47	0
54	MG	2A	3320	1/1	0.97	0.05	45,45,45,45	0
54	MG	2A	3321	1/1	0.97	0.04	29,29,29,29	0
54	MG	2A	3097	1/1	0.97	0.16	47,47,47,47	0
54	MG	2A	3323	1/1	0.97	0.07	43,43,43,43	0
54	MG	1A	3081	1/1	0.97	0.16	32,32,32,32	0
54	MG	1A	3439	1/1	0.97	0.06	39,39,39,39	0
54	MG	1A	3001	1/1	0.97	0.04	32,32,32,32	0
54	MG	1A	3347	1/1	0.97	0.04	34,34,34,34	0
54	MG	2A	3584	1/1	0.97	0.05	60,60,60,60	0
54	MG	2A	3585	1/1	0.97	0.08	62,62,62,62	0
54	MG	1B	214	1/1	0.97	0.13	48,48,48,48	0
54	MG	1A	3930	1/1	0.97	0.05	19,19,19,19	0
54	MG	1A	3543	1/1	0.97	0.08	49,49,49,49	0
54	MG	1A	3650	1/1	0.97	0.05	41,41,41,41	0
54	MG	1A	3203	1/1	0.97	0.17	36,36,36,36	0
54	MG	2A	3109	1/1	0.97	0.05	37,37,37,37	0
54	MG	1A	3204	1/1	0.97	0.36	45,45,45,45	0
54	MG	1a	1640	1/1	0.97	0.15	56,56,56,56	0
54	MG	1A	3160	1/1	0.97	0.05	27,27,27,27	0
54	MG	1A	3654	1/1	0.97	0.05	44,44,44,44	0
54	MG	2A	3600	1/1	0.97	0.08	70,70,70,70	0
54	MG	1A	3784	1/1	0.97	0.05	82,82,82,82	0
54	MG	1A	3352	1/1	0.97	0.05	30,30,30,30	0
54	MG	1A	3022	1/1	0.97	0.18	25,25,25,25	0
54	MG	1A	3162	1/1	0.97	0.23	27,27,27,27	0
54	MG	1A	3551	1/1	0.97	0.20	35,35,35,35	0
54	MG	2A	3119	1/1	0.97	0.10	38,38,38,38	0
54	MG	1A	3209	1/1	0.97	0.13	41,41,41,41	0
54	MG	1A	3210	1/1	0.97	0.20	31,31,31,31	0
54	MG	1a	1826	1/1	0.97	0.10	50,50,50,50	0
54	MG	1A	3064	1/1	0.97	0.17	35,35,35,35	0
54	MG	2A	3354	1/1	0.97	0.09	52,52,52,52	0
54	MG	1a	1651	1/1	0.97	0.15	49,49,49,49	0
54	MG	1D	301	1/1	0.97	0.07	46,46,46,46	0
54	MG	1A	3793	1/1	0.97	0.08	42,42,42,42	0
54	MG	2A	3358	1/1	0.97	0.04	31,31,31,31	0
54	MG	1D	304	1/1	0.97	0.06	37,37,37,37	0
54	MG	1A	3091	1/1	0.97	0.11	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3361	1/1	0.97	0.06	46,46,46,46	0
54	MG	1a	1835	1/1	0.97	0.06	72,72,72,72	0
54	MG	1D	308	1/1	0.97	0.13	31,31,31,31	0
54	MG	1A	3456	1/1	0.97	0.08	55,55,55,55	0
54	MG	2A	3365	1/1	0.97	0.05	60,60,60,60	0
54	MG	2A	3366	1/1	0.97	0.06	40,40,40,40	0
54	MG	1A	3125	1/1	0.97	0.09	40,40,40,40	0
54	MG	1A	3362	1/1	0.97	0.06	25,25,25,25	0
54	MG	1A	3952	1/1	0.97	0.11	46,46,46,46	0
54	MG	2A	3629	1/1	0.97	0.06	68,68,68,68	0
54	MG	2A	3137	1/1	0.97	0.15	46,46,46,46	0
54	MG	1A	3008	1/1	0.97	0.05	38,38,38,38	0
54	MG	1A	3068	1/1	0.97	0.29	23,23,23,23	0
54	MG	2A	3635	1/1	0.97	0.06	64,64,64,64	0
54	MG	2A	3636	1/1	0.97	0.07	80,80,80,80	0
54	MG	2A	3641	1/1	0.97	0.07	46,46,46,46	0
54	MG	1A	3216	1/1	0.97	0.21	40,40,40,40	0
54	MG	1E	301	1/1	0.97	0.11	28,28,28,28	0
54	MG	2A	3145	1/1	0.97	0.10	49,49,49,49	0
54	MG	1A	3956	1/1	0.97	0.22	38,38,38,38	0
54	MG	2A	3147	1/1	0.97	0.07	56,56,56,56	0
54	MG	1A	3169	1/1	0.97	0.15	27,27,27,27	0
54	MG	1A	3170	1/1	0.97	0.22	29,29,29,29	0
54	MG	1A	3291	1/1	0.97	0.12	33,33,33,33	0
54	MG	2a	3069	1/1	0.97	0.21	44,44,44,44	0
54	MG	2A	3651	1/1	0.97	0.09	48,48,48,48	0
54	MG	1E	309	1/1	0.97	0.05	24,24,24,24	0
54	MG	1A	3219	1/1	0.97	0.07	35,35,35,35	0
54	MG	1F	301	1/1	0.97	0.09	26,26,26,26	0
54	MG	1A	3678	1/1	0.97	0.07	29,29,29,29	0
54	MG	2A	3155	1/1	0.97	0.07	72,72,72,72	0
54	MG	1a	1859	1/1	0.97	0.08	66,66,66,66	0
54	MG	2A	3157	1/1	0.97	0.11	46,46,46,46	0
54	MG	2A	3158	1/1	0.97	0.24	47,47,47,47	0
54	MG	2A	3661	1/1	0.97	0.07	64,64,64,64	0
54	MG	1A	3568	1/1	0.97	0.07	42,42,42,42	0
54	MG	1a	1862	1/1	0.97	0.07	26,26,26,26	0
54	MG	1A	3468	1/1	0.97	0.08	25,25,25,25	0
54	MG	2A	3666	1/1	0.97	0.08	61,61,61,61	0
54	MG	1A	3681	1/1	0.97	0.10	46,46,46,46	0
54	MG	1A	3967	1/1	0.97	0.09	47,47,47,47	0
54	MG	2A	3396	1/1	0.97	0.06	36,36,36,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3371	1/1	0.97	0.08	16,16,16,16	0
54	MG	1A	3220	1/1	0.97	0.26	27,27,27,27	0
54	MG	1A	3684	1/1	0.97	0.13	42,42,42,42	0
54	MG	1A	3572	1/1	0.97	0.06	30,30,30,30	0
54	MG	1A	3294	1/1	0.97	0.10	55,55,55,55	0
54	MG	2A	3169	1/1	0.97	0.06	38,38,38,38	0
54	MG	1A	3134	1/1	0.97	0.10	38,38,38,38	0
54	MG	1A	3018	1/1	0.97	0.35	27,27,27,27	0
54	MG	1A	3378	1/1	0.97	0.06	19,19,19,19	0
54	MG	2A	3173	1/1	0.97	0.05	46,46,46,46	0
54	MG	1G	203	1/1	0.97	0.10	57,57,57,57	0
54	MG	1G	204	1/1	0.97	0.08	50,50,50,50	0
54	MG	2A	3176	1/1	0.97	0.06	59,59,59,59	0
54	MG	1A	3379	1/1	0.97	0.07	21,21,21,21	0
54	MG	2A	3412	1/1	0.97	0.05	26,26,26,26	0
54	MG	1A	3175	1/1	0.97	0.14	33,33,33,33	0
54	MG	1A	3579	1/1	0.97	0.04	32,32,32,32	0
54	MG	2A	3180	1/1	0.97	0.21	45,45,45,45	0
54	MG	1A	3051	1/1	0.97	0.15	39,39,39,39	0
54	MG	1a	1693	1/1	0.97	0.09	56,56,56,56	0
54	MG	1a	1694	1/1	0.97	0.11	46,46,46,46	0
54	MG	1A	3696	1/1	0.97	0.07	41,41,41,41	0
54	MG	1A	3100	1/1	0.97	0.14	23,23,23,23	0
54	MG	1A	3301	1/1	0.97	0.19	40,40,40,40	0
54	MG	1A	3140	1/1	0.97	0.07	27,27,27,27	0
54	MG	1A	3584	1/1	0.97	0.24	33,33,33,33	0
54	MG	2A	3424	1/1	0.97	0.04	41,41,41,41	0
54	MG	1A	3230	1/1	0.97	0.20	31,31,31,31	0
54	MG	2A	3704	1/1	0.97	0.09	62,62,62,62	0
54	MG	1A	3987	1/1	0.97	0.13	37,37,37,37	0
54	MG	1m	201	1/1	0.97	0.05	66,66,66,66	0
54	MG	1A	3391	1/1	0.97	0.06	23,23,23,23	0
54	MG	1A	3487	1/1	0.97	0.06	47,47,47,47	0
54	MG	1Q	202	1/1	0.97	0.14	34,34,34,34	0
54	MG	2A	3195	1/1	0.97	0.13	44,44,44,44	0
54	MG	1Q	204	1/1	0.97	0.04	28,28,28,28	0
54	MG	1Q	205	1/1	0.97	0.13	43,43,43,43	0
54	MG	2A	3198	1/1	0.97	0.13	32,32,32,32	0
54	MG	2a	3132	1/1	0.97	0.07	57,57,57,57	0
54	MG	1a	1710	1/1	0.97	0.04	37,37,37,37	0
54	MG	1A	3839	1/1	0.97	0.21	39,39,39,39	0
54	MG	1Q	208	1/1	0.97	0.07	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1R	201	1/1	0.97	0.18	29,29,29,29	0
54	MG	1R	202	1/1	0.97	0.14	40,40,40,40	0
54	MG	1R	203	1/1	0.97	0.29	29,29,29,29	0
54	MG	2A	3721	1/1	0.97	0.05	45,45,45,45	0
54	MG	1A	3488	1/1	0.97	0.06	41,41,41,41	0
54	MG	1A	3231	1/1	0.97	0.11	23,23,23,23	0
54	MG	1A	3843	1/1	0.97	0.19	29,29,29,29	0
54	MG	1A	3491	1/1	0.97	0.10	60,60,60,60	0
54	MG	1A	3393	1/1	0.97	0.05	14,14,14,14	0
54	MG	2A	3211	1/1	0.97	0.14	45,45,45,45	0
54	MG	2A	3001	1/1	0.97	0.23	59,59,59,59	0
54	MG	1A	3711	1/1	0.97	0.08	72,72,72,72	0
54	MG	2A	3730	1/1	0.97	0.15	54,54,54,54	0
54	MG	1A	3052	1/1	0.97	0.10	27,27,27,27	0
54	MG	2a	3154	1/1	0.97	0.05	52,52,52,52	0
54	MG	2A	3004	1/1	0.97	0.04	32,32,32,32	0
54	MG	1A	3849	1/1	0.97	0.11	42,42,42,42	0
54	MG	2A	3006	1/1	0.97	0.14	39,39,39,39	0
54	MG	2a	3159	1/1	0.97	0.05	61,61,61,61	0
54	MG	1A	3850	1/1	0.97	0.06	41,41,41,41	0
54	MG	2A	3009	1/1	0.97	0.09	32,32,32,32	0
54	MG	1A	3713	1/1	0.97	0.09	39,39,39,39	0
54	MG	1A	3072	1/1	0.97	0.08	37,37,37,37	0
54	MG	2A	3739	1/1	0.97	0.13	63,63,63,63	0
54	MG	2a	3168	1/1	0.97	0.08	60,60,60,60	0
54	MG	1A	3396	1/1	0.97	0.06	22,22,22,22	0
54	MG	1A	3854	1/1	0.97	0.06	34,34,34,34	0
54	MG	2A	3461	1/1	0.97	0.08	62,62,62,62	0
54	MG	2a	3172	1/1	0.97	0.08	49,49,49,49	0
54	MG	1V	204	1/1	0.97	0.09	48,48,48,48	0
54	MG	1A	3027	1/1	0.97	0.17	27,27,27,27	0
54	MG	1A	3239	1/1	0.97	0.20	34,34,34,34	0
54	MG	1A	3718	1/1	0.97	0.07	36,36,36,36	0
54	MG	1A	3240	1/1	0.97	0.15	50,50,50,50	0
54	MG	1A	3859	1/1	0.97	0.07	36,36,36,36	0
54	MG	1X	101	1/1	0.97	0.08	61,61,61,61	0
54	MG	2A	3750	1/1	0.97	0.09	58,58,58,58	0
54	MG	2a	3182	1/1	0.97	0.10	49,49,49,49	0
54	MG	1X	102	1/1	0.97	0.08	26,26,26,26	0
54	MG	1X	103	1/1	0.97	0.11	38,38,38,38	0
54	MG	2A	3026	1/1	0.97	0.21	48,48,48,48	0
54	MG	2A	3027	1/1	0.97	0.07	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3184	1/1	0.97	0.11	30,30,30,30	0
54	MG	1A	3242	1/1	0.97	0.06	34,34,34,34	0
54	MG	1A	3186	1/1	0.97	0.23	53,53,53,53	0
54	MG	1A	3725	1/1	0.97	0.05	25,25,25,25	0
54	MG	2A	3480	1/1	0.97	0.09	64,64,64,64	0
54	MG	2A	3032	1/1	0.97	0.14	47,47,47,47	0
54	MG	1A	3726	1/1	0.97	0.09	48,48,48,48	0
54	MG	1A	3603	1/1	0.97	0.19	24,24,24,24	0
54	MG	1A	3870	1/1	0.97	0.05	45,45,45,45	0
54	MG	10	105	1/1	0.97	0.05	35,35,35,35	0
54	MG	1A	3246	1/1	0.97	0.20	43,43,43,43	0
54	MG	2A	3766	1/1	0.97	0.07	73,73,73,73	0
54	MG	1A	3605	1/1	0.97	0.09	43,43,43,43	0
54	MG	2A	3768	1/1	0.97	0.13	54,54,54,54	0
54	MG	1A	3315	1/1	0.97	0.06	31,31,31,31	0
54	MG	1A	4019	1/1	0.97	0.07	40,40,40,40	0
54	MG	1A	3607	1/1	0.97	0.04	19,19,19,19	0
54	MG	1A	3506	1/1	0.97	0.10	14,14,14,14	0
54	MG	1A	4023	1/1	0.97	0.06	50,50,50,50	0
55	MUL	1A	4054	34/34	0.97	0.08	19,25,44,59	0
54	MG	2A	3252	1/1	0.97	0.24	48,48,48,48	0
54	MG	2A	3253	1/1	0.97	0.08	42,42,42,42	0
54	MG	1A	3406	1/1	0.97	0.08	26,26,26,26	0
54	MG	1A	3074	1/1	0.97	0.14	33,33,33,33	0
54	MG	1A	3735	1/1	0.97	0.14	41,41,41,41	0
54	MG	2A	3259	1/1	0.97	0.15	37,37,37,37	0
54	MG	1A	3318	1/1	0.97	0.03	20,20,20,20	0
54	MG	1A	4028	1/1	0.97	0.07	55,55,55,55	0
54	MG	1A	3737	1/1	0.97	0.07	34,34,34,34	0
54	MG	1A	3319	1/1	0.97	0.11	10,10,10,10	0
54	MG	17	102	1/1	0.97	0.07	25,25,25,25	0
54	MG	2A	3507	1/1	0.97	0.15	40,40,40,40	0
54	MG	17	103	1/1	0.97	0.21	37,37,37,37	0
54	MG	1a	1699	1/1	0.98	0.05	33,33,33,33	0
54	MG	1A	3615	1/1	0.98	0.06	27,27,27,27	0
54	MG	2A	3104	1/1	0.98	0.10	24,24,24,24	0
54	MG	1a	1701	1/1	0.98	0.04	48,48,48,48	0
54	MG	2A	3655	1/1	0.98	0.05	42,42,42,42	0
54	MG	1A	3931	1/1	0.98	0.06	35,35,35,35	0
54	MG	1A	3129	1/1	0.98	0.14	35,35,35,35	0
54	MG	1A	3807	1/1	0.98	0.08	21,21,21,21	0
54	MG	1A	3707	1/1	0.98	0.04	13,13,13,13	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3167	1/1	0.98	0.09	28,28,28,28	0
54	MG	1a	1860	1/1	0.98	0.05	62,62,62,62	0
54	MG	2A	3278	1/1	0.98	0.04	34,34,34,34	0
54	MG	1A	3130	1/1	0.98	0.19	27,27,27,27	0
54	MG	1A	3619	1/1	0.98	0.05	33,33,33,33	0
54	MG	2A	3665	1/1	0.98	0.05	62,62,62,62	0
54	MG	10	101	1/1	0.98	0.06	40,40,40,40	0
54	MG	2A	3667	1/1	0.98	0.06	58,58,58,58	0
54	MG	2A	3669	1/1	0.98	0.07	59,59,59,59	0
54	MG	1A	3131	1/1	0.98	0.20	30,30,30,30	0
54	MG	2A	3671	1/1	0.98	0.04	63,63,63,63	0
54	MG	1A	3098	1/1	0.98	0.12	32,32,32,32	0
54	MG	1A	3326	1/1	0.98	0.08	26,26,26,26	0
54	MG	1A	3815	1/1	0.98	0.08	23,23,23,23	0
54	MG	1A	3466	1/1	0.98	0.05	41,41,41,41	0
54	MG	1A	3035	1/1	0.98	0.07	38,38,38,38	0
54	MG	2A	3121	1/1	0.98	0.30	39,39,39,39	0
54	MG	1A	3172	1/1	0.98	0.15	33,33,33,33	0
54	MG	1A	3173	1/1	0.98	0.05	48,48,48,48	0
54	MG	1A	3719	1/1	0.98	0.20	34,34,34,34	0
54	MG	1A	3822	1/1	0.98	0.05	42,42,42,42	0
54	MG	1A	3546	1/1	0.98	0.03	54,54,54,54	0
54	MG	1A	3274	1/1	0.98	0.11	30,30,30,30	0
54	MG	2A	3477	1/1	0.98	0.06	34,34,34,34	0
54	MG	13	104	1/1	0.98	0.05	38,38,38,38	0
54	MG	2A	3129	1/1	0.98	0.05	35,35,35,35	0
54	MG	1A	3471	1/1	0.98	0.09	59,59,59,59	0
54	MG	1A	3044	1/1	0.98	0.03	25,25,25,25	0
54	MG	1A	3101	1/1	0.98	0.26	26,26,26,26	0
54	MG	1A	3335	1/1	0.98	0.06	29,29,29,29	0
54	MG	15	104	1/1	0.98	0.07	40,40,40,40	0
54	MG	2A	3693	1/1	0.98	0.11	30,30,30,30	0
54	MG	1A	3176	1/1	0.98	0.12	29,29,29,29	0
54	MG	1a	1731	1/1	0.98	0.05	61,61,61,61	0
54	MG	2A	3305	1/1	0.98	0.03	44,44,44,44	0
54	MG	2a	3049	1/1	0.98	0.17	53,53,53,53	0
54	MG	1A	3553	1/1	0.98	0.06	32,32,32,32	0
54	MG	2A	3138	1/1	0.98	0.09	39,39,39,39	0
54	MG	2A	3139	1/1	0.98	0.04	32,32,32,32	0
54	MG	2A	3493	1/1	0.98	0.04	47,47,47,47	0
54	MG	1a	1733	1/1	0.98	0.05	52,52,52,52	0
54	MG	1A	3221	1/1	0.98	0.14	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1k	201	1/1	0.98	0.18	48,48,48,48	0
54	MG	1A	3477	1/1	0.98	0.05	18,18,18,18	0
54	MG	2A	3144	1/1	0.98	0.12	47,47,47,47	0
54	MG	1A	3637	1/1	0.98	0.08	33,33,33,33	0
54	MG	1A	3102	1/1	0.98	0.21	34,34,34,34	0
54	MG	1A	3137	1/1	0.98	0.14	20,20,20,20	0
54	MG	1A	3840	1/1	0.98	0.10	40,40,40,40	0
54	MG	1A	3640	1/1	0.98	0.06	46,46,46,46	0
54	MG	19	102	1/1	0.98	0.29	34,34,34,34	0
54	MG	2A	3712	1/1	0.98	0.07	67,67,67,67	0
54	MG	1A	3179	1/1	0.98	0.09	35,35,35,35	0
54	MG	1A	3481	1/1	0.98	0.04	13,13,13,13	0
54	MG	1A	3103	1/1	0.98	0.07	21,21,21,21	0
54	MG	1a	1603	1/1	0.98	0.14	44,44,44,44	0
54	MG	1A	3969	1/1	0.98	0.08	48,48,48,48	0
54	MG	1B	231	1/1	0.98	0.08	51,51,51,51	0
54	MG	1A	3285	1/1	0.98	0.15	27,27,27,27	0
54	MG	1A	3846	1/1	0.98	0.05	28,28,28,28	0
54	MG	1A	3006	1/1	0.98	0.06	24,24,24,24	0
54	MG	1A	3485	1/1	0.98	0.04	46,46,46,46	0
54	MG	1D	307	1/1	0.98	0.04	37,37,37,37	0
54	MG	1A	3228	1/1	0.98	0.18	28,28,28,28	0
54	MG	1A	3742	1/1	0.98	0.05	23,23,23,23	0
54	MG	1A	3743	1/1	0.98	0.06	39,39,39,39	0
54	MG	1A	3066	1/1	0.98	0.25	37,37,37,37	0
54	MG	1A	3414	1/1	0.98	0.06	31,31,31,31	0
54	MG	2A	3340	1/1	0.98	0.05	32,32,32,32	0
54	MG	1A	3106	1/1	0.98	0.20	26,26,26,26	0
54	MG	1A	3747	1/1	0.98	0.10	43,43,43,43	0
54	MG	2A	3007	1/1	0.98	0.08	47,47,47,47	0
54	MG	1A	3748	1/1	0.98	0.06	48,48,48,48	0
54	MG	1A	3290	1/1	0.98	0.12	39,39,39,39	0
54	MG	1E	302	1/1	0.98	0.24	32,32,32,32	0
54	MG	1A	3107	1/1	0.98	0.04	36,36,36,36	0
54	MG	2A	3349	1/1	0.98	0.05	34,34,34,34	0
54	MG	2A	3531	1/1	0.98	0.06	46,46,46,46	0
54	MG	2a	3094	1/1	0.98	0.05	49,49,49,49	0
54	MG	2A	3012	1/1	0.98	0.10	51,51,51,51	0
54	MG	1A	3185	1/1	0.98	0.16	35,35,35,35	0
54	MG	1A	3067	1/1	0.98	0.25	34,34,34,34	0
54	MG	1E	307	1/1	0.98	0.09	14,14,14,14	0
54	MG	1A	3354	1/1	0.98	0.04	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3018	1/1	0.98	0.31	41,41,41,41	0
54	MG	1A	3046	1/1	0.98	0.15	26,26,26,26	0
54	MG	1A	3082	1/1	0.98	0.21	31,31,31,31	0
54	MG	2A	3540	1/1	0.98	0.05	77,77,77,77	0
54	MG	1A	3423	1/1	0.98	0.05	13,13,13,13	0
54	MG	1A	3868	1/1	0.98	0.07	14,14,14,14	0
54	MG	1F	304	1/1	0.98	0.16	29,29,29,29	0
54	MG	1A	3500	1/1	0.98	0.08	18,18,18,18	0
54	MG	1F	306	1/1	0.98	0.08	24,24,24,24	0
54	MG	2a	3109	1/1	0.98	0.07	69,69,69,69	0
54	MG	1F	307	1/1	0.98	0.12	29,29,29,29	0
54	MG	2A	3549	1/1	0.98	0.06	56,56,56,56	0
54	MG	1A	3112	1/1	0.98	0.06	30,30,30,30	0
54	MG	1A	3358	1/1	0.98	0.07	24,24,24,24	0
54	MG	1A	3426	1/1	0.98	0.05	48,48,48,48	0
54	MG	1A	3083	1/1	0.98	0.34	36,36,36,36	0
54	MG	1A	3763	1/1	0.98	0.08	18,18,18,18	0
54	MG	1A	3666	1/1	0.98	0.09	59,59,59,59	0
54	MG	1A	3765	1/1	0.98	0.06	36,36,36,36	0
54	MG	2A	3557	1/1	0.98	0.07	65,65,65,65	0
54	MG	2A	3034	1/1	0.98	0.20	49,49,49,49	0
54	MG	1A	3298	1/1	0.98	0.10	17,17,17,17	0
54	MG	1F	316	1/1	0.98	0.05	38,38,38,38	0
54	MG	1A	3003	1/1	0.98	0.07	20,20,20,20	0
54	MG	1A	3244	1/1	0.98	0.22	25,25,25,25	0
54	MG	1A	3509	1/1	0.98	0.04	20,20,20,20	0
54	MG	1A	3881	1/1	0.98	0.09	40,40,40,40	0
54	MG	1A	3115	1/1	0.98	0.04	28,28,28,28	0
54	MG	2a	3129	1/1	0.98	0.04	57,57,57,57	0
54	MG	2a	3130	1/1	0.98	0.04	78,78,78,78	0
54	MG	1A	3886	1/1	0.98	0.06	45,45,45,45	0
54	MG	1A	3771	1/1	0.98	0.06	31,31,31,31	0
54	MG	1A	3085	1/1	0.98	0.14	32,32,32,32	0
54	MG	1a	1793	1/1	0.98	0.09	79,79,79,79	0
54	MG	2A	3572	1/1	0.98	0.09	40,40,40,40	0
54	MG	2a	3139	1/1	0.98	0.06	64,64,64,64	0
54	MG	1N	3301	1/1	0.98	0.15	44,44,44,44	0
54	MG	2A	3047	1/1	0.98	0.17	50,50,50,50	0
54	MG	2A	3209	1/1	0.98	0.06	47,47,47,47	0
54	MG	1A	3513	1/1	0.98	0.04	35,35,35,35	0
54	MG	2A	3389	1/1	0.98	0.04	51,51,51,51	0
54	MG	2A	3579	1/1	0.98	0.06	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3891	1/1	0.98	0.08	57,57,57,57	0
54	MG	1A	3086	1/1	0.98	0.07	35,35,35,35	0
54	MG	1O	201	1/1	0.98	0.03	39,39,39,39	0
54	MG	1A	3893	1/1	0.98	0.15	23,23,23,23	0
54	MG	1A	3366	1/1	0.98	0.08	43,43,43,43	0
54	MG	2A	3586	1/1	0.98	0.06	61,61,61,61	0
54	MG	1A	3153	1/1	0.98	0.05	28,28,28,28	0
54	MG	1P	203	1/1	0.98	0.19	26,26,26,26	0
54	MG	1A	3305	1/1	0.98	0.14	22,22,22,22	0
54	MG	1A	3778	1/1	0.98	0.06	31,31,31,31	0
54	MG	1P	206	1/1	0.98	0.04	36,36,36,36	0
54	MG	1a	1664	1/1	0.98	0.08	61,61,61,61	0
54	MG	2a	3158	1/1	0.98	0.05	65,65,65,65	0
54	MG	1A	3014	1/1	0.98	0.17	25,25,25,25	0
54	MG	1A	3025	1/1	0.98	0.36	29,29,29,29	0
54	MG	1A	3090	1/1	0.98	0.22	25,25,25,25	0
54	MG	2a	3162	1/1	0.98	0.04	78,78,78,78	0
54	MG	1A	3596	1/1	0.98	0.20	28,28,28,28	0
54	MG	2a	3164	1/1	0.98	0.10	53,53,53,53	0
54	MG	1A	3158	1/1	0.98	0.10	25,25,25,25	0
54	MG	1Q	206	1/1	0.98	0.06	40,40,40,40	0
54	MG	2a	3167	1/1	0.98	0.05	58,58,58,58	0
54	MG	1A	3907	1/1	0.98	0.05	46,46,46,46	0
54	MG	2E	301	1/1	0.98	0.04	54,54,54,54	0
54	MG	2E	302	1/1	0.98	0.20	37,37,37,37	0
54	MG	1A	3598	1/1	0.98	0.07	32,32,32,32	0
54	MG	1A	3058	1/1	0.98	0.13	32,32,32,32	0
54	MG	2E	306	1/1	0.98	0.12	52,52,52,52	0
54	MG	1A	3688	1/1	0.98	0.08	43,43,43,43	0
54	MG	1A	3374	1/1	0.98	0.06	28,28,28,28	0
54	MG	2F	301	1/1	0.98	0.10	33,33,33,33	0
54	MG	1A	3059	1/1	0.98	0.06	35,35,35,35	0
54	MG	1R	206	1/1	0.98	0.08	37,37,37,37	0
54	MG	2F	304	1/1	0.98	0.16	42,42,42,42	0
54	MG	1A	3061	1/1	0.98	0.07	30,30,30,30	0
54	MG	1A	3526	1/1	0.98	0.03	35,35,35,35	0
54	MG	1A	3791	1/1	0.98	0.11	56,56,56,56	0
54	MG	1A	3916	1/1	0.98	0.04	42,42,42,42	0
54	MG	1A	3096	1/1	0.98	0.14	36,36,36,36	0
54	MG	1A	3258	1/1	0.98	0.24	27,27,27,27	0
54	MG	1a	1829	1/1	0.98	0.08	54,54,54,54	0
54	MG	1A	3794	1/1	0.98	0.06	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1831	1/1	0.98	0.05	39,39,39,39	0
54	MG	1A	3451	1/1	0.98	0.06	32,32,32,32	0
54	MG	1U	202	1/1	0.98	0.39	25,25,25,25	0
54	MG	1a	1687	1/1	0.98	0.08	52,52,52,52	0
54	MG	1A	3050	1/1	0.98	0.17	30,30,30,30	0
54	MG	1a	1836	1/1	0.98	0.04	44,44,44,44	0
54	MG	1a	1837	1/1	0.98	0.05	64,64,64,64	0
54	MG	2A	3430	1/1	0.98	0.09	56,56,56,56	0
54	MG	2R	202	1/1	0.98	0.07	44,44,44,44	0
54	MG	1a	1838	1/1	0.98	0.06	56,56,56,56	0
54	MG	2A	3627	1/1	0.98	0.05	61,61,61,61	0
54	MG	2A	3251	1/1	0.98	0.05	34,34,34,34	0
54	MG	1U	204	1/1	0.98	0.26	28,28,28,28	0
54	MG	1A	3453	1/1	0.98	0.04	40,40,40,40	0
54	MG	2A	3631	1/1	0.98	0.05	60,60,60,60	0
54	MG	1A	3126	1/1	0.98	0.20	25,25,25,25	0
54	MG	2A	3255	1/1	0.98	0.10	21,21,21,21	0
54	MG	2A	3634	1/1	0.98	0.04	57,57,57,57	0
54	MG	2X	102	1/1	0.98	0.07	55,55,55,55	0
54	MG	1A	3611	1/1	0.98	0.07	39,39,39,39	0
54	MG	1A	3701	1/1	0.98	0.06	39,39,39,39	0
54	MG	1A	3127	1/1	0.98	0.17	27,27,27,27	0
54	MG	1A	3802	1/1	0.98	0.06	29,29,29,29	0
54	MG	2A	3261	1/1	0.98	0.04	67,67,67,67	0
54	MG	2A	3644	1/1	0.98	0.04	49,49,49,49	0
54	MG	1A	3262	1/1	0.98	0.27	27,27,27,27	0
54	MG	2A	3098	1/1	0.98	0.06	33,33,33,33	0
54	MG	2A	3444	1/1	0.98	0.04	27,27,27,27	0
54	MG	1A	3388	1/1	0.98	0.05	23,23,23,23	0
58	ZN	2Y	202	1/1	0.98	0.04	82,82,82,82	0
54	MG	1a	1849	1/1	0.98	0.05	33,33,33,33	0
54	MG	1a	1698	1/1	0.98	0.04	33,33,33,33	0
59	SF4	2d	501	8/8	0.98	0.05	61,68,83,86	0
54	MG	2a	3084	1/1	0.99	0.05	61,61,61,61	0
54	MG	2A	3546	1/1	0.99	0.03	49,49,49,49	0
54	MG	2E	303	1/1	0.99	0.03	43,43,43,43	0
54	MG	2A	3547	1/1	0.99	0.04	20,20,20,20	0
54	MG	1B	211	1/1	0.99	0.03	48,48,48,48	0
54	MG	1A	3200	1/1	0.99	0.21	31,31,31,31	0
54	MG	2A	3013	1/1	0.99	0.12	35,35,35,35	0
54	MG	1A	3904	1/1	0.99	0.04	13,13,13,13	0
54	MG	1A	3905	1/1	0.99	0.07	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3827	1/1	0.99	0.02	28,28,28,28	0
54	MG	1A	3349	1/1	0.99	0.09	13,13,13,13	0
54	MG	2A	3326	1/1	0.99	0.08	35,35,35,35	0
54	MG	1R	204	1/1	0.99	0.03	43,43,43,43	0
54	MG	1A	3236	1/1	0.99	0.21	29,29,29,29	0
54	MG	1A	3316	1/1	0.99	0.03	18,18,18,18	0
54	MG	1A	3642	1/1	0.99	0.19	36,36,36,36	0
54	MG	1A	3832	1/1	0.99	0.03	17,17,17,17	0
54	MG	1A	3435	1/1	0.99	0.03	19,19,19,19	0
54	MG	1B	222	1/1	0.99	0.03	44,44,44,44	0
54	MG	2A	3692	1/1	0.99	0.04	34,34,34,34	0
54	MG	2A	3564	1/1	0.99	0.03	55,55,55,55	0
54	MG	1A	3436	1/1	0.99	0.02	18,18,18,18	0
54	MG	1A	3835	1/1	0.99	0.07	45,45,45,45	0
54	MG	1A	3237	1/1	0.99	0.19	27,27,27,27	0
54	MG	1A	3060	1/1	0.99	0.03	35,35,35,35	0
54	MG	1A	3042	1/1	0.99	0.07	19,19,19,19	0
54	MG	2Q	203	1/1	0.99	0.03	47,47,47,47	0
54	MG	1A	3320	1/1	0.99	0.06	23,23,23,23	0
54	MG	1A	3263	1/1	0.99	0.35	28,28,28,28	0
54	MG	1U	205	1/1	0.99	0.26	26,26,26,26	0
54	MG	1a	1840	1/1	0.99	0.04	61,61,61,61	0
54	MG	1A	3710	1/1	0.99	0.03	33,33,33,33	0
54	MG	1A	3490	1/1	0.99	0.07	16,16,16,16	0
54	MG	2A	3576	1/1	0.99	0.03	60,60,60,60	0
54	MG	2V	202	1/1	0.99	0.04	57,57,57,57	0
54	MG	1V	201	1/1	0.99	0.17	21,21,21,21	0
54	MG	1V	202	1/1	0.99	0.15	25,25,25,25	0
54	MG	1A	3442	1/1	0.99	0.05	54,54,54,54	0
54	MG	2A	3350	1/1	0.99	0.03	40,40,40,40	0
54	MG	1D	302	1/1	0.99	0.11	30,30,30,30	0
54	MG	2a	3124	1/1	0.99	0.04	53,53,53,53	0
54	MG	2A	3582	1/1	0.99	0.05	27,27,27,27	0
54	MG	1A	3043	1/1	0.99	0.06	17,17,17,17	0
54	MG	1A	3398	1/1	0.99	0.03	35,35,35,35	0
54	MG	1A	3092	1/1	0.99	0.08	24,24,24,24	0
54	MG	1D	306	1/1	0.99	0.03	12,12,12,12	0
54	MG	1a	1851	1/1	0.99	0.05	57,57,57,57	0
54	MG	2A	3467	1/1	0.99	0.03	32,32,32,32	0
54	MG	1A	3495	1/1	0.99	0.02	12,12,12,12	0
54	MG	1A	3656	1/1	0.99	0.07	43,43,43,43	0
54	MG	2a	3134	1/1	0.99	0.04	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3135	1/1	0.99	0.03	51,51,51,51	0
54	MG	1A	3266	1/1	0.99	0.16	31,31,31,31	0
54	MG	2A	3593	1/1	0.99	0.03	48,48,48,48	0
54	MG	2a	3138	1/1	0.99	0.08	38,38,38,38	0
54	MG	1A	3205	1/1	0.99	0.11	28,28,28,28	0
54	MG	2A	3595	1/1	0.99	0.04	60,60,60,60	0
54	MG	1A	3243	1/1	0.99	0.16	33,33,33,33	0
54	MG	2A	3473	1/1	0.99	0.03	42,42,42,42	0
54	MG	1A	3721	1/1	0.99	0.03	39,39,39,39	0
54	MG	1A	3327	1/1	0.99	0.07	42,42,42,42	0
54	MG	1A	3093	1/1	0.99	0.09	13,13,13,13	0
54	MG	1A	3223	1/1	0.99	0.30	32,32,32,32	0
54	MG	1A	3330	1/1	0.99	0.07	48,48,48,48	0
54	MG	2A	3257	1/1	0.99	0.05	21,21,21,21	0
54	MG	1A	3936	1/1	0.99	0.11	61,61,61,61	0
54	MG	1E	303	1/1	0.99	0.21	32,32,32,32	0
54	MG	2A	3482	1/1	0.99	0.05	33,33,33,33	0
54	MG	1A	3608	1/1	0.99	0.05	26,26,26,26	0
54	MG	1A	3191	1/1	0.99	0.26	27,27,27,27	0
54	MG	1A	3454	1/1	0.99	0.08	22,22,22,22	0
54	MG	1A	3038	1/1	0.99	0.12	33,33,33,33	0
54	MG	1A	3273	1/1	0.99	0.08	20,20,20,20	0
54	MG	2a	3020	1/1	0.99	0.10	36,36,36,36	0
54	MG	1A	4022	1/1	0.99	0.12	37,37,37,37	0
54	MG	1A	3862	1/1	0.99	0.04	39,39,39,39	0
54	MG	13	101	1/1	0.99	0.19	27,27,27,27	0
54	MG	1A	3669	1/1	0.99	0.03	15,15,15,15	0
54	MG	1A	3139	1/1	0.99	0.07	22,22,22,22	0
54	MG	1F	303	1/1	0.99	0.27	29,29,29,29	0
54	MG	1A	3866	1/1	0.99	0.04	32,32,32,32	0
54	MG	2A	3272	1/1	0.99	0.05	48,48,48,48	0
54	MG	2A	3069	1/1	0.99	0.05	26,26,26,26	0
54	MG	1A	3671	1/1	0.99	0.09	38,38,38,38	0
54	MG	1A	3508	1/1	0.99	0.03	36,36,36,36	0
54	MG	1A	3012	1/1	0.99	0.04	28,28,28,28	0
54	MG	1A	3674	1/1	0.99	0.04	34,34,34,34	0
54	MG	2A	3388	1/1	0.99	0.05	22,22,22,22	0
54	MG	1A	3562	1/1	0.99	0.09	21,21,21,21	0
54	MG	2A	3279	1/1	0.99	0.07	45,45,45,45	0
54	MG	1A	3250	1/1	0.99	0.33	29,29,29,29	0
54	MG	1e	205	1/1	0.99	0.05	61,61,61,61	0
54	MG	1A	3460	1/1	0.99	0.04	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3512	1/1	0.99	0.06	21,21,21,21	0
54	MG	1A	3413	1/1	0.99	0.03	9,9,9,9	0
54	MG	1A	3128	1/1	0.99	0.10	33,33,33,33	0
54	MG	2a	3180	1/1	0.99	0.04	61,61,61,61	0
54	MG	1A	3023	1/1	0.99	0.10	20,20,20,20	0
54	MG	1A	3087	1/1	0.99	0.06	28,28,28,28	0
54	MG	2A	3637	1/1	0.99	0.04	50,50,50,50	0
54	MG	2A	3638	1/1	0.99	0.03	40,40,40,40	0
54	MG	2A	3639	1/1	0.99	0.05	36,36,36,36	0
54	MG	2A	3640	1/1	0.99	0.05	64,64,64,64	0
54	MG	1A	3034	1/1	0.99	0.04	31,31,31,31	0
54	MG	1A	3341	1/1	0.99	0.05	19,19,19,19	0
54	MG	2A	3401	1/1	0.99	0.05	48,48,48,48	0
54	MG	1A	3377	1/1	0.99	0.06	12,12,12,12	0
54	MG	1A	3882	1/1	0.99	0.03	25,25,25,25	0
54	MG	1A	3883	1/1	0.99	0.04	37,37,37,37	0
54	MG	1A	3963	1/1	0.99	0.05	18,18,18,18	0
54	MG	1A	3964	1/1	0.99	0.07	17,17,17,17	0
54	MG	1A	3884	1/1	0.99	0.05	34,34,34,34	0
54	MG	1A	3232	1/1	0.99	0.15	26,26,26,26	0
54	MG	1A	3282	1/1	0.99	0.07	20,20,20,20	0
54	MG	1A	3283	1/1	0.99	0.07	14,14,14,14	0
54	MG	1a	1799	1/1	0.99	0.05	80,80,80,80	0
54	MG	1A	3381	1/1	0.99	0.03	34,34,34,34	0
54	MG	2A	3527	1/1	0.99	0.07	38,38,38,38	0
54	MG	1A	3690	1/1	0.99	0.03	29,29,29,29	0
54	MG	1A	3382	1/1	0.99	0.02	14,14,14,14	0
54	MG	1A	3754	1/1	0.99	0.03	17,17,17,17	0
54	MG	1A	3383	1/1	0.99	0.10	18,18,18,18	0
54	MG	1A	3233	1/1	0.99	0.14	23,23,23,23	0
54	MG	1A	3346	1/1	0.99	0.03	8,8,8,8	0
54	MG	1A	3821	1/1	0.99	0.06	44,44,44,44	0
54	MG	2a	3071	1/1	0.99	0.06	60,60,60,60	0
54	MG	1A	3897	1/1	0.99	0.03	43,43,43,43	0
54	MG	1A	3428	1/1	0.99	0.03	17,17,17,17	0
54	MG	1A	3899	1/1	0.99	0.03	20,20,20,20	0
54	MG	1A	3823	1/1	0.99	0.05	30,30,30,30	0
54	MG	1a	1621	1/1	0.99	0.03	48,48,48,48	0
54	MG	2A	3668	1/1	0.99	0.04	37,37,37,37	0
54	MG	1a	1717	1/1	0.99	0.03	52,52,52,52	0
58	ZN	1Y	203	1/1	0.99	0.03	58,58,58,58	0
54	MG	1Q	203	1/1	0.99	0.03	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
58	ZN	15	106	1/1	0.99	0.02	54,54,54,54	0
58	ZN	16	501	1/1	0.99	0.02	37,37,37,37	0
58	ZN	1n	103	1/1	0.99	0.03	75,75,75,75	0
54	MG	2A	3315	1/1	0.99	0.06	29,29,29,29	0
54	MG	2A	3316	1/1	0.99	0.06	24,24,24,24	0
58	ZN	29	501	1/1	0.99	0.04	61,61,61,61	0
54	MG	1A	3386	1/1	0.99	0.03	15,15,15,15	0
59	SF4	1d	305	8/8	0.99	0.04	67,70,78,81	0
54	MG	1A	3109	1/1	0.99	0.15	26,26,26,26	0
54	MG	1a	1712	1/1	1.00	0.05	35,35,35,35	0
54	MG	1A	3864	1/1	1.00	0.03	19,19,19,19	0
54	MG	2A	3484	1/1	1.00	0.06	28,28,28,28	0
54	MG	2A	3588	1/1	1.00	0.07	36,36,36,36	0
54	MG	1A	3009	1/1	1.00	0.03	23,23,23,23	0
54	MG	2A	3602	1/1	1.00	0.06	38,38,38,38	0
58	ZN	19	104	1/1	1.00	0.04	48,48,48,48	0
54	MG	1a	1800	1/1	1.00	0.03	50,50,50,50	0
54	MG	1A	3887	1/1	1.00	0.01	23,23,23,23	0
54	MG	1a	1814	1/1	1.00	0.03	73,73,73,73	0
58	ZN	25	104	1/1	1.00	0.02	65,65,65,65	0
58	ZN	26	102	1/1	1.00	0.03	58,58,58,58	0
54	MG	1A	3155	1/1	1.00	0.16	26,26,26,26	0
54	MG	2A	3560	1/1	1.00	0.05	49,49,49,49	0
54	MG	2A	3345	1/1	1.00	0.04	31,31,31,31	0
54	MG	2A	3329	1/1	1.00	0.02	33,33,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.