



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 2, 2026 – 09:56 PM EDT

PDB ID : 9Q6V / pdb_00009q6v
Title : Crystal structure of the wild-type *Thermus thermophilus* 70S ribosome in complex with tiamulin-31 triazole derivative and protein Y at 2.85Å resolution
Authors : Killam, B.Y.; Kopec, I.; Breiner, L.M.; Hoernig, M.; LoPresti, M.; Abdelsattar, A.S.; Abouelkhair, A.A.; Briganti, A.J.; Slowinski, R.P.; Vogelaar, N.J.; Seleem, M.N.; Brown, A.M.; Lowell, A.N.; Polikanov, Y.S.
Deposited on : 2025-08-22
Resolution : 2.85 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)
RNA backbone	3983	1009 (3.06-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	4% 63% 29% 6%
1	2A	2915	4% 56% 34% 8%
2	1B	121	71% 26%
2	2B	121	% 60% 31% 8%






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	
15	1T	146	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	
27	25	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	
40	1i	128	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	
52	2u	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	1y	113	
53	2y	113	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
59	SF4	2d	501	-	-	X	-

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 298337 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2872	Total	C	N	O	P	0	0	0
			61869	27540	11574	19884	2871			
1	2A	2867	Total	C	N	O	P	0	0	0
			61758	27491	11552	19850	2865			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2572	1145	476	832	119			
2	2B	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2131	1346	422	360	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1426	916	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1424	912	259	249	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	173	Total	C	N	O	S	0	0	0
			1324	842	247	234	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	147	Total	C	N	O	S	0	0	0
			1094	699	191	203	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1076	687	186	202	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1121	722	208	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			877	553	175	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			775	498	141	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			810	520	153	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			810	519	153	132	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	203	Total	C	N	O	S	0	0	0
			1587	1011	282	292	2			
21	2Z	201	Total	C	N	O	S	0	0	0
			1557	995	274	286	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	77	Total	C	N	O	S	0	0	0
			608	375	129	103	1			
22	20	77	Total	C	N	O	S	0	0	0
			608	375	129	103	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			754	475	148	130	1			
23	21	97	Total	C	N	O	S	0	0	0
			759	478	149	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			592	368	119	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			546	346	96	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			536	342	98	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1504	Total	C	N	O	P	0	0	0
			32331	14396	5990	10441	1504			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1842	1175	330	332	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1558	979	305	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1665	1043	329	286	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1668	1047	330	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			814	516	144	151	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1229	766	241	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1098	694	210	192	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			986	625	193	168			
40	2i	126	Total	C	N	O	0	0	0
			966	613	186	167			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			719	446	142	131			
41	2j	96	Total	C	N	O	0	0	0
			710	442	137	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			834	520	156	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	116	Total	C	N	O	S	0	0	0
			914	564	189	159	2			
44	2m	114	Total	C	N	O	S	0	0	0
			895	550	186	157	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			648	415	120	111	2			
50	2s	83	Total	C	N	O	S	0	0	0
			645	410	118	115	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			732	449	157	124	2			
51	2t	98	Total	C	N	O	S	0	0	0
			733	451	154	126	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O		0	0	0
			199	122	48	29				
52	2u	23	Total	C	N	O		0	0	0
			199	122	48	29				

- Molecule 53 is a protein called Ribosome-associated inhibitor A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1y	97	Total	C	N	O	S	0	0	0
			764	478	144	139	3			
53	2y	96	Total	C	N	O	S	0	0	0
			749	468	141	137	3			

- Molecule 54 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1A	1049	Total	Mg	0	0
			1049	1049		
54	1B	30	Total	Mg	0	0
			30	30		
54	1D	21	Total	Mg	0	0
			21	21		
54	1E	8	Total	Mg	0	0
			8	8		
54	1F	18	Total	Mg	0	0
			18	18		
54	1G	4	Total	Mg	0	0
			4	4		
54	1H	3	Total	Mg	0	0
			3	3		
54	1N	2	Total	Mg	0	0
			2	2		
54	1O	2	Total	Mg	0	0
			2	2		
54	1P	6	Total	Mg	0	0
			6	6		
54	1Q	6	Total	Mg	0	0
			6	6		
54	1R	4	Total	Mg	0	0
			4	4		
54	1S	2	Total	Mg	0	0
			2	2		
54	1T	4	Total	Mg	0	0
			4	4		
54	1U	6	Total	Mg	0	0
			6	6		
54	1V	6	Total	Mg	0	0
			6	6		
54	1W	3	Total	Mg	0	0
			3	3		
54	1X	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1Y	1	Total 1	Mg 1	0	0
54	1Z	1	Total 1	Mg 1	0	0
54	10	7	Total 7	Mg 7	0	0
54	11	5	Total 5	Mg 5	0	0
54	13	3	Total 3	Mg 3	0	0
54	15	8	Total 8	Mg 8	0	0
54	16	1	Total 1	Mg 1	0	0
54	17	5	Total 5	Mg 5	0	0
54	18	3	Total 3	Mg 3	0	0
54	19	3	Total 3	Mg 3	0	0
54	1a	282	Total 282	Mg 282	0	0
54	1b	1	Total 1	Mg 1	0	0
54	1d	5	Total 5	Mg 5	0	0
54	1e	3	Total 3	Mg 3	0	0
54	1f	2	Total 2	Mg 2	0	0
54	1g	2	Total 2	Mg 2	0	0
54	1h	1	Total 1	Mg 1	0	0
54	1i	1	Total 1	Mg 1	0	0
54	1k	1	Total 1	Mg 1	0	0
54	1l	2	Total 2	Mg 2	0	0
54	1m	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
54	1n	1	Total 1	Mg 1	0	0
54	1o	1	Total 1	Mg 1	0	0
54	1p	1	Total 1	Mg 1	0	0
54	1t	2	Total 2	Mg 2	0	0
54	1y	4	Total 4	Mg 4	0	0
54	2A	756	Total 756	Mg 756	0	0
54	2B	19	Total 19	Mg 19	0	0
54	2D	11	Total 11	Mg 11	0	0
54	2E	7	Total 7	Mg 7	0	0
54	2F	5	Total 5	Mg 5	0	0
54	2G	3	Total 3	Mg 3	0	0
54	2I	1	Total 1	Mg 1	0	0
54	2N	1	Total 1	Mg 1	0	0
54	2O	2	Total 2	Mg 2	0	0
54	2P	3	Total 3	Mg 3	0	0
54	2Q	4	Total 4	Mg 4	0	0
54	2R	1	Total 1	Mg 1	0	0
54	2T	4	Total 4	Mg 4	0	0
54	2V	2	Total 2	Mg 2	0	0
54	2W	3	Total 3	Mg 3	0	0
54	2X	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
54	2Y	1	Total Mg 1 1	0	0
54	20	1	Total Mg 1 1	0	0
54	21	2	Total Mg 2 2	0	0
54	23	1	Total Mg 1 1	0	0
54	25	2	Total Mg 2 2	0	0
54	27	2	Total Mg 2 2	0	0
54	28	2	Total Mg 2 2	0	0
54	2a	193	Total Mg 193 193	0	0
54	2e	1	Total Mg 1 1	0	0
54	2f	1	Total Mg 1 1	0	0
54	2j	1	Total Mg 1 1	0	0
54	2k	1	Total Mg 1 1	0	0
54	2n	1	Total Mg 1 1	0	0
54	2p	1	Total Mg 1 1	0	0
54	2q	1	Total Mg 1 1	0	0
54	2r	1	Total Mg 1 1	0	0
54	2t	1	Total Mg 1 1	0	0
54	2y	1	Total Mg 1 1	0	0

- Molecule 55 is (3aS,4R,5S,6S,8R,9R,9aR,10R)-5-hydroxy-4,6,9,10-tetramethyl-1-oxo-6-[2-(4-phenyl-1H-1,2,3-triazol-1-yl)ethyl]decahydro-3a,9-propanocyclopenta[8]annulen-8-yl {[2-(diethylamino)ethyl]sulfanyl}acetate (CCD ID: A1CQ5) (formula: C₃₆H₅₄N₄O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
55	1A	1	Total	C	N	O	S	0	0
			45	36	4	4	1		
55	2A	1	Total	C	N	O	S	0	0
			45	36	4	4	1		

- Molecule 56 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
56	1A	1	Total	C	O	0	0
			8	6	2		
56	1O	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
56	18	1	Total	C	O	0	0
			8	6	2		
56	1a	1	Total	C	O	0	0
			8	6	2		
56	2A	1	Total	C	O	0	0
			8	6	2		
56	2A	1	Total	C	O	0	0
			8	6	2		
56	2B	1	Total	C	O	0	0
			8	6	2		

- Molecule 57 is ARGinine (CCD ID: ARG) (formula: $C_6H_{15}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
57	1B	1	Total	C	N	O	0	0
			12	6	4	2		

- Molecule 58 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
58	1Y	1	Total	Zn	0	0
			1	1		
58	14	1	Total	Zn	0	0
			1	1		
58	15	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
58	16	1	Total	Zn	0	0
			1	1		
58	19	1	Total	Zn	0	0
			1	1		
58	1n	1	Total	Zn	0	0
			1	1		
58	2Y	1	Total	Zn	0	0
			1	1		
58	24	1	Total	Zn	0	0
			1	1		
58	25	1	Total	Zn	0	0
			1	1		
58	26	1	Total	Zn	0	0
			1	1		
58	29	1	Total	Zn	0	0
			1	1		
58	2n	1	Total	Zn	0	0
			1	1		

- Molecule 59 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
59	1d	1	Total	Fe	S	0	0
			8	4	4		
59	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 60 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
60	1A	4087	Total O 4087 4087	0	0
60	1B	107	Total O 107 107	0	0
60	1D	109	Total O 109 109	0	0
60	1E	73	Total O 73 73	0	0
60	1F	66	Total O 66 66	0	0
60	1G	19	Total O 19 19	0	0
60	1H	15	Total O 15 15	0	0
60	1I	7	Total O 7 7	0	0
60	1N	53	Total O 53 53	0	0
60	1O	26	Total O 26 26	0	0
60	1P	58	Total O 58 58	0	0
60	1Q	42	Total O 42 42	0	0
60	1R	31	Total O 31 31	0	0
60	1S	8	Total O 8 8	0	0
60	1T	28	Total O 28 28	0	0
60	1U	49	Total O 49 49	0	0
60	1V	42	Total O 42 42	0	0
60	1W	32	Total O 32 32	0	0
60	1X	27	Total O 27 27	0	0
60	1Y	20	Total O 20 20	0	0
60	1Z	10	Total O 10 10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	10	22	Total 22	O 22	0	0
60	11	25	Total 25	O 25	0	0
60	12	12	Total 12	O 12	0	0
60	13	25	Total 25	O 25	0	0
60	14	1	Total 1	O 1	0	0
60	15	26	Total 26	O 26	0	0
60	16	18	Total 18	O 18	0	0
60	17	16	Total 16	O 16	0	0
60	18	32	Total 32	O 32	0	0
60	19	12	Total 12	O 12	0	0
60	1a	596	Total 596	O 596	0	0
60	1b	2	Total 2	O 2	0	0
60	1d	7	Total 7	O 7	0	0
60	1e	6	Total 6	O 6	0	0
60	1f	2	Total 2	O 2	0	0
60	1h	1	Total 1	O 1	0	0
60	1j	1	Total 1	O 1	0	0
60	1l	6	Total 6	O 6	0	0
60	1m	2	Total 2	O 2	0	0
60	1n	1	Total 1	O 1	0	0
60	1o	3	Total 3	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	1p	3	Total 3	O 3	0	0
60	1q	1	Total 1	O 1	0	0
60	1t	1	Total 1	O 1	0	0
60	1u	2	Total 2	O 2	0	0
60	1y	9	Total 9	O 9	0	0
60	2A	2546	Total 2546	O 2546	0	0
60	2B	60	Total 60	O 60	0	0
60	2D	50	Total 50	O 50	0	0
60	2E	36	Total 36	O 36	0	0
60	2F	25	Total 25	O 25	0	0
60	2G	8	Total 8	O 8	0	0
60	2H	2	Total 2	O 2	0	0
60	2I	4	Total 4	O 4	0	0
60	2N	8	Total 8	O 8	0	0
60	2O	20	Total 20	O 20	0	0
60	2P	30	Total 30	O 30	0	0
60	2Q	18	Total 18	O 18	0	0
60	2R	19	Total 19	O 19	0	0
60	2S	5	Total 5	O 5	0	0
60	2T	10	Total 10	O 10	0	0
60	2U	12	Total 12	O 12	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	2V	9	Total 9	O 9	0	0
60	2W	25	Total 25	O 25	0	0
60	2X	9	Total 9	O 9	0	0
60	2Y	7	Total 7	O 7	0	0
60	2Z	11	Total 11	O 11	0	0
60	20	16	Total 16	O 16	0	0
60	21	22	Total 22	O 22	0	0
60	22	2	Total 2	O 2	0	0
60	23	3	Total 3	O 3	0	0
60	24	1	Total 1	O 1	0	0
60	25	7	Total 7	O 7	0	0
60	26	7	Total 7	O 7	0	0
60	27	13	Total 13	O 13	0	0
60	28	15	Total 15	O 15	0	0
60	29	1	Total 1	O 1	0	0
60	2a	461	Total 461	O 461	0	0
60	2d	4	Total 4	O 4	0	0
60	2e	2	Total 2	O 2	0	0
60	2f	1	Total 1	O 1	0	0
60	2j	2	Total 2	O 2	0	0
60	2l	3	Total 3	O 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	2o	3	Total 3	O 3	0	0
60	2p	2	Total 2	O 2	0	0
60	2q	1	Total 1	O 1	0	0
60	2r	4	Total 4	O 4	0	0
60	2t	2	Total 2	O 2	0	0
60	2y	4	Total 4	O 4	0	0

G2490	U2491	U2492	U2493	C2498	C2499	G2502	A2503	U2504	G2505	U2506	C2507	G2512	G2513	A2518	G2526	G2529	G2535	C2539	G2543	G2544	U2547	G2550	U2551	U2552	G2553	U2554	U2555	A2566	G2567	C2568	C2573	G2582	G2583	U2584	U2585	C2591	G2592	A2602	G2603	U2604	U2605	U2609																
G2277	A2278	G2283	G2284	G2285	A2286	G2287	A2288	G2289	G2290	U2291	C2292	G2304	A2305	G2306	G2307	G2308	U2312	G2313	C2314	G2315	G2319	A2320	G2325	C2326	U2327	A2328	G2329	G2330	G2331	G2334	A2335	A2336	G2337	G2345	A2346	C2347	U2348	C2349	C2350	G2354	C2355	C2356	U2357	A2361	G2364	A2365	G2366	G2371										
C2375	C2380	C2381	C2382	C2383	G2384	C2385	C2386	G2405	U2406	G2410	A2411	G2414	A2418	U2419	A2422	U2423	C2424	A2425	A2426	G2428	G2429	A2430	U2431	A2435	A2439	G2440	C2441	G2445	G2446	G2447	A2448	C2452	A2453	G2458	G2468	A2469	C2474	C2475	A2476	C2477	A2478	C2483																
C2179	U2180	G2181	G2182	C2183	C2184	G2185	C2186	G2187	U2188	U2189	G2190	G2191	G2192	A2198	A2199	C2200	G2206	G2207	A2208	U2218	G2219	G2224	A2225	C2226	U2232	U2233	U2234	G2235	G2236	G2237	G2238	G2239	G2242	U2243	U2244	U2245	G2246	A2247	G2251	G2256	U2257	C2258	U2262	C2263	C2264	A2265	A2267	A2268	A2273	A2274								
A2119	G2120	G2121	U2122	G2123	G2124	G2125	A2126	G2127	G2128	G2129	U2130	G2131	U2132	G2133	A2134	A2135	G2136	C2137	C2138	G2140	G2141	G2142	C2143	U2144	C2145	G2146	G2147	G2148	G2149	U2150	G2151	G2152	G2153	G2154	G2155	G2156	G2157	A2158	G2159	G2160	G2161	G2162	C2163	C2164	G2165	G2166	U2167	G2168	A2169	A2170	U2171	U2172	U2173	U2174	U2175	U2176	U2177	U2178
A2013	A2014	A2015	A2019	A2020	C2021	U2022	G2023	G2024	C2025	A2031	G2032	A2033	C2039	C2043	G2048	C2055	G2056	A2060	G2061	A2062	C2065	C2066	G2069	G2070	U2079	U2086	G2087	U2099	G2100	G2101	U2102	C2103	G2104	C2105	G2106	G2107	C2108	U2109	G2110	C2111	C2112	C2113	C2114	C2115	C2116	C2117	C2118											
U1639	C1640	A1641	G1642	G1647	C1648	G1649	A1652	G1653	A1654	A1665	A1669	C1670	U1671	G1674	U1688	G1696	A1700	A1701	G1702	G1703	U1706	G1707	C1708	U1709	C1710	G1711	C1712	U1713	G1721	A1722	U1739	G1740	A1741	C1745A	G1746	U1754	A1755	G1756	U1757	G1758	A1762	G1763	G1764	U1768														
C1771	G1772	A1773	C1774	U1775	U1778	U1779	A1780	C1781	G1782	A1783	A1784	A1785	A1786	C1790	A1791	U1794	C1795	U1796	U1797	U1798	G1799	C1800	A1801	A1802	A1803	C1804	U1805	U1808	A1809	A1810	A1811	A1812	G1813	A1814	A1815	G1816	G1817	G1823	G1824	G1842	A1847	G1865	C1866	A1876	A1877	G1878	A1889	G1896										
G1899	A1900	G1904	C1905	G1906	G1910	U1911	A1912	G1913	C1914	U1915	A1916	A1918	A1919	C1920	A1928	G1929	G1930	U1931	A1932	G1933	C1934	G1935	A1936	A1937	A1938	U1939	C1942	U1955	C1962	U1963	G1964	C1965	A1966	G1967	A1968	A1969	A1970	A1971	A1972	G1982	U1983	G1985	C1986	A1987	G1997	A2001	G2002	G2009										
A2119	G2120	G2121	U2122	G2123	G2124	G2125	A2126	G2127	G2128	G2129	U2130	G2131	U2132	G2133	A2134	A2135	G2136	C2137	C2138	G2140	G2141	G2142	C2143	U2144	C2145	G2146	G2147	G2148	G2149	U2150	G2151	G2152	G2153	G2154	G2155	G2156	G2157	A2158	G2159	G2160	G2161	G2162	C2163	C2164	G2165	G2166	U2167	G2168	A2169	A2170	U2171	U2172	U2173	U2174	U2175	U2176	U2177	U2178
C2179	U2180	G2181	G2182	C2183	C2184	G2185	C2186	G2187	U2188	U2189	G2190	G2191	G2192	A2198	A2199	C2200	G2206	G2207	A2208	U2218	G2219	G2224	A2225	C2226	U2232	U2233	U2234	G2235	G2236	G2237	G2238	G2239	G2242	U2243	U2244	U2245	G2246	A2247	G2251	G2256	U2257	C2258	U2262	C2263	C2264	A2265	A2267	A2268	A2273	A2274								
G2277	A2278	G2283	G2284	G2285	A2286	G2287	A2288	G2289	G2290	U2291	C2292	G2304	A2305	G2306	G2307	G2308	U2312	G2313	C2314	G2315	G2319	A2320	G2325	C2326	U2327	A2328	G2329	G2330	G2331	G2334	A2335	A2336	G2337	G2345	A2346	C2347	U2348	C2349	C2350	G2354	C2355	C2356	U2357	A2361	G2364	A2365	G2366	G2371										
G2375	C2380	C2381	C2382	C2383	G2384	C2385	C2386	G2405	U2406	G2410	A2411	G2414	A2418	U2419	A2422	U2423	C2424	A2425	A2426	G2428	G2429	A2430	U2431	A2435	A2439	G2440	C2441	G2445	G2446	G2447	A2448	C2452	A2453	G2458	G2468	A2469	C2474	C2475	A2476	C2477	A2478	C2483																
G2490	U2491	U2492	U2493	C2498	C2499	G2502	A2503	U2504	G2505	U2506	C2507	G2512	G2513	A2518	G2526	G2529	G2535	C2539	G2543	G2544	U2547	G2550	U2551	U2552	G2553	U2554	U2555	A2566	G2567	C2568	C2573	G2582	G2583	U2584	U2585	C2591	G2592	A2602	G2603	U2604	U2605	U2609																













• Molecule 3: 50S ribosomal protein L2



• Molecule 4: 50S ribosomal protein L3



• Molecule 4: 50S ribosomal protein L3




• Molecule 5: 50S ribosomal protein L4








- Molecule 5: 50S ribosomal protein L4




- Molecule 6: 50S ribosomal protein L5




- Molecule 6: 50S ribosomal protein L5




- Molecule 7: 50S ribosomal protein L6




- Molecule 7: 50S ribosomal protein L6




• Molecule 8: 50S ribosomal protein L9



• Molecule 8: 50S ribosomal protein L9



• Molecule 9: 50S ribosomal protein L13



• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14

Chain 1O:  70% 26% .




- Molecule 10: 50S ribosomal protein L14

Chain 2O:  69% 27% .




- Molecule 11: 50S ribosomal protein L15

Chain 1P:  69% 27% . .




- Molecule 11: 50S ribosomal protein L15

Chain 2P:  70% 26% . .




- Molecule 12: 50S ribosomal protein L16


Chain 1Q:  72% 23% 5%




- Molecule 12: 50S ribosomal protein L16




- Molecule 13: 50S ribosomal protein L17




- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19






• Molecule 15: 50S ribosomal protein L19

Chain 2T: 64% 23% 10%



• Molecule 16: 50S ribosomal protein L20

Chain 1U: 74% 21% 5%




• Molecule 16: 50S ribosomal protein L20

Chain 2U: 69% 28% 3%




• Molecule 17: 50S ribosomal protein L21

Chain 1V: 71% 25% 4%



• Molecule 17: 50S ribosomal protein L21

Chain 2V: 61% 35% 4%




• Molecule 18: 50S ribosomal protein L22

Chain 1W: 73% 25% 2%




- Molecule 18: 50S ribosomal protein L22

Chain 2W: 69% 29% ..




- Molecule 19: 50S ribosomal protein L23

Chain 1X: 74% 23% ..



- Molecule 19: 50S ribosomal protein L23

Chain 2X: 71% 25% ..




- Molecule 20: 50S ribosomal protein L24

Chain 1Y: 69% 26% ..




- Molecule 20: 50S ribosomal protein L24

Chain 2Y: 65% 29% ..




- Molecule 21: 50S ribosomal protein L25

Chain 1Z: 72% 23% ..




• Molecule 21: 50S ribosomal protein L25

Chain 2Z: 60% 34%



• Molecule 22: 50S ribosomal protein L27

Chain 10: 56% 29% 5% 9%



• Molecule 22: 50S ribosomal protein L27

Chain 20: 61% 27% 9%




• Molecule 23: 50S ribosomal protein L28

Chain 11: 2% 76% 18% 5%




• Molecule 23: 50S ribosomal protein L28


Chain 21: 2% 63% 32%



- Molecule 24: 50S ribosomal protein L29



- Molecule 24: 50S ribosomal protein L29



- Molecule 25: 50S ribosomal protein L30



- Molecule 25: 50S ribosomal protein L30



- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31



- Molecule 27: 50S ribosomal protein L32

Chain 15:  70% 23% 5% .



- Molecule 27: 50S ribosomal protein L32

Chain 25:  65% 28% 5% .



- Molecule 28: 50S ribosomal protein L33

Chain 16:  76% 20% ..




- Molecule 28: 50S ribosomal protein L33

Chain 26:  70% 24% . .



- Molecule 29: 50S ribosomal protein L34

Chain 17:  4% 78% 18% . .




- Molecule 29: 50S ribosomal protein L34

Chain 27:  4% 76% 22% .



- Molecule 30: 50S ribosomal protein L35


Chain 18:  65% 32% . .




- Molecule 30: 50S ribosomal protein L35








- Molecule 31: 50S ribosomal protein L36





- Molecule 31: 50S ribosomal protein L36




- Molecule 32: 16S Ribosomal RNA









- Molecule 33: 30S ribosomal protein S2




• Molecule 35: 30S ribosomal protein S4




• Molecule 35: 30S ribosomal protein S4



• Molecule 36: 30S ribosomal protein S5




• Molecule 36: 30S ribosomal protein S5




- Molecule 37: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S6



- Molecule 38: 30S ribosomal protein S7



- Molecule 38: 30S ribosomal protein S7




- Molecule 39: 30S ribosomal protein S8







• Molecule 39: 30S ribosomal protein S8




• Molecule 40: 30S ribosomal protein S9




• Molecule 40: 30S ribosomal protein S9




• Molecule 41: 30S ribosomal protein S10




- Molecule 41: 30S ribosomal protein S10




- Molecule 42: 30S ribosomal protein S11



- Molecule 42: 30S ribosomal protein S11




- Molecule 43: 30S ribosomal protein S12




- Molecule 43: 30S ribosomal protein S12







- Molecule 44: 30S ribosomal protein S13





- Molecule 44: 30S ribosomal protein S13




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15




- Molecule 46: 30S ribosomal protein S15




- Molecule 47: 30S ribosomal protein S16




- Molecule 47: 30S ribosomal protein S16




- Molecule 48: 30S ribosomal protein S17



- Molecule 48: 30S ribosomal protein S17




- Molecule 49: 30S ribosomal protein S18




- Chain 2t:
-
- | Amino Acid | Percentage |
|------------|------------|
| MET | 0% |
| ALA | 0% |
| GLN | 0% |
| LYS | 0% |
| LYS | 0% |
| P6 | 0% |
| S11 | 0% |
| A12 | 0% |
| L13 | 0% |
| K14 | 0% |
| R15 | 0% |
| H16 | 0% |
| L17 | 0% |
| Q18 | 0% |
| S19 | 0% |
| L20 | 0% |
| K21 | 0% |
| L24 | 0% |
| I33 | 0% |
| S37 | 0% |
| Q45 | 0% |
| E50 | 0% |
| M56 | 0% |
| R57 | 0% |
| L62 | 0% |
| G69 | 0% |
| S70 | 0% |
| T71 | 0% |
| L72 | 0% |
| R89 | 0% |
| E93 | 0% |
| L99 | 0% |
| I100 | 0% |
| G101 | 0% |
| G102 | 0% |
| G103 | 0% |
| LEU | 0% |
| SER | 0% |
| ALA | 0% |


- Molecule 52: 30S ribosomal protein Thx




- Molecule 52: 30S ribosomal protein Thx



- Molecule 53: Ribosome-associated inhibitor A



- Molecule 53: Ribosome-associated inhibitor A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	210.10Å 451.17Å 625.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.39 – 2.85 45.39 – 2.85	Depositor EDS
% Data completeness (in resolution range)	99.9 (45.39-2.85) 99.9 (45.39-2.85)	Depositor EDS
R_{merge}	0.38	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.86Å)	Xtriage
Refinement program	PHENIX 1.17.1	Depositor
R, R_{free}	0.209 , 0.260 0.208 , 0.258	Depositor DCC
R_{free} test set	68560 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	51.0	Xtriage
Anisotropy	0.087	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 46.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	298337	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2MG, MG, MPD, OMU, 2MA, MA6, 5MC, ZN, PSU, 5MU, OMC, A1CQ5, 0TD, 4OC, UR3, SF4, OMG, G7M, M2G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.30	0/69031	0.45	0/107754
1	2A	0.23	0/68903	0.41	3/107552 (0.0%)
2	1B	0.22	0/2876	0.41	0/4486
2	2B	0.19	0/2878	0.36	0/4490
3	1D	0.29	0/2181	0.53	0/2940
3	2D	0.24	0/2186	0.47	0/2944
4	1E	0.29	0/1592	0.49	0/2149
4	2E	0.22	0/1592	0.47	0/2149
5	1F	0.29	0/1619	0.49	0/2193
5	2F	0.23	0/1615	0.49	2/2188 (0.1%)
6	1G	0.20	0/1451	0.43	0/1961
6	2G	0.21	0/1449	0.51	0/1957
7	1H	0.22	0/1356	0.42	0/1834
7	2H	0.20	0/1350	0.40	0/1826
8	1I	0.22	0/1109	0.46	0/1512
8	2I	0.23	0/1091	0.49	0/1490
9	1N	0.27	0/1148	0.45	0/1547
9	2N	0.19	0/1144	0.39	0/1543
10	1O	0.30	0/943	0.50	0/1269
10	2O	0.23	0/943	0.45	0/1269
11	1P	0.28	0/1152	0.53	1/1533 (0.1%)
11	2P	0.21	0/1152	0.49	0/1533
12	1Q	0.26	0/1143	0.45	0/1527
12	2Q	0.21	0/1143	0.44	0/1527
13	1R	0.29	0/982	0.53	0/1312
13	2R	0.22	0/982	0.47	0/1312
14	1S	0.22	0/887	0.47	0/1180
14	2S	0.22	0/880	0.44	0/1172
15	1T	0.27	0/1105	0.54	0/1477
15	2T	0.22	0/1097	0.46	0/1468
16	1U	0.31	0/977	0.48	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.21	0/977	0.41	0/1301
17	1V	0.26	0/786	0.46	0/1053
17	2V	0.19	0/782	0.42	0/1049
18	1W	0.28	0/897	0.47	0/1205
18	2W	0.24	0/897	0.42	0/1205
19	1X	0.27	0/764	0.48	0/1025
19	2X	0.21	0/764	0.45	0/1025
20	1Y	0.25	0/823	0.53	0/1099
20	2Y	0.22	0/823	0.47	0/1100
21	1Z	0.22	0/1620	0.43	0/2200
21	2Z	0.21	0/1590	0.41	0/2162
22	10	0.28	0/616	0.53	0/821
22	20	0.23	0/616	0.48	0/821
23	11	0.29	0/761	0.44	0/1013
23	21	0.22	0/766	0.43	0/1018
24	12	0.25	0/590	0.46	0/781
24	22	0.21	0/594	0.40	0/785
25	13	0.27	0/474	0.49	0/635
25	23	0.20	0/469	0.43	0/630
26	14	0.27	0/559	0.58	0/754
26	24	0.32	0/549	0.67	3/741 (0.4%)
27	15	0.30	0/473	0.51	0/639
27	25	0.24	0/469	0.49	0/635
28	16	0.26	0/460	0.46	0/613
28	26	0.20	0/456	0.43	0/608
29	17	0.31	0/426	0.53	0/561
29	27	0.25	0/426	0.48	0/561
30	18	0.28	0/525	0.50	0/691
30	28	0.24	0/525	0.44	0/691
31	19	0.25	0/310	0.47	0/407
31	29	0.21	0/310	0.44	0/407
32	1a	0.21	0/35795	0.39	0/55864
32	2a	0.20	0/35890	0.38	1/56012 (0.0%)
33	1b	0.24	0/1876	0.51	0/2533
33	2b	0.24	0/1860	0.48	0/2518
34	1c	0.20	0/1582	0.41	0/2137
34	2c	0.21	0/1566	0.40	0/2119
35	1d	0.22	0/1695	0.43	0/2274
35	2d	0.22	0/1698	0.48	0/2277
36	1e	0.20	0/1149	0.45	0/1548
36	2e	0.20	0/1149	0.43	0/1548
37	1f	0.19	0/827	0.41	0/1120
37	2f	0.20	0/829	0.42	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.22	0/1254	0.39	0/1683
38	2g	0.19	0/1248	0.41	1/1676 (0.1%)
39	1h	0.20	0/1118	0.43	0/1506
39	2h	0.20	0/1108	0.41	0/1494
40	1i	0.21	0/1005	0.45	0/1351
40	2i	0.22	0/985	0.46	0/1329
41	1j	0.22	0/732	0.44	0/993
41	2j	0.22	0/723	0.47	0/984
42	1k	0.22	0/849	0.40	0/1150
42	2k	0.20	0/848	0.41	0/1149
43	1l	0.22	0/937	0.44	0/1260
43	2l	0.21	0/937	0.49	0/1260
44	1m	0.22	0/924	0.48	0/1242
44	2m	0.22	0/905	0.49	0/1217
45	1n	0.20	0/501	0.44	0/664
45	2n	0.22	0/501	0.43	0/664
46	1o	0.20	0/739	0.39	0/985
46	2o	0.18	0/739	0.40	0/985
47	1p	0.21	0/697	0.48	0/939
47	2p	0.20	0/693	0.44	0/935
48	1q	0.21	0/836	0.44	0/1117
48	2q	0.20	0/836	0.42	0/1117
49	1r	0.19	0/560	0.41	0/746
49	2r	0.20	0/560	0.40	0/746
50	1s	0.21	0/663	0.45	0/895
50	2s	0.20	0/660	0.41	0/893
51	1t	0.22	0/734	0.50	0/969
51	2t	0.20	0/736	0.43	0/976
52	1u	0.19	0/203	0.44	0/266
52	2u	0.22	0/203	0.52	0/266
53	1y	0.25	0/776	0.36	0/1048
53	2y	0.20	0/761	0.36	0/1030
All	All	0.24	0/309941	0.43	11/463239 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	1D	0	1
8	2I	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
11	1P	0	1
14	1S	0	1
19	1X	0	1
26	24	0	1
33	1b	0	1
33	2b	0	1
43	2l	0	1
All	All	0	9

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	2a	266	G	P-O3'-C3'	5.91	129.06	120.20
1	2A	1992	G	C2'-C3'-O3'	5.79	118.18	109.50
11	1P	116	GLY	N-CA-C	5.68	119.36	112.49
38	2g	69	VAL	N-CA-C	-5.65	108.34	113.71
1	2A	271(M)	G	OP1-P-O3'	5.52	117.34	105.20

There are no chirality outliers.

5 of 9 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	1D	141	VAL	Peptide
11	1P	35	HIS	Peptide
14	1S	58	LEU	Peptide
19	1X	93	GLU	Peptide
33	1b	231	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61869	0	31202	630	0
1	2A	61758	0	31153	784	0
2	1B	2572	0	1304	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	2B	2573	0	1306	31	0
3	1D	2131	0	2207	55	0
3	2D	2136	0	2218	45	0
4	1E	1559	0	1618	44	0
4	2E	1559	0	1618	45	0
5	1F	1584	0	1625	38	0
5	2F	1580	0	1619	40	0
6	1G	1426	0	1445	40	0
6	2G	1424	0	1441	57	0
7	1H	1330	0	1407	36	0
7	2H	1324	0	1402	36	0
8	1I	1094	0	1127	31	0
8	2I	1076	0	1094	38	0
9	1N	1121	0	1195	18	0
9	2N	1117	0	1184	31	0
10	1O	933	0	996	23	0
10	2O	933	0	996	23	0
11	1P	1135	0	1212	33	0
11	2P	1135	0	1212	31	0
12	1Q	1122	0	1179	23	0
12	2Q	1122	0	1179	27	0
13	1R	968	0	1033	17	0
13	2R	968	0	1033	25	0
14	1S	877	0	938	22	0
14	2S	870	0	923	22	0
15	1T	1091	0	1151	23	0
15	2T	1083	0	1136	24	0
16	1U	959	0	1019	20	0
16	2U	959	0	1019	23	0
17	1V	775	0	841	17	0
17	2V	771	0	830	24	0
18	1W	886	0	940	21	0
18	2W	886	0	940	19	0
19	1X	750	0	814	17	0
19	2X	750	0	814	16	0
20	1Y	810	0	892	20	0
20	2Y	810	0	887	19	0
21	1Z	1587	0	1598	26	0
21	2Z	1557	0	1564	51	0
22	10	608	0	622	21	0
22	20	608	0	622	18	0
23	11	754	0	823	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
23	21	759	0	837	23	0
24	12	588	0	643	13	0
24	22	592	0	654	13	0
25	13	469	0	518	5	0
25	23	464	0	514	11	0
26	14	546	0	522	22	0
26	24	536	0	514	26	0
27	15	459	0	476	12	0
27	25	455	0	465	16	0
28	16	453	0	473	8	0
28	26	449	0	469	10	0
29	17	418	0	467	9	0
29	27	418	0	467	6	0
30	18	517	0	582	21	0
30	28	517	0	582	15	0
31	19	307	0	335	4	0
31	29	307	0	335	10	0
32	1a	32246	0	16294	503	0
32	2a	32331	0	16338	473	0
33	1b	1842	0	1862	75	0
33	2b	1825	0	1828	72	0
34	1c	1558	0	1557	36	0
34	2c	1542	0	1517	38	0
35	1d	1665	0	1687	65	0
35	2d	1668	0	1703	57	0
36	1e	1133	0	1191	38	0
36	2e	1133	0	1191	37	0
37	1f	814	0	808	20	0
37	2f	816	0	808	16	0
38	1g	1235	0	1249	30	0
38	2g	1229	0	1238	22	0
39	1h	1098	0	1143	32	0
39	2h	1088	0	1126	37	0
40	1i	986	0	990	36	0
40	2i	966	0	953	47	0
41	1j	719	0	672	22	0
41	2j	710	0	661	26	0
42	1k	834	0	838	19	0
42	2k	833	0	836	25	0
43	1l	932	0	981	14	0
43	2l	932	0	981	16	0
44	1m	914	0	954	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	2m	895	0	920	41	0
45	1n	492	0	529	13	0
45	2n	492	0	529	18	0
46	1o	728	0	760	18	0
46	2o	728	0	760	19	0
47	1p	681	0	697	30	0
47	2p	677	0	686	26	0
48	1q	823	0	891	23	0
48	2q	823	0	891	22	0
49	1r	555	0	618	12	0
49	2r	555	0	618	21	0
50	1s	648	0	658	19	0
50	2s	645	0	635	21	0
51	1t	732	0	809	24	0
51	2t	733	0	795	17	0
52	1u	199	0	208	5	0
52	2u	199	0	208	4	0
53	1y	764	0	786	19	0
53	2y	749	0	757	16	0
54	10	7	0	0	0	0
54	11	5	0	0	0	0
54	13	3	0	0	0	0
54	15	8	0	0	0	0
54	16	1	0	0	0	0
54	17	5	0	0	0	0
54	18	3	0	0	0	0
54	19	3	0	0	0	0
54	1A	1049	0	0	0	0
54	1B	30	0	0	0	0
54	1D	21	0	0	0	0
54	1E	8	0	0	0	0
54	1F	18	0	0	0	0
54	1G	4	0	0	0	0
54	1H	3	0	0	0	0
54	1N	2	0	0	0	0
54	1O	2	0	0	0	0
54	1P	6	0	0	0	0
54	1Q	6	0	0	0	0
54	1R	4	0	0	0	0
54	1S	2	0	0	0	0
54	1T	4	0	0	0	0
54	1U	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	1V	6	0	0	0	0
54	1W	3	0	0	0	0
54	1X	1	0	0	0	0
54	1Y	1	0	0	0	0
54	1Z	1	0	0	0	0
54	1a	282	0	0	0	0
54	1b	1	0	0	0	0
54	1d	5	0	0	0	0
54	1e	3	0	0	0	0
54	1f	2	0	0	0	0
54	1g	2	0	0	0	0
54	1h	1	0	0	0	0
54	1i	1	0	0	0	0
54	1k	1	0	0	0	0
54	1l	2	0	0	0	0
54	1m	1	0	0	0	0
54	1n	1	0	0	0	0
54	1o	1	0	0	0	0
54	1p	1	0	0	0	0
54	1t	2	0	0	0	0
54	1y	4	0	0	0	0
54	20	1	0	0	0	0
54	21	2	0	0	0	0
54	23	1	0	0	0	0
54	25	2	0	0	0	0
54	27	2	0	0	0	0
54	28	2	0	0	0	0
54	2A	756	0	0	0	0
54	2B	19	0	0	0	0
54	2D	11	0	0	0	0
54	2E	7	0	0	0	0
54	2F	5	0	0	0	0
54	2G	3	0	0	0	0
54	2I	1	0	0	0	0
54	2N	1	0	0	0	0
54	2O	2	0	0	0	0
54	2P	3	0	0	0	0
54	2Q	4	0	0	0	0
54	2R	1	0	0	0	0
54	2T	4	0	0	0	0
54	2V	2	0	0	0	0
54	2W	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	2X	1	0	0	0	0
54	2Y	1	0	0	0	0
54	2a	193	0	0	0	0
54	2e	1	0	0	0	0
54	2f	1	0	0	0	0
54	2j	1	0	0	0	0
54	2k	1	0	0	0	0
54	2n	1	0	0	0	0
54	2p	1	0	0	0	0
54	2q	1	0	0	0	0
54	2r	1	0	0	0	0
54	2t	1	0	0	0	0
54	2y	1	0	0	0	0
55	1A	45	0	0	0	0
55	2A	45	0	0	0	0
56	18	8	0	14	4	0
56	1A	8	0	14	0	0
56	1O	8	0	14	0	0
56	1a	8	0	13	5	0
56	2A	16	0	28	3	0
56	2B	8	0	14	0	0
57	1B	12	0	12	3	0
58	14	1	0	0	0	0
58	15	1	0	0	0	0
58	16	1	0	0	0	0
58	19	1	0	0	0	0
58	1Y	1	0	0	0	0
58	1n	1	0	0	0	0
58	24	1	0	0	0	0
58	25	1	0	0	0	0
58	26	1	0	0	0	0
58	29	1	0	0	0	0
58	2Y	1	0	0	0	0
58	2n	1	0	0	0	0
59	1d	8	0	0	0	0
59	2d	8	0	0	2	0
60	10	22	0	0	0	0
60	11	25	0	0	0	0
60	12	12	0	0	2	0
60	13	25	0	0	0	0
60	14	1	0	0	0	0
60	15	26	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
60	16	18	0	0	0	0
60	17	16	0	0	2	0
60	18	32	0	0	3	0
60	19	12	0	0	0	0
60	1A	4087	0	0	152	0
60	1B	107	0	0	6	0
60	1D	109	0	0	6	0
60	1E	73	0	0	4	0
60	1F	66	0	0	5	0
60	1G	19	0	0	2	0
60	1H	15	0	0	1	0
60	1I	7	0	0	0	0
60	1N	53	0	0	2	0
60	1O	26	0	0	0	0
60	1P	58	0	0	3	0
60	1Q	42	0	0	0	0
60	1R	31	0	0	3	0
60	1S	8	0	0	0	0
60	1T	28	0	0	2	0
60	1U	49	0	0	4	0
60	1V	42	0	0	2	0
60	1W	32	0	0	3	0
60	1X	27	0	0	2	0
60	1Y	20	0	0	3	0
60	1Z	10	0	0	0	0
60	1a	596	0	0	39	0
60	1b	2	0	0	0	0
60	1d	7	0	0	2	0
60	1e	6	0	0	0	0
60	1f	2	0	0	0	0
60	1h	1	0	0	0	0
60	1j	1	0	0	0	0
60	1l	6	0	0	1	0
60	1m	2	0	0	1	0
60	1n	1	0	0	0	0
60	1o	3	0	0	0	0
60	1p	3	0	0	0	0
60	1q	1	0	0	0	0
60	1t	1	0	0	0	0
60	1u	2	0	0	0	0
60	1y	9	0	0	0	0
60	20	16	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
60	21	22	0	0	1	0
60	22	2	0	0	0	0
60	23	3	0	0	0	0
60	24	1	0	0	0	0
60	25	7	0	0	0	0
60	26	7	0	0	1	0
60	27	13	0	0	0	0
60	28	15	0	0	2	0
60	29	1	0	0	0	0
60	2A	2546	0	0	161	0
60	2B	60	0	0	5	0
60	2D	50	0	0	1	0
60	2E	36	0	0	5	0
60	2F	25	0	0	0	0
60	2G	8	0	0	0	0
60	2H	2	0	0	0	0
60	2I	4	0	0	1	0
60	2N	8	0	0	1	0
60	2O	20	0	0	0	0
60	2P	30	0	0	4	0
60	2Q	18	0	0	1	0
60	2R	19	0	0	1	0
60	2S	5	0	0	0	0
60	2T	10	0	0	0	0
60	2U	12	0	0	0	0
60	2V	9	0	0	1	0
60	2W	25	0	0	3	0
60	2X	9	0	0	0	0
60	2Y	7	0	0	1	0
60	2Z	11	0	0	1	0
60	2a	461	0	0	32	0
60	2d	4	0	0	0	0
60	2e	2	0	0	0	0
60	2f	1	0	0	0	0
60	2j	2	0	0	0	0
60	2l	3	0	0	0	0
60	2o	3	0	0	0	0
60	2p	2	0	0	0	0
60	2q	1	0	0	0	0
60	2r	4	0	0	0	0
60	2t	2	0	0	0	0
60	2y	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	298337	0	194501	4419	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 4419 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.25	1.35
32:2a:1003:G:H2'	32:2a:1004:A:H4'	1.28	1.10
1:1A:1082:U:O4	1:1A:1086:A:N1	1.96	0.99
32:1a:255:G:H1'	48:1q:16:GLN:HE21	1.26	0.97
15:1T:55:ASN:H	15:1T:59:THR:HG22	1.28	0.97

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	255 (93%)	18 (7%)	0	100	100
3	2D	273/276 (99%)	255 (93%)	18 (7%)	0	100	100
4	1E	202/206 (98%)	189 (94%)	12 (6%)	1 (0%)	24	42
4	2E	202/206 (98%)	190 (94%)	11 (5%)	1 (0%)	24	42
5	1F	201/210 (96%)	193 (96%)	7 (4%)	1 (0%)	24	42
5	2F	201/210 (96%)	191 (95%)	9 (4%)	1 (0%)	24	42
6	1G	179/182 (98%)	158 (88%)	18 (10%)	3 (2%)	7	16
6	2G	179/182 (98%)	155 (87%)	19 (11%)	5 (3%)	4	9
7	1H	172/180 (96%)	160 (93%)	10 (6%)	2 (1%)	10	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	2H	171/180 (95%)	156 (91%)	15 (9%)	0	100	100
8	1I	145/148 (98%)	121 (83%)	21 (14%)	3 (2%)	5	13
8	2I	144/148 (97%)	113 (78%)	26 (18%)	5 (4%)	3	6
9	1N	138/140 (99%)	134 (97%)	4 (3%)	0	100	100
9	2N	138/140 (99%)	132 (96%)	6 (4%)	0	100	100
10	1O	120/122 (98%)	110 (92%)	9 (8%)	1 (1%)	16	31
10	2O	120/122 (98%)	112 (93%)	8 (7%)	0	100	100
11	1P	147/150 (98%)	139 (95%)	8 (5%)	0	100	100
11	2P	147/150 (98%)	132 (90%)	12 (8%)	3 (2%)	6	13
12	1Q	139/141 (99%)	131 (94%)	7 (5%)	1 (1%)	18	35
12	2Q	139/141 (99%)	129 (93%)	9 (6%)	1 (1%)	18	35
13	1R	116/118 (98%)	109 (94%)	7 (6%)	0	100	100
13	2R	116/118 (98%)	110 (95%)	5 (4%)	1 (1%)	14	28
14	1S	108/112 (96%)	100 (93%)	8 (7%)	0	100	100
14	2S	108/112 (96%)	96 (89%)	11 (10%)	1 (1%)	14	28
15	1T	129/146 (88%)	122 (95%)	6 (5%)	1 (1%)	16	31
15	2T	129/146 (88%)	121 (94%)	7 (5%)	1 (1%)	16	31
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	108 (95%)	5 (4%)	1 (1%)	14	28
17	1V	99/101 (98%)	95 (96%)	3 (3%)	1 (1%)	12	25
17	2V	99/101 (98%)	90 (91%)	7 (7%)	2 (2%)	6	13
18	1W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
18	2W	110/113 (97%)	106 (96%)	4 (4%)	0	100	100
19	1X	93/96 (97%)	92 (99%)	1 (1%)	0	100	100
19	2X	93/96 (97%)	86 (92%)	6 (6%)	1 (1%)	11	24
20	1Y	105/110 (96%)	98 (93%)	7 (7%)	0	100	100
20	2Y	105/110 (96%)	94 (90%)	11 (10%)	0	100	100
21	1Z	201/206 (98%)	184 (92%)	16 (8%)	1 (0%)	24	42
21	2Z	199/206 (97%)	174 (87%)	24 (12%)	1 (0%)	24	42
22	10	75/85 (88%)	74 (99%)	1 (1%)	0	100	100
22	20	75/85 (88%)	70 (93%)	5 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
23	11	95/98 (97%)	93 (98%)	2 (2%)	0	100	100
23	21	95/98 (97%)	93 (98%)	1 (1%)	1 (1%)	11	24
24	12	68/72 (94%)	68 (100%)	0	0	100	100
24	22	68/72 (94%)	66 (97%)	2 (3%)	0	100	100
25	13	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
25	23	57/60 (95%)	51 (90%)	6 (10%)	0	100	100
26	14	67/71 (94%)	47 (70%)	15 (22%)	5 (8%)	1	1
26	24	67/71 (94%)	49 (73%)	11 (16%)	7 (10%)	0	0
27	15	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
27	25	57/60 (95%)	53 (93%)	4 (7%)	0	100	100
28	16	51/54 (94%)	47 (92%)	4 (8%)	0	100	100
28	26	51/54 (94%)	49 (96%)	2 (4%)	0	100	100
29	17	46/49 (94%)	46 (100%)	0	0	100	100
29	27	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
30	18	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
30	28	62/65 (95%)	58 (94%)	4 (6%)	0	100	100
31	19	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
31	29	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
33	1b	229/256 (90%)	186 (81%)	35 (15%)	8 (4%)	3	6
33	2b	229/256 (90%)	195 (85%)	27 (12%)	7 (3%)	3	7
34	1c	204/239 (85%)	184 (90%)	18 (9%)	2 (1%)	12	25
34	2c	204/239 (85%)	183 (90%)	15 (7%)	6 (3%)	3	8
35	1d	206/209 (99%)	182 (88%)	21 (10%)	3 (2%)	8	18
35	2d	206/209 (99%)	180 (87%)	25 (12%)	1 (0%)	24	42
36	1e	146/162 (90%)	130 (89%)	14 (10%)	2 (1%)	9	19
36	2e	146/162 (90%)	130 (89%)	14 (10%)	2 (1%)	9	19
37	1f	98/101 (97%)	91 (93%)	7 (7%)	0	100	100
37	2f	98/101 (97%)	91 (93%)	7 (7%)	0	100	100
38	1g	153/156 (98%)	144 (94%)	9 (6%)	0	100	100
38	2g	153/156 (98%)	140 (92%)	12 (8%)	1 (1%)	18	35
39	1h	135/138 (98%)	124 (92%)	11 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	2h	135/138 (98%)	125 (93%)	8 (6%)	2 (2%)	8	18
40	1i	125/128 (98%)	108 (86%)	15 (12%)	2 (2%)	7	17
40	2i	124/128 (97%)	110 (89%)	11 (9%)	3 (2%)	4	10
41	1j	95/105 (90%)	83 (87%)	9 (10%)	3 (3%)	3	7
41	2j	94/105 (90%)	78 (83%)	14 (15%)	2 (2%)	5	13
42	1k	112/129 (87%)	100 (89%)	12 (11%)	0	100	100
42	2k	112/129 (87%)	108 (96%)	4 (4%)	0	100	100
43	1l	119/132 (90%)	108 (91%)	11 (9%)	0	100	100
43	2l	119/132 (90%)	108 (91%)	10 (8%)	1 (1%)	16	31
44	1m	114/126 (90%)	104 (91%)	8 (7%)	2 (2%)	6	15
44	2m	112/126 (89%)	98 (88%)	11 (10%)	3 (3%)	4	9
45	1n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
45	2n	58/61 (95%)	49 (84%)	9 (16%)	0	100	100
46	1o	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
46	2o	86/89 (97%)	80 (93%)	6 (7%)	0	100	100
47	1p	80/88 (91%)	68 (85%)	12 (15%)	0	100	100
47	2p	80/88 (91%)	69 (86%)	11 (14%)	0	100	100
48	1q	97/105 (92%)	90 (93%)	6 (6%)	1 (1%)	12	25
48	2q	97/105 (92%)	91 (94%)	6 (6%)	0	100	100
49	1r	66/88 (75%)	58 (88%)	7 (11%)	1 (2%)	8	18
49	2r	66/88 (75%)	62 (94%)	4 (6%)	0	100	100
50	1s	81/93 (87%)	70 (86%)	11 (14%)	0	100	100
50	2s	81/93 (87%)	70 (86%)	10 (12%)	1 (1%)	10	22
51	1t	94/106 (89%)	85 (90%)	8 (8%)	1 (1%)	11	24
51	2t	96/106 (91%)	88 (92%)	7 (7%)	1 (1%)	12	25
52	1u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100
52	2u	21/27 (78%)	19 (90%)	1 (5%)	1 (5%)	2	3
53	1y	95/113 (84%)	93 (98%)	2 (2%)	0	100	100
53	2y	94/113 (83%)	87 (93%)	5 (5%)	2 (2%)	5	13
All	All	11629/12354 (94%)	10636 (92%)	883 (8%)	110 (1%)	14	28

5 of 110 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	1F	130	ALA
7	1H	126	PRO
33	1b	8	LYS
33	1b	17	PHE
33	1b	125	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	214/218 (98%)	192 (90%)	22 (10%)	7	14
3	2D	215/218 (99%)	190 (88%)	25 (12%)	5	10
4	1E	164/166 (99%)	141 (86%)	23 (14%)	3	6
4	2E	164/166 (99%)	146 (89%)	18 (11%)	6	12
5	1F	160/166 (96%)	138 (86%)	22 (14%)	3	7
5	2F	159/166 (96%)	139 (87%)	20 (13%)	4	8
6	1G	144/156 (92%)	133 (92%)	11 (8%)	12	26
6	2G	142/156 (91%)	123 (87%)	19 (13%)	4	7
7	1H	144/148 (97%)	130 (90%)	14 (10%)	8	17
7	2H	143/148 (97%)	122 (85%)	21 (15%)	3	5
8	1I	111/124 (90%)	96 (86%)	15 (14%)	4	7
8	2I	108/124 (87%)	80 (74%)	28 (26%)	0	0
9	1N	119/119 (100%)	102 (86%)	17 (14%)	3	6
9	2N	118/119 (99%)	100 (85%)	18 (15%)	3	5
10	1O	100/100 (100%)	86 (86%)	14 (14%)	3	6
10	2O	100/100 (100%)	90 (90%)	10 (10%)	7	16
11	1P	115/116 (99%)	103 (90%)	12 (10%)	7	14
11	2P	115/116 (99%)	102 (89%)	13 (11%)	5	11
12	1Q	111/111 (100%)	99 (89%)	12 (11%)	6	12
12	2Q	111/111 (100%)	100 (90%)	11 (10%)	7	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	1R	101/101 (100%)	91 (90%)	10 (10%)	7	16
13	2R	101/101 (100%)	86 (85%)	15 (15%)	3	5
14	1S	87/88 (99%)	76 (87%)	11 (13%)	4	8
14	2S	85/88 (97%)	75 (88%)	10 (12%)	5	10
15	1T	115/127 (91%)	105 (91%)	10 (9%)	9	21
15	2T	113/127 (89%)	104 (92%)	9 (8%)	11	24
16	1U	93/94 (99%)	82 (88%)	11 (12%)	5	10
16	2U	93/94 (99%)	88 (95%)	5 (5%)	20	42
17	1V	81/82 (99%)	70 (86%)	11 (14%)	3	7
17	2V	80/82 (98%)	72 (90%)	8 (10%)	7	16
18	1W	90/92 (98%)	81 (90%)	9 (10%)	7	16
18	2W	90/92 (98%)	84 (93%)	6 (7%)	15	31
19	1X	77/78 (99%)	71 (92%)	6 (8%)	11	25
19	2X	77/78 (99%)	71 (92%)	6 (8%)	11	25
20	1Y	86/91 (94%)	79 (92%)	7 (8%)	11	23
20	2Y	86/91 (94%)	76 (88%)	10 (12%)	5	10
21	1Z	169/179 (94%)	145 (86%)	24 (14%)	3	6
21	2Z	165/179 (92%)	149 (90%)	16 (10%)	8	17
22	10	61/67 (91%)	55 (90%)	6 (10%)	7	16
22	20	61/67 (91%)	56 (92%)	5 (8%)	10	23
23	11	79/83 (95%)	71 (90%)	8 (10%)	7	15
23	21	81/83 (98%)	71 (88%)	10 (12%)	4	8
24	12	65/67 (97%)	59 (91%)	6 (9%)	8	19
24	22	66/67 (98%)	56 (85%)	10 (15%)	3	5
25	13	51/52 (98%)	45 (88%)	6 (12%)	5	10
25	23	50/52 (96%)	41 (82%)	9 (18%)	2	3
26	14	58/63 (92%)	53 (91%)	5 (9%)	10	21
26	24	54/63 (86%)	44 (82%)	10 (18%)	1	2
27	15	51/52 (98%)	46 (90%)	5 (10%)	7	16
27	25	50/52 (96%)	43 (86%)	7 (14%)	3	6
28	16	51/52 (98%)	50 (98%)	1 (2%)	48	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	26	50/52 (96%)	46 (92%)	4 (8%)	11	24
29	17	41/42 (98%)	39 (95%)	2 (5%)	22	45
29	27	41/42 (98%)	37 (90%)	4 (10%)	7	16
30	18	54/55 (98%)	50 (93%)	4 (7%)	13	26
30	28	54/55 (98%)	48 (89%)	6 (11%)	6	12
31	19	34/34 (100%)	32 (94%)	2 (6%)	18	37
31	29	34/34 (100%)	32 (94%)	2 (6%)	18	37
33	1b	191/220 (87%)	162 (85%)	29 (15%)	3	5
33	2b	187/220 (85%)	163 (87%)	24 (13%)	4	7
34	1c	144/188 (77%)	130 (90%)	14 (10%)	8	17
34	2c	140/188 (74%)	122 (87%)	18 (13%)	4	7
35	1d	171/181 (94%)	141 (82%)	30 (18%)	2	3
35	2d	172/181 (95%)	154 (90%)	18 (10%)	6	13
36	1e	114/123 (93%)	101 (89%)	13 (11%)	5	11
36	2e	114/123 (93%)	99 (87%)	15 (13%)	4	7
37	1f	85/90 (94%)	81 (95%)	4 (5%)	23	47
37	2f	85/90 (94%)	80 (94%)	5 (6%)	18	37
38	1g	120/127 (94%)	115 (96%)	5 (4%)	26	51
38	2g	119/127 (94%)	105 (88%)	14 (12%)	5	10
39	1h	116/119 (98%)	105 (90%)	11 (10%)	8	17
39	2h	114/119 (96%)	103 (90%)	11 (10%)	8	17
40	1i	91/99 (92%)	81 (89%)	10 (11%)	6	12
40	2i	88/99 (89%)	74 (84%)	14 (16%)	2	4
41	1j	68/92 (74%)	57 (84%)	11 (16%)	2	4
41	2j	68/92 (74%)	63 (93%)	5 (7%)	13	26
42	1k	83/99 (84%)	72 (87%)	11 (13%)	4	7
42	2k	83/99 (84%)	72 (87%)	11 (13%)	4	7
43	1l	96/108 (89%)	83 (86%)	13 (14%)	4	7
43	2l	96/108 (89%)	86 (90%)	10 (10%)	7	14
44	1m	90/101 (89%)	73 (81%)	17 (19%)	1	2
44	2m	87/101 (86%)	78 (90%)	9 (10%)	7	14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	1n	49/50 (98%)	40 (82%)	9 (18%)	1	2
45	2n	49/50 (98%)	41 (84%)	8 (16%)	2	4
46	1o	78/80 (98%)	73 (94%)	5 (6%)	16	33
46	2o	78/80 (98%)	68 (87%)	10 (13%)	4	7
47	1p	69/74 (93%)	52 (75%)	17 (25%)	1	0
47	2p	68/74 (92%)	55 (81%)	13 (19%)	1	2
48	1q	94/97 (97%)	85 (90%)	9 (10%)	8	17
48	2q	94/97 (97%)	87 (93%)	7 (7%)	13	26
49	1r	59/77 (77%)	52 (88%)	7 (12%)	5	10
49	2r	59/77 (77%)	50 (85%)	9 (15%)	3	5
50	1s	68/80 (85%)	60 (88%)	8 (12%)	5	10
50	2s	67/80 (84%)	61 (91%)	6 (9%)	9	19
51	1t	71/82 (87%)	65 (92%)	6 (8%)	10	22
51	2t	70/82 (85%)	64 (91%)	6 (9%)	10	21
52	1u	18/22 (82%)	17 (94%)	1 (6%)	19	40
52	2u	18/22 (82%)	17 (94%)	1 (6%)	19	40
53	1y	82/98 (84%)	73 (89%)	9 (11%)	6	12
53	2y	79/98 (81%)	64 (81%)	15 (19%)	1	2
All	All	9524/10260 (93%)	8415 (88%)	1109 (12%)	5	10

5 of 1109 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
35	2d	58	LEU
36	2e	126	ARG
35	2d	38	TYR
45	2n	46	GLU
36	1e	79	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 138 such sidechains are listed below:

Mol	Chain	Res	Type
38	2g	28	ASN
40	2i	3	GLN
46	2o	62	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
38	1g	153	HIS
38	1g	148	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2865/2915 (98%)	446 (15%)	31 (1%)
1	2A	2858/2915 (98%)	509 (17%)	31 (1%)
2	1B	119/121 (98%)	11 (9%)	0
2	2B	119/121 (98%)	20 (16%)	0
32	1a	1497/1521 (98%)	288 (19%)	0
32	2a	1501/1521 (98%)	284 (18%)	0
All	All	8959/9114 (98%)	1558 (17%)	62 (0%)

5 of 1558 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	11	G
1	1A	12	U
1	1A	13	A
1	1A	34	C
1	1A	45	C

5 of 62 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1A	2602	A
1	2A	2318	G
1	2A	277	C
1	2A	2172	U
1	2A	2689	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

48 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
32	5MC	1a	1400	32	19,22,23	1.64	3 (15%)	26,32,35	1.24	3 (11%)
1	OMU	2A	2552	1,54	19,22,23	1.16	3 (15%)	25,31,34	1.88	5 (20%)
32	UR3	2a	1498	32	19,22,23	0.96	1 (5%)	26,32,35	1.73	2 (7%)
32	MA6	1a	1518	32	23,26,27	0.43	0	33,38,41	2.03	9 (27%)
32	G7M	1a	527	32	23,26,27	1.59	3 (13%)	34,39,42	1.68	4 (11%)
32	4OC	1a	1402	32	20,23,24	0.78	0	25,32,35	0.94	1 (4%)
32	5MC	1a	1407	32	19,22,23	1.68	2 (10%)	26,32,35	1.10	3 (11%)
1	OMG	2A	2251	1	23,26,27	1.22	3 (13%)	32,38,41	2.06	6 (18%)
1	PSU	2A	2605	1	18,21,22	1.30	2 (11%)	21,30,33	1.95	4 (19%)
1	5MU	1A	1939	1,54	19,22,23	1.40	5 (26%)	27,32,35	2.18	6 (22%)
1	OMU	1A	2552	1,54	19,22,23	1.30	3 (15%)	25,31,34	1.83	6 (24%)
32	PSU	2a	516	54,32	18,21,22	1.37	3 (16%)	21,30,33	2.19	5 (23%)
32	5MC	1a	1404	32	19,22,23	1.80	3 (15%)	26,32,35	1.19	3 (11%)
32	MA6	2a	1519	32	23,26,27	0.74	1 (4%)	33,38,41	2.27	10 (30%)
1	OMC	1A	1920	1	19,22,23	0.80	0	25,31,34	1.02	1 (4%)
1	5MC	2A	1942	1,54	19,22,23	1.78	3 (15%)	26,32,35	1.14	3 (11%)
43	0TD	1l	92	43	8,9,10	4.52	1 (12%)	6,11,13	7.23	1 (16%)
1	2MA	2A	2503	1,54	22,25,26	1.52	4 (18%)	32,37,40	2.42	8 (25%)
1	5MU	2A	1915	1	19,22,23	1.46	4 (21%)	27,32,35	2.16	8 (29%)
32	2MG	2a	1207	32	23,26,27	1.27	4 (17%)	33,38,41	2.00	7 (21%)
1	PSU	1A	2605	1,54	18,21,22	1.37	2 (11%)	21,30,33	2.06	4 (19%)
32	5MC	2a	1400	32	19,22,23	1.68	3 (15%)	26,32,35	1.21	4 (15%)
1	PSU	2A	1911	1	18,21,22	1.37	2 (11%)	21,30,33	1.99	4 (19%)
32	5MC	2a	1407	32	19,22,23	1.66	3 (15%)	26,32,35	1.16	3 (11%)
1	2MA	1A	2503	1,54	22,25,26	1.47	4 (18%)	32,37,40	2.38	7 (21%)
32	5MC	2a	967	32	19,22,23	1.79	3 (15%)	26,32,35	1.13	2 (7%)
1	OMC	2A	1920	1	19,22,23	0.79	0	25,31,34	0.98	1 (4%)
1	PSU	2A	1917	1	18,21,22	1.39	2 (11%)	21,30,33	1.97	4 (19%)
32	M2G	2a	966	32	24,27,28	1.29	3 (12%)	33,40,43	1.89	5 (15%)
43	0TD	2l	92	43	8,9,10	4.47	1 (12%)	6,11,13	2.76	3 (50%)
1	OMG	1A	2251	1,54	23,26,27	1.25	2 (8%)	32,38,41	2.02	7 (21%)
32	PSU	1a	516	54,32	18,21,22	1.36	2 (11%)	21,30,33	1.94	5 (23%)
1	5MU	1A	1915	1	19,22,23	1.49	5 (26%)	27,32,35	2.36	10 (37%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	5MC	2a	1404	32	19,22,23	1.80	3 (15%)	26,32,35	1.20	3 (11%)
32	MA6	1a	1519	32	23,26,27	0.44	0	33,38,41	2.02	9 (27%)
1	PSU	1A	1911	1	18,21,22	1.38	2 (11%)	21,30,33	2.01	5 (23%)
1	PSU	1A	1917	1	18,21,22	1.42	3 (16%)	21,30,33	2.03	4 (19%)
32	5MC	1a	967	32	19,22,23	1.67	3 (15%)	26,32,35	1.09	2 (7%)
32	4OC	2a	1402	32	20,23,24	0.77	0	25,32,35	0.98	1 (4%)
32	UR3	1a	1498	32	19,22,23	1.03	2 (10%)	26,32,35	1.68	4 (15%)
1	5MC	2A	1962	1	19,22,23	1.60	3 (15%)	26,32,35	1.11	2 (7%)
1	5MC	1A	1942	1	19,22,23	1.39	3 (15%)	26,32,35	1.23	2 (7%)
32	M2G	1a	966	32	24,27,28	1.31	4 (16%)	33,40,43	1.81	6 (18%)
32	2MG	1a	1207	54,32	23,26,27	1.25	3 (13%)	33,38,41	2.33	9 (27%)
32	MA6	2a	1518	32	23,26,27	0.41	0	33,38,41	1.97	9 (27%)
32	G7M	2a	527	54,32	23,26,27	1.43	4 (17%)	34,39,42	1.66	5 (14%)
1	5MU	2A	1939	1,54	19,22,23	1.36	5 (26%)	27,32,35	2.11	6 (22%)
1	5MC	1A	1962	1,54	19,22,23	1.51	3 (15%)	26,32,35	1.22	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	1a	1400	32	-	0/7/25/26	0/2/2/2
1	OMU	2A	2552	1,54	-	0/9/27/28	0/2/2/2
32	UR3	2a	1498	32	-	0/7/25/26	0/2/2/2
32	MA6	1a	1518	32	-	0/11/29/30	0/3/3/3
32	G7M	1a	527	32	-	2/7/25/26	0/3/3/3
32	4OC	1a	1402	32	-	2/9/29/30	0/2/2/2
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
1	OMG	2A	2251	1	-	0/9/27/28	0/3/3/3
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
1	5MU	1A	1939	1,54	-	0/7/25/26	0/2/2/2
1	OMU	1A	2552	1,54	-	0/9/27/28	0/2/2/2
32	PSU	2a	516	54,32	-	1/7/25/26	0/2/2/2
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
32	MA6	2a	1519	32	-	2/11/29/30	0/3/3/3
1	OMC	1A	1920	1	-	1/9/27/28	0/2/2/2
1	5MC	2A	1942	1,54	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
43	0TD	1l	92	43	-	3/7/12/14	-
1	2MA	2A	2503	1,54	-	2/7/25/26	0/3/3/3
1	5MU	2A	1915	1	-	2/7/25/26	0/2/2/2
32	2MG	2a	1207	32	-	0/9/27/28	0/3/3/3
1	PSU	1A	2605	1,54	-	0/7/25/26	0/2/2/2
32	5MC	2a	1400	32	-	0/7/25/26	0/2/2/2
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2
1	2MA	1A	2503	1,54	-	2/7/25/26	0/3/3/3
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
1	OMC	2A	1920	1	-	1/9/27/28	0/2/2/2
1	PSU	2A	1917	1	-	0/7/25/26	0/2/2/2
32	M2G	2a	966	32	-	0/11/29/30	0/3/3/3
43	0TD	2l	92	43	-	2/7/12/14	-
1	OMG	1A	2251	1,54	-	1/9/27/28	0/3/3/3
32	PSU	1a	516	54,32	-	0/7/25/26	0/2/2/2
1	5MU	1A	1915	1	-	4/7/25/26	0/2/2/2
32	5MC	2a	1404	32	-	0/7/25/26	0/2/2/2
32	MA6	1a	1519	32	-	2/11/29/30	0/3/3/3
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
1	PSU	1A	1917	1	-	2/7/25/26	0/2/2/2
32	5MC	1a	967	32	-	0/7/25/26	0/2/2/2
32	4OC	2a	1402	32	-	3/9/29/30	0/2/2/2
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
1	5MC	2A	1962	1	-	0/7/25/26	0/2/2/2
1	5MC	1A	1942	1	-	0/7/25/26	0/2/2/2
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3
32	2MG	1a	1207	54,32	-	3/9/27/28	0/3/3/3
32	MA6	2a	1518	32	-	0/11/29/30	0/3/3/3
32	G7M	2a	527	54,32	-	1/7/25/26	0/3/3/3
1	5MU	2A	1939	1,54	-	0/7/25/26	0/2/2/2
1	5MC	1A	1962	1,54	-	0/7/25/26	0/2/2/2

The worst 5 of 118 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	1l	92	0TD	CB-SB	-12.36	1.69	1.82
43	2l	92	0TD	CB-SB	-12.34	1.69	1.82
32	1a	1404	5MC	C5-C4	6.77	1.49	1.44
32	2a	1404	5MC	C5-C4	6.76	1.49	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	2a	967	5MC	C5-C4	6.72	1.49	1.44

The worst 5 of 224 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	1l	92	0TD	CSB-SB-CB	-17.51	70.89	102.36
1	2A	2503	2MA	C5-C4-N3	-8.92	117.78	127.18
1	1A	2503	2MA	C5-C4-N3	-8.54	118.19	127.18
32	1a	1207	2MG	C2-N3-C4	7.19	120.99	112.00
32	2a	1498	UR3	C4-N3-C2	-7.08	118.88	124.58

There are no chirality outliers.

5 of 36 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1A	1915	5MU	O4'-C1'-N1-C2
1	1A	1915	5MU	O4'-C1'-N1-C6
32	1a	1207	2MG	N1-C2-N2-CM2
32	1a	1207	2MG	N3-C2-N2-CM2
43	1l	92	0TD	O-C-CA-CB

There are no ring outliers.

13 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	1a	1518	MA6	2	0
32	1a	1402	4OC	1	0
1	1A	1939	5MU	2	0
32	2a	1519	MA6	1	0
1	1A	1920	OMC	1	0
32	2a	1400	5MC	1	0
32	1a	1519	MA6	2	0
32	2a	1402	4OC	2	0
1	2A	1962	5MC	1	0
32	1a	966	M2G	1	0
32	1a	1207	2MG	3	0
32	2a	1518	MA6	3	0
1	1A	1962	5MC	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2583 ligands modelled in this entry, 2571 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
56	MPD	2B	220	-	7,7,7	0.33	0	9,10,10	0.29	0
59	SF4	2d	501	35	0,12,12	-	-	-	-	-
56	MPD	18	104	-	7,7,7	0.37	0	9,10,10	0.48	0
56	MPD	1O	203	-	7,7,7	0.35	0	9,10,10	0.25	0
56	MPD	2A	3759	-	7,7,7	0.34	0	9,10,10	0.25	0
59	SF4	1d	306	35	0,12,12	-	-	-	-	-
57	ARG	1B	231	-	10,11,11	0.74	1 (10%)	9,13,13	0.89	1 (11%)
56	MPD	1a	1883	32	7,7,7	0.37	0	9,10,10	0.72	0
56	MPD	1A	4051	-	7,7,7	0.33	0	9,10,10	0.18	0
55	A1CQ5	2A	3757	-	48,49,49	2.67	10 (20%)	64,73,73	2.19	20 (31%)
56	MPD	2A	3758	-	7,7,7	0.30	0	9,10,10	0.38	0
55	A1CQ5	1A	4050	-	48,49,49	2.74	10 (20%)	64,73,73	2.18	19 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	MPD	2B	220	-	-	1/5/5/5	-
59	SF4	2d	501	35	-	-	0/6/5/5
56	MPD	18	104	-	-	3/5/5/5	-
56	MPD	1O	203	-	-	3/5/5/5	-
56	MPD	2A	3759	-	-	3/5/5/5	-
59	SF4	1d	306	35	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	ARG	1B	231	-	-	4/11/11/11	-
56	MPD	1a	1883	32	-	2/5/5/5	-
56	MPD	1A	4051	-	-	1/5/5/5	-
55	A1CQ5	2A	3757	-	-	4/24/86/86	0/5/5/5
56	MPD	2A	3758	-	-	1/5/5/5	-
55	A1CQ5	1A	4050	-	-	5/24/86/86	0/5/5/5

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	2A	3757	A1CQ5	CBG-CBE	-10.86	1.31	1.47
55	1A	4050	A1CQ5	CBG-CBE	-10.51	1.32	1.47
55	1A	4050	A1CQ5	CAA-CAQ	-8.83	1.40	1.53
55	1A	4050	A1CQ5	CAT-CAQ	-8.67	1.37	1.51
55	2A	3757	A1CQ5	CAA-CAQ	-7.99	1.41	1.53

The worst 5 of 40 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	2A	3757	A1CQ5	CAK-CAC-CAB	-8.29	107.38	116.28
55	1A	4050	A1CQ5	CAK-CAC-CAB	-8.04	107.65	116.28
55	1A	4050	A1CQ5	CAZ-CAB-CAC	-5.15	103.55	108.81
55	2A	3757	A1CQ5	CAZ-CAB-CAC	-4.91	103.79	108.81
55	1A	4050	A1CQ5	CAC-OAU-CAV	-4.21	110.37	118.03

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
55	1A	4050	A1CQ5	CAV-CAW-SAY-CBM
55	1A	4050	A1CQ5	CBN-CBM-SAY-CAW
55	2A	3757	A1CQ5	CAV-CAW-SAY-CBM
56	1O	203	MPD	CM-C2-C3-C4
56	1a	1883	MPD	C2-C3-C4-O4

There are no ring outliers.

5 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
59	2d	501	SF4	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	18	104	MPD	4	0
57	1B	231	ARG	3	0
56	1a	1883	MPD	5	0
56	2A	3758	MPD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2861/2915 (98%)	-0.60	106 (3%) 45 35	12, 29, 92, 107	0
1	2A	2856/2915 (97%)	-0.22	119 (4%) 40 32	25, 49, 95, 110	0
2	1B	120/121 (99%)	-0.52	0 100 100	24, 46, 60, 77	0
2	2B	120/121 (99%)	0.22	1 (0%) 82 78	53, 73, 83, 91	0
3	1D	275/276 (99%)	-0.48	1 (0%) 88 87	13, 29, 44, 63	0
3	2D	275/276 (99%)	-0.11	4 (1%) 72 65	24, 43, 56, 72	0
4	1E	204/206 (99%)	-0.41	0 100 100	12, 32, 52, 66	0
4	2E	204/206 (99%)	-0.01	2 (0%) 79 74	27, 49, 65, 77	0
5	1F	203/210 (96%)	-0.34	1 (0%) 87 85	11, 32, 59, 78	0
5	2F	203/210 (96%)	0.04	0 100 100	26, 55, 73, 84	0
6	1G	181/182 (99%)	0.29	3 (1%) 69 63	42, 62, 77, 87	0
6	2G	181/182 (99%)	1.06	19 (10%) 11 9	68, 80, 88, 92	0
7	1H	174/180 (96%)	-0.14	1 (0%) 85 82	30, 45, 60, 65	0
7	2H	173/180 (96%)	0.71	4 (2%) 61 52	62, 75, 85, 92	0
8	1I	147/148 (99%)	0.38	3 (2%) 65 57	37, 65, 75, 79	0
8	2I	146/148 (98%)	1.11	27 (18%) 3 3	45, 75, 90, 98	0
9	1N	140/140 (100%)	-0.43	0 100 100	18, 30, 53, 69	0
9	2N	140/140 (100%)	0.10	0 100 100	36, 55, 70, 78	0
10	1O	122/122 (100%)	-0.44	0 100 100	19, 30, 46, 55	0
10	2O	122/122 (100%)	-0.16	0 100 100	35, 46, 59, 69	0
11	1P	149/150 (99%)	-0.33	1 (0%) 84 80	14, 36, 58, 73	0
11	2P	149/150 (99%)	0.20	1 (0%) 84 80	30, 58, 78, 82	0
12	1Q	141/141 (100%)	-0.41	0 100 100	17, 32, 47, 63	0
12	2Q	141/141 (100%)	0.21	3 (2%) 63 55	38, 55, 67, 75	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	-0.49	0 100 100	17, 27, 40, 53	0
13	2R	118/118 (100%)	-0.15	0 100 100	32, 44, 56, 67	0
14	1S	110/112 (98%)	-0.12	1 (0%) 81 76	32, 45, 57, 64	0
14	2S	110/112 (98%)	0.79	3 (2%) 56 47	59, 68, 78, 82	0
15	1T	131/146 (89%)	-0.12	4 (3%) 51 43	27, 36, 61, 73	0
15	2T	131/146 (89%)	0.05	0 100 100	41, 51, 68, 75	0
16	1U	116/118 (98%)	-0.50	1 (0%) 81 76	13, 23, 41, 60	0
16	2U	116/118 (98%)	0.17	1 (0%) 81 76	31, 51, 67, 72	0
17	1V	101/101 (100%)	-0.52	0 100 100	17, 32, 51, 61	0
17	2V	101/101 (100%)	0.12	1 (0%) 79 74	30, 60, 72, 80	0
18	1W	112/113 (99%)	-0.55	0 100 100	14, 21, 44, 79	0
18	2W	112/113 (99%)	-0.17	0 100 100	30, 40, 58, 78	0
19	1X	95/96 (98%)	-0.35	0 100 100	20, 29, 50, 62	0
19	2X	95/96 (98%)	0.26	1 (1%) 78 73	38, 51, 66, 75	0
20	1Y	107/110 (97%)	-0.03	1 (0%) 81 76	28, 43, 62, 70	0
20	2Y	107/110 (97%)	0.73	6 (5%) 30 22	47, 63, 76, 85	0
21	1Z	203/206 (98%)	0.12	1 (0%) 87 85	34, 51, 69, 80	0
21	2Z	201/206 (97%)	0.52	1 (0%) 87 85	60, 70, 81, 88	0
22	10	77/85 (90%)	-0.39	0 100 100	19, 31, 46, 64	0
22	20	77/85 (90%)	0.29	0 100 100	40, 54, 66, 70	0
23	11	97/98 (98%)	-0.18	2 (2%) 63 55	20, 36, 62, 69	0
23	21	97/98 (98%)	0.09	2 (2%) 63 55	31, 49, 70, 76	0
24	12	70/72 (97%)	-0.16	1 (1%) 73 67	26, 39, 50, 74	0
24	22	70/72 (97%)	0.31	2 (2%) 53 45	50, 61, 70, 74	0
25	13	59/60 (98%)	-0.39	0 100 100	20, 28, 56, 74	0
25	23	59/60 (98%)	0.10	1 (1%) 69 63	44, 52, 70, 74	0
26	14	69/71 (97%)	0.67	5 (7%) 21 15	62, 79, 92, 97	0
26	24	69/71 (97%)	1.44	15 (21%) 2 2	78, 88, 98, 105	0
27	15	59/60 (98%)	-0.41	0 100 100	13, 26, 56, 64	0
27	25	59/60 (98%)	-0.19	0 100 100	27, 46, 67, 69	0
28	16	53/54 (98%)	-0.34	0 100 100	27, 36, 50, 55	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.16	0 100 100	46, 54, 64, 68	0
29	17	48/49 (97%)	-0.36	2 (4%) 40 32	13, 19, 53, 63	0
29	27	48/49 (97%)	-0.08	2 (4%) 40 32	23, 34, 60, 68	0
30	18	64/65 (98%)	-0.46	0 100 100	18, 25, 34, 41	0
30	28	64/65 (98%)	0.21	1 (1%) 70 64	38, 45, 55, 61	0
31	19	37/37 (100%)	-0.16	0 100 100	25, 35, 51, 61	0
31	29	37/37 (100%)	0.84	3 (8%) 18 13	52, 62, 69, 72	0
32	1a	1488/1521 (97%)	0.22	37 (2%) 58 49	28, 70, 93, 108	0
32	2a	1492/1521 (98%)	0.25	38 (2%) 58 49	38, 70, 94, 108	0
33	1b	231/256 (90%)	0.93	19 (8%) 17 13	61, 76, 86, 91	0
33	2b	231/256 (90%)	1.02	23 (9%) 12 10	62, 78, 87, 95	0
34	1c	206/239 (86%)	0.76	10 (4%) 35 27	62, 76, 85, 92	0
34	2c	206/239 (86%)	0.94	12 (5%) 29 21	68, 80, 86, 92	0
35	1d	208/209 (99%)	0.80	13 (6%) 26 19	53, 69, 79, 85	0
35	2d	208/209 (99%)	0.73	7 (3%) 48 38	56, 67, 77, 83	0
36	1e	148/162 (91%)	0.34	2 (1%) 73 67	42, 62, 71, 82	0
36	2e	148/162 (91%)	0.43	3 (2%) 65 57	54, 66, 75, 86	0
37	1f	100/101 (99%)	0.31	0 100 100	52, 65, 72, 79	0
37	2f	100/101 (99%)	0.23	1 (1%) 79 74	53, 65, 75, 76	0
38	1g	155/156 (99%)	0.52	6 (3%) 43 34	62, 72, 80, 86	0
38	2g	155/156 (99%)	0.72	8 (5%) 33 25	68, 75, 82, 88	0
39	1h	137/138 (99%)	0.38	1 (0%) 84 80	50, 64, 70, 80	0
39	2h	137/138 (99%)	0.42	2 (1%) 72 65	53, 65, 72, 75	0
40	1i	127/128 (99%)	1.41	30 (23%) 2 2	63, 80, 87, 89	0
40	2i	126/128 (98%)	1.62	38 (30%) 1 1	68, 82, 88, 90	0
41	1j	97/105 (92%)	1.45	22 (22%) 2 2	68, 81, 88, 92	0
41	2j	96/105 (91%)	1.58	27 (28%) 1 1	75, 82, 88, 91	0
42	1k	114/129 (88%)	0.16	2 (1%) 67 61	35, 57, 68, 74	0
42	2k	114/129 (88%)	0.29	2 (1%) 67 61	51, 64, 76, 79	0
43	1l	121/132 (91%)	0.27	3 (2%) 58 49	46, 56, 66, 74	0
43	2l	121/132 (91%)	0.44	3 (2%) 58 49	48, 61, 68, 75	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	116/126 (92%)	0.89	5 (4%) 40 31	66, 75, 82, 85	0
44	2m	114/126 (90%)	1.16	12 (10%) 11 9	69, 81, 87, 89	0
45	1n	60/61 (98%)	1.32	9 (15%) 5 4	65, 75, 81, 85	0
45	2n	60/61 (98%)	1.87	26 (43%) 0 0	70, 81, 87, 90	0
46	1o	88/89 (98%)	0.28	1 (1%) 78 73	45, 61, 73, 78	0
46	2o	88/89 (98%)	0.33	2 (2%) 61 52	46, 63, 74, 80	0
47	1p	82/88 (93%)	0.97	5 (6%) 27 20	52, 69, 81, 86	0
47	2p	82/88 (93%)	0.72	3 (3%) 45 35	55, 64, 74, 80	0
48	1q	99/105 (94%)	0.58	2 (2%) 65 57	47, 62, 70, 74	0
48	2q	99/105 (94%)	0.45	0 100 100	47, 62, 72, 76	0
49	1r	68/88 (77%)	0.29	0 100 100	48, 61, 73, 80	0
49	2r	68/88 (77%)	0.47	1 (1%) 72 65	56, 65, 74, 78	0
50	1s	83/93 (89%)	1.42	16 (19%) 3 3	68, 78, 86, 90	0
50	2s	83/93 (89%)	1.61	20 (24%) 2 1	73, 85, 92, 96	0
51	1t	96/106 (90%)	0.85	10 (10%) 11 9	53, 67, 76, 80	0
51	2t	98/106 (92%)	0.66	5 (5%) 33 26	53, 63, 75, 78	0
52	1u	23/27 (85%)	2.19	12 (52%) 0 0	69, 75, 80, 84	0
52	2u	23/27 (85%)	2.13	13 (56%) 0 0	74, 79, 85, 87	0
53	1y	97/113 (85%)	0.48	3 (3%) 51 43	48, 65, 74, 79	0
53	2y	96/113 (84%)	1.52	30 (31%) 1 1	67, 78, 87, 89	0
All	All	20766/21468 (96%)	0.11	837 (4%) 42 33	11, 57, 87, 110	0

The worst 5 of 837 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1A	1076	C	7.1
1	1A	1064	C	6.4
32	2a	1030(B)	C	6.4
1	2A	2125	G	6.3
1	1A	1087	G	6.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
32	2MG	2a	1207	24/25	0.80	0.12	74,84,88,89	0
1	5MU	2A	1915	21/22	0.84	0.09	77,83,88,92	0
32	2MG	1a	1207	24/25	0.86	0.11	68,77,80,88	0
32	5MC	2a	967	21/22	0.88	0.14	60,69,79,87	0
1	PSU	1A	1917	20/21	0.89	0.10	49,67,76,78	0
32	PSU	2a	516	20/21	0.89	0.09	68,77,84,84	0
1	5MU	1A	1915	21/22	0.89	0.10	68,77,87,96	0
1	PSU	2A	1911	20/21	0.89	0.10	66,70,79,80	0
32	M2G	2a	966	25/26	0.90	0.13	51,67,80,82	0
32	G7M	2a	527	24/25	0.91	0.11	56,63,68,69	0
32	5MC	1a	967	21/22	0.91	0.10	51,63,73,79	0
1	PSU	1A	1911	20/21	0.91	0.10	54,63,68,70	0
43	0TD	1l	92	10/11	0.91	0.12	50,56,61,71	0
1	PSU	2A	1917	20/21	0.92	0.08	69,76,83,86	0
32	M2G	1a	966	25/26	0.93	0.10	46,62,71,74	0
32	G7M	1a	527	24/25	0.93	0.10	51,59,63,64	0
32	5MC	2a	1400	21/22	0.93	0.11	59,64,66,68	0
43	0TD	2l	92	10/11	0.93	0.10	61,63,67,77	0
32	5MC	1a	1407	21/22	0.94	0.09	39,47,52,54	0
32	PSU	1a	516	20/21	0.94	0.09	52,66,70,71	0
32	MA6	1a	1519	24/25	0.95	0.10	37,43,51,55	0
1	OMC	2A	1920	21/22	0.95	0.09	51,62,69,74	0
32	4OC	2a	1402	22/23	0.95	0.09	53,60,64,66	0
32	5MC	2a	1404	21/22	0.95	0.08	41,51,56,59	0
32	5MC	2a	1407	21/22	0.95	0.09	53,59,64,68	0
32	UR3	2a	1498	21/22	0.95	0.09	48,54,60,63	0
32	MA6	2a	1518	24/25	0.95	0.10	42,56,58,60	0
1	OMC	1A	1920	21/22	0.95	0.10	40,52,56,57	0
32	5MC	1a	1404	21/22	0.96	0.08	40,44,47,52	0
32	5MC	1a	1400	21/22	0.96	0.08	48,53,56,58	0
32	UR3	1a	1498	21/22	0.96	0.09	38,45,50,57	0
32	MA6	2a	1519	24/25	0.96	0.10	44,53,57,58	0
1	5MC	2A	1942	21/22	0.96	0.07	38,45,48,50	0
32	MA6	1a	1518	24/25	0.97	0.08	32,40,43,46	0
32	4OC	1a	1402	22/23	0.97	0.08	43,49,56,60	0
1	5MU	2A	1939	21/22	0.97	0.08	26,35,38,39	0
1	5MC	1A	1942	21/22	0.97	0.07	20,29,33,34	0
1	5MC	2A	1962	21/22	0.97	0.08	32,37,43,48	0
1	OMG	2A	2251	24/25	0.97	0.08	30,35,42,45	0
1	2MA	2A	2503	23/24	0.97	0.07	23,27,32,36	0
1	OMU	2A	2552	21/22	0.97	0.07	24,33,38,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	PSU	2A	2605	20/21	0.97	0.07	25,31,34,34	0
1	5MC	1A	1962	21/22	0.97	0.07	24,29,32,42	0
1	OMG	1A	2251	24/25	0.97	0.07	13,16,21,26	0
1	2MA	1A	2503	23/24	0.98	0.06	11,14,16,17	0
1	OMU	1A	2552	21/22	0.98	0.06	17,23,26,27	0
1	PSU	1A	2605	20/21	0.98	0.07	18,21,28,29	0
1	5MU	1A	1939	21/22	0.98	0.07	17,22,24,28	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3186	1/1	0.42	0.24	82,82,82,82	0
54	MG	1a	1759	1/1	0.47	0.30	72,72,72,72	0
54	MG	1a	1850	1/1	0.49	0.23	58,58,58,58	0
54	MG	2a	3146	1/1	0.57	0.31	94,94,94,94	0
54	MG	2j	201	1/1	0.57	0.14	85,85,85,85	0
54	MG	1a	1764	1/1	0.59	0.20	75,75,75,75	0
54	MG	1A	3905	1/1	0.59	0.20	41,41,41,41	0
54	MG	1b	301	1/1	0.59	0.17	74,74,74,74	0
54	MG	2a	3117	1/1	0.60	0.27	66,66,66,66	0
54	MG	1a	1834	1/1	0.60	0.31	73,73,73,73	0
54	MG	1S	202	1/1	0.62	0.27	68,68,68,68	0
54	MG	1a	1778	1/1	0.63	0.15	89,89,89,89	0
54	MG	1a	1638	1/1	0.64	0.16	78,78,78,78	0
54	MG	1a	1641	1/1	0.64	0.25	73,73,73,73	0
54	MG	2A	3374	1/1	0.64	0.21	75,75,75,75	0
54	MG	2A	3501	1/1	0.64	0.26	61,61,61,61	0
56	MPD	2B	220	8/8	0.64	0.31	57,64,69,72	0
54	MG	1A	3377	1/1	0.65	0.15	37,37,37,37	0
54	MG	1A	3380	1/1	0.65	0.09	10,10,10,10	0
54	MG	1A	3642	1/1	0.65	0.21	61,61,61,61	0
54	MG	2a	3006	1/1	0.65	0.23	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3063	1/1	0.65	0.14	70,70,70,70	0
54	MG	2A	3754	1/1	0.66	0.20	67,67,67,67	0
54	MG	2A	3448	1/1	0.66	0.18	71,71,71,71	0
54	MG	1T	203	1/1	0.66	0.11	68,68,68,68	0
54	MG	2A	3680	1/1	0.66	0.18	68,68,68,68	0
54	MG	2A	3497	1/1	0.67	0.17	29,29,29,29	0
54	MG	2A	3405	1/1	0.67	0.12	66,66,66,66	0
54	MG	2a	3048	1/1	0.67	0.21	74,74,74,74	0
54	MG	2a	3061	1/1	0.67	0.26	74,74,74,74	0
54	MG	1A	3680	1/1	0.67	0.19	70,70,70,70	0
54	MG	2a	3118	1/1	0.68	0.26	61,61,61,61	0
54	MG	1a	1849	1/1	0.68	0.24	77,77,77,77	0
54	MG	1A	3599	1/1	0.68	0.14	64,64,64,64	0
54	MG	1a	1612	1/1	0.68	0.24	57,57,57,57	0
54	MG	1f	201	1/1	0.68	0.33	70,70,70,70	0
54	MG	1A	3750	1/1	0.69	0.22	64,64,64,64	0
54	MG	1d	301	1/1	0.69	0.22	64,64,64,64	0
54	MG	2a	3064	1/1	0.69	0.15	62,62,62,62	0
54	MG	1A	3148	1/1	0.70	0.16	64,64,64,64	0
54	MG	1a	1708	1/1	0.71	0.12	82,82,82,82	0
54	MG	1A	3810	1/1	0.71	0.15	63,63,63,63	0
54	MG	1a	1863	1/1	0.71	0.20	67,67,67,67	0
54	MG	1A	3725	1/1	0.71	0.24	60,60,60,60	0
54	MG	1A	3538	1/1	0.71	0.15	30,30,30,30	0
54	MG	2A	3700	1/1	0.71	0.19	63,63,63,63	0
54	MG	1a	1819	1/1	0.71	0.15	68,68,68,68	0
54	MG	2A	3071	1/1	0.71	0.28	57,57,57,57	0
56	MPD	1O	203	8/8	0.71	0.24	58,70,76,77	0
54	MG	1T	201	1/1	0.71	0.16	57,57,57,57	0
54	MG	2Q	202	1/1	0.72	0.23	47,47,47,47	0
54	MG	1A	3199	1/1	0.72	0.37	62,62,62,62	0
54	MG	1A	3533	1/1	0.72	0.16	30,30,30,30	0
54	MG	2A	3444	1/1	0.72	0.14	65,65,65,65	0
54	MG	1a	1845	1/1	0.72	0.13	58,58,58,58	0
54	MG	1A	4027	1/1	0.72	0.09	66,66,66,66	0
54	MG	1p	101	1/1	0.72	0.16	71,71,71,71	0
54	MG	2A	3643	1/1	0.72	0.15	79,79,79,79	0
54	MG	1t	202	1/1	0.72	0.12	62,62,62,62	0
54	MG	2a	3180	1/1	0.72	0.18	75,75,75,75	0
54	MG	1a	1684	1/1	0.72	0.21	61,61,61,61	0
54	MG	2a	3190	1/1	0.72	0.20	64,64,64,64	0
54	MG	2A	3337	1/1	0.72	0.13	76,76,76,76	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2B	202	1/1	0.72	0.19	67,67,67,67	0
54	MG	2G	203	1/1	0.72	0.15	73,73,73,73	0
54	MG	1A	4010	1/1	0.73	0.12	68,68,68,68	0
54	MG	2A	3108	1/1	0.73	0.09	64,64,64,64	0
54	MG	2F	301	1/1	0.73	0.26	65,65,65,65	0
54	MG	2A	3491	1/1	0.73	0.19	63,63,63,63	0
54	MG	1A	3625	1/1	0.73	0.18	62,62,62,62	0
54	MG	1A	3931	1/1	0.73	0.12	51,51,51,51	0
54	MG	2a	3012	1/1	0.73	0.14	56,56,56,56	0
54	MG	2A	3382	1/1	0.73	0.17	56,56,56,56	0
54	MG	1A	3980	1/1	0.73	0.20	52,52,52,52	0
54	MG	2A	3427	1/1	0.73	0.18	54,54,54,54	0
54	MG	1A	3859	1/1	0.74	0.10	28,28,28,28	0
54	MG	2A	3157	1/1	0.74	0.36	62,62,62,62	0
54	MG	2B	212	1/1	0.74	0.13	96,96,96,96	0
54	MG	1A	3867	1/1	0.74	0.34	32,32,32,32	0
54	MG	2A	3350	1/1	0.74	0.22	59,59,59,59	0
54	MG	1A	3524	1/1	0.74	0.19	29,29,29,29	0
54	MG	2T	203	1/1	0.74	0.21	63,63,63,63	0
54	MG	2A	3517	1/1	0.74	0.13	61,61,61,61	0
54	MG	1A	3608	1/1	0.74	0.30	62,62,62,62	0
54	MG	1A	3220	1/1	0.74	0.16	39,39,39,39	0
54	MG	1A	3270	1/1	0.74	0.10	44,44,44,44	0
54	MG	1A	3878	1/1	0.75	0.13	41,41,41,41	0
54	MG	2A	3364	1/1	0.75	0.17	55,55,55,55	0
54	MG	2A	3559	1/1	0.75	0.14	79,79,79,79	0
54	MG	1A	3975	1/1	0.75	0.15	64,64,64,64	0
54	MG	1a	1729	1/1	0.75	0.35	75,75,75,75	0
54	MG	1a	1734	1/1	0.75	0.23	80,80,80,80	0
54	MG	2A	3753	1/1	0.75	0.20	72,72,72,72	0
54	MG	2A	3410	1/1	0.75	0.20	60,60,60,60	0
54	MG	1E	303	1/1	0.75	0.25	59,59,59,59	0
54	MG	1a	1856	1/1	0.75	0.14	63,63,63,63	0
54	MG	2A	3447	1/1	0.75	0.21	56,56,56,56	0
54	MG	1G	201	1/1	0.75	0.14	78,78,78,78	0
54	MG	2O	202	1/1	0.75	0.23	73,73,73,73	0
54	MG	2A	3329	1/1	0.75	0.16	62,62,62,62	0
54	MG	1A	3914	1/1	0.75	0.14	27,27,27,27	0
54	MG	1a	1705	1/1	0.76	0.16	85,85,85,85	0
54	MG	1A	3579	1/1	0.76	0.16	23,23,23,23	0
54	MG	1A	3737	1/1	0.76	0.13	72,72,72,72	0
54	MG	1A	3993	1/1	0.76	0.28	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1750	1/1	0.76	0.29	67,67,67,67	0
54	MG	1A	3998	1/1	0.76	0.22	62,62,62,62	0
54	MG	2a	3066	1/1	0.76	0.10	60,60,60,60	0
54	MG	1A	3519	1/1	0.76	0.29	53,53,53,53	0
54	MG	1a	1621	1/1	0.76	0.15	68,68,68,68	0
54	MG	2A	3426	1/1	0.76	0.14	49,49,49,49	0
54	MG	1A	3658	1/1	0.76	0.21	24,24,24,24	0
54	MG	1y	3102	1/1	0.76	0.15	71,71,71,71	0
54	MG	1a	1831	1/1	0.76	0.31	63,63,63,63	0
54	MG	2A	3090	1/1	0.76	0.27	63,63,63,63	0
54	MG	1D	314	1/1	0.76	0.21	35,35,35,35	0
54	MG	1A	3162	1/1	0.76	0.14	45,45,45,45	0
58	ZN	14	501	1/1	0.76	0.19	150,150,150,150	0
54	MG	2B	207	1/1	0.77	0.29	69,69,69,69	0
54	MG	1a	1814	1/1	0.77	0.13	71,71,71,71	0
54	MG	2A	3089	1/1	0.77	0.25	66,66,66,66	0
54	MG	1A	3630	1/1	0.77	0.35	32,32,32,32	0
54	MG	2A	3574	1/1	0.77	0.16	48,48,48,48	0
54	MG	1G	202	1/1	0.77	0.19	55,55,55,55	0
54	MG	2A	3394	1/1	0.78	0.21	56,56,56,56	0
54	MG	1a	1677	1/1	0.78	0.19	67,67,67,67	0
54	MG	2A	3512	1/1	0.78	0.17	73,73,73,73	0
54	MG	2A	3231	1/1	0.78	0.37	59,59,59,59	0
54	MG	2A	3525	1/1	0.78	0.17	65,65,65,65	0
54	MG	1a	1878	1/1	0.78	0.13	46,46,46,46	0
54	MG	1y	3104	1/1	0.78	0.13	78,78,78,78	0
54	MG	2A	3609	1/1	0.78	0.12	53,53,53,53	0
54	MG	1a	1800	1/1	0.78	0.21	69,69,69,69	0
54	MG	1H	202	1/1	0.78	0.10	53,53,53,53	0
54	MG	1A	3783	1/1	0.78	0.13	47,47,47,47	0
54	MG	2A	3701	1/1	0.78	0.19	66,66,66,66	0
54	MG	1a	1766	1/1	0.78	0.16	69,69,69,69	0
54	MG	1A	3835	1/1	0.79	0.12	38,38,38,38	0
54	MG	1a	1781	1/1	0.79	0.12	70,70,70,70	0
54	MG	1A	3336	1/1	0.79	0.13	36,36,36,36	0
54	MG	1a	1703	1/1	0.79	0.25	66,66,66,66	0
54	MG	1A	3864	1/1	0.79	0.14	73,73,73,73	0
54	MG	2a	3019	1/1	0.79	0.20	66,66,66,66	0
54	MG	1A	3084	1/1	0.79	0.20	57,57,57,57	0
54	MG	1a	1716	1/1	0.79	0.23	80,80,80,80	0
54	MG	2A	3046	1/1	0.79	0.10	54,54,54,54	0
54	MG	2A	3688	1/1	0.79	0.12	27,27,27,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3778	1/1	0.79	0.14	56,56,56,56	0
54	MG	2a	3102	1/1	0.79	0.10	55,55,55,55	0
54	MG	2a	3103	1/1	0.79	0.24	74,74,74,74	0
54	MG	1A	3143	1/1	0.79	0.17	47,47,47,47	0
54	MG	2A	3717	1/1	0.79	0.20	59,59,59,59	0
54	MG	2A	3752	1/1	0.79	0.16	61,61,61,61	0
54	MG	1B	215	1/1	0.79	0.13	59,59,59,59	0
54	MG	1A	3802	1/1	0.79	0.28	30,30,30,30	0
54	MG	1A	3191	1/1	0.79	0.16	69,69,69,69	0
54	MG	2A	3457	1/1	0.79	0.13	51,51,51,51	0
54	MG	2q	201	1/1	0.79	0.13	48,48,48,48	0
54	MG	1a	1867	1/1	0.79	0.13	93,93,93,93	0
54	MG	2A	3312	1/1	0.79	0.19	64,64,64,64	0
54	MG	1F	315	1/1	0.79	0.27	41,41,41,41	0
54	MG	1A	4045	1/1	0.80	0.24	59,59,59,59	0
54	MG	2a	3007	1/1	0.80	0.16	68,68,68,68	0
54	MG	1A	3412	1/1	0.80	0.15	57,57,57,57	0
54	MG	1A	3976	1/1	0.80	0.12	48,48,48,48	0
54	MG	1A	3705	1/1	0.80	0.14	27,27,27,27	0
54	MG	2A	3703	1/1	0.80	0.29	52,52,52,52	0
54	MG	1A	3710	1/1	0.80	0.31	40,40,40,40	0
54	MG	2A	3746	1/1	0.80	0.18	58,58,58,58	0
54	MG	2a	3065	1/1	0.80	0.19	65,65,65,65	0
54	MG	1A	3593	1/1	0.80	0.09	24,24,24,24	0
54	MG	2A	3051	1/1	0.80	0.22	70,70,70,70	0
54	MG	2A	3055	1/1	0.80	0.19	62,62,62,62	0
54	MG	2A	3375	1/1	0.80	0.26	74,74,74,74	0
54	MG	2A	3379	1/1	0.80	0.26	54,54,54,54	0
54	MG	2a	3143	1/1	0.80	0.15	61,61,61,61	0
54	MG	1A	3439	1/1	0.80	0.19	57,57,57,57	0
54	MG	2B	217	1/1	0.80	0.20	80,80,80,80	0
54	MG	2a	3182	1/1	0.80	0.20	53,53,53,53	0
54	MG	2D	311	1/1	0.80	0.23	64,64,64,64	0
54	MG	1a	1657	1/1	0.80	0.17	69,69,69,69	0
54	MG	2G	202	1/1	0.80	0.16	76,76,76,76	0
54	MG	2A	3403	1/1	0.80	0.12	48,48,48,48	0
54	MG	2r	101	1/1	0.80	0.10	74,74,74,74	0
56	MPD	1A	4051	8/8	0.80	0.34	46,52,59,63	0
54	MG	1A	3281	1/1	0.80	0.14	52,52,52,52	0
54	MG	1e	201	1/1	0.80	0.23	51,51,51,51	0
54	MG	2A	3417	1/1	0.80	0.20	32,32,32,32	0
54	MG	1a	1740	1/1	0.81	0.18	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3557	1/1	0.81	0.19	48,48,48,48	0
54	MG	1a	1872	1/1	0.81	0.22	65,65,65,65	0
54	MG	1a	1749	1/1	0.81	0.22	67,67,67,67	0
54	MG	2A	3588	1/1	0.81	0.16	78,78,78,78	0
54	MG	2a	3026	1/1	0.81	0.35	67,67,67,67	0
54	MG	2a	3030	1/1	0.81	0.27	57,57,57,57	0
54	MG	2a	3037	1/1	0.81	0.18	71,71,71,71	0
54	MG	2a	3038	1/1	0.81	0.14	55,55,55,55	0
54	MG	1A	3299	1/1	0.81	0.22	59,59,59,59	0
54	MG	1a	1639	1/1	0.81	0.23	70,70,70,70	0
54	MG	1A	3826	1/1	0.81	0.17	59,59,59,59	0
54	MG	1a	1653	1/1	0.81	0.15	73,73,73,73	0
54	MG	1A	4038	1/1	0.81	0.11	49,49,49,49	0
54	MG	1A	3659	1/1	0.81	0.18	67,67,67,67	0
54	MG	1a	1793	1/1	0.81	0.17	70,70,70,70	0
54	MG	1a	1681	1/1	0.81	0.16	53,53,53,53	0
54	MG	2a	3114	1/1	0.81	0.19	72,72,72,72	0
54	MG	2A	3740	1/1	0.81	0.17	63,63,63,63	0
54	MG	1A	3893	1/1	0.81	0.13	70,70,70,70	0
54	MG	1a	1689	1/1	0.81	0.27	66,66,66,66	0
54	MG	2A	3421	1/1	0.81	0.14	52,52,52,52	0
54	MG	1B	217	1/1	0.81	0.13	48,48,48,48	0
54	MG	1B	220	1/1	0.81	0.10	37,37,37,37	0
54	MG	1T	204	1/1	0.81	0.10	52,52,52,52	0
54	MG	1A	3847	1/1	0.81	0.21	36,36,36,36	0
54	MG	1A	3773	1/1	0.81	0.20	32,32,32,32	0
54	MG	1a	1633	1/1	0.81	0.12	57,57,57,57	0
54	MG	2A	3224	1/1	0.81	0.13	62,62,62,62	0
54	MG	1a	1736	1/1	0.81	0.20	52,52,52,52	0
54	MG	2A	3285	1/1	0.81	0.18	43,43,43,43	0
56	MPD	1a	1883	8/8	0.81	0.15	49,64,76,80	0
56	MPD	2A	3759	8/8	0.81	0.25	55,58,70,70	0
54	MG	2A	3289	1/1	0.81	0.14	51,51,51,51	0
54	MG	1a	1864	1/1	0.81	0.12	67,67,67,67	0
54	MG	2A	3683	1/1	0.82	0.13	58,58,58,58	0
54	MG	1P	205	1/1	0.82	0.10	75,75,75,75	0
54	MG	1A	3933	1/1	0.82	0.09	49,49,49,49	0
54	MG	1A	3940	1/1	0.82	0.17	48,48,48,48	0
54	MG	2a	3059	1/1	0.82	0.27	73,73,73,73	0
54	MG	1a	1763	1/1	0.82	0.15	65,65,65,65	0
54	MG	1T	202	1/1	0.82	0.10	43,43,43,43	0
54	MG	2A	3193	1/1	0.82	0.40	69,69,69,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3796	1/1	0.82	0.43	41,41,41,41	0
54	MG	1a	1769	1/1	0.82	0.16	68,68,68,68	0
54	MG	2a	3082	1/1	0.82	0.13	52,52,52,52	0
54	MG	2A	3238	1/1	0.82	0.10	47,47,47,47	0
54	MG	1A	3584	1/1	0.82	0.14	25,25,25,25	0
54	MG	1A	3509	1/1	0.82	0.11	44,44,44,44	0
54	MG	1A	3881	1/1	0.82	0.16	45,45,45,45	0
54	MG	1A	3772	1/1	0.82	0.27	36,36,36,36	0
54	MG	2A	3506	1/1	0.82	0.22	68,68,68,68	0
54	MG	2D	304	1/1	0.82	0.38	51,51,51,51	0
54	MG	2a	3157	1/1	0.82	0.17	67,67,67,67	0
54	MG	1a	1806	1/1	0.82	0.11	102,102,102,102	0
54	MG	2A	3515	1/1	0.82	0.21	66,66,66,66	0
54	MG	2a	3184	1/1	0.82	0.21	67,67,67,67	0
54	MG	1a	1721	1/1	0.82	0.12	73,73,73,73	0
54	MG	2a	3189	1/1	0.82	0.19	46,46,46,46	0
54	MG	1F	316	1/1	0.82	0.12	52,52,52,52	0
54	MG	2A	3530	1/1	0.82	0.10	53,53,53,53	0
54	MG	2A	3371	1/1	0.82	0.12	42,42,42,42	0
54	MG	1A	3633	1/1	0.82	0.43	31,31,31,31	0
54	MG	2a	3004	1/1	0.82	0.12	62,62,62,62	0
54	MG	2A	3031	1/1	0.82	0.17	58,58,58,58	0
54	MG	2A	3036	1/1	0.82	0.23	53,53,53,53	0
54	MG	1A	3188	1/1	0.82	0.20	58,58,58,58	0
54	MG	1A	3155	1/1	0.82	0.18	39,39,39,39	0
54	MG	1a	1748	1/1	0.82	0.10	51,51,51,51	0
54	MG	1A	3382	1/1	0.83	0.11	37,37,37,37	0
54	MG	2A	3544	1/1	0.83	0.12	72,72,72,72	0
54	MG	1A	4005	1/1	0.83	0.19	44,44,44,44	0
54	MG	1A	3634	1/1	0.83	0.14	57,57,57,57	0
54	MG	2a	3027	1/1	0.83	0.20	65,65,65,65	0
54	MG	2A	3569	1/1	0.83	0.12	98,98,98,98	0
54	MG	2A	3572	1/1	0.83	0.16	61,61,61,61	0
54	MG	1a	1679	1/1	0.83	0.23	55,55,55,55	0
54	MG	1A	3594	1/1	0.83	0.17	33,33,33,33	0
54	MG	1A	3195	1/1	0.83	0.15	33,33,33,33	0
54	MG	1e	203	1/1	0.83	0.13	63,63,63,63	0
54	MG	1a	1775	1/1	0.83	0.18	81,81,81,81	0
54	MG	1a	1686	1/1	0.83	0.18	48,48,48,48	0
54	MG	1A	3340	1/1	0.83	0.12	39,39,39,39	0
54	MG	1B	207	1/1	0.83	0.19	55,55,55,55	0
54	MG	1a	1798	1/1	0.83	0.18	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1799	1/1	0.83	0.21	69,69,69,69	0
54	MG	2A	3716	1/1	0.83	0.11	58,58,58,58	0
54	MG	2A	3034	1/1	0.83	0.21	82,82,82,82	0
54	MG	2A	3735	1/1	0.83	0.26	72,72,72,72	0
54	MG	1B	209	1/1	0.83	0.10	41,41,41,41	0
54	MG	1A	3282	1/1	0.83	0.10	45,45,45,45	0
54	MG	15	106	1/1	0.83	0.11	42,42,42,42	0
54	MG	2a	3156	1/1	0.83	0.12	70,70,70,70	0
54	MG	1A	3687	1/1	0.83	0.16	55,55,55,55	0
54	MG	2a	3162	1/1	0.83	0.15	40,40,40,40	0
54	MG	1a	1824	1/1	0.83	0.15	56,56,56,56	0
54	MG	1A	3970	1/1	0.83	0.17	48,48,48,48	0
54	MG	1a	1731	1/1	0.83	0.22	49,49,49,49	0
54	MG	1a	1835	1/1	0.83	0.13	59,59,59,59	0
54	MG	2A	3452	1/1	0.83	0.18	60,60,60,60	0
54	MG	2A	3118	1/1	0.83	0.16	42,42,42,42	0
54	MG	2a	3191	1/1	0.83	0.25	76,76,76,76	0
54	MG	2A	3141	1/1	0.83	0.13	60,60,60,60	0
54	MG	1A	3862	1/1	0.83	0.07	33,33,33,33	0
54	MG	1A	3780	1/1	0.83	0.17	55,55,55,55	0
54	MG	1A	3190	1/1	0.83	0.12	45,45,45,45	0
54	MG	1a	1747	1/1	0.83	0.16	58,58,58,58	0
54	MG	1A	3789	1/1	0.83	0.18	54,54,54,54	0
54	MG	2A	3516	1/1	0.83	0.11	58,58,58,58	0
54	MG	2A	3270	1/1	0.83	0.14	47,47,47,47	0
54	MG	1a	1648	1/1	0.83	0.23	57,57,57,57	0
54	MG	1a	1722	1/1	0.84	0.16	45,45,45,45	0
54	MG	2A	3412	1/1	0.84	0.29	64,64,64,64	0
54	MG	1A	3852	1/1	0.84	0.13	55,55,55,55	0
54	MG	1A	3293	1/1	0.84	0.18	39,39,39,39	0
54	MG	2a	3049	1/1	0.84	0.24	50,50,50,50	0
54	MG	2A	3215	1/1	0.84	0.22	49,49,49,49	0
54	MG	1a	1656	1/1	0.84	0.31	69,69,69,69	0
54	MG	2A	3437	1/1	0.84	0.10	61,61,61,61	0
54	MG	1A	3706	1/1	0.84	0.29	23,23,23,23	0
54	MG	1a	1672	1/1	0.84	0.26	71,71,71,71	0
54	MG	1A	4018	1/1	0.84	0.11	43,43,43,43	0
54	MG	2A	3275	1/1	0.84	0.15	58,58,58,58	0
54	MG	2a	3099	1/1	0.84	0.16	74,74,74,74	0
54	MG	2A	3284	1/1	0.84	0.22	52,52,52,52	0
54	MG	1Z	301	1/1	0.84	0.12	50,50,50,50	0
54	MG	1A	3264	1/1	0.84	0.18	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	18	102	1/1	0.84	0.14	36,36,36,36	0
54	MG	2A	3756	1/1	0.84	0.34	55,55,55,55	0
54	MG	2A	3503	1/1	0.84	0.35	61,61,61,61	0
54	MG	1a	1602	1/1	0.84	0.18	65,65,65,65	0
54	MG	2a	3152	1/1	0.84	0.12	71,71,71,71	0
54	MG	2a	3155	1/1	0.84	0.10	57,57,57,57	0
54	MG	1A	3679	1/1	0.84	0.15	57,57,57,57	0
54	MG	2A	3338	1/1	0.84	0.17	43,43,43,43	0
54	MG	1A	4041	1/1	0.84	0.15	61,61,61,61	0
54	MG	2a	3176	1/1	0.84	0.11	62,62,62,62	0
54	MG	1A	3621	1/1	0.84	0.12	51,51,51,51	0
54	MG	2A	3367	1/1	0.84	0.13	42,42,42,42	0
54	MG	2G	201	1/1	0.84	0.10	70,70,70,70	0
54	MG	2a	3185	1/1	0.84	0.14	54,54,54,54	0
54	MG	1a	1851	1/1	0.84	0.12	55,55,55,55	0
54	MG	1a	1706	1/1	0.84	0.17	50,50,50,50	0
54	MG	1A	3840	1/1	0.84	0.11	42,42,42,42	0
54	MG	2A	3082	1/1	0.84	0.11	45,45,45,45	0
54	MG	1A	3843	1/1	0.84	0.16	37,37,37,37	0
54	MG	2n	101	1/1	0.84	0.17	60,60,60,60	0
54	MG	2A	3392	1/1	0.84	0.24	66,66,66,66	0
54	MG	1A	3170	1/1	0.84	0.18	49,49,49,49	0
54	MG	1a	1783	1/1	0.84	0.07	57,57,57,57	0
54	MG	2a	3010	1/1	0.84	0.22	55,55,55,55	0
54	MG	2A	3593	1/1	0.84	0.14	45,45,45,45	0
54	MG	2A	3606	1/1	0.84	0.18	34,34,34,34	0
54	MG	1a	1876	1/1	0.84	0.10	70,70,70,70	0
54	MG	2A	3637	1/1	0.84	0.15	49,49,49,49	0
54	MG	1B	226	1/1	0.85	0.10	49,49,49,49	0
54	MG	28	102	1/1	0.85	0.15	44,44,44,44	0
54	MG	1A	3431	1/1	0.85	0.24	60,60,60,60	0
54	MG	1E	302	1/1	0.85	0.10	16,16,16,16	0
54	MG	1A	3977	1/1	0.85	0.11	28,28,28,28	0
54	MG	1a	1753	1/1	0.85	0.14	72,72,72,72	0
54	MG	1a	1755	1/1	0.85	0.16	44,44,44,44	0
54	MG	1a	1880	1/1	0.85	0.26	79,79,79,79	0
54	MG	1E	305	1/1	0.85	0.11	44,44,44,44	0
54	MG	2A	3307	1/1	0.85	0.10	27,27,27,27	0
54	MG	1F	314	1/1	0.85	0.20	62,62,62,62	0
54	MG	1a	1654	1/1	0.85	0.27	42,42,42,42	0
54	MG	1A	3739	1/1	0.85	0.14	53,53,53,53	0
54	MG	2a	3046	1/1	0.85	0.13	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3989	1/1	0.85	0.09	65,65,65,65	0
54	MG	2A	3343	1/1	0.85	0.14	63,63,63,63	0
54	MG	1i	201	1/1	0.85	0.09	74,74,74,74	0
54	MG	2A	3601	1/1	0.85	0.12	33,33,33,33	0
54	MG	1A	3557	1/1	0.85	0.11	43,43,43,43	0
54	MG	1A	3573	1/1	0.85	0.30	32,32,32,32	0
54	MG	2A	3617	1/1	0.85	0.26	56,56,56,56	0
54	MG	1A	3250	1/1	0.85	0.10	65,65,65,65	0
54	MG	1A	3582	1/1	0.85	0.13	61,61,61,61	0
54	MG	2a	3093	1/1	0.85	0.26	56,56,56,56	0
54	MG	2a	3098	1/1	0.85	0.18	67,67,67,67	0
54	MG	2A	3006	1/1	0.85	0.14	46,46,46,46	0
54	MG	1A	3458	1/1	0.85	0.09	44,44,44,44	0
54	MG	1A	4022	1/1	0.85	0.11	57,57,57,57	0
54	MG	1A	3663	1/1	0.85	0.17	62,62,62,62	0
54	MG	1A	3463	1/1	0.85	0.12	36,36,36,36	0
54	MG	2A	3402	1/1	0.85	0.08	70,70,70,70	0
54	MG	2a	3131	1/1	0.85	0.11	67,67,67,67	0
54	MG	2A	3050	1/1	0.85	0.17	57,57,57,57	0
54	MG	1A	3490	1/1	0.85	0.08	67,67,67,67	0
54	MG	2A	3728	1/1	0.85	0.11	54,54,54,54	0
54	MG	1V	203	1/1	0.85	0.28	51,51,51,51	0
54	MG	2A	3739	1/1	0.85	0.15	60,60,60,60	0
54	MG	1A	3273	1/1	0.85	0.25	53,53,53,53	0
54	MG	2A	3742	1/1	0.85	0.11	55,55,55,55	0
54	MG	1i	101	1/1	0.85	0.39	46,46,46,46	0
54	MG	1A	3230	1/1	0.85	0.58	37,37,37,37	0
54	MG	1A	3613	1/1	0.85	0.13	18,18,18,18	0
54	MG	18	103	1/1	0.85	0.39	37,37,37,37	0
54	MG	1A	3384	1/1	0.85	0.12	19,19,19,19	0
54	MG	2A	3134	1/1	0.85	0.20	70,70,70,70	0
54	MG	2a	3188	1/1	0.85	0.21	71,71,71,71	0
54	MG	1a	1607	1/1	0.85	0.30	61,61,61,61	0
54	MG	1A	3711	1/1	0.85	0.12	26,26,26,26	0
54	MG	2A	3166	1/1	0.85	0.11	55,55,55,55	0
54	MG	2D	303	1/1	0.85	0.64	39,39,39,39	0
54	MG	2A	3454	1/1	0.85	0.11	26,26,26,26	0
54	MG	2D	305	1/1	0.85	0.44	40,40,40,40	0
54	MG	2A	3176	1/1	0.85	0.11	64,64,64,64	0
54	MG	2t	201	1/1	0.85	0.16	50,50,50,50	0
54	MG	2A	3464	1/1	0.85	0.10	60,60,60,60	0
54	MG	2A	3183	1/1	0.85	0.34	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3268	1/1	0.85	0.15	51,51,51,51	0
56	MPD	2A	3758	8/8	0.85	0.27	36,41,48,53	0
54	MG	2A	3499	1/1	0.85	0.14	50,50,50,50	0
54	MG	2A	3198	1/1	0.85	0.21	53,53,53,53	0
54	MG	1a	1744	1/1	0.85	0.09	61,61,61,61	0
54	MG	1a	1655	1/1	0.86	0.16	67,67,67,67	0
54	MG	1A	3279	1/1	0.86	0.19	84,84,84,84	0
54	MG	2W	203	1/1	0.86	0.09	48,48,48,48	0
54	MG	25	102	1/1	0.86	0.19	56,56,56,56	0
54	MG	1A	3562	1/1	0.86	0.16	70,70,70,70	0
54	MG	2A	3236	1/1	0.86	0.10	55,55,55,55	0
54	MG	2A	3510	1/1	0.86	0.17	62,62,62,62	0
54	MG	1a	1660	1/1	0.86	0.14	78,78,78,78	0
54	MG	2a	3008	1/1	0.86	0.10	71,71,71,71	0
54	MG	2A	3242	1/1	0.86	0.15	65,65,65,65	0
54	MG	1A	3569	1/1	0.86	0.12	40,40,40,40	0
54	MG	2a	3016	1/1	0.86	0.09	61,61,61,61	0
54	MG	2A	3272	1/1	0.86	0.16	61,61,61,61	0
54	MG	1A	3198	1/1	0.86	0.14	39,39,39,39	0
54	MG	1A	3574	1/1	0.86	0.24	47,47,47,47	0
54	MG	1A	3987	1/1	0.86	0.23	46,46,46,46	0
54	MG	2A	3547	1/1	0.86	0.11	69,69,69,69	0
54	MG	1f	202	1/1	0.86	0.11	49,49,49,49	0
54	MG	2A	3302	1/1	0.86	0.12	45,45,45,45	0
54	MG	1h	201	1/1	0.86	0.12	65,65,65,65	0
54	MG	1A	3873	1/1	0.86	0.11	40,40,40,40	0
54	MG	2a	3057	1/1	0.86	0.24	66,66,66,66	0
54	MG	1B	228	1/1	0.86	0.12	71,71,71,71	0
54	MG	1A	3456	1/1	0.86	0.12	34,34,34,34	0
54	MG	1a	1691	1/1	0.86	0.17	48,48,48,48	0
54	MG	15	108	1/1	0.86	0.10	62,62,62,62	0
54	MG	1A	3457	1/1	0.86	0.12	40,40,40,40	0
54	MG	2A	3359	1/1	0.86	0.19	53,53,53,53	0
54	MG	2a	3074	1/1	0.86	0.24	50,50,50,50	0
54	MG	1A	3278	1/1	0.86	0.23	67,67,67,67	0
54	MG	2A	3622	1/1	0.86	0.11	79,79,79,79	0
54	MG	1A	3635	1/1	0.86	0.19	47,47,47,47	0
54	MG	1A	4013	1/1	0.86	0.10	41,41,41,41	0
54	MG	2a	3100	1/1	0.86	0.11	56,56,56,56	0
54	MG	1a	1610	1/1	0.86	0.13	63,63,63,63	0
54	MG	2A	3049	1/1	0.86	0.23	46,46,46,46	0
54	MG	2a	3113	1/1	0.86	0.14	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1823	1/1	0.86	0.12	60,60,60,60	0
54	MG	2A	3691	1/1	0.86	0.15	66,66,66,66	0
54	MG	1A	3430	1/1	0.86	0.09	47,47,47,47	0
54	MG	2a	3119	1/1	0.86	0.12	47,47,47,47	0
54	MG	1a	1726	1/1	0.86	0.19	53,53,53,53	0
54	MG	2a	3137	1/1	0.86	0.12	53,53,53,53	0
54	MG	2A	3058	1/1	0.86	0.16	57,57,57,57	0
54	MG	1a	1615	1/1	0.86	0.15	74,74,74,74	0
54	MG	2A	3074	1/1	0.86	0.28	69,69,69,69	0
54	MG	2A	3726	1/1	0.86	0.13	71,71,71,71	0
54	MG	1A	4019	1/1	0.86	0.13	41,41,41,41	0
54	MG	2A	3729	1/1	0.86	0.12	48,48,48,48	0
54	MG	1a	1839	1/1	0.86	0.13	64,64,64,64	0
54	MG	1a	1629	1/1	0.86	0.17	44,44,44,44	0
54	MG	2A	3414	1/1	0.86	0.18	62,62,62,62	0
54	MG	1A	3645	1/1	0.86	0.18	54,54,54,54	0
54	MG	1A	3553	1/1	0.86	0.20	48,48,48,48	0
54	MG	1A	3596	1/1	0.86	0.13	58,58,58,58	0
54	MG	1a	1854	1/1	0.86	0.16	48,48,48,48	0
54	MG	1H	203	1/1	0.86	0.13	47,47,47,47	0
54	MG	2A	3160	1/1	0.86	0.12	44,44,44,44	0
54	MG	2A	3446	1/1	0.86	0.13	75,75,75,75	0
54	MG	2B	204	1/1	0.86	0.10	74,74,74,74	0
54	MG	2A	3161	1/1	0.86	0.10	52,52,52,52	0
54	MG	1N	201	1/1	0.86	0.12	56,56,56,56	0
54	MG	2A	3451	1/1	0.86	0.14	61,61,61,61	0
54	MG	1P	203	1/1	0.86	0.25	31,31,31,31	0
54	MG	2A	3178	1/1	0.86	0.13	59,59,59,59	0
54	MG	1A	3949	1/1	0.86	0.22	38,38,38,38	0
54	MG	2A	3459	1/1	0.86	0.10	55,55,55,55	0
54	MG	1a	1869	1/1	0.86	0.23	62,62,62,62	0
54	MG	2A	3473	1/1	0.86	0.17	53,53,53,53	0
54	MG	2A	3481	1/1	0.86	0.26	57,57,57,57	0
54	MG	1a	1752	1/1	0.86	0.18	76,76,76,76	0
54	MG	2A	3199	1/1	0.86	0.21	49,49,49,49	0
54	MG	2A	3220	1/1	0.87	0.11	50,50,50,50	0
54	MG	1A	3547	1/1	0.87	0.09	39,39,39,39	0
54	MG	2a	3044	1/1	0.87	0.20	60,60,60,60	0
54	MG	1A	3572	1/1	0.87	0.15	44,44,44,44	0
54	MG	2A	3705	1/1	0.87	0.15	67,67,67,67	0
54	MG	2A	3709	1/1	0.87	0.12	74,74,74,74	0
54	MG	1A	3829	1/1	0.87	0.07	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3022	1/1	0.87	0.10	60,60,60,60	0
54	MG	2A	3723	1/1	0.87	0.13	59,59,59,59	0
54	MG	1A	3762	1/1	0.87	0.07	21,21,21,21	0
54	MG	2A	3254	1/1	0.87	0.17	61,61,61,61	0
54	MG	2A	3255	1/1	0.87	0.20	59,59,59,59	0
54	MG	2A	3268	1/1	0.87	0.17	38,38,38,38	0
54	MG	2a	3070	1/1	0.87	0.23	53,53,53,53	0
54	MG	1A	3919	1/1	0.87	0.09	51,51,51,51	0
54	MG	2a	3075	1/1	0.87	0.31	53,53,53,53	0
54	MG	2a	3081	1/1	0.87	0.24	53,53,53,53	0
54	MG	1a	1671	1/1	0.87	0.20	61,61,61,61	0
54	MG	2A	3040	1/1	0.87	0.14	55,55,55,55	0
54	MG	1A	3771	1/1	0.87	0.12	18,18,18,18	0
54	MG	1a	1673	1/1	0.87	0.14	65,65,65,65	0
54	MG	1A	3841	1/1	0.87	0.14	30,30,30,30	0
54	MG	2a	3101	1/1	0.87	0.09	63,63,63,63	0
54	MG	2A	3291	1/1	0.87	0.26	70,70,70,70	0
54	MG	1A	3552	1/1	0.87	0.09	41,41,41,41	0
54	MG	1a	1604	1/1	0.87	0.16	76,76,76,76	0
54	MG	2B	203	1/1	0.87	0.10	63,63,63,63	0
54	MG	1A	3945	1/1	0.87	0.17	22,22,22,22	0
54	MG	1A	4030	1/1	0.87	0.33	54,54,54,54	0
54	MG	2A	3073	1/1	0.87	0.09	39,39,39,39	0
54	MG	2a	3125	1/1	0.87	0.13	75,75,75,75	0
54	MG	1A	3946	1/1	0.87	0.08	14,14,14,14	0
54	MG	1a	1866	1/1	0.87	0.12	66,66,66,66	0
54	MG	1a	1767	1/1	0.87	0.11	70,70,70,70	0
54	MG	1A	3700	1/1	0.87	0.09	39,39,39,39	0
54	MG	2D	308	1/1	0.87	0.17	66,66,66,66	0
54	MG	2A	3362	1/1	0.87	0.09	24,24,24,24	0
54	MG	2A	3092	1/1	0.87	0.15	59,59,59,59	0
54	MG	1a	1772	1/1	0.87	0.09	87,87,87,87	0
54	MG	1a	1619	1/1	0.87	0.20	76,76,76,76	0
54	MG	2a	3172	1/1	0.87	0.17	59,59,59,59	0
54	MG	1A	3653	1/1	0.87	0.09	17,17,17,17	0
54	MG	2a	3177	1/1	0.87	0.16	80,80,80,80	0
54	MG	1A	3657	1/1	0.87	0.29	69,69,69,69	0
54	MG	2A	3148	1/1	0.87	0.16	50,50,50,50	0
54	MG	1A	3492	1/1	0.87	0.12	31,31,31,31	0
54	MG	2A	3158	1/1	0.87	0.08	51,51,51,51	0
54	MG	1a	1787	1/1	0.87	0.12	73,73,73,73	0
54	MG	2a	3187	1/1	0.87	0.17	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3312	1/1	0.87	0.15	53,53,53,53	0
54	MG	2a	3002	1/1	0.87	0.22	57,57,57,57	0
54	MG	1A	3794	1/1	0.87	0.15	49,49,49,49	0
54	MG	2A	3175	1/1	0.87	0.22	55,55,55,55	0
54	MG	2A	3407	1/1	0.87	0.10	25,25,25,25	0
54	MG	1A	3126	1/1	0.87	0.10	48,48,48,48	0
54	MG	1a	1644	1/1	0.87	0.14	60,60,60,60	0
54	MG	1B	225	1/1	0.87	0.10	46,46,46,46	0
54	MG	2A	3651	1/1	0.87	0.10	29,29,29,29	0
54	MG	1a	1809	1/1	0.87	0.11	50,50,50,50	0
54	MG	2a	3021	1/1	0.87	0.24	38,38,38,38	0
54	MG	1n	101	1/1	0.87	0.12	60,60,60,60	0
54	MG	1a	1652	1/1	0.87	0.18	63,63,63,63	0
54	MG	1A	3670	1/1	0.87	0.10	69,69,69,69	0
54	MG	2a	3033	1/1	0.87	0.18	57,57,57,57	0
54	MG	2a	3035	1/1	0.87	0.17	55,55,55,55	0
54	MG	2A	3319	1/1	0.88	0.12	46,46,46,46	0
54	MG	2A	3326	1/1	0.88	0.20	73,73,73,73	0
54	MG	1A	4008	1/1	0.88	0.29	35,35,35,35	0
54	MG	2A	3331	1/1	0.88	0.12	45,45,45,45	0
54	MG	1a	1779	1/1	0.88	0.09	77,77,77,77	0
54	MG	2A	3590	1/1	0.88	0.11	45,45,45,45	0
54	MG	2A	3592	1/1	0.88	0.09	30,30,30,30	0
54	MG	1a	1870	1/1	0.88	0.12	40,40,40,40	0
54	MG	1a	1871	1/1	0.88	0.22	58,58,58,58	0
54	MG	1A	3860	1/1	0.88	0.23	44,44,44,44	0
54	MG	1a	1873	1/1	0.88	0.16	58,58,58,58	0
54	MG	2a	3040	1/1	0.88	0.28	55,55,55,55	0
54	MG	1a	1874	1/1	0.88	0.12	57,57,57,57	0
54	MG	2A	3107	1/1	0.88	0.09	61,61,61,61	0
54	MG	2a	3047	1/1	0.88	0.23	62,62,62,62	0
54	MG	2A	3626	1/1	0.88	0.12	79,79,79,79	0
54	MG	2A	3365	1/1	0.88	0.18	66,66,66,66	0
54	MG	1A	3039	1/1	0.88	0.13	50,50,50,50	0
54	MG	2A	3117	1/1	0.88	0.33	49,49,49,49	0
54	MG	2A	3654	1/1	0.88	0.08	22,22,22,22	0
54	MG	1a	1647	1/1	0.88	0.15	64,64,64,64	0
54	MG	2A	3124	1/1	0.88	0.17	54,54,54,54	0
54	MG	2A	3132	1/1	0.88	0.12	58,58,58,58	0
54	MG	1a	1879	1/1	0.88	0.12	57,57,57,57	0
54	MG	2A	3139	1/1	0.88	0.13	55,55,55,55	0
54	MG	1D	321	1/1	0.88	0.10	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3146	1/1	0.88	0.11	45,45,45,45	0
54	MG	2a	3078	1/1	0.88	0.26	58,58,58,58	0
54	MG	1A	3133	1/1	0.88	0.27	27,27,27,27	0
54	MG	1d	303	1/1	0.88	0.19	63,63,63,63	0
54	MG	1A	3448	1/1	0.88	0.12	38,38,38,38	0
54	MG	2A	3409	1/1	0.88	0.12	55,55,55,55	0
54	MG	1F	301	1/1	0.88	0.15	26,26,26,26	0
54	MG	1F	306	1/1	0.88	0.14	22,22,22,22	0
54	MG	2A	3174	1/1	0.88	0.22	56,56,56,56	0
54	MG	1A	3455	1/1	0.88	0.10	44,44,44,44	0
54	MG	1g	202	1/1	0.88	0.06	44,44,44,44	0
54	MG	1a	1658	1/1	0.88	0.17	78,78,78,78	0
54	MG	2A	3182	1/1	0.88	0.16	49,49,49,49	0
54	MG	1A	3309	1/1	0.88	0.21	27,27,27,27	0
54	MG	2A	3438	1/1	0.88	0.17	70,70,70,70	0
54	MG	2A	3747	1/1	0.88	0.12	49,49,49,49	0
54	MG	2A	3184	1/1	0.88	0.19	47,47,47,47	0
54	MG	1A	3591	1/1	0.88	0.13	48,48,48,48	0
54	MG	1a	1825	1/1	0.88	0.21	69,69,69,69	0
54	MG	1t	201	1/1	0.88	0.14	61,61,61,61	0
54	MG	1a	1828	1/1	0.88	0.10	75,75,75,75	0
54	MG	1y	3101	1/1	0.88	0.10	72,72,72,72	0
54	MG	1A	3184	1/1	0.88	0.20	58,58,58,58	0
54	MG	1a	1609	1/1	0.88	0.14	69,69,69,69	0
54	MG	2A	3458	1/1	0.88	0.15	55,55,55,55	0
54	MG	1A	3984	1/1	0.88	0.39	46,46,46,46	0
54	MG	2B	219	1/1	0.88	0.20	64,64,64,64	0
54	MG	2A	3013	1/1	0.88	0.13	45,45,45,45	0
54	MG	2A	3016	1/1	0.88	0.11	43,43,43,43	0
54	MG	2A	3017	1/1	0.88	0.20	47,47,47,47	0
54	MG	1B	202	1/1	0.88	0.19	55,55,55,55	0
54	MG	2A	3261	1/1	0.88	0.18	68,68,68,68	0
54	MG	1a	1613	1/1	0.88	0.16	56,56,56,56	0
54	MG	1a	1760	1/1	0.88	0.17	77,77,77,77	0
54	MG	1A	3318	1/1	0.88	0.16	60,60,60,60	0
54	MG	1A	3918	1/1	0.88	0.11	52,52,52,52	0
54	MG	1A	3406	1/1	0.88	0.18	52,52,52,52	0
54	MG	2P	202	1/1	0.88	0.17	61,61,61,61	0
54	MG	2P	203	1/1	0.88	0.11	39,39,39,39	0
54	MG	2a	3192	1/1	0.88	0.28	59,59,59,59	0
54	MG	1a	1626	1/1	0.88	0.07	50,50,50,50	0
54	MG	2A	3513	1/1	0.88	0.13	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3287	1/1	0.88	0.10	37,37,37,37	0
54	MG	2I	102	1/1	0.88	0.15	70,70,70,70	0
54	MG	2A	3288	1/1	0.88	0.08	25,25,25,25	0
54	MG	1a	1858	1/1	0.88	0.12	90,90,90,90	0
54	MG	1A	3994	1/1	0.88	0.09	45,45,45,45	0
54	MG	2A	3526	1/1	0.88	0.11	75,75,75,75	0
54	MG	2A	3293	1/1	0.88	0.14	60,60,60,60	0
54	MG	1A	3321	1/1	0.88	0.12	16,16,16,16	0
54	MG	1A	3427	1/1	0.88	0.16	44,44,44,44	0
54	MG	2A	3060	1/1	0.88	0.35	62,62,62,62	0
54	MG	2A	3460	1/1	0.89	0.17	57,57,57,57	0
54	MG	1A	3105	1/1	0.89	0.32	38,38,38,38	0
54	MG	2A	3191	1/1	0.89	0.14	50,50,50,50	0
54	MG	1A	3692	1/1	0.89	0.10	50,50,50,50	0
54	MG	1a	1741	1/1	0.89	0.13	56,56,56,56	0
54	MG	1A	3698	1/1	0.89	0.09	44,44,44,44	0
54	MG	2A	3211	1/1	0.89	0.15	46,46,46,46	0
54	MG	1A	3595	1/1	0.89	0.11	45,45,45,45	0
54	MG	1d	302	1/1	0.89	0.28	63,63,63,63	0
54	MG	1a	1606	1/1	0.89	0.16	55,55,55,55	0
54	MG	2a	3005	1/1	0.89	0.14	62,62,62,62	0
54	MG	1A	3848	1/1	0.89	0.13	11,11,11,11	0
54	MG	1e	202	1/1	0.89	0.18	58,58,58,58	0
54	MG	1A	4028	1/1	0.89	0.20	42,42,42,42	0
54	MG	1A	3214	1/1	0.89	0.09	50,50,50,50	0
54	MG	2A	3244	1/1	0.89	0.15	48,48,48,48	0
54	MG	2A	3249	1/1	0.89	0.17	44,44,44,44	0
54	MG	1A	3365	1/1	0.89	0.18	44,44,44,44	0
54	MG	1A	3076	1/1	0.89	0.28	29,29,29,29	0
54	MG	2A	3527	1/1	0.89	0.07	65,65,65,65	0
54	MG	1A	3611	1/1	0.89	0.13	48,48,48,48	0
54	MG	2a	3029	1/1	0.89	0.25	44,44,44,44	0
54	MG	1A	3713	1/1	0.89	0.10	42,42,42,42	0
54	MG	2A	3545	1/1	0.89	0.11	55,55,55,55	0
54	MG	1A	3717	1/1	0.89	0.11	33,33,33,33	0
54	MG	2A	3553	1/1	0.89	0.11	24,24,24,24	0
54	MG	1A	3869	1/1	0.89	0.16	48,48,48,48	0
54	MG	1A	3721	1/1	0.89	0.13	28,28,28,28	0
54	MG	1A	3546	1/1	0.89	0.11	51,51,51,51	0
54	MG	1a	1634	1/1	0.89	0.18	60,60,60,60	0
54	MG	2A	3286	1/1	0.89	0.19	48,48,48,48	0
54	MG	2A	3577	1/1	0.89	0.12	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3584	1/1	0.89	0.11	63,63,63,63	0
54	MG	1a	1771	1/1	0.89	0.16	62,62,62,62	0
54	MG	1a	1637	1/1	0.89	0.32	64,64,64,64	0
54	MG	1A	3303	1/1	0.89	0.10	31,31,31,31	0
54	MG	1a	1777	1/1	0.89	0.12	49,49,49,49	0
54	MG	2A	3014	1/1	0.89	0.15	41,41,41,41	0
54	MG	1B	221	1/1	0.89	0.16	52,52,52,52	0
54	MG	2A	3608	1/1	0.89	0.13	52,52,52,52	0
54	MG	2a	3069	1/1	0.89	0.13	62,62,62,62	0
54	MG	1A	3883	1/1	0.89	0.19	34,34,34,34	0
54	MG	2A	3613	1/1	0.89	0.09	80,80,80,80	0
54	MG	1A	3551	1/1	0.89	0.09	44,44,44,44	0
54	MG	2a	3076	1/1	0.89	0.16	58,58,58,58	0
54	MG	2a	3077	1/1	0.89	0.16	63,63,63,63	0
54	MG	1A	3743	1/1	0.89	0.10	21,21,21,21	0
54	MG	2A	3322	1/1	0.89	0.08	43,43,43,43	0
54	MG	1A	3744	1/1	0.89	0.18	39,39,39,39	0
54	MG	1a	1790	1/1	0.89	0.15	64,64,64,64	0
54	MG	2A	3648	1/1	0.89	0.11	89,89,89,89	0
54	MG	1A	3749	1/1	0.89	0.07	42,42,42,42	0
54	MG	1A	3626	1/1	0.89	0.07	28,28,28,28	0
54	MG	1A	3049	1/1	0.89	0.22	31,31,31,31	0
54	MG	1A	3095	1/1	0.89	0.10	53,53,53,53	0
54	MG	1A	3316	1/1	0.89	0.14	33,33,33,33	0
54	MG	2a	3104	1/1	0.89	0.14	62,62,62,62	0
54	MG	2a	3108	1/1	0.89	0.22	52,52,52,52	0
54	MG	2A	3351	1/1	0.89	0.11	67,67,67,67	0
54	MG	2A	3355	1/1	0.89	0.15	46,46,46,46	0
54	MG	2A	3054	1/1	0.89	0.13	39,39,39,39	0
54	MG	1A	3460	1/1	0.89	0.09	43,43,43,43	0
54	MG	1A	3775	1/1	0.89	0.22	26,26,26,26	0
54	MG	2A	3708	1/1	0.89	0.14	59,59,59,59	0
54	MG	1a	1659	1/1	0.89	0.18	72,72,72,72	0
54	MG	2A	3711	1/1	0.89	0.34	47,47,47,47	0
54	MG	1A	3565	1/1	0.89	0.10	32,32,32,32	0
54	MG	2a	3145	1/1	0.89	0.12	78,78,78,78	0
54	MG	1a	1661	1/1	0.89	0.17	76,76,76,76	0
54	MG	1A	3280	1/1	0.89	0.09	35,35,35,35	0
54	MG	2A	3075	1/1	0.89	0.08	49,49,49,49	0
54	MG	2A	3076	1/1	0.89	0.13	55,55,55,55	0
54	MG	1a	1826	1/1	0.89	0.19	60,60,60,60	0
54	MG	2a	3158	1/1	0.89	0.14	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3972	1/1	0.89	0.07	44,44,44,44	0
54	MG	1A	3781	1/1	0.89	0.18	51,51,51,51	0
54	MG	1A	3480	1/1	0.89	0.11	18,18,18,18	0
54	MG	1A	3420	1/1	0.89	0.08	22,22,22,22	0
54	MG	1A	3793	1/1	0.89	0.20	50,50,50,50	0
54	MG	2A	3406	1/1	0.89	0.17	56,56,56,56	0
54	MG	1O	202	1/1	0.89	0.12	52,52,52,52	0
54	MG	1A	3421	1/1	0.89	0.06	16,16,16,16	0
54	MG	1A	3985	1/1	0.89	0.14	30,30,30,30	0
54	MG	1R	201	1/1	0.89	0.30	44,44,44,44	0
54	MG	1a	1693	1/1	0.89	0.12	45,45,45,45	0
54	MG	1A	3986	1/1	0.89	0.13	36,36,36,36	0
54	MG	1A	3497	1/1	0.89	0.08	38,38,38,38	0
54	MG	1a	1859	1/1	0.89	0.18	55,55,55,55	0
54	MG	2A	3149	1/1	0.89	0.17	45,45,45,45	0
54	MG	1A	3504	1/1	0.89	0.13	18,18,18,18	0
54	MG	1A	3101	1/1	0.89	0.22	20,20,20,20	0
54	MG	2A	3159	1/1	0.89	0.20	72,72,72,72	0
54	MG	1a	1715	1/1	0.89	0.14	81,81,81,81	0
54	MG	1A	3816	1/1	0.89	0.10	55,55,55,55	0
54	MG	1a	1717	1/1	0.89	0.14	49,49,49,49	0
54	MG	1A	3996	1/1	0.89	0.26	34,34,34,34	0
54	MG	1W	202	1/1	0.89	0.18	32,32,32,32	0
54	MG	1A	3820	1/1	0.89	0.08	17,17,17,17	0
54	MG	1A	3511	1/1	0.89	0.10	42,42,42,42	0
54	MG	1A	3516	1/1	0.89	0.14	54,54,54,54	0
54	MG	1A	3686	1/1	0.89	0.12	55,55,55,55	0
54	MG	1A	3699	1/1	0.90	0.09	44,44,44,44	0
54	MG	2A	3146	1/1	0.90	0.23	48,48,48,48	0
54	MG	2B	206	1/1	0.90	0.28	69,69,69,69	0
54	MG	1A	3808	1/1	0.90	0.10	53,53,53,53	0
54	MG	1a	1743	1/1	0.90	0.18	57,57,57,57	0
54	MG	2B	214	1/1	0.90	0.09	75,75,75,75	0
54	MG	2B	216	1/1	0.90	0.07	75,75,75,75	0
54	MG	2A	3418	1/1	0.90	0.10	61,61,61,61	0
54	MG	1a	1623	1/1	0.90	0.10	65,65,65,65	0
54	MG	1a	1745	1/1	0.90	0.16	52,52,52,52	0
54	MG	1A	3952	1/1	0.90	0.11	71,71,71,71	0
54	MG	2A	3428	1/1	0.90	0.11	51,51,51,51	0
54	MG	2A	3435	1/1	0.90	0.09	46,46,46,46	0
54	MG	1A	3963	1/1	0.90	0.09	23,23,23,23	0
54	MG	2E	304	1/1	0.90	0.12	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2E	305	1/1	0.90	0.14	74,74,74,74	0
54	MG	1A	3559	1/1	0.90	0.15	31,31,31,31	0
54	MG	2A	3440	1/1	0.90	0.12	58,58,58,58	0
54	MG	1A	3167	1/1	0.90	0.12	44,44,44,44	0
54	MG	2A	3170	1/1	0.90	0.13	45,45,45,45	0
54	MG	1A	3300	1/1	0.90	0.15	65,65,65,65	0
54	MG	1A	3822	1/1	0.90	0.19	35,35,35,35	0
54	MG	1a	1754	1/1	0.90	0.17	69,69,69,69	0
54	MG	1A	3454	1/1	0.90	0.15	51,51,51,51	0
54	MG	1F	312	1/1	0.90	0.30	34,34,34,34	0
54	MG	2A	3456	1/1	0.90	0.08	56,56,56,56	0
54	MG	1A	3979	1/1	0.90	0.08	65,65,65,65	0
54	MG	1A	3327	1/1	0.90	0.13	8,8,8,8	0
54	MG	1A	3201	1/1	0.90	0.21	45,45,45,45	0
54	MG	1a	1765	1/1	0.90	0.09	56,56,56,56	0
54	MG	1A	3838	1/1	0.90	0.14	58,58,58,58	0
54	MG	1A	3225	1/1	0.90	0.24	27,27,27,27	0
54	MG	2A	3478	1/1	0.90	0.09	55,55,55,55	0
54	MG	2A	3203	1/1	0.90	0.22	64,64,64,64	0
54	MG	2A	3489	1/1	0.90	0.12	67,67,67,67	0
54	MG	2A	3204	1/1	0.90	0.18	65,65,65,65	0
54	MG	2a	3011	1/1	0.90	0.10	65,65,65,65	0
54	MG	2A	3205	1/1	0.90	0.07	54,54,54,54	0
54	MG	2A	3207	1/1	0.90	0.09	43,43,43,43	0
54	MG	2a	3017	1/1	0.90	0.10	45,45,45,45	0
54	MG	2A	3209	1/1	0.90	0.30	55,55,55,55	0
54	MG	1A	3719	1/1	0.90	0.08	25,25,25,25	0
54	MG	1A	3637	1/1	0.90	0.25	23,23,23,23	0
54	MG	1A	3419	1/1	0.90	0.07	20,20,20,20	0
54	MG	2A	3221	1/1	0.90	0.09	56,56,56,56	0
54	MG	1l	201	1/1	0.90	0.07	53,53,53,53	0
54	MG	1m	201	1/1	0.90	0.07	71,71,71,71	0
54	MG	2A	3233	1/1	0.90	0.09	47,47,47,47	0
54	MG	1a	1774	1/1	0.90	0.10	64,64,64,64	0
54	MG	2A	3520	1/1	0.90	0.10	33,33,33,33	0
54	MG	2a	3039	1/1	0.90	0.19	64,64,64,64	0
54	MG	1o	101	1/1	0.90	0.09	38,38,38,38	0
54	MG	1A	3531	1/1	0.90	0.08	9,9,9,9	0
54	MG	1A	3344	1/1	0.90	0.11	57,57,57,57	0
54	MG	2A	3528	1/1	0.90	0.10	83,83,83,83	0
54	MG	1A	3534	1/1	0.90	0.09	26,26,26,26	0
54	MG	1A	4002	1/1	0.90	0.24	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3352	1/1	0.90	0.09	50,50,50,50	0
54	MG	2a	3058	1/1	0.90	0.32	65,65,65,65	0
54	MG	2A	3258	1/1	0.90	0.16	52,52,52,52	0
54	MG	2A	3550	1/1	0.90	0.13	28,28,28,28	0
54	MG	1a	1662	1/1	0.90	0.11	55,55,55,55	0
54	MG	1a	1664	1/1	0.90	0.25	57,57,57,57	0
54	MG	1a	1668	1/1	0.90	0.18	66,66,66,66	0
54	MG	2A	3271	1/1	0.90	0.27	53,53,53,53	0
54	MG	1A	3861	1/1	0.90	0.14	59,59,59,59	0
54	MG	1A	3472	1/1	0.90	0.09	18,18,18,18	0
54	MG	1A	3478	1/1	0.90	0.10	14,14,14,14	0
54	MG	1A	3669	1/1	0.90	0.09	59,59,59,59	0
54	MG	2A	3586	1/1	0.90	0.08	35,35,35,35	0
54	MG	2A	3024	1/1	0.90	0.08	43,43,43,43	0
54	MG	1A	3766	1/1	0.90	0.09	43,43,43,43	0
54	MG	1a	1808	1/1	0.90	0.27	60,60,60,60	0
54	MG	1A	3548	1/1	0.90	0.08	32,32,32,32	0
54	MG	2a	3089	1/1	0.90	0.14	54,54,54,54	0
54	MG	2a	3090	1/1	0.90	0.11	44,44,44,44	0
54	MG	2a	3091	1/1	0.90	0.13	71,71,71,71	0
54	MG	2A	3595	1/1	0.90	0.12	26,26,26,26	0
54	MG	1X	101	1/1	0.90	0.11	56,56,56,56	0
54	MG	1a	1816	1/1	0.90	0.25	66,66,66,66	0
54	MG	1A	3672	1/1	0.90	0.07	57,57,57,57	0
54	MG	1a	1821	1/1	0.90	0.13	59,59,59,59	0
54	MG	2A	3611	1/1	0.90	0.09	52,52,52,52	0
54	MG	1A	3673	1/1	0.90	0.13	56,56,56,56	0
54	MG	2A	3615	1/1	0.90	0.15	45,45,45,45	0
54	MG	11	103	1/1	0.90	0.08	35,35,35,35	0
54	MG	1A	3676	1/1	0.90	0.10	31,31,31,31	0
54	MG	1a	1700	1/1	0.90	0.11	74,74,74,74	0
54	MG	1A	3204	1/1	0.90	0.07	33,33,33,33	0
54	MG	2A	3330	1/1	0.90	0.08	38,38,38,38	0
54	MG	2A	3645	1/1	0.90	0.14	52,52,52,52	0
54	MG	2a	3121	1/1	0.90	0.10	53,53,53,53	0
54	MG	2a	3122	1/1	0.90	0.14	57,57,57,57	0
54	MG	2A	3070	1/1	0.90	0.27	41,41,41,41	0
54	MG	1A	3898	1/1	0.90	0.10	13,13,13,13	0
54	MG	1A	3485	1/1	0.90	0.09	16,16,16,16	0
54	MG	1A	3681	1/1	0.90	0.11	66,66,66,66	0
54	MG	1A	3609	1/1	0.90	0.29	44,44,44,44	0
54	MG	1a	1605	1/1	0.90	0.36	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3689	1/1	0.90	0.15	65,65,65,65	0
54	MG	2a	3153	1/1	0.90	0.14	53,53,53,53	0
54	MG	1A	3788	1/1	0.90	0.14	63,63,63,63	0
54	MG	2A	3695	1/1	0.90	0.14	65,65,65,65	0
54	MG	2A	3357	1/1	0.90	0.13	56,56,56,56	0
54	MG	1a	1720	1/1	0.90	0.07	56,56,56,56	0
54	MG	1A	3920	1/1	0.90	0.14	47,47,47,47	0
54	MG	2a	3163	1/1	0.90	0.09	81,81,81,81	0
54	MG	2a	3167	1/1	0.90	0.15	49,49,49,49	0
54	MG	2A	3363	1/1	0.90	0.10	27,27,27,27	0
54	MG	2A	3091	1/1	0.90	0.18	51,51,51,51	0
54	MG	1a	1852	1/1	0.90	0.41	73,73,73,73	0
54	MG	2A	3093	1/1	0.90	0.12	52,52,52,52	0
54	MG	2A	3099	1/1	0.90	0.22	38,38,38,38	0
54	MG	1a	1608	1/1	0.90	0.08	77,77,77,77	0
54	MG	2A	3720	1/1	0.90	0.08	46,46,46,46	0
54	MG	1A	3610	1/1	0.90	0.12	24,24,24,24	0
54	MG	2A	3110	1/1	0.90	0.11	29,29,29,29	0
54	MG	2A	3113	1/1	0.90	0.10	50,50,50,50	0
54	MG	2A	3388	1/1	0.90	0.13	64,64,64,64	0
54	MG	2A	3733	1/1	0.90	0.12	62,62,62,62	0
54	MG	2A	3734	1/1	0.90	0.21	64,64,64,64	0
54	MG	1A	3368	1/1	0.90	0.10	39,39,39,39	0
54	MG	2a	3193	1/1	0.90	0.10	39,39,39,39	0
54	MG	2A	3393	1/1	0.90	0.11	42,42,42,42	0
54	MG	1A	3695	1/1	0.90	0.28	45,45,45,45	0
54	MG	2A	3741	1/1	0.90	0.09	50,50,50,50	0
54	MG	2A	3399	1/1	0.90	0.16	34,34,34,34	0
54	MG	2A	3119	1/1	0.90	0.15	40,40,40,40	0
54	MG	2A	3122	1/1	0.90	0.18	64,64,64,64	0
54	MG	2A	3404	1/1	0.90	0.14	48,48,48,48	0
54	MG	1a	1862	1/1	0.90	0.09	82,82,82,82	0
54	MG	1a	1733	1/1	0.90	0.18	88,88,88,88	0
54	MG	1B	222	1/1	0.90	0.12	57,57,57,57	0
54	MG	2B	201	1/1	0.90	0.08	68,68,68,68	0
54	MG	1A	3212	1/1	0.90	0.20	28,28,28,28	0
54	MG	1a	1738	1/1	0.91	0.09	62,62,62,62	0
54	MG	2A	3180	1/1	0.91	0.16	58,58,58,58	0
54	MG	1A	3549	1/1	0.91	0.08	42,42,42,42	0
54	MG	1A	3911	1/1	0.91	0.18	36,36,36,36	0
54	MG	2D	306	1/1	0.91	0.11	37,37,37,37	0
54	MG	1A	3779	1/1	0.91	0.11	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2D	309	1/1	0.91	0.08	30,30,30,30	0
54	MG	2A	3186	1/1	0.91	0.13	45,45,45,45	0
54	MG	2A	3187	1/1	0.91	0.14	45,45,45,45	0
54	MG	2A	3188	1/1	0.91	0.20	56,56,56,56	0
54	MG	2A	3190	1/1	0.91	0.10	48,48,48,48	0
54	MG	1B	208	1/1	0.91	0.16	44,44,44,44	0
54	MG	1A	3425	1/1	0.91	0.08	19,19,19,19	0
54	MG	2A	3470	1/1	0.91	0.11	52,52,52,52	0
54	MG	1B	210	1/1	0.91	0.10	52,52,52,52	0
54	MG	2P	201	1/1	0.91	0.09	61,61,61,61	0
54	MG	2A	3476	1/1	0.91	0.07	47,47,47,47	0
54	MG	1B	211	1/1	0.91	0.11	49,49,49,49	0
54	MG	1A	3180	1/1	0.91	0.25	36,36,36,36	0
54	MG	2T	201	1/1	0.91	0.13	60,60,60,60	0
54	MG	1A	3428	1/1	0.91	0.11	39,39,39,39	0
54	MG	2W	201	1/1	0.91	0.36	45,45,45,45	0
54	MG	1a	1625	1/1	0.91	0.12	46,46,46,46	0
54	MG	2Y	201	1/1	0.91	0.13	51,51,51,51	0
54	MG	2A	3494	1/1	0.91	0.08	40,40,40,40	0
54	MG	1g	201	1/1	0.91	0.20	57,57,57,57	0
54	MG	1B	218	1/1	0.91	0.07	50,50,50,50	0
54	MG	2a	3001	1/1	0.91	0.09	46,46,46,46	0
54	MG	1a	1627	1/1	0.91	0.17	45,45,45,45	0
54	MG	2a	3003	1/1	0.91	0.17	50,50,50,50	0
54	MG	2A	3212	1/1	0.91	0.16	61,61,61,61	0
54	MG	2A	3214	1/1	0.91	0.15	54,54,54,54	0
54	MG	1A	3922	1/1	0.91	0.34	55,55,55,55	0
54	MG	2A	3511	1/1	0.91	0.12	56,56,56,56	0
54	MG	1a	1757	1/1	0.91	0.11	73,73,73,73	0
54	MG	1a	1630	1/1	0.91	0.15	51,51,51,51	0
54	MG	1A	3930	1/1	0.91	0.11	35,35,35,35	0
54	MG	1A	3786	1/1	0.91	0.15	60,60,60,60	0
54	MG	1A	3151	1/1	0.91	0.14	38,38,38,38	0
54	MG	2A	3235	1/1	0.91	0.11	34,34,34,34	0
54	MG	1A	3936	1/1	0.91	0.08	23,23,23,23	0
54	MG	1A	3937	1/1	0.91	0.12	41,41,41,41	0
54	MG	1A	3688	1/1	0.91	0.32	41,41,41,41	0
54	MG	1a	1768	1/1	0.91	0.08	60,60,60,60	0
54	MG	1y	3103	1/1	0.91	0.10	69,69,69,69	0
54	MG	1a	1642	1/1	0.91	0.20	46,46,46,46	0
54	MG	2A	3001	1/1	0.91	0.31	59,59,59,59	0
54	MG	1a	1643	1/1	0.91	0.17	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3036	1/1	0.91	0.14	58,58,58,58	0
54	MG	2A	3548	1/1	0.91	0.07	73,73,73,73	0
54	MG	1D	319	1/1	0.91	0.11	58,58,58,58	0
54	MG	2A	3263	1/1	0.91	0.19	45,45,45,45	0
54	MG	1A	3941	1/1	0.91	0.15	49,49,49,49	0
54	MG	2A	3015	1/1	0.91	0.32	60,60,60,60	0
54	MG	2A	3561	1/1	0.91	0.10	44,44,44,44	0
54	MG	2A	3563	1/1	0.91	0.11	66,66,66,66	0
54	MG	1A	3558	1/1	0.91	0.11	43,43,43,43	0
54	MG	1A	3061	1/1	0.91	0.22	54,54,54,54	0
54	MG	2a	3050	1/1	0.91	0.25	51,51,51,51	0
54	MG	1A	3696	1/1	0.91	0.10	40,40,40,40	0
54	MG	2A	3575	1/1	0.91	0.08	42,42,42,42	0
54	MG	2A	3276	1/1	0.91	0.11	42,42,42,42	0
54	MG	1A	3801	1/1	0.91	0.11	59,59,59,59	0
54	MG	2A	3026	1/1	0.91	0.12	49,49,49,49	0
54	MG	2A	3030	1/1	0.91	0.24	48,48,48,48	0
54	MG	1a	1780	1/1	0.91	0.12	72,72,72,72	0
54	MG	1F	303	1/1	0.91	0.22	27,27,27,27	0
54	MG	1A	3623	1/1	0.91	0.07	19,19,19,19	0
54	MG	1A	3157	1/1	0.91	0.25	25,25,25,25	0
54	MG	2a	3072	1/1	0.91	0.12	56,56,56,56	0
54	MG	2a	3073	1/1	0.91	0.28	51,51,51,51	0
54	MG	2A	3599	1/1	0.91	0.12	34,34,34,34	0
54	MG	1a	1789	1/1	0.91	0.19	59,59,59,59	0
54	MG	1A	3564	1/1	0.91	0.20	48,48,48,48	0
54	MG	2A	3607	1/1	0.91	0.15	35,35,35,35	0
54	MG	1a	1792	1/1	0.91	0.10	68,68,68,68	0
54	MG	1A	3372	1/1	0.91	0.14	40,40,40,40	0
54	MG	1A	3567	1/1	0.91	0.07	40,40,40,40	0
54	MG	1A	3568	1/1	0.91	0.14	13,13,13,13	0
54	MG	2A	3614	1/1	0.91	0.13	48,48,48,48	0
54	MG	1A	3978	1/1	0.91	0.08	36,36,36,36	0
54	MG	2A	3327	1/1	0.91	0.13	38,38,38,38	0
54	MG	2A	3619	1/1	0.91	0.11	75,75,75,75	0
54	MG	1a	1663	1/1	0.91	0.16	64,64,64,64	0
54	MG	2A	3068	1/1	0.91	0.07	31,31,31,31	0
54	MG	1H	201	1/1	0.91	0.12	57,57,57,57	0
54	MG	1a	1667	1/1	0.91	0.11	58,58,58,58	0
54	MG	1A	3275	1/1	0.91	0.45	42,42,42,42	0
54	MG	1A	3636	1/1	0.91	0.09	41,41,41,41	0
54	MG	1A	3982	1/1	0.91	0.08	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1820	1/1	0.91	0.10	75,75,75,75	0
54	MG	2A	3666	1/1	0.91	0.11	34,34,34,34	0
54	MG	2A	3677	1/1	0.91	0.11	74,74,74,74	0
54	MG	1A	3276	1/1	0.91	0.11	47,47,47,47	0
54	MG	2A	3086	1/1	0.91	0.19	67,67,67,67	0
54	MG	1a	1675	1/1	0.91	0.10	45,45,45,45	0
54	MG	1A	3315	1/1	0.91	0.11	32,32,32,32	0
54	MG	2a	3123	1/1	0.91	0.08	71,71,71,71	0
54	MG	2A	3690	1/1	0.91	0.09	55,55,55,55	0
54	MG	1A	3525	1/1	0.91	0.11	46,46,46,46	0
54	MG	1A	3722	1/1	0.91	0.18	64,64,64,64	0
54	MG	1A	3649	1/1	0.91	0.09	32,32,32,32	0
54	MG	2A	3094	1/1	0.91	0.11	56,56,56,56	0
54	MG	2A	3097	1/1	0.91	0.15	44,44,44,44	0
54	MG	2a	3147	1/1	0.91	0.09	81,81,81,81	0
54	MG	2A	3704	1/1	0.91	0.14	77,77,77,77	0
54	MG	1a	1685	1/1	0.91	0.15	47,47,47,47	0
54	MG	1a	1832	1/1	0.91	0.09	67,67,67,67	0
54	MG	1A	3844	1/1	0.91	0.17	51,51,51,51	0
54	MG	1a	1688	1/1	0.91	0.19	57,57,57,57	0
54	MG	1A	3729	1/1	0.91	0.10	42,42,42,42	0
54	MG	1A	3730	1/1	0.91	0.09	29,29,29,29	0
54	MG	1a	1692	1/1	0.91	0.20	48,48,48,48	0
54	MG	2a	3166	1/1	0.91	0.17	63,63,63,63	0
54	MG	1A	3652	1/1	0.91	0.11	47,47,47,47	0
54	MG	2A	3120	1/1	0.91	0.16	52,52,52,52	0
54	MG	2a	3175	1/1	0.91	0.07	57,57,57,57	0
54	MG	1a	1695	1/1	0.91	0.13	38,38,38,38	0
54	MG	1A	3530	1/1	0.91	0.07	35,35,35,35	0
54	MG	2a	3179	1/1	0.91	0.14	62,62,62,62	0
54	MG	2A	3129	1/1	0.91	0.15	59,59,59,59	0
54	MG	1A	3655	1/1	0.91	0.13	16,16,16,16	0
54	MG	1A	3277	1/1	0.91	0.23	43,43,43,43	0
54	MG	1A	3091	1/1	0.91	0.11	41,41,41,41	0
54	MG	1A	3590	1/1	0.91	0.11	48,48,48,48	0
54	MG	1A	4015	1/1	0.91	0.07	61,61,61,61	0
54	MG	2A	3147	1/1	0.91	0.08	38,38,38,38	0
54	MG	2A	3744	1/1	0.91	0.13	38,38,38,38	0
54	MG	1A	3164	1/1	0.91	0.07	34,34,34,34	0
54	MG	1A	3765	1/1	0.91	0.08	30,30,30,30	0
54	MG	17	105	1/1	0.91	0.07	36,36,36,36	0
54	MG	1A	3416	1/1	0.91	0.09	19,19,19,19	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3121	1/1	0.91	0.23	38,38,38,38	0
54	MG	1a	1725	1/1	0.91	0.20	69,69,69,69	0
54	MG	19	102	1/1	0.91	0.11	49,49,49,49	0
54	MG	2A	3433	1/1	0.91	0.14	52,52,52,52	0
54	MG	1A	3244	1/1	0.91	0.17	35,35,35,35	0
54	MG	2A	3169	1/1	0.91	0.09	45,45,45,45	0
54	MG	1A	3032	1/1	0.91	0.17	46,46,46,46	0
54	MG	1A	3774	1/1	0.91	0.08	50,50,50,50	0
54	MG	2A	3442	1/1	0.91	0.09	25,25,25,25	0
54	MG	1A	4039	1/1	0.91	0.09	41,41,41,41	0
54	MG	2A	3445	1/1	0.91	0.16	53,53,53,53	0
54	MG	1A	3597	1/1	0.91	0.12	29,29,29,29	0
58	ZN	24	501	1/1	0.91	0.20	158,158,158,158	0
54	MG	1a	1614	1/1	0.92	0.11	18,18,18,18	0
54	MG	1a	1730	1/1	0.92	0.14	55,55,55,55	0
54	MG	1A	3575	1/1	0.92	0.12	59,59,59,59	0
54	MG	1A	3285	1/1	0.92	0.16	28,28,28,28	0
54	MG	1a	1620	1/1	0.92	0.10	49,49,49,49	0
54	MG	2W	202	1/1	0.92	0.23	47,47,47,47	0
54	MG	2A	3295	1/1	0.92	0.10	56,56,56,56	0
54	MG	2A	3301	1/1	0.92	0.09	24,24,24,24	0
54	MG	1a	1860	1/1	0.92	0.10	58,58,58,58	0
54	MG	2A	3305	1/1	0.92	0.15	36,36,36,36	0
54	MG	27	101	1/1	0.92	0.23	40,40,40,40	0
54	MG	2A	3556	1/1	0.92	0.10	41,41,41,41	0
54	MG	1A	3486	1/1	0.92	0.11	30,30,30,30	0
54	MG	1A	3176	1/1	0.92	0.16	32,32,32,32	0
54	MG	2A	3314	1/1	0.92	0.09	27,27,27,27	0
54	MG	2A	3105	1/1	0.92	0.10	44,44,44,44	0
54	MG	1A	3585	1/1	0.92	0.11	42,42,42,42	0
54	MG	1A	3295	1/1	0.92	0.19	24,24,24,24	0
54	MG	1A	3387	1/1	0.92	0.08	14,14,14,14	0
54	MG	2A	3112	1/1	0.92	0.16	53,53,53,53	0
54	MG	1B	227	1/1	0.92	0.05	51,51,51,51	0
54	MG	1A	3683	1/1	0.92	0.10	46,46,46,46	0
54	MG	1A	3177	1/1	0.92	0.12	23,23,23,23	0
54	MG	1D	318	1/1	0.92	0.12	59,59,59,59	0
54	MG	1A	3410	1/1	0.92	0.12	14,14,14,14	0
54	MG	2A	3348	1/1	0.92	0.14	37,37,37,37	0
54	MG	1A	3954	1/1	0.92	0.10	62,62,62,62	0
54	MG	1A	3955	1/1	0.92	0.14	53,53,53,53	0
54	MG	1A	3510	1/1	0.92	0.08	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2a	3028	1/1	0.92	0.10	43,43,43,43	0
54	MG	2A	3130	1/1	0.92	0.12	46,46,46,46	0
54	MG	2A	3603	1/1	0.92	0.10	68,68,68,68	0
54	MG	1A	3691	1/1	0.92	0.20	47,47,47,47	0
54	MG	1A	3138	1/1	0.92	0.19	38,38,38,38	0
54	MG	1A	3414	1/1	0.92	0.11	54,54,54,54	0
54	MG	1a	1758	1/1	0.92	0.12	68,68,68,68	0
54	MG	1A	3815	1/1	0.92	0.18	19,19,19,19	0
54	MG	2A	3366	1/1	0.92	0.10	43,43,43,43	0
54	MG	1A	3036	1/1	0.92	0.16	37,37,37,37	0
54	MG	2a	3041	1/1	0.92	0.28	61,61,61,61	0
54	MG	1A	3606	1/1	0.92	0.23	29,29,29,29	0
54	MG	1A	3417	1/1	0.92	0.10	31,31,31,31	0
54	MG	2A	3155	1/1	0.92	0.14	41,41,41,41	0
54	MG	1A	3824	1/1	0.92	0.10	36,36,36,36	0
54	MG	2A	3624	1/1	0.92	0.11	48,48,48,48	0
54	MG	1F	318	1/1	0.92	0.08	49,49,49,49	0
54	MG	2a	3051	1/1	0.92	0.28	46,46,46,46	0
54	MG	2A	3629	1/1	0.92	0.08	74,74,74,74	0
54	MG	2A	3385	1/1	0.92	0.09	39,39,39,39	0
54	MG	1A	3308	1/1	0.92	0.18	36,36,36,36	0
54	MG	1A	3003	1/1	0.92	0.07	22,22,22,22	0
54	MG	2a	3062	1/1	0.92	0.23	60,60,60,60	0
54	MG	2A	3646	1/1	0.92	0.07	46,46,46,46	0
54	MG	1A	3257	1/1	0.92	0.14	27,27,27,27	0
54	MG	1a	1770	1/1	0.92	0.09	70,70,70,70	0
54	MG	2A	3167	1/1	0.92	0.12	49,49,49,49	0
54	MG	2A	3664	1/1	0.92	0.09	58,58,58,58	0
54	MG	1A	3708	1/1	0.92	0.08	70,70,70,70	0
54	MG	2A	3671	1/1	0.92	0.09	68,68,68,68	0
54	MG	2A	3675	1/1	0.92	0.14	69,69,69,69	0
54	MG	1A	3042	1/1	0.92	0.23	24,24,24,24	0
54	MG	1A	3988	1/1	0.92	0.18	34,34,34,34	0
54	MG	2A	3682	1/1	0.92	0.13	55,55,55,55	0
54	MG	1A	3616	1/1	0.92	0.14	22,22,22,22	0
54	MG	2A	3684	1/1	0.92	0.12	60,60,60,60	0
54	MG	2a	3080	1/1	0.92	0.34	46,46,46,46	0
54	MG	1A	3019	1/1	0.92	0.18	33,33,33,33	0
54	MG	1A	3194	1/1	0.92	0.13	39,39,39,39	0
54	MG	2a	3083	1/1	0.92	0.28	48,48,48,48	0
54	MG	2a	3085	1/1	0.92	0.19	54,54,54,54	0
54	MG	2A	3408	1/1	0.92	0.10	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3179	1/1	0.92	0.16	47,47,47,47	0
54	MG	1Q	201	1/1	0.92	0.11	32,32,32,32	0
54	MG	2A	3697	1/1	0.92	0.08	46,46,46,46	0
54	MG	2a	3097	1/1	0.92	0.17	52,52,52,52	0
54	MG	1A	3271	1/1	0.92	0.34	42,42,42,42	0
54	MG	2A	3413	1/1	0.92	0.10	37,37,37,37	0
54	MG	1A	3028	1/1	0.92	0.11	29,29,29,29	0
54	MG	1A	3438	1/1	0.92	0.15	52,52,52,52	0
54	MG	1a	1785	1/1	0.92	0.10	58,58,58,58	0
54	MG	2A	3706	1/1	0.92	0.06	51,51,51,51	0
54	MG	1A	3196	1/1	0.92	0.18	56,56,56,56	0
54	MG	1a	1674	1/1	0.92	0.10	43,43,43,43	0
54	MG	1A	3445	1/1	0.92	0.11	31,31,31,31	0
54	MG	2A	3714	1/1	0.92	0.11	37,37,37,37	0
54	MG	2A	3009	1/1	0.92	0.11	57,57,57,57	0
54	MG	1A	3197	1/1	0.92	0.07	30,30,30,30	0
54	MG	1U	206	1/1	0.92	0.15	34,34,34,34	0
54	MG	2A	3436	1/1	0.92	0.23	45,45,45,45	0
54	MG	1A	3110	1/1	0.92	0.18	35,35,35,35	0
54	MG	2A	3200	1/1	0.92	0.17	42,42,42,42	0
54	MG	1A	3350	1/1	0.92	0.12	18,18,18,18	0
54	MG	2A	3731	1/1	0.92	0.23	61,61,61,61	0
54	MG	1A	4017	1/1	0.92	0.08	33,33,33,33	0
54	MG	2A	3020	1/1	0.92	0.08	39,39,39,39	0
54	MG	1A	3639	1/1	0.92	0.08	23,23,23,23	0
54	MG	1a	1807	1/1	0.92	0.09	73,73,73,73	0
54	MG	2A	3210	1/1	0.92	0.08	51,51,51,51	0
54	MG	2a	3150	1/1	0.92	0.11	44,44,44,44	0
54	MG	2a	3151	1/1	0.92	0.10	80,80,80,80	0
54	MG	1A	3075	1/1	0.92	0.13	50,50,50,50	0
54	MG	2A	3029	1/1	0.92	0.17	54,54,54,54	0
54	MG	1A	3746	1/1	0.92	0.12	38,38,38,38	0
54	MG	11	105	1/1	0.92	0.07	35,35,35,35	0
54	MG	2A	3219	1/1	0.92	0.21	51,51,51,51	0
54	MG	2A	3748	1/1	0.92	0.18	53,53,53,53	0
54	MG	2A	3751	1/1	0.92	0.15	54,54,54,54	0
54	MG	1A	4024	1/1	0.92	0.08	58,58,58,58	0
54	MG	1A	3877	1/1	0.92	0.07	19,19,19,19	0
54	MG	1A	3361	1/1	0.92	0.08	24,24,24,24	0
54	MG	2A	3227	1/1	0.92	0.14	50,50,50,50	0
54	MG	1a	1696	1/1	0.92	0.14	62,62,62,62	0
54	MG	2A	3465	1/1	0.92	0.15	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3364	1/1	0.92	0.10	50,50,50,50	0
54	MG	1A	3758	1/1	0.92	0.08	53,53,53,53	0
54	MG	1A	3760	1/1	0.92	0.13	57,57,57,57	0
54	MG	2A	3237	1/1	0.92	0.16	49,49,49,49	0
54	MG	2A	3480	1/1	0.92	0.10	45,45,45,45	0
54	MG	2B	213	1/1	0.92	0.07	54,54,54,54	0
54	MG	2A	3052	1/1	0.92	0.36	56,56,56,56	0
54	MG	1A	3002	1/1	0.92	0.17	43,43,43,43	0
54	MG	1A	3081	1/1	0.92	0.23	23,23,23,23	0
54	MG	1a	1830	1/1	0.92	0.09	53,53,53,53	0
54	MG	2D	302	1/1	0.92	0.16	54,54,54,54	0
54	MG	1a	1710	1/1	0.92	0.11	69,69,69,69	0
54	MG	2A	3062	1/1	0.92	0.13	43,43,43,43	0
54	MG	1A	3465	1/1	0.92	0.13	33,33,33,33	0
54	MG	2A	3069	1/1	0.92	0.22	57,57,57,57	0
54	MG	1B	206	1/1	0.92	0.23	54,54,54,54	0
54	MG	2p	101	1/1	0.92	0.22	44,44,44,44	0
54	MG	2A	3508	1/1	0.92	0.12	59,59,59,59	0
54	MG	1A	3467	1/1	0.92	0.07	15,15,15,15	0
54	MG	1a	1838	1/1	0.92	0.09	63,63,63,63	0
54	MG	2y	201	1/1	0.92	0.12	54,54,54,54	0
54	MG	1A	3470	1/1	0.92	0.12	28,28,28,28	0
54	MG	1A	3136	1/1	0.92	0.11	35,35,35,35	0
54	MG	1A	3660	1/1	0.92	0.07	39,39,39,39	0
54	MG	2A	3079	1/1	0.92	0.28	58,58,58,58	0
54	MG	2A	3279	1/1	0.92	0.07	31,31,31,31	0
54	MG	1A	3376	1/1	0.92	0.10	46,46,46,46	0
54	MG	2A	3083	1/1	0.92	0.13	63,63,63,63	0
54	MG	1A	3173	1/1	0.92	0.08	20,20,20,20	0
54	MG	1A	3089	1/1	0.93	0.23	30,30,30,30	0
54	MG	1a	1640	1/1	0.93	0.08	62,62,62,62	0
54	MG	1a	1815	1/1	0.93	0.10	57,57,57,57	0
54	MG	1A	3260	1/1	0.93	0.20	47,47,47,47	0
54	MG	1A	4029	1/1	0.93	0.09	46,46,46,46	0
54	MG	1A	3261	1/1	0.93	0.16	37,37,37,37	0
54	MG	1A	4032	1/1	0.93	0.10	37,37,37,37	0
54	MG	2A	3114	1/1	0.93	0.14	41,41,41,41	0
54	MG	2A	3116	1/1	0.93	0.13	43,43,43,43	0
54	MG	1A	3690	1/1	0.93	0.13	46,46,46,46	0
54	MG	1A	3182	1/1	0.93	0.09	41,41,41,41	0
54	MG	1a	1651	1/1	0.93	0.14	44,44,44,44	0
54	MG	1A	4040	1/1	0.93	0.07	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1827	1/1	0.93	0.14	55,55,55,55	0
54	MG	2A	3416	1/1	0.93	0.08	35,35,35,35	0
54	MG	2A	3123	1/1	0.93	0.21	45,45,45,45	0
54	MG	1A	3354	1/1	0.93	0.07	35,35,35,35	0
54	MG	1A	3842	1/1	0.93	0.10	27,27,27,27	0
54	MG	2B	205	1/1	0.93	0.23	53,53,53,53	0
54	MG	1A	4047	1/1	0.93	0.10	46,46,46,46	0
54	MG	1A	3693	1/1	0.93	0.21	32,32,32,32	0
54	MG	2B	211	1/1	0.93	0.12	59,59,59,59	0
54	MG	1A	3589	1/1	0.93	0.08	43,43,43,43	0
54	MG	2A	3429	1/1	0.93	0.09	60,60,60,60	0
54	MG	2A	3430	1/1	0.93	0.07	51,51,51,51	0
54	MG	1A	3356	1/1	0.93	0.07	37,37,37,37	0
54	MG	2A	3434	1/1	0.93	0.08	53,53,53,53	0
54	MG	1a	1837	1/1	0.93	0.08	40,40,40,40	0
54	MG	1A	3360	1/1	0.93	0.06	28,28,28,28	0
54	MG	1A	3851	1/1	0.93	0.09	31,31,31,31	0
54	MG	1A	3021	1/1	0.93	0.08	38,38,38,38	0
54	MG	1a	1847	1/1	0.93	0.12	75,75,75,75	0
54	MG	2A	3441	1/1	0.93	0.08	61,61,61,61	0
54	MG	1A	3094	1/1	0.93	0.08	45,45,45,45	0
54	MG	1A	3189	1/1	0.93	0.09	39,39,39,39	0
54	MG	1A	3366	1/1	0.93	0.14	37,37,37,37	0
54	MG	2E	303	1/1	0.93	0.21	47,47,47,47	0
54	MG	1A	3068	1/1	0.93	0.08	35,35,35,35	0
54	MG	1a	1853	1/1	0.93	0.08	50,50,50,50	0
54	MG	1A	3709	1/1	0.93	0.25	24,24,24,24	0
54	MG	2A	3163	1/1	0.93	0.09	48,48,48,48	0
54	MG	1A	3865	1/1	0.93	0.10	22,22,22,22	0
54	MG	1A	3097	1/1	0.93	0.17	36,36,36,36	0
54	MG	1A	3601	1/1	0.93	0.22	23,23,23,23	0
54	MG	1A	3604	1/1	0.93	0.26	26,26,26,26	0
54	MG	1A	3875	1/1	0.93	0.07	18,18,18,18	0
54	MG	1A	3375	1/1	0.93	0.22	43,43,43,43	0
54	MG	1A	3192	1/1	0.93	0.20	44,44,44,44	0
54	MG	1D	315	1/1	0.93	0.21	29,29,29,29	0
54	MG	1A	3720	1/1	0.93	0.09	53,53,53,53	0
54	MG	2V	201	1/1	0.93	0.45	45,45,45,45	0
54	MG	2A	3469	1/1	0.93	0.07	40,40,40,40	0
54	MG	1A	3150	1/1	0.93	0.12	36,36,36,36	0
54	MG	2A	3472	1/1	0.93	0.07	27,27,27,27	0
54	MG	1A	3505	1/1	0.93	0.08	12,12,12,12	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	20	101	1/1	0.93	0.12	57,57,57,57	0
54	MG	2A	3474	1/1	0.93	0.09	38,38,38,38	0
54	MG	25	101	1/1	0.93	0.30	44,44,44,44	0
54	MG	1E	301	1/1	0.93	0.12	20,20,20,20	0
54	MG	1A	3379	1/1	0.93	0.07	24,24,24,24	0
54	MG	1A	3903	1/1	0.93	0.07	18,18,18,18	0
54	MG	1A	3728	1/1	0.93	0.12	41,41,41,41	0
54	MG	2A	3482	1/1	0.93	0.08	42,42,42,42	0
54	MG	2A	3485	1/1	0.93	0.14	40,40,40,40	0
54	MG	1a	1875	1/1	0.93	0.11	42,42,42,42	0
54	MG	2A	3490	1/1	0.93	0.10	53,53,53,53	0
54	MG	1A	3033	1/1	0.93	0.07	32,32,32,32	0
54	MG	2A	3492	1/1	0.93	0.18	46,46,46,46	0
54	MG	1a	1877	1/1	0.93	0.16	53,53,53,53	0
54	MG	2a	3009	1/1	0.93	0.07	70,70,70,70	0
54	MG	1A	3153	1/1	0.93	0.31	39,39,39,39	0
54	MG	2A	3196	1/1	0.93	0.20	57,57,57,57	0
54	MG	1A	3915	1/1	0.93	0.13	34,34,34,34	0
54	MG	1A	3735	1/1	0.93	0.09	34,34,34,34	0
54	MG	1a	1881	1/1	0.93	0.11	44,44,44,44	0
54	MG	1A	3104	1/1	0.93	0.17	44,44,44,44	0
54	MG	2A	3509	1/1	0.93	0.07	37,37,37,37	0
54	MG	2a	3022	1/1	0.93	0.13	37,37,37,37	0
54	MG	2a	3023	1/1	0.93	0.21	44,44,44,44	0
54	MG	2a	3025	1/1	0.93	0.23	50,50,50,50	0
54	MG	1A	3014	1/1	0.93	0.16	33,33,33,33	0
54	MG	1A	3624	1/1	0.93	0.13	17,17,17,17	0
54	MG	1A	3926	1/1	0.93	0.12	35,35,35,35	0
54	MG	2A	3208	1/1	0.93	0.10	43,43,43,43	0
54	MG	2A	3514	1/1	0.93	0.11	36,36,36,36	0
54	MG	1d	304	1/1	0.93	0.11	45,45,45,45	0
54	MG	1A	3928	1/1	0.93	0.12	47,47,47,47	0
54	MG	1A	3078	1/1	0.93	0.27	25,25,25,25	0
54	MG	2A	3519	1/1	0.93	0.09	48,48,48,48	0
54	MG	1A	3111	1/1	0.93	0.10	22,22,22,22	0
54	MG	1A	3747	1/1	0.93	0.07	26,26,26,26	0
54	MG	1A	3627	1/1	0.93	0.11	39,39,39,39	0
54	MG	1A	3529	1/1	0.93	0.10	46,46,46,46	0
54	MG	2a	3042	1/1	0.93	0.16	71,71,71,71	0
54	MG	1A	3755	1/1	0.93	0.06	35,35,35,35	0
54	MG	1A	3631	1/1	0.93	0.17	16,16,16,16	0
54	MG	2A	3535	1/1	0.93	0.22	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1P	204	1/1	0.93	0.14	30,30,30,30	0
54	MG	2A	3226	1/1	0.93	0.16	57,57,57,57	0
54	MG	2A	3546	1/1	0.93	0.07	57,57,57,57	0
54	MG	1a	1727	1/1	0.93	0.07	56,56,56,56	0
54	MG	2a	3052	1/1	0.93	0.17	60,60,60,60	0
54	MG	2a	3055	1/1	0.93	0.09	58,58,58,58	0
54	MG	1A	3942	1/1	0.93	0.17	68,68,68,68	0
54	MG	1A	3943	1/1	0.93	0.11	19,19,19,19	0
54	MG	1Q	202	1/1	0.93	0.07	24,24,24,24	0
54	MG	1A	3411	1/1	0.93	0.07	11,11,11,11	0
54	MG	1A	3286	1/1	0.93	0.14	45,45,45,45	0
54	MG	1A	3112	1/1	0.93	0.10	29,29,29,29	0
54	MG	2A	3239	1/1	0.93	0.13	41,41,41,41	0
54	MG	1A	3208	1/1	0.93	0.16	33,33,33,33	0
54	MG	2A	3565	1/1	0.93	0.13	59,59,59,59	0
54	MG	2A	3568	1/1	0.93	0.08	52,52,52,52	0
54	MG	1A	3770	1/1	0.93	0.07	30,30,30,30	0
54	MG	1A	3298	1/1	0.93	0.09	60,60,60,60	0
54	MG	1U	205	1/1	0.93	0.22	43,43,43,43	0
54	MG	1A	3960	1/1	0.93	0.16	26,26,26,26	0
54	MG	2A	3002	1/1	0.93	0.18	52,52,52,52	0
54	MG	2A	3583	1/1	0.93	0.08	29,29,29,29	0
54	MG	1A	3638	1/1	0.93	0.08	46,46,46,46	0
54	MG	2A	3585	1/1	0.93	0.07	23,23,23,23	0
54	MG	2a	3079	1/1	0.93	0.18	60,60,60,60	0
54	MG	1a	1746	1/1	0.93	0.10	63,63,63,63	0
54	MG	2A	3011	1/1	0.93	0.05	50,50,50,50	0
54	MG	1A	3967	1/1	0.93	0.14	56,56,56,56	0
54	MG	1W	203	1/1	0.93	0.08	28,28,28,28	0
54	MG	1A	3539	1/1	0.93	0.19	32,32,32,32	0
54	MG	1A	3971	1/1	0.93	0.09	44,44,44,44	0
54	MG	10	107	1/1	0.93	0.07	53,53,53,53	0
54	MG	2A	3600	1/1	0.93	0.09	62,62,62,62	0
54	MG	2A	3277	1/1	0.93	0.10	51,51,51,51	0
54	MG	2a	3094	1/1	0.93	0.09	52,52,52,52	0
54	MG	2A	3018	1/1	0.93	0.23	36,36,36,36	0
54	MG	2A	3282	1/1	0.93	0.12	38,38,38,38	0
54	MG	1A	3543	1/1	0.93	0.07	26,26,26,26	0
54	MG	1A	3418	1/1	0.93	0.12	30,30,30,30	0
54	MG	1A	3168	1/1	0.93	0.05	32,32,32,32	0
54	MG	13	103	1/1	0.93	0.13	37,37,37,37	0
54	MG	1A	3080	1/1	0.93	0.16	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3215	1/1	0.93	0.11	51,51,51,51	0
54	MG	2a	3107	1/1	0.93	0.13	63,63,63,63	0
54	MG	2A	3290	1/1	0.93	0.14	50,50,50,50	0
54	MG	2a	3109	1/1	0.93	0.19	58,58,58,58	0
54	MG	2A	3616	1/1	0.93	0.12	53,53,53,53	0
54	MG	17	102	1/1	0.93	0.21	29,29,29,29	0
54	MG	1A	3654	1/1	0.93	0.12	37,37,37,37	0
54	MG	2A	3035	1/1	0.93	0.13	46,46,46,46	0
54	MG	1A	3782	1/1	0.93	0.08	24,24,24,24	0
54	MG	2A	3039	1/1	0.93	0.14	22,22,22,22	0
54	MG	1A	3304	1/1	0.93	0.12	27,27,27,27	0
54	MG	2A	3630	1/1	0.93	0.09	76,76,76,76	0
54	MG	1A	3054	1/1	0.93	0.12	15,15,15,15	0
54	MG	2a	3127	1/1	0.93	0.08	73,73,73,73	0
54	MG	2A	3639	1/1	0.93	0.09	95,95,95,95	0
54	MG	2A	3642	1/1	0.93	0.13	72,72,72,72	0
54	MG	1A	3787	1/1	0.93	0.09	83,83,83,83	0
54	MG	2a	3144	1/1	0.93	0.09	52,52,52,52	0
54	MG	1A	3174	1/1	0.93	0.09	54,54,54,54	0
54	MG	1A	3229	1/1	0.93	0.27	27,27,27,27	0
54	MG	1A	3313	1/1	0.93	0.08	54,54,54,54	0
54	MG	2a	3148	1/1	0.93	0.10	62,62,62,62	0
54	MG	2A	3650	1/1	0.93	0.10	36,36,36,36	0
54	MG	1A	3127	1/1	0.93	0.10	28,28,28,28	0
54	MG	1A	3992	1/1	0.93	0.24	63,63,63,63	0
54	MG	1A	3665	1/1	0.93	0.10	39,39,39,39	0
54	MG	2A	3059	1/1	0.93	0.12	34,34,34,34	0
54	MG	1A	3799	1/1	0.93	0.20	42,42,42,42	0
54	MG	2A	3333	1/1	0.93	0.10	56,56,56,56	0
54	MG	2A	3336	1/1	0.93	0.09	32,32,32,32	0
54	MG	1a	1776	1/1	0.93	0.12	61,61,61,61	0
54	MG	2A	3681	1/1	0.93	0.07	54,54,54,54	0
54	MG	2A	3065	1/1	0.93	0.20	49,49,49,49	0
54	MG	2A	3339	1/1	0.93	0.15	44,44,44,44	0
54	MG	1A	3995	1/1	0.93	0.09	83,83,83,83	0
54	MG	2a	3174	1/1	0.93	0.08	55,55,55,55	0
54	MG	1A	3238	1/1	0.93	0.10	56,56,56,56	0
54	MG	2A	3349	1/1	0.93	0.08	43,43,43,43	0
54	MG	1A	3441	1/1	0.93	0.08	29,29,29,29	0
54	MG	2a	3178	1/1	0.93	0.11	59,59,59,59	0
54	MG	1A	3805	1/1	0.93	0.23	61,61,61,61	0
54	MG	1A	3806	1/1	0.93	0.08	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	MG	1A	3807	1/1	0.93	0.07	32,32,32,32	0
54	MG	1A	3442	1/1	0.93	0.06	32,32,32,32	0
54	MG	1A	3241	1/1	0.93	0.33	65,65,65,65	0
54	MG	2A	3702	1/1	0.93	0.10	50,50,50,50	0
54	MG	2A	3078	1/1	0.93	0.21	55,55,55,55	0
54	MG	1A	4014	1/1	0.93	0.14	46,46,46,46	0
54	MG	2A	3080	1/1	0.93	0.23	35,35,35,35	0
54	MG	1A	3055	1/1	0.93	0.16	39,39,39,39	0
54	MG	1A	3449	1/1	0.93	0.10	57,57,57,57	0
54	MG	2A	3369	1/1	0.93	0.08	45,45,45,45	0
54	MG	2A	3710	1/1	0.93	0.11	53,53,53,53	0
54	MG	2e	201	1/1	0.93	0.19	42,42,42,42	0
54	MG	2f	201	1/1	0.93	0.11	45,45,45,45	0
54	MG	2A	3370	1/1	0.93	0.15	36,36,36,36	0
54	MG	2A	3085	1/1	0.93	0.14	58,58,58,58	0
54	MG	2A	3715	1/1	0.93	0.11	39,39,39,39	0
54	MG	2A	3372	1/1	0.93	0.11	45,45,45,45	0
54	MG	1a	1628	1/1	0.93	0.20	51,51,51,51	0
54	MG	1A	3818	1/1	0.93	0.12	31,31,31,31	0
54	MG	1A	3179	1/1	0.93	0.18	42,42,42,42	0
55	A1CQ5	2A	3757	45/45	0.93	0.13	30,35,59,63	0
54	MG	1A	3331	1/1	0.93	0.11	33,33,33,33	0
54	MG	2A	3727	1/1	0.93	0.07	55,55,55,55	0
54	MG	1a	1801	1/1	0.93	0.09	39,39,39,39	0
54	MG	1A	4023	1/1	0.93	0.09	33,33,33,33	0
54	MG	2A	3389	1/1	0.93	0.17	48,48,48,48	0
54	MG	2A	3732	1/1	0.93	0.12	55,55,55,55	0
54	MG	1A	3252	1/1	0.93	0.06	32,32,32,32	0
54	MG	1A	4026	1/1	0.93	0.07	52,52,52,52	0
54	MG	2B	209	1/1	0.94	0.22	60,60,60,60	0
54	MG	1A	3226	1/1	0.94	0.30	19,19,19,19	0
54	MG	2A	3197	1/1	0.94	0.24	50,50,50,50	0
54	MG	1A	4025	1/1	0.94	0.08	56,56,56,56	0
54	MG	19	101	1/1	0.94	0.26	40,40,40,40	0
54	MG	1A	3897	1/1	0.94	0.21	24,24,24,24	0
54	MG	2A	3463	1/1	0.94	0.11	52,52,52,52	0
54	MG	2B	218	1/1	0.94	0.10	62,62,62,62	0
54	MG	1A	3682	1/1	0.94	0.06	22,22,22,22	0
54	MG	1A	3902	1/1	0.94	0.10	24,24,24,24	0
54	MG	1A	3228	1/1	0.94	0.24	30,30,30,30	0
54	MG	2A	3206	1/1	0.94	0.10	40,40,40,40	0
54	MG	2A	3471	1/1	0.94	0.08	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3535	1/1	0.94	0.06	19,19,19,19	0
54	MG	2D	307	1/1	0.94	0.18	51,51,51,51	0
54	MG	1A	3910	1/1	0.94	0.33	33,33,33,33	0
54	MG	1a	1756	1/1	0.94	0.12	42,42,42,42	0
54	MG	1A	3607	1/1	0.94	0.09	30,30,30,30	0
54	MG	1A	3398	1/1	0.94	0.17	35,35,35,35	0
54	MG	1A	3689	1/1	0.94	0.26	29,29,29,29	0
54	MG	1A	3401	1/1	0.94	0.15	51,51,51,51	0
54	MG	2E	307	1/1	0.94	0.14	44,44,44,44	0
54	MG	1a	1762	1/1	0.94	0.08	60,60,60,60	0
54	MG	2F	302	1/1	0.94	0.14	33,33,33,33	0
54	MG	2A	3484	1/1	0.94	0.20	65,65,65,65	0
54	MG	1A	4043	1/1	0.94	0.14	58,58,58,58	0
54	MG	1A	3542	1/1	0.94	0.27	47,47,47,47	0
54	MG	2I	201	1/1	0.94	0.10	77,77,77,77	0
54	MG	2N	201	1/1	0.94	0.07	68,68,68,68	0
54	MG	1A	3333	1/1	0.94	0.13	33,33,33,33	0
54	MG	1a	1618	1/1	0.94	0.10	68,68,68,68	0
54	MG	1A	4048	1/1	0.94	0.14	44,44,44,44	0
54	MG	2A	3493	1/1	0.94	0.12	46,46,46,46	0
54	MG	1B	201	1/1	0.94	0.14	44,44,44,44	0
54	MG	2A	3229	1/1	0.94	0.34	38,38,38,38	0
54	MG	1A	3408	1/1	0.94	0.07	44,44,44,44	0
54	MG	2A	3019	1/1	0.94	0.09	32,32,32,32	0
54	MG	2A	3502	1/1	0.94	0.10	32,32,32,32	0
54	MG	1A	3086	1/1	0.94	0.06	34,34,34,34	0
54	MG	2A	3021	1/1	0.94	0.10	39,39,39,39	0
54	MG	1A	3617	1/1	0.94	0.06	41,41,41,41	0
54	MG	2A	3023	1/1	0.94	0.06	44,44,44,44	0
54	MG	1A	3619	1/1	0.94	0.12	11,11,11,11	0
54	MG	1A	3008	1/1	0.94	0.06	37,37,37,37	0
54	MG	2A	3243	1/1	0.94	0.20	32,32,32,32	0
54	MG	2A	3027	1/1	0.94	0.06	38,38,38,38	0
54	MG	2A	3246	1/1	0.94	0.17	48,48,48,48	0
54	MG	1A	3932	1/1	0.94	0.08	49,49,49,49	0
54	MG	1A	3341	1/1	0.94	0.12	46,46,46,46	0
54	MG	1A	3934	1/1	0.94	0.08	51,51,51,51	0
54	MG	2A	3256	1/1	0.94	0.11	67,67,67,67	0
54	MG	2A	3032	1/1	0.94	0.26	47,47,47,47	0
54	MG	2A	3033	1/1	0.94	0.15	59,59,59,59	0
54	MG	2A	3262	1/1	0.94	0.09	29,29,29,29	0
54	MG	1A	3935	1/1	0.94	0.06	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3231	1/1	0.94	0.38	31,31,31,31	0
54	MG	1a	1635	1/1	0.94	0.16	44,44,44,44	0
54	MG	2A	3531	1/1	0.94	0.08	59,59,59,59	0
54	MG	2A	3533	1/1	0.94	0.09	63,63,63,63	0
54	MG	1a	1636	1/1	0.94	0.13	48,48,48,48	0
54	MG	2A	3537	1/1	0.94	0.09	55,55,55,55	0
54	MG	1a	1782	1/1	0.94	0.07	62,62,62,62	0
54	MG	2A	3043	1/1	0.94	0.10	51,51,51,51	0
54	MG	2A	3044	1/1	0.94	0.13	53,53,53,53	0
54	MG	2A	3045	1/1	0.94	0.07	50,50,50,50	0
54	MG	1A	3800	1/1	0.94	0.07	43,43,43,43	0
54	MG	2A	3047	1/1	0.94	0.12	45,45,45,45	0
54	MG	2A	3552	1/1	0.94	0.12	29,29,29,29	0
54	MG	1A	3939	1/1	0.94	0.07	38,38,38,38	0
54	MG	2A	3555	1/1	0.94	0.08	26,26,26,26	0
54	MG	1A	3234	1/1	0.94	0.18	26,26,26,26	0
54	MG	2a	3031	1/1	0.94	0.15	78,78,78,78	0
54	MG	2a	3032	1/1	0.94	0.26	45,45,45,45	0
54	MG	1A	3475	1/1	0.94	0.07	26,26,26,26	0
54	MG	1A	3351	1/1	0.94	0.09	34,34,34,34	0
54	MG	2A	3053	1/1	0.94	0.23	47,47,47,47	0
54	MG	1A	3052	1/1	0.94	0.17	35,35,35,35	0
54	MG	2A	3564	1/1	0.94	0.07	28,28,28,28	0
54	MG	1A	3483	1/1	0.94	0.09	58,58,58,58	0
54	MG	1a	1794	1/1	0.94	0.08	55,55,55,55	0
54	MG	1D	309	1/1	0.94	0.07	30,30,30,30	0
54	MG	1D	313	1/1	0.94	0.19	27,27,27,27	0
54	MG	2a	3043	1/1	0.94	0.18	71,71,71,71	0
54	MG	2A	3298	1/1	0.94	0.10	44,44,44,44	0
54	MG	2a	3045	1/1	0.94	0.16	44,44,44,44	0
54	MG	2A	3299	1/1	0.94	0.10	32,32,32,32	0
54	MG	1A	3484	1/1	0.94	0.07	26,26,26,26	0
54	MG	1A	3809	1/1	0.94	0.13	50,50,50,50	0
54	MG	2A	3304	1/1	0.94	0.08	30,30,30,30	0
54	MG	1D	316	1/1	0.94	0.10	28,28,28,28	0
54	MG	1D	317	1/1	0.94	0.23	29,29,29,29	0
54	MG	2A	3311	1/1	0.94	0.09	26,26,26,26	0
54	MG	2a	3054	1/1	0.94	0.10	56,56,56,56	0
54	MG	1A	3714	1/1	0.94	0.12	16,16,16,16	0
54	MG	2a	3056	1/1	0.94	0.22	60,60,60,60	0
54	MG	1A	3147	1/1	0.94	0.05	28,28,28,28	0
54	MG	1a	1811	1/1	0.94	0.15	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3321	1/1	0.94	0.06	32,32,32,32	0
54	MG	2a	3060	1/1	0.94	0.10	54,54,54,54	0
54	MG	2A	3598	1/1	0.94	0.08	23,23,23,23	0
54	MG	1a	1812	1/1	0.94	0.07	64,64,64,64	0
54	MG	2A	3325	1/1	0.94	0.10	24,24,24,24	0
54	MG	1a	1813	1/1	0.94	0.15	57,57,57,57	0
54	MG	1A	3004	1/1	0.94	0.08	33,33,33,33	0
54	MG	2A	3077	1/1	0.94	0.11	43,43,43,43	0
54	MG	1A	3956	1/1	0.94	0.08	41,41,41,41	0
54	MG	1A	3957	1/1	0.94	0.10	40,40,40,40	0
54	MG	2a	3071	1/1	0.94	0.14	54,54,54,54	0
54	MG	1A	3175	1/1	0.94	0.17	32,32,32,32	0
54	MG	1A	3149	1/1	0.94	0.12	36,36,36,36	0
54	MG	1E	308	1/1	0.94	0.07	30,30,30,30	0
54	MG	1a	1822	1/1	0.94	0.08	52,52,52,52	0
54	MG	1A	3965	1/1	0.94	0.20	33,33,33,33	0
54	MG	2A	3341	1/1	0.94	0.12	47,47,47,47	0
54	MG	1A	3119	1/1	0.94	0.07	24,24,24,24	0
54	MG	1A	3500	1/1	0.94	0.08	41,41,41,41	0
54	MG	1a	1665	1/1	0.94	0.33	52,52,52,52	0
54	MG	1F	310	1/1	0.94	0.12	21,21,21,21	0
54	MG	2A	3625	1/1	0.94	0.06	50,50,50,50	0
54	MG	1A	3501	1/1	0.94	0.12	39,39,39,39	0
54	MG	2A	3354	1/1	0.94	0.10	56,56,56,56	0
54	MG	2a	3088	1/1	0.94	0.08	82,82,82,82	0
54	MG	1A	3827	1/1	0.94	0.08	43,43,43,43	0
54	MG	1A	3017	1/1	0.94	0.18	33,33,33,33	0
54	MG	1A	3202	1/1	0.94	0.28	43,43,43,43	0
54	MG	2A	3640	1/1	0.94	0.08	49,49,49,49	0
54	MG	2A	3361	1/1	0.94	0.12	49,49,49,49	0
54	MG	2A	3101	1/1	0.94	0.21	40,40,40,40	0
54	MG	1A	3732	1/1	0.94	0.07	20,20,20,20	0
54	MG	1A	3577	1/1	0.94	0.08	35,35,35,35	0
54	MG	1A	3506	1/1	0.94	0.06	30,30,30,30	0
54	MG	2A	3109	1/1	0.94	0.19	53,53,53,53	0
54	MG	1a	1678	1/1	0.94	0.26	47,47,47,47	0
54	MG	2A	3652	1/1	0.94	0.09	40,40,40,40	0
54	MG	1A	3581	1/1	0.94	0.09	44,44,44,44	0
54	MG	1a	1680	1/1	0.94	0.20	45,45,45,45	0
54	MG	1A	3740	1/1	0.94	0.05	31,31,31,31	0
54	MG	2A	3668	1/1	0.94	0.07	65,65,65,65	0
54	MG	2a	3112	1/1	0.94	0.14	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3670	1/1	0.94	0.06	41,41,41,41	0
54	MG	1A	3741	1/1	0.94	0.09	23,23,23,23	0
54	MG	2a	3115	1/1	0.94	0.16	64,64,64,64	0
54	MG	2A	3674	1/1	0.94	0.09	44,44,44,44	0
54	MG	1A	3508	1/1	0.94	0.09	16,16,16,16	0
54	MG	1A	3058	1/1	0.94	0.06	28,28,28,28	0
54	MG	2a	3120	1/1	0.94	0.10	62,62,62,62	0
54	MG	2A	3378	1/1	0.94	0.19	59,59,59,59	0
54	MG	1a	1687	1/1	0.94	0.13	50,50,50,50	0
54	MG	1P	201	1/1	0.94	0.41	24,24,24,24	0
54	MG	1A	3745	1/1	0.94	0.08	41,41,41,41	0
54	MG	2A	3387	1/1	0.94	0.10	24,24,24,24	0
54	MG	2a	3128	1/1	0.94	0.11	52,52,52,52	0
54	MG	2a	3129	1/1	0.94	0.08	48,48,48,48	0
54	MG	2A	3685	1/1	0.94	0.08	56,56,56,56	0
54	MG	2a	3132	1/1	0.94	0.12	68,68,68,68	0
54	MG	2a	3133	1/1	0.94	0.08	64,64,64,64	0
54	MG	1a	1855	1/1	0.94	0.08	34,34,34,34	0
54	MG	1A	3433	1/1	0.94	0.13	42,42,42,42	0
54	MG	2A	3126	1/1	0.94	0.27	49,49,49,49	0
54	MG	2A	3127	1/1	0.94	0.06	33,33,33,33	0
54	MG	1A	3854	1/1	0.94	0.08	47,47,47,47	0
54	MG	2A	3696	1/1	0.94	0.10	52,52,52,52	0
54	MG	2A	3395	1/1	0.94	0.12	38,38,38,38	0
54	MG	2A	3398	1/1	0.94	0.21	59,59,59,59	0
54	MG	1A	3855	1/1	0.94	0.10	29,29,29,29	0
54	MG	1A	3856	1/1	0.94	0.17	22,22,22,22	0
54	MG	1Q	206	1/1	0.94	0.07	44,44,44,44	0
54	MG	2A	3136	1/1	0.94	0.08	27,27,27,27	0
54	MG	1A	3437	1/1	0.94	0.07	24,24,24,24	0
54	MG	1R	203	1/1	0.94	0.20	45,45,45,45	0
54	MG	1S	201	1/1	0.94	0.09	35,35,35,35	0
54	MG	1A	3515	1/1	0.94	0.09	15,15,15,15	0
54	MG	1a	1707	1/1	0.94	0.12	36,36,36,36	0
54	MG	2a	3164	1/1	0.94	0.12	60,60,60,60	0
54	MG	2a	3165	1/1	0.94	0.10	50,50,50,50	0
54	MG	1A	3661	1/1	0.94	0.07	57,57,57,57	0
54	MG	2A	3153	1/1	0.94	0.16	40,40,40,40	0
54	MG	1A	3752	1/1	0.94	0.08	44,44,44,44	0
54	MG	1A	3205	1/1	0.94	0.21	33,33,33,33	0
54	MG	1A	4004	1/1	0.94	0.10	19,19,19,19	0
54	MG	1U	201	1/1	0.94	0.10	22,22,22,22	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1719	1/1	0.94	0.13	54,54,54,54	0
54	MG	2A	3725	1/1	0.94	0.11	54,54,54,54	0
54	MG	2A	3420	1/1	0.94	0.09	58,58,58,58	0
54	MG	1A	3756	1/1	0.94	0.11	26,26,26,26	0
54	MG	2A	3422	1/1	0.94	0.09	53,53,53,53	0
54	MG	2a	3183	1/1	0.94	0.06	54,54,54,54	0
54	MG	1A	4006	1/1	0.94	0.08	41,41,41,41	0
54	MG	2A	3730	1/1	0.94	0.17	60,60,60,60	0
54	MG	2A	3165	1/1	0.94	0.11	50,50,50,50	0
54	MG	1A	3099	1/1	0.94	0.25	27,27,27,27	0
54	MG	1a	1723	1/1	0.94	0.09	52,52,52,52	0
54	MG	1A	3183	1/1	0.94	0.14	46,46,46,46	0
54	MG	2A	3431	1/1	0.94	0.10	44,44,44,44	0
54	MG	1A	4011	1/1	0.94	0.13	35,35,35,35	0
54	MG	1A	4012	1/1	0.94	0.08	45,45,45,45	0
54	MG	1A	3018	1/1	0.94	0.33	23,23,23,23	0
54	MG	1A	3158	1/1	0.94	0.17	35,35,35,35	0
54	MG	1A	3067	1/1	0.94	0.26	20,20,20,20	0
54	MG	1A	3598	1/1	0.94	0.27	27,27,27,27	0
54	MG	1d	305	1/1	0.94	0.07	86,86,86,86	0
54	MG	2A	3181	1/1	0.94	0.17	45,45,45,45	0
54	MG	2A	3749	1/1	0.94	0.12	53,53,53,53	0
54	MG	1A	3137	1/1	0.94	0.14	39,39,39,39	0
54	MG	2A	3443	1/1	0.94	0.11	62,62,62,62	0
54	MG	1A	3882	1/1	0.94	0.11	41,41,41,41	0
54	MG	15	102	1/1	0.94	0.20	25,25,25,25	0
54	MG	1a	1739	1/1	0.94	0.16	66,66,66,66	0
54	MG	1A	4020	1/1	0.94	0.04	50,50,50,50	0
54	MG	1A	4021	1/1	0.94	0.11	51,51,51,51	0
54	MG	2A	3450	1/1	0.94	0.10	44,44,44,44	0
54	MG	17	101	1/1	0.94	0.17	23,23,23,23	0
54	MG	1A	3600	1/1	0.94	0.14	44,44,44,44	0
54	MG	1A	3889	1/1	0.94	0.06	49,49,49,49	0
54	MG	2A	3455	1/1	0.94	0.11	49,49,49,49	0
54	MG	2A	3424	1/1	0.95	0.06	50,50,50,50	0
54	MG	1A	3507	1/1	0.95	0.09	44,44,44,44	0
54	MG	1A	3830	1/1	0.95	0.09	39,39,39,39	0
54	MG	1A	3266	1/1	0.95	0.22	35,35,35,35	0
54	MG	1A	3981	1/1	0.95	0.09	53,53,53,53	0
54	MG	2A	3164	1/1	0.95	0.23	48,48,48,48	0
54	MG	1A	3837	1/1	0.95	0.13	50,50,50,50	0
54	MG	1A	3323	1/1	0.95	0.16	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1697	1/1	0.95	0.05	45,45,45,45	0
54	MG	1A	3413	1/1	0.95	0.05	20,20,20,20	0
54	MG	1A	3065	1/1	0.95	0.22	39,39,39,39	0
54	MG	2A	3173	1/1	0.95	0.13	59,59,59,59	0
54	MG	1A	3330	1/1	0.95	0.09	41,41,41,41	0
54	MG	2A	3439	1/1	0.95	0.10	30,30,30,30	0
54	MG	2B	210	1/1	0.95	0.08	52,52,52,52	0
54	MG	1A	3209	1/1	0.95	0.14	23,23,23,23	0
54	MG	1A	3332	1/1	0.95	0.07	36,36,36,36	0
54	MG	1A	3991	1/1	0.95	0.09	62,62,62,62	0
54	MG	1R	204	1/1	0.95	0.08	30,30,30,30	0
54	MG	1A	3845	1/1	0.95	0.06	47,47,47,47	0
54	MG	1A	3523	1/1	0.95	0.07	49,49,49,49	0
54	MG	1A	3035	1/1	0.95	0.07	47,47,47,47	0
54	MG	1a	1718	1/1	0.95	0.07	49,49,49,49	0
54	MG	1A	3849	1/1	0.95	0.09	51,51,51,51	0
54	MG	2A	3449	1/1	0.95	0.23	58,58,58,58	0
54	MG	1A	3335	1/1	0.95	0.12	44,44,44,44	0
54	MG	1A	3997	1/1	0.95	0.15	8,8,8,8	0
54	MG	1A	3620	1/1	0.95	0.09	38,38,38,38	0
54	MG	2A	3189	1/1	0.95	0.08	36,36,36,36	0
54	MG	1A	4000	1/1	0.95	0.08	35,35,35,35	0
54	MG	1A	3012	1/1	0.95	0.24	33,33,33,33	0
54	MG	1A	3422	1/1	0.95	0.10	16,16,16,16	0
54	MG	1V	206	1/1	0.95	0.04	47,47,47,47	0
54	MG	1a	1728	1/1	0.95	0.11	47,47,47,47	0
54	MG	1A	3339	1/1	0.95	0.10	16,16,16,16	0
54	MG	1A	3857	1/1	0.95	0.04	48,48,48,48	0
54	MG	1A	3858	1/1	0.95	0.07	28,28,28,28	0
54	MG	2A	3201	1/1	0.95	0.14	40,40,40,40	0
54	MG	2A	3467	1/1	0.95	0.15	63,63,63,63	0
54	MG	2A	3202	1/1	0.95	0.18	49,49,49,49	0
54	MG	1A	3733	1/1	0.95	0.08	36,36,36,36	0
54	MG	10	103	1/1	0.95	0.06	38,38,38,38	0
54	MG	10	105	1/1	0.95	0.05	39,39,39,39	0
54	MG	1A	3116	1/1	0.95	0.08	17,17,17,17	0
54	MG	1A	3216	1/1	0.95	0.27	27,27,27,27	0
54	MG	1A	3342	1/1	0.95	0.09	21,21,21,21	0
54	MG	1A	3537	1/1	0.95	0.12	25,25,25,25	0
54	MG	13	101	1/1	0.95	0.12	27,27,27,27	0
54	MG	2Q	204	1/1	0.95	0.09	70,70,70,70	0
54	MG	1A	3218	1/1	0.95	0.22	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2T	202	1/1	0.95	0.06	47,47,47,47	0
54	MG	1A	3347	1/1	0.95	0.06	20,20,20,20	0
54	MG	2A	3213	1/1	0.95	0.23	50,50,50,50	0
54	MG	1A	3541	1/1	0.95	0.22	44,44,44,44	0
54	MG	2A	3486	1/1	0.95	0.06	63,63,63,63	0
54	MG	2A	3487	1/1	0.95	0.06	64,64,64,64	0
54	MG	2A	3004	1/1	0.95	0.05	36,36,36,36	0
54	MG	2A	3216	1/1	0.95	0.28	31,31,31,31	0
54	MG	2I	101	1/1	0.95	0.07	68,68,68,68	0
54	MG	2A	3217	1/1	0.95	0.30	45,45,45,45	0
54	MG	2A	3005	1/1	0.95	0.11	49,49,49,49	0
54	MG	15	107	1/1	0.95	0.07	46,46,46,46	0
54	MG	2A	3008	1/1	0.95	0.07	32,32,32,32	0
54	MG	2A	3222	1/1	0.95	0.24	56,56,56,56	0
54	MG	2A	3223	1/1	0.95	0.10	40,40,40,40	0
54	MG	2A	3500	1/1	0.95	0.10	18,18,18,18	0
54	MG	1A	3348	1/1	0.95	0.11	12,12,12,12	0
54	MG	2A	3225	1/1	0.95	0.10	53,53,53,53	0
54	MG	2A	3010	1/1	0.95	0.07	35,35,35,35	0
54	MG	16	101	1/1	0.95	0.06	35,35,35,35	0
54	MG	2A	3228	1/1	0.95	0.09	47,47,47,47	0
54	MG	1A	3070	1/1	0.95	0.08	25,25,25,25	0
54	MG	1a	1751	1/1	0.95	0.12	42,42,42,42	0
54	MG	1A	3544	1/1	0.95	0.09	40,40,40,40	0
54	MG	2A	3234	1/1	0.95	0.14	48,48,48,48	0
54	MG	1A	3120	1/1	0.95	0.18	37,37,37,37	0
54	MG	2a	3014	1/1	0.95	0.16	54,54,54,54	0
54	MG	2a	3015	1/1	0.95	0.19	39,39,39,39	0
54	MG	18	101	1/1	0.95	0.13	44,44,44,44	0
54	MG	1A	3880	1/1	0.95	0.09	37,37,37,37	0
54	MG	1A	3440	1/1	0.95	0.11	54,54,54,54	0
54	MG	2a	3020	1/1	0.95	0.08	47,47,47,47	0
54	MG	1A	3053	1/1	0.95	0.10	43,43,43,43	0
54	MG	2A	3240	1/1	0.95	0.20	48,48,48,48	0
54	MG	2A	3241	1/1	0.95	0.07	53,53,53,53	0
54	MG	2A	3523	1/1	0.95	0.15	25,25,25,25	0
54	MG	1A	3125	1/1	0.95	0.04	32,32,32,32	0
54	MG	1a	1601	1/1	0.95	0.07	58,58,58,58	0
54	MG	1A	3096	1/1	0.95	0.20	23,23,23,23	0
54	MG	2A	3245	1/1	0.95	0.07	42,42,42,42	0
54	MG	1a	1761	1/1	0.95	0.09	61,61,61,61	0
54	MG	2A	3248	1/1	0.95	0.36	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1603	1/1	0.95	0.10	51,51,51,51	0
54	MG	2A	3252	1/1	0.95	0.29	42,42,42,42	0
54	MG	1A	3446	1/1	0.95	0.07	29,29,29,29	0
54	MG	2A	3538	1/1	0.95	0.10	69,69,69,69	0
54	MG	2A	3028	1/1	0.95	0.13	23,23,23,23	0
54	MG	1A	3447	1/1	0.95	0.07	34,34,34,34	0
54	MG	2A	3257	1/1	0.95	0.09	51,51,51,51	0
54	MG	1A	3359	1/1	0.95	0.12	49,49,49,49	0
54	MG	2A	3260	1/1	0.95	0.15	41,41,41,41	0
54	MG	2A	3549	1/1	0.95	0.08	23,23,23,23	0
54	MG	1A	3899	1/1	0.95	0.12	11,11,11,11	0
54	MG	1A	4033	1/1	0.95	0.07	36,36,36,36	0
54	MG	1A	4034	1/1	0.95	0.06	35,35,35,35	0
54	MG	2A	3266	1/1	0.95	0.17	17,17,17,17	0
54	MG	1A	3020	1/1	0.95	0.23	24,24,24,24	0
54	MG	1A	3130	1/1	0.95	0.24	27,27,27,27	0
54	MG	1A	3767	1/1	0.95	0.05	17,17,17,17	0
54	MG	2A	3037	1/1	0.95	0.11	44,44,44,44	0
54	MG	2A	3038	1/1	0.95	0.12	42,42,42,42	0
54	MG	1A	3907	1/1	0.95	0.11	36,36,36,36	0
54	MG	2a	3053	1/1	0.95	0.18	51,51,51,51	0
54	MG	1A	4042	1/1	0.95	0.12	50,50,50,50	0
54	MG	2A	3041	1/1	0.95	0.12	46,46,46,46	0
54	MG	2A	3281	1/1	0.95	0.10	25,25,25,25	0
54	MG	2A	3571	1/1	0.95	0.09	67,67,67,67	0
54	MG	1a	1616	1/1	0.95	0.10	60,60,60,60	0
54	MG	2A	3283	1/1	0.95	0.17	44,44,44,44	0
54	MG	1a	1617	1/1	0.95	0.16	60,60,60,60	0
54	MG	1A	3362	1/1	0.95	0.12	27,27,27,27	0
54	MG	1A	4044	1/1	0.95	0.08	28,28,28,28	0
54	MG	1A	3563	1/1	0.95	0.16	32,32,32,32	0
54	MG	2A	3048	1/1	0.95	0.10	38,38,38,38	0
54	MG	1A	4046	1/1	0.95	0.09	34,34,34,34	0
54	MG	1a	1622	1/1	0.95	0.06	45,45,45,45	0
54	MG	2a	3067	1/1	0.95	0.29	56,56,56,56	0
54	MG	1A	3288	1/1	0.95	0.32	32,32,32,32	0
54	MG	1a	1624	1/1	0.95	0.18	47,47,47,47	0
54	MG	1a	1784	1/1	0.95	0.07	43,43,43,43	0
54	MG	1A	3292	1/1	0.95	0.06	44,44,44,44	0
54	MG	1a	1786	1/1	0.95	0.06	73,73,73,73	0
54	MG	1A	3566	1/1	0.95	0.15	54,54,54,54	0
54	MG	1a	1788	1/1	0.95	0.09	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3166	1/1	0.95	0.04	29,29,29,29	0
54	MG	2A	3602	1/1	0.95	0.10	50,50,50,50	0
54	MG	1A	3777	1/1	0.95	0.08	39,39,39,39	0
54	MG	2A	3605	1/1	0.95	0.08	76,76,76,76	0
54	MG	2A	3306	1/1	0.95	0.12	52,52,52,52	0
54	MG	1a	1791	1/1	0.95	0.09	61,61,61,61	0
54	MG	2A	3066	1/1	0.95	0.13	27,27,27,27	0
54	MG	2A	3067	1/1	0.95	0.07	47,47,47,47	0
54	MG	2A	3610	1/1	0.95	0.07	53,53,53,53	0
54	MG	1A	3667	1/1	0.95	0.06	53,53,53,53	0
54	MG	1A	3924	1/1	0.95	0.09	41,41,41,41	0
54	MG	2A	3320	1/1	0.95	0.08	30,30,30,30	0
54	MG	1A	3925	1/1	0.95	0.08	53,53,53,53	0
54	MG	1a	1795	1/1	0.95	0.09	50,50,50,50	0
54	MG	1A	3668	1/1	0.95	0.09	49,49,49,49	0
54	MG	2A	3618	1/1	0.95	0.09	73,73,73,73	0
54	MG	1A	3236	1/1	0.95	0.19	22,22,22,22	0
54	MG	2A	3620	1/1	0.95	0.10	47,47,47,47	0
54	MG	1A	3369	1/1	0.95	0.07	44,44,44,44	0
54	MG	2A	3328	1/1	0.95	0.07	22,22,22,22	0
54	MG	1B	216	1/1	0.95	0.07	40,40,40,40	0
54	MG	1a	1804	1/1	0.95	0.05	57,57,57,57	0
54	MG	1a	1805	1/1	0.95	0.06	55,55,55,55	0
54	MG	2a	3106	1/1	0.95	0.13	40,40,40,40	0
54	MG	1A	3571	1/1	0.95	0.06	21,21,21,21	0
54	MG	2A	3334	1/1	0.95	0.05	30,30,30,30	0
54	MG	1A	3237	1/1	0.95	0.06	56,56,56,56	0
54	MG	2a	3111	1/1	0.95	0.08	67,67,67,67	0
54	MG	2A	3081	1/1	0.95	0.19	46,46,46,46	0
54	MG	2A	3641	1/1	0.95	0.08	48,48,48,48	0
54	MG	1A	3785	1/1	0.95	0.10	61,61,61,61	0
54	MG	1A	3466	1/1	0.95	0.09	32,32,32,32	0
54	MG	2a	3116	1/1	0.95	0.09	49,49,49,49	0
54	MG	1A	3373	1/1	0.95	0.07	22,22,22,22	0
54	MG	2A	3342	1/1	0.95	0.06	45,45,45,45	0
54	MG	2A	3647	1/1	0.95	0.07	39,39,39,39	0
54	MG	1A	3374	1/1	0.95	0.05	25,25,25,25	0
54	MG	2A	3346	1/1	0.95	0.09	60,60,60,60	0
54	MG	2A	3347	1/1	0.95	0.15	42,42,42,42	0
54	MG	2A	3087	1/1	0.95	0.07	41,41,41,41	0
54	MG	1A	3098	1/1	0.95	0.21	28,28,28,28	0
54	MG	1a	1645	1/1	0.95	0.14	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3938	1/1	0.95	0.16	50,50,50,50	0
54	MG	2A	3353	1/1	0.95	0.05	30,30,30,30	0
54	MG	2A	3669	1/1	0.95	0.10	54,54,54,54	0
54	MG	1A	3007	1/1	0.95	0.14	37,37,37,37	0
54	MG	1a	1818	1/1	0.95	0.15	45,45,45,45	0
54	MG	2a	3136	1/1	0.95	0.07	69,69,69,69	0
54	MG	2A	3673	1/1	0.95	0.08	47,47,47,47	0
54	MG	2a	3140	1/1	0.95	0.06	62,62,62,62	0
54	MG	1a	1650	1/1	0.95	0.15	47,47,47,47	0
54	MG	2A	3095	1/1	0.95	0.11	44,44,44,44	0
54	MG	2A	3360	1/1	0.95	0.09	65,65,65,65	0
54	MG	2A	3678	1/1	0.95	0.07	29,29,29,29	0
54	MG	2A	3096	1/1	0.95	0.13	32,32,32,32	0
54	MG	1D	307	1/1	0.95	0.11	26,26,26,26	0
54	MG	2a	3149	1/1	0.95	0.09	33,33,33,33	0
54	MG	2A	3098	1/1	0.95	0.32	52,52,52,52	0
54	MG	1A	3302	1/1	0.95	0.54	37,37,37,37	0
54	MG	1D	312	1/1	0.95	0.19	24,24,24,24	0
54	MG	2A	3102	1/1	0.95	0.07	25,25,25,25	0
54	MG	1A	3378	1/1	0.95	0.07	21,21,21,21	0
54	MG	2A	3106	1/1	0.95	0.15	43,43,43,43	0
54	MG	1A	3583	1/1	0.95	0.12	47,47,47,47	0
54	MG	1A	3045	1/1	0.95	0.33	39,39,39,39	0
54	MG	2a	3160	1/1	0.95	0.08	70,70,70,70	0
54	MG	1A	3944	1/1	0.95	0.06	23,23,23,23	0
54	MG	1A	3248	1/1	0.95	0.20	31,31,31,31	0
54	MG	1A	3171	1/1	0.95	0.19	16,16,16,16	0
54	MG	1A	3804	1/1	0.95	0.16	26,26,26,26	0
54	MG	1D	320	1/1	0.95	0.14	59,59,59,59	0
54	MG	2A	3380	1/1	0.95	0.05	28,28,28,28	0
54	MG	2a	3170	1/1	0.95	0.09	66,66,66,66	0
54	MG	1A	3950	1/1	0.95	0.12	55,55,55,55	0
54	MG	2A	3384	1/1	0.95	0.07	50,50,50,50	0
54	MG	1A	3951	1/1	0.95	0.07	43,43,43,43	0
54	MG	1A	3172	1/1	0.95	0.08	49,49,49,49	0
54	MG	1A	3102	1/1	0.95	0.28	32,32,32,32	0
54	MG	1a	1666	1/1	0.95	0.19	49,49,49,49	0
54	MG	2A	3121	1/1	0.95	0.27	36,36,36,36	0
54	MG	1A	3394	1/1	0.95	0.11	17,17,17,17	0
54	MG	2A	3712	1/1	0.95	0.07	28,28,28,28	0
54	MG	2A	3713	1/1	0.95	0.14	49,49,49,49	0
54	MG	1A	3142	1/1	0.95	0.07	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3498	1/1	0.95	0.07	15,15,15,15	0
54	MG	2A	3397	1/1	0.95	0.23	54,54,54,54	0
54	MG	2A	3125	1/1	0.95	0.27	62,62,62,62	0
54	MG	2A	3719	1/1	0.95	0.10	47,47,47,47	0
54	MG	1a	1848	1/1	0.95	0.13	50,50,50,50	0
54	MG	2A	3721	1/1	0.95	0.12	45,45,45,45	0
54	MG	2A	3722	1/1	0.95	0.07	52,52,52,52	0
54	MG	2A	3400	1/1	0.95	0.10	39,39,39,39	0
54	MG	1A	3959	1/1	0.95	0.12	69,69,69,69	0
54	MG	1F	304	1/1	0.95	0.33	35,35,35,35	0
54	MG	1A	3499	1/1	0.95	0.14	59,59,59,59	0
54	MG	1A	3962	1/1	0.95	0.11	34,34,34,34	0
54	MG	1a	1676	1/1	0.95	0.14	47,47,47,47	0
54	MG	1A	3814	1/1	0.95	0.10	35,35,35,35	0
54	MG	1F	313	1/1	0.95	0.05	37,37,37,37	0
54	MG	1A	3046	1/1	0.95	0.33	35,35,35,35	0
54	MG	2A	3143	1/1	0.95	0.11	39,39,39,39	0
54	MG	2A	3411	1/1	0.95	0.22	45,45,45,45	0
54	MG	1A	3403	1/1	0.95	0.07	29,29,29,29	0
54	MG	1A	3701	1/1	0.95	0.15	62,62,62,62	0
54	MG	1a	1683	1/1	0.95	0.06	43,43,43,43	0
54	MG	1A	3703	1/1	0.95	0.13	29,29,29,29	0
54	MG	2A	3150	1/1	0.95	0.09	57,57,57,57	0
54	MG	1A	3263	1/1	0.95	0.25	20,20,20,20	0
54	MG	1A	3062	1/1	0.95	0.06	34,34,34,34	0
57	ARG	1B	231	12/12	0.95	0.09	26,36,49,52	0
54	MG	1A	3707	1/1	0.95	0.10	37,37,37,37	0
54	MG	1A	3319	1/1	0.95	0.10	19,19,19,19	0
54	MG	1A	3254	1/1	0.96	0.06	68,68,68,68	0
54	MG	2A	3518	1/1	0.96	0.06	35,35,35,35	0
54	MG	1a	1694	1/1	0.96	0.07	40,40,40,40	0
54	MG	2F	303	1/1	0.96	0.06	33,33,33,33	0
54	MG	2F	304	1/1	0.96	0.17	47,47,47,47	0
54	MG	2F	305	1/1	0.96	0.12	42,42,42,42	0
54	MG	2A	3300	1/1	0.96	0.07	39,39,39,39	0
54	MG	2A	3522	1/1	0.96	0.07	30,30,30,30	0
54	MG	1A	3469	1/1	0.96	0.07	13,13,13,13	0
54	MG	1V	202	1/1	0.96	0.11	22,22,22,22	0
54	MG	1A	3311	1/1	0.96	0.13	12,12,12,12	0
54	MG	1V	204	1/1	0.96	0.07	35,35,35,35	0
54	MG	1V	205	1/1	0.96	0.16	45,45,45,45	0
54	MG	2A	3529	1/1	0.96	0.07	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3115	1/1	0.96	0.18	59,59,59,59	0
54	MG	2Q	201	1/1	0.96	0.08	48,48,48,48	0
54	MG	2A	3309	1/1	0.96	0.09	22,22,22,22	0
54	MG	1A	3030	1/1	0.96	0.19	16,16,16,16	0
54	MG	1W	201	1/1	0.96	0.08	37,37,37,37	0
54	MG	1A	3473	1/1	0.96	0.08	19,19,19,19	0
54	MG	2A	3316	1/1	0.96	0.09	22,22,22,22	0
54	MG	2A	3539	1/1	0.96	0.07	37,37,37,37	0
54	MG	2V	202	1/1	0.96	0.09	50,50,50,50	0
54	MG	2A	3542	1/1	0.96	0.08	59,59,59,59	0
54	MG	2A	3317	1/1	0.96	0.14	23,23,23,23	0
54	MG	2A	3318	1/1	0.96	0.12	40,40,40,40	0
54	MG	1A	3259	1/1	0.96	0.06	46,46,46,46	0
54	MG	1A	3904	1/1	0.96	0.08	9,9,9,9	0
54	MG	1Y	201	1/1	0.96	0.07	64,64,64,64	0
54	MG	1A	3664	1/1	0.96	0.06	23,23,23,23	0
54	MG	23	101	1/1	0.96	0.11	52,52,52,52	0
54	MG	2A	3323	1/1	0.96	0.13	43,43,43,43	0
54	MG	10	102	1/1	0.96	0.13	41,41,41,41	0
54	MG	1A	3906	1/1	0.96	0.11	12,12,12,12	0
54	MG	27	102	1/1	0.96	0.06	39,39,39,39	0
54	MG	1A	3570	1/1	0.96	0.09	17,17,17,17	0
54	MG	10	106	1/1	0.96	0.10	57,57,57,57	0
54	MG	1A	3118	1/1	0.96	0.08	33,33,33,33	0
54	MG	1A	3210	1/1	0.96	0.21	32,32,32,32	0
54	MG	1A	4031	1/1	0.96	0.06	35,35,35,35	0
54	MG	2A	3562	1/1	0.96	0.06	33,33,33,33	0
54	MG	2A	3332	1/1	0.96	0.07	33,33,33,33	0
54	MG	2A	3131	1/1	0.96	0.06	37,37,37,37	0
54	MG	1A	3389	1/1	0.96	0.06	29,29,29,29	0
54	MG	2A	3133	1/1	0.96	0.10	39,39,39,39	0
54	MG	1A	3393	1/1	0.96	0.05	14,14,14,14	0
54	MG	2A	3135	1/1	0.96	0.09	34,34,34,34	0
54	MG	1a	1882	1/1	0.96	0.12	49,49,49,49	0
54	MG	2a	3013	1/1	0.96	0.14	49,49,49,49	0
54	MG	2A	3137	1/1	0.96	0.06	27,27,27,27	0
54	MG	2A	3138	1/1	0.96	0.11	52,52,52,52	0
54	MG	13	102	1/1	0.96	0.14	72,72,72,72	0
54	MG	2A	3140	1/1	0.96	0.05	45,45,45,45	0
54	MG	1A	3317	1/1	0.96	0.08	51,51,51,51	0
54	MG	1A	4036	1/1	0.96	0.08	42,42,42,42	0
54	MG	2A	3144	1/1	0.96	0.10	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	15	104	1/1	0.96	0.26	20,20,20,20	0
54	MG	1A	4037	1/1	0.96	0.10	39,39,39,39	0
54	MG	2A	3352	1/1	0.96	0.15	50,50,50,50	0
54	MG	1A	3087	1/1	0.96	0.12	32,32,32,32	0
54	MG	1A	3213	1/1	0.96	0.13	25,25,25,25	0
54	MG	2A	3597	1/1	0.96	0.07	35,35,35,35	0
54	MG	1a	1735	1/1	0.96	0.06	44,44,44,44	0
54	MG	2A	3151	1/1	0.96	0.12	41,41,41,41	0
54	MG	2A	3358	1/1	0.96	0.05	56,56,56,56	0
54	MG	2A	3152	1/1	0.96	0.25	67,67,67,67	0
54	MG	1A	3320	1/1	0.96	0.07	43,43,43,43	0
54	MG	2A	3154	1/1	0.96	0.14	46,46,46,46	0
54	MG	2A	3604	1/1	0.96	0.07	45,45,45,45	0
54	MG	1A	3923	1/1	0.96	0.10	26,26,26,26	0
54	MG	1A	3495	1/1	0.96	0.06	38,38,38,38	0
54	MG	17	104	1/1	0.96	0.14	48,48,48,48	0
54	MG	1A	3265	1/1	0.96	0.25	46,46,46,46	0
54	MG	1a	1742	1/1	0.96	0.11	37,37,37,37	0
54	MG	1A	3407	1/1	0.96	0.06	30,30,30,30	0
54	MG	2A	3368	1/1	0.96	0.11	33,33,33,33	0
54	MG	1A	3100	1/1	0.96	0.07	55,55,55,55	0
54	MG	1l	202	1/1	0.96	0.04	48,48,48,48	0
54	MG	1A	3326	1/1	0.96	0.05	22,22,22,22	0
54	MG	1A	3181	1/1	0.96	0.20	34,34,34,34	0
54	MG	2A	3373	1/1	0.96	0.07	27,27,27,27	0
54	MG	1A	3798	1/1	0.96	0.10	52,52,52,52	0
54	MG	2A	3168	1/1	0.96	0.17	54,54,54,54	0
54	MG	2A	3377	1/1	0.96	0.07	36,36,36,36	0
54	MG	1A	4049	1/1	0.96	0.17	42,42,42,42	0
54	MG	2A	3623	1/1	0.96	0.06	68,68,68,68	0
54	MG	1A	3502	1/1	0.96	0.09	13,13,13,13	0
54	MG	1A	3088	1/1	0.96	0.08	34,34,34,34	0
54	MG	1B	203	1/1	0.96	0.16	38,38,38,38	0
54	MG	2A	3627	1/1	0.96	0.14	56,56,56,56	0
54	MG	1B	205	1/1	0.96	0.34	37,37,37,37	0
54	MG	1A	3217	1/1	0.96	0.07	36,36,36,36	0
54	MG	2A	3634	1/1	0.96	0.08	70,70,70,70	0
54	MG	2A	3635	1/1	0.96	0.09	35,35,35,35	0
54	MG	2A	3636	1/1	0.96	0.12	75,75,75,75	0
54	MG	1A	3272	1/1	0.96	0.07	29,29,29,29	0
54	MG	1A	3027	1/1	0.96	0.17	23,23,23,23	0
54	MG	1A	3219	1/1	0.96	0.06	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3390	1/1	0.96	0.06	33,33,33,33	0
54	MG	2A	3003	1/1	0.96	0.06	56,56,56,56	0
54	MG	1A	3079	1/1	0.96	0.06	23,23,23,23	0
54	MG	1a	1611	1/1	0.96	0.13	38,38,38,38	0
54	MG	1A	3223	1/1	0.96	0.22	22,22,22,22	0
54	MG	2A	3185	1/1	0.96	0.17	49,49,49,49	0
54	MG	1A	3697	1/1	0.96	0.15	47,47,47,47	0
54	MG	1A	3022	1/1	0.96	0.21	24,24,24,24	0
54	MG	1A	3512	1/1	0.96	0.09	15,15,15,15	0
54	MG	2A	3401	1/1	0.96	0.12	39,39,39,39	0
54	MG	2A	3653	1/1	0.96	0.07	31,31,31,31	0
54	MG	1A	3811	1/1	0.96	0.08	16,16,16,16	0
54	MG	2A	3663	1/1	0.96	0.05	54,54,54,54	0
54	MG	1A	3812	1/1	0.96	0.14	21,21,21,21	0
54	MG	1A	3603	1/1	0.96	0.20	25,25,25,25	0
54	MG	1A	3948	1/1	0.96	0.11	35,35,35,35	0
54	MG	2A	3194	1/1	0.96	0.09	46,46,46,46	0
54	MG	1A	3514	1/1	0.96	0.07	41,41,41,41	0
54	MG	2a	3087	1/1	0.96	0.07	75,75,75,75	0
54	MG	1A	3605	1/1	0.96	0.11	43,43,43,43	0
54	MG	1A	3106	1/1	0.96	0.09	52,52,52,52	0
54	MG	1A	3131	1/1	0.96	0.05	18,18,18,18	0
54	MG	1D	302	1/1	0.96	0.06	33,33,33,33	0
54	MG	1D	303	1/1	0.96	0.07	50,50,50,50	0
54	MG	1a	1773	1/1	0.96	0.08	74,74,74,74	0
54	MG	2a	3095	1/1	0.96	0.06	56,56,56,56	0
54	MG	2A	3679	1/1	0.96	0.06	33,33,33,33	0
54	MG	1A	3953	1/1	0.96	0.10	55,55,55,55	0
54	MG	2A	3415	1/1	0.96	0.14	49,49,49,49	0
54	MG	1A	3424	1/1	0.96	0.09	43,43,43,43	0
54	MG	1A	3521	1/1	0.96	0.07	21,21,21,21	0
54	MG	1A	3160	1/1	0.96	0.10	35,35,35,35	0
54	MG	1A	3426	1/1	0.96	0.07	43,43,43,43	0
54	MG	2A	3687	1/1	0.96	0.10	39,39,39,39	0
54	MG	2a	3105	1/1	0.96	0.13	50,50,50,50	0
54	MG	1a	1631	1/1	0.96	0.09	49,49,49,49	0
54	MG	1a	1632	1/1	0.96	0.20	38,38,38,38	0
54	MG	1A	3828	1/1	0.96	0.11	22,22,22,22	0
54	MG	1A	3132	1/1	0.96	0.09	52,52,52,52	0
54	MG	1A	3284	1/1	0.96	0.12	14,14,14,14	0
54	MG	1A	3833	1/1	0.96	0.10	36,36,36,36	0
54	MG	1A	3107	1/1	0.96	0.11	22,22,22,22	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3699	1/1	0.96	0.10	51,51,51,51	0
54	MG	1A	3134	1/1	0.96	0.24	24,24,24,24	0
54	MG	1A	3718	1/1	0.96	0.09	43,43,43,43	0
54	MG	1A	3432	1/1	0.96	0.05	12,12,12,12	0
54	MG	2A	3218	1/1	0.96	0.16	44,44,44,44	0
54	MG	1A	3109	1/1	0.96	0.20	33,33,33,33	0
54	MG	1A	3974	1/1	0.96	0.07	55,55,55,55	0
54	MG	1A	3353	1/1	0.96	0.15	41,41,41,41	0
54	MG	2A	3042	1/1	0.96	0.17	50,50,50,50	0
54	MG	1E	306	1/1	0.96	0.10	22,22,22,22	0
54	MG	1E	307	1/1	0.96	0.04	40,40,40,40	0
54	MG	2a	3126	1/1	0.96	0.04	65,65,65,65	0
54	MG	1a	1646	1/1	0.96	0.12	40,40,40,40	0
54	MG	1A	3289	1/1	0.96	0.07	40,40,40,40	0
54	MG	1a	1797	1/1	0.96	0.06	62,62,62,62	0
54	MG	1A	3724	1/1	0.96	0.11	32,32,32,32	0
54	MG	1a	1649	1/1	0.96	0.08	45,45,45,45	0
54	MG	1F	302	1/1	0.96	0.29	20,20,20,20	0
54	MG	1A	3290	1/1	0.96	0.10	36,36,36,36	0
54	MG	1A	3358	1/1	0.96	0.09	8,8,8,8	0
54	MG	1A	3071	1/1	0.96	0.06	38,38,38,38	0
54	MG	2a	3141	1/1	0.96	0.08	70,70,70,70	0
54	MG	2a	3142	1/1	0.96	0.06	67,67,67,67	0
54	MG	1A	3628	1/1	0.96	0.09	37,37,37,37	0
54	MG	1F	311	1/1	0.96	0.34	33,33,33,33	0
54	MG	1A	3850	1/1	0.96	0.06	35,35,35,35	0
54	MG	1A	3082	1/1	0.96	0.17	29,29,29,29	0
54	MG	1a	1810	1/1	0.96	0.07	61,61,61,61	0
54	MG	1A	3294	1/1	0.96	0.06	32,32,32,32	0
54	MG	1A	3632	1/1	0.96	0.20	44,44,44,44	0
54	MG	1A	3139	1/1	0.96	0.18	14,14,14,14	0
54	MG	1F	317	1/1	0.96	0.05	31,31,31,31	0
54	MG	1A	3296	1/1	0.96	0.16	26,26,26,26	0
54	MG	2A	3461	1/1	0.96	0.06	39,39,39,39	0
54	MG	2a	3154	1/1	0.96	0.06	53,53,53,53	0
54	MG	1A	3297	1/1	0.96	0.06	26,26,26,26	0
54	MG	2A	3247	1/1	0.96	0.11	19,19,19,19	0
54	MG	1A	3242	1/1	0.96	0.26	24,24,24,24	0
54	MG	2A	3466	1/1	0.96	0.08	34,34,34,34	0
54	MG	1A	3367	1/1	0.96	0.05	16,16,16,16	0
54	MG	1A	3141	1/1	0.96	0.07	25,25,25,25	0
54	MG	2A	3253	1/1	0.96	0.05	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	MG	2A	3743	1/1	0.96	0.17	41,41,41,41	0
54	MG	1A	3247	1/1	0.96	0.08	35,35,35,35	0
54	MG	1A	3640	1/1	0.96	0.09	32,32,32,32	0
54	MG	1a	1669	1/1	0.96	0.10	43,43,43,43	0
54	MG	1a	1670	1/1	0.96	0.21	44,44,44,44	0
54	MG	2a	3171	1/1	0.96	0.10	72,72,72,72	0
54	MG	1A	3863	1/1	0.96	0.05	31,31,31,31	0
54	MG	2A	3750	1/1	0.96	0.14	38,38,38,38	0
54	MG	2A	3259	1/1	0.96	0.06	35,35,35,35	0
54	MG	1A	3641	1/1	0.96	0.08	42,42,42,42	0
54	MG	1A	3066	1/1	0.96	0.47	31,31,31,31	0
54	MG	1A	3644	1/1	0.96	0.14	51,51,51,51	0
54	MG	2A	3483	1/1	0.96	0.13	60,60,60,60	0
54	MG	1A	3114	1/1	0.96	0.07	19,19,19,19	0
54	MG	2A	3264	1/1	0.96	0.06	21,21,21,21	0
54	MG	1P	206	1/1	0.96	0.04	33,33,33,33	0
54	MG	1A	3871	1/1	0.96	0.06	21,21,21,21	0
54	MG	2A	3488	1/1	0.96	0.04	32,32,32,32	0
54	MG	1a	1833	1/1	0.96	0.12	63,63,63,63	0
54	MG	1A	3647	1/1	0.96	0.13	45,45,45,45	0
54	MG	2B	208	1/1	0.96	0.15	49,49,49,49	0
54	MG	2A	3088	1/1	0.96	0.14	43,43,43,43	0
54	MG	1Q	204	1/1	0.96	0.15	35,35,35,35	0
54	MG	1a	1836	1/1	0.96	0.06	45,45,45,45	0
54	MG	1A	3144	1/1	0.96	0.07	17,17,17,17	0
54	MG	2A	3495	1/1	0.96	0.11	48,48,48,48	0
54	MG	1A	4007	1/1	0.96	0.08	20,20,20,20	0
54	MG	1a	1682	1/1	0.96	0.19	62,62,62,62	0
54	MG	1a	1840	1/1	0.96	0.06	80,80,80,80	0
54	MG	1A	3757	1/1	0.96	0.08	32,32,32,32	0
54	MG	1A	3651	1/1	0.96	0.09	14,14,14,14	0
54	MG	2D	301	1/1	0.96	0.12	36,36,36,36	0
54	MG	1A	3759	1/1	0.96	0.04	17,17,17,17	0
54	MG	1A	3305	1/1	0.96	0.14	13,13,13,13	0
54	MG	2A	3507	1/1	0.96	0.11	34,34,34,34	0
55	A1CQ5	1A	4050	45/45	0.96	0.11	16,22,50,60	0
54	MG	1A	3560	1/1	0.96	0.08	11,11,11,11	0
54	MG	2A	3100	1/1	0.96	0.15	44,44,44,44	0
54	MG	1A	3307	1/1	0.96	0.10	31,31,31,31	0
56	MPD	18	104	8/8	0.96	0.12	24,26,28,30	0
54	MG	1A	3884	1/1	0.96	0.27	20,20,20,20	0
54	MG	2A	3103	1/1	0.96	0.12	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3292	1/1	0.96	0.15	31,31,31,31	0
54	MG	2E	301	1/1	0.96	0.13	37,37,37,37	0
54	MG	1A	3253	1/1	0.96	0.33	26,26,26,26	0
54	MG	2A	3294	1/1	0.96	0.07	50,50,50,50	0
54	MG	1A	3890	1/1	0.96	0.07	39,39,39,39	0
54	MG	1a	1861	1/1	0.97	0.05	83,83,83,83	0
54	MG	1A	3471	1/1	0.97	0.06	16,16,16,16	0
54	MG	1A	3821	1/1	0.97	0.07	32,32,32,32	0
54	MG	2A	3335	1/1	0.97	0.06	23,23,23,23	0
54	MG	1A	3123	1/1	0.97	0.04	48,48,48,48	0
54	MG	2Q	203	1/1	0.97	0.08	47,47,47,47	0
54	MG	1a	1865	1/1	0.97	0.11	51,51,51,51	0
54	MG	2A	3560	1/1	0.97	0.12	52,52,52,52	0
54	MG	1A	3823	1/1	0.97	0.08	35,35,35,35	0
54	MG	1A	3262	1/1	0.97	0.30	28,28,28,28	0
54	MG	2T	204	1/1	0.97	0.07	32,32,32,32	0
54	MG	1a	1868	1/1	0.97	0.05	42,42,42,42	0
54	MG	1a	1690	1/1	0.97	0.15	58,58,58,58	0
54	MG	1A	3474	1/1	0.97	0.09	26,26,26,26	0
54	MG	1A	3576	1/1	0.97	0.06	38,38,38,38	0
54	MG	1A	3983	1/1	0.97	0.05	15,15,15,15	0
54	MG	2X	101	1/1	0.97	0.11	49,49,49,49	0
54	MG	1Q	203	1/1	0.97	0.10	29,29,29,29	0
54	MG	1A	3381	1/1	0.97	0.05	13,13,13,13	0
54	MG	2A	3573	1/1	0.97	0.08	26,26,26,26	0
54	MG	1A	3578	1/1	0.97	0.04	30,30,30,30	0
54	MG	2A	3145	1/1	0.97	0.12	51,51,51,51	0
54	MG	1A	3476	1/1	0.97	0.09	14,14,14,14	0
54	MG	1a	1698	1/1	0.97	0.04	22,22,22,22	0
54	MG	1A	3477	1/1	0.97	0.06	20,20,20,20	0
54	MG	1A	3834	1/1	0.97	0.12	40,40,40,40	0
54	MG	28	101	1/1	0.97	0.06	52,52,52,52	0
54	MG	1a	1704	1/1	0.97	0.06	45,45,45,45	0
54	MG	1A	3124	1/1	0.97	0.07	53,53,53,53	0
54	MG	1A	3024	1/1	0.97	0.25	33,33,33,33	0
54	MG	1A	3386	1/1	0.97	0.07	11,11,11,11	0
54	MG	1A	3839	1/1	0.97	0.05	39,39,39,39	0
54	MG	2A	3594	1/1	0.97	0.11	73,73,73,73	0
54	MG	1a	1709	1/1	0.97	0.10	71,71,71,71	0
54	MG	1A	3025	1/1	0.97	0.16	19,19,19,19	0
54	MG	1a	1712	1/1	0.97	0.14	61,61,61,61	0
54	MG	1a	1714	1/1	0.97	0.08	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3586	1/1	0.97	0.12	40,40,40,40	0
54	MG	1A	3588	1/1	0.97	0.08	36,36,36,36	0
54	MG	2A	3162	1/1	0.97	0.13	49,49,49,49	0
54	MG	1U	202	1/1	0.97	0.27	22,22,22,22	0
54	MG	1U	204	1/1	0.97	0.11	25,25,25,25	0
54	MG	1A	3704	1/1	0.97	0.04	24,24,24,24	0
54	MG	1A	3388	1/1	0.97	0.06	18,18,18,18	0
54	MG	1V	201	1/1	0.97	0.10	16,16,16,16	0
54	MG	1A	3999	1/1	0.97	0.07	21,21,21,21	0
54	MG	1A	3085	1/1	0.97	0.08	42,42,42,42	0
54	MG	2A	3376	1/1	0.97	0.07	26,26,26,26	0
54	MG	1k	201	1/1	0.97	0.11	43,43,43,43	0
54	MG	2A	3612	1/1	0.97	0.05	52,52,52,52	0
54	MG	2a	3024	1/1	0.97	0.18	57,57,57,57	0
54	MG	2A	3171	1/1	0.97	0.06	38,38,38,38	0
54	MG	2A	3172	1/1	0.97	0.12	41,41,41,41	0
54	MG	1A	3487	1/1	0.97	0.05	41,41,41,41	0
54	MG	1A	3592	1/1	0.97	0.07	21,21,21,21	0
54	MG	1A	3391	1/1	0.97	0.07	10,10,10,10	0
54	MG	1A	3491	1/1	0.97	0.06	26,26,26,26	0
54	MG	2A	3177	1/1	0.97	0.18	47,47,47,47	0
54	MG	1A	3154	1/1	0.97	0.07	28,28,28,28	0
54	MG	1A	3494	1/1	0.97	0.06	48,48,48,48	0
54	MG	2a	3034	1/1	0.97	0.17	36,36,36,36	0
54	MG	1A	3269	1/1	0.97	0.09	44,44,44,44	0
54	MG	2A	3391	1/1	0.97	0.05	33,33,33,33	0
54	MG	1A	3322	1/1	0.97	0.09	16,16,16,16	0
54	MG	1A	3399	1/1	0.97	0.10	30,30,30,30	0
54	MG	1A	3185	1/1	0.97	0.15	25,25,25,25	0
54	MG	1A	3325	1/1	0.97	0.06	18,18,18,18	0
54	MG	1a	1737	1/1	0.97	0.17	50,50,50,50	0
54	MG	2A	3631	1/1	0.97	0.06	53,53,53,53	0
54	MG	10	104	1/1	0.97	0.05	35,35,35,35	0
54	MG	1A	3187	1/1	0.97	0.21	34,34,34,34	0
54	MG	1A	4016	1/1	0.97	0.20	51,51,51,51	0
54	MG	1A	3222	1/1	0.97	0.34	22,22,22,22	0
54	MG	1A	3329	1/1	0.97	0.12	25,25,25,25	0
54	MG	1A	3409	1/1	0.97	0.07	20,20,20,20	0
54	MG	2A	3007	1/1	0.97	0.06	38,38,38,38	0
54	MG	11	104	1/1	0.97	0.06	30,30,30,30	0
54	MG	1A	3727	1/1	0.97	0.13	35,35,35,35	0
54	MG	1A	3129	1/1	0.97	0.14	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	MG	1A	3274	1/1	0.97	0.27	18,18,18,18	0
54	MG	2A	3012	1/1	0.97	0.10	25,25,25,25	0
54	MG	1A	3015	1/1	0.97	0.15	28,28,28,28	0
54	MG	1A	3731	1/1	0.97	0.05	32,32,32,32	0
54	MG	15	103	1/1	0.97	0.26	31,31,31,31	0
54	MG	1A	3037	1/1	0.97	0.06	31,31,31,31	0
54	MG	1A	3872	1/1	0.97	0.06	10,10,10,10	0
54	MG	1A	3334	1/1	0.97	0.05	20,20,20,20	0
54	MG	2A	3656	1/1	0.97	0.09	56,56,56,56	0
54	MG	2A	3657	1/1	0.97	0.12	63,63,63,63	0
54	MG	2A	3660	1/1	0.97	0.07	56,56,56,56	0
54	MG	1A	3734	1/1	0.97	0.14	31,31,31,31	0
54	MG	1A	3612	1/1	0.97	0.11	40,40,40,40	0
54	MG	1A	3736	1/1	0.97	0.12	32,32,32,32	0
54	MG	2A	3667	1/1	0.97	0.05	30,30,30,30	0
54	MG	2a	3068	1/1	0.97	0.19	32,32,32,32	0
54	MG	1A	3879	1/1	0.97	0.07	43,43,43,43	0
54	MG	17	103	1/1	0.97	0.10	40,40,40,40	0
54	MG	1A	3227	1/1	0.97	0.08	35,35,35,35	0
54	MG	2A	3423	1/1	0.97	0.07	46,46,46,46	0
54	MG	2A	3025	1/1	0.97	0.10	27,27,27,27	0
54	MG	2A	3425	1/1	0.97	0.13	50,50,50,50	0
54	MG	1A	3738	1/1	0.97	0.10	34,34,34,34	0
54	MG	2A	3676	1/1	0.97	0.05	68,68,68,68	0
54	MG	1A	3016	1/1	0.97	0.16	10,10,10,10	0
54	MG	1A	4035	1/1	0.97	0.07	30,30,30,30	0
54	MG	1A	3513	1/1	0.97	0.08	23,23,23,23	0
54	MG	1A	3337	1/1	0.97	0.10	40,40,40,40	0
54	MG	1A	3886	1/1	0.97	0.05	16,16,16,16	0
54	MG	1A	3072	1/1	0.97	0.22	31,31,31,31	0
54	MG	1A	3193	1/1	0.97	0.25	33,33,33,33	0
54	MG	2a	3084	1/1	0.97	0.18	43,43,43,43	0
54	MG	1A	3518	1/1	0.97	0.04	23,23,23,23	0
54	MG	1A	3896	1/1	0.97	0.06	28,28,28,28	0
54	MG	1A	3073	1/1	0.97	0.34	24,24,24,24	0
54	MG	1A	3232	1/1	0.97	0.11	32,32,32,32	0
54	MG	1A	3522	1/1	0.97	0.08	37,37,37,37	0
54	MG	1A	3900	1/1	0.97	0.05	25,25,25,25	0
54	MG	1A	3283	1/1	0.97	0.16	14,14,14,14	0
54	MG	2A	3692	1/1	0.97	0.10	65,65,65,65	0
54	MG	2A	3693	1/1	0.97	0.09	50,50,50,50	0
54	MG	2a	3096	1/1	0.97	0.09	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3346	1/1	0.97	0.05	14,14,14,14	0
54	MG	1A	3629	1/1	0.97	0.11	24,24,24,24	0
54	MG	1A	3233	1/1	0.97	0.19	30,30,30,30	0
54	MG	2A	3698	1/1	0.97	0.08	66,66,66,66	0
54	MG	1A	3526	1/1	0.97	0.09	30,30,30,30	0
54	MG	1A	3527	1/1	0.97	0.08	48,48,48,48	0
54	MG	1A	3908	1/1	0.97	0.06	15,15,15,15	0
54	MG	1A	3528	1/1	0.97	0.07	50,50,50,50	0
54	MG	1A	3165	1/1	0.97	0.20	27,27,27,27	0
54	MG	1A	3761	1/1	0.97	0.09	41,41,41,41	0
54	MG	1A	3349	1/1	0.97	0.08	21,21,21,21	0
54	MG	1A	3916	1/1	0.97	0.05	40,40,40,40	0
54	MG	1A	3917	1/1	0.97	0.06	46,46,46,46	0
54	MG	1B	212	1/1	0.97	0.05	52,52,52,52	0
54	MG	1A	3764	1/1	0.97	0.04	29,29,29,29	0
54	MG	1A	3429	1/1	0.97	0.06	35,35,35,35	0
54	MG	1A	3532	1/1	0.97	0.11	22,22,22,22	0
54	MG	1A	3093	1/1	0.97	0.10	10,10,10,10	0
54	MG	1B	219	1/1	0.97	0.06	32,32,32,32	0
54	MG	2A	3061	1/1	0.97	0.12	48,48,48,48	0
54	MG	1A	3768	1/1	0.97	0.10	10,10,10,10	0
54	MG	2A	3063	1/1	0.97	0.04	38,38,38,38	0
54	MG	2A	3064	1/1	0.97	0.27	45,45,45,45	0
54	MG	1A	3074	1/1	0.97	0.16	24,24,24,24	0
54	MG	1A	3113	1/1	0.97	0.09	34,34,34,34	0
54	MG	1B	224	1/1	0.97	0.07	48,48,48,48	0
54	MG	1A	3536	1/1	0.97	0.10	33,33,33,33	0
54	MG	2A	3724	1/1	0.97	0.06	42,42,42,42	0
54	MG	1A	3056	1/1	0.97	0.08	55,55,55,55	0
54	MG	1A	3643	1/1	0.97	0.04	31,31,31,31	0
54	MG	1A	3434	1/1	0.97	0.06	30,30,30,30	0
54	MG	1B	229	1/1	0.97	0.05	44,44,44,44	0
54	MG	1B	230	1/1	0.97	0.07	50,50,50,50	0
54	MG	1A	3776	1/1	0.97	0.08	35,35,35,35	0
54	MG	1A	3291	1/1	0.97	0.10	23,23,23,23	0
54	MG	1A	3355	1/1	0.97	0.09	9,9,9,9	0
54	MG	1A	3041	1/1	0.97	0.12	11,11,11,11	0
54	MG	2A	3269	1/1	0.97	0.07	35,35,35,35	0
54	MG	1D	311	1/1	0.97	0.05	36,36,36,36	0
54	MG	2A	3737	1/1	0.97	0.12	51,51,51,51	0
54	MG	2A	3738	1/1	0.97	0.11	52,52,52,52	0
54	MG	1A	3357	1/1	0.97	0.08	12,12,12,12	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3243	1/1	0.97	0.08	33,33,33,33	0
54	MG	2A	3274	1/1	0.97	0.17	38,38,38,38	0
54	MG	1A	3545	1/1	0.97	0.05	21,21,21,21	0
54	MG	1A	3117	1/1	0.97	0.09	17,17,17,17	0
54	MG	2A	3084	1/1	0.97	0.05	25,25,25,25	0
54	MG	2A	3745	1/1	0.97	0.05	42,42,42,42	0
54	MG	1A	3784	1/1	0.97	0.08	32,32,32,32	0
54	MG	2A	3280	1/1	0.97	0.04	32,32,32,32	0
54	MG	1A	3246	1/1	0.97	0.25	35,35,35,35	0
54	MG	1A	3203	1/1	0.97	0.18	33,33,33,33	0
54	MG	1A	3013	1/1	0.97	0.17	35,35,35,35	0
54	MG	1A	3249	1/1	0.97	0.07	31,31,31,31	0
54	MG	2A	3498	1/1	0.97	0.07	47,47,47,47	0
54	MG	2a	3159	1/1	0.97	0.05	63,63,63,63	0
54	MG	1A	3031	1/1	0.97	0.06	24,24,24,24	0
54	MG	2a	3161	1/1	0.97	0.07	48,48,48,48	0
54	MG	1A	3791	1/1	0.97	0.05	28,28,28,28	0
54	MG	1A	3947	1/1	0.97	0.07	44,44,44,44	0
54	MG	1A	3452	1/1	0.97	0.09	13,13,13,13	0
54	MG	1A	3662	1/1	0.97	0.13	43,43,43,43	0
54	MG	2A	3505	1/1	0.97	0.08	39,39,39,39	0
54	MG	1A	3556	1/1	0.97	0.06	41,41,41,41	0
54	MG	2a	3169	1/1	0.97	0.05	69,69,69,69	0
54	MG	1A	3251	1/1	0.97	0.09	26,26,26,26	0
54	MG	1A	3206	1/1	0.97	0.32	34,34,34,34	0
54	MG	1a	1829	1/1	0.97	0.05	53,53,53,53	0
54	MG	1A	3666	1/1	0.97	0.15	29,29,29,29	0
54	MG	1A	3145	1/1	0.97	0.20	19,19,19,19	0
54	MG	2A	3297	1/1	0.97	0.09	44,44,44,44	0
54	MG	1A	3063	1/1	0.97	0.08	12,12,12,12	0
54	MG	1A	3561	1/1	0.97	0.05	28,28,28,28	0
54	MG	1F	305	1/1	0.97	0.04	28,28,28,28	0
54	MG	2A	3104	1/1	0.97	0.08	42,42,42,42	0
54	MG	1A	3371	1/1	0.97	0.07	22,22,22,22	0
54	MG	2A	3303	1/1	0.97	0.05	37,37,37,37	0
54	MG	1F	307	1/1	0.97	0.21	24,24,24,24	0
54	MG	1F	308	1/1	0.97	0.07	29,29,29,29	0
54	MG	2A	3521	1/1	0.97	0.07	34,34,34,34	0
54	MG	1F	309	1/1	0.97	0.10	26,26,26,26	0
54	MG	1A	3958	1/1	0.97	0.08	40,40,40,40	0
54	MG	2A	3524	1/1	0.97	0.06	38,38,38,38	0
54	MG	1A	3255	1/1	0.97	0.05	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3111	1/1	0.97	0.13	45,45,45,45	0
54	MG	1a	1841	1/1	0.97	0.07	42,42,42,42	0
54	MG	2A	3313	1/1	0.97	0.07	27,27,27,27	0
54	MG	1a	1844	1/1	0.97	0.06	44,44,44,44	0
54	MG	2D	310	1/1	0.97	0.13	57,57,57,57	0
54	MG	1A	3462	1/1	0.97	0.05	18,18,18,18	0
54	MG	2k	201	1/1	0.97	0.13	51,51,51,51	0
54	MG	1A	3674	1/1	0.97	0.05	15,15,15,15	0
54	MG	2E	302	1/1	0.97	0.10	38,38,38,38	0
54	MG	1A	3306	1/1	0.97	0.25	24,24,24,24	0
54	MG	1A	3964	1/1	0.97	0.09	48,48,48,48	0
54	MG	1A	3464	1/1	0.97	0.04	35,35,35,35	0
54	MG	1A	3966	1/1	0.97	0.07	49,49,49,49	0
54	MG	1A	3256	1/1	0.97	0.14	26,26,26,26	0
54	MG	2A	3540	1/1	0.97	0.05	58,58,58,58	0
54	MG	2A	3541	1/1	0.97	0.06	24,24,24,24	0
54	MG	1A	3005	1/1	0.97	0.09	21,21,21,21	0
54	MG	1A	3258	1/1	0.97	0.19	22,22,22,22	0
54	MG	1G	203	1/1	0.97	0.05	56,56,56,56	0
54	MG	1A	3211	1/1	0.97	0.08	52,52,52,52	0
54	MG	1A	3973	1/1	0.97	0.06	27,27,27,27	0
54	MG	1A	3684	1/1	0.97	0.04	29,29,29,29	0
54	MG	1A	3178	1/1	0.97	0.22	25,25,25,25	0
54	MG	2O	201	1/1	0.97	0.04	33,33,33,33	0
58	ZN	2Y	202	1/1	0.97	0.04	99,99,99,99	0
54	MG	2A	3128	1/1	0.97	0.08	47,47,47,47	0
58	ZN	2n	102	1/1	0.97	0.06	95,95,95,95	0
54	MG	1a	1732	1/1	0.98	0.06	49,49,49,49	0
54	MG	1A	3702	1/1	0.98	0.07	38,38,38,38	0
54	MG	1A	3169	1/1	0.98	0.12	33,33,33,33	0
54	MG	1A	3444	1/1	0.98	0.04	15,15,15,15	0
54	MG	2A	3694	1/1	0.98	0.04	51,51,51,51	0
54	MG	1A	3885	1/1	0.98	0.06	30,30,30,30	0
54	MG	1A	3069	1/1	0.98	0.15	21,21,21,21	0
54	MG	1A	3343	1/1	0.98	0.05	28,28,28,28	0
54	MG	1A	3009	1/1	0.98	0.12	23,23,23,23	0
54	MG	1A	3790	1/1	0.98	0.05	69,69,69,69	0
54	MG	1A	3345	1/1	0.98	0.04	24,24,24,24	0
54	MG	1A	4001	1/1	0.98	0.06	26,26,26,26	0
54	MG	1A	3792	1/1	0.98	0.05	18,18,18,18	0
54	MG	1A	3010	1/1	0.98	0.09	25,25,25,25	0
54	MG	1A	3267	1/1	0.98	0.07	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3795	1/1	0.98	0.05	30,30,30,30	0
54	MG	1A	3453	1/1	0.98	0.10	35,35,35,35	0
54	MG	2A	3707	1/1	0.98	0.04	55,55,55,55	0
54	MG	1A	3712	1/1	0.98	0.07	12,12,12,12	0
54	MG	1A	4009	1/1	0.98	0.05	54,54,54,54	0
54	MG	1A	3395	1/1	0.98	0.04	14,14,14,14	0
54	MG	1A	3397	1/1	0.98	0.04	25,25,25,25	0
54	MG	1A	3715	1/1	0.98	0.07	34,34,34,34	0
54	MG	1A	3716	1/1	0.98	0.06	73,73,73,73	0
54	MG	1A	3803	1/1	0.98	0.07	38,38,38,38	0
54	MG	2A	3232	1/1	0.98	0.08	45,45,45,45	0
54	MG	2A	3532	1/1	0.98	0.04	69,69,69,69	0
54	MG	1A	3122	1/1	0.98	0.14	25,25,25,25	0
54	MG	2A	3718	1/1	0.98	0.06	36,36,36,36	0
54	MG	2A	3534	1/1	0.98	0.04	80,80,80,80	0
54	MG	1A	3103	1/1	0.98	0.28	32,32,32,32	0
54	MG	2A	3536	1/1	0.98	0.05	58,58,58,58	0
54	MG	2A	3381	1/1	0.98	0.15	40,40,40,40	0
54	MG	1A	3912	1/1	0.98	0.04	44,44,44,44	0
54	MG	1G	204	1/1	0.98	0.11	45,45,45,45	0
54	MG	1A	3517	1/1	0.98	0.03	36,36,36,36	0
54	MG	2A	3386	1/1	0.98	0.07	36,36,36,36	0
54	MG	1A	3235	1/1	0.98	0.20	17,17,17,17	0
54	MG	2A	3543	1/1	0.98	0.06	45,45,45,45	0
54	MG	1A	3059	1/1	0.98	0.06	28,28,28,28	0
54	MG	1A	3580	1/1	0.98	0.03	22,22,22,22	0
54	MG	1N	202	1/1	0.98	0.09	50,50,50,50	0
54	MG	1O	201	1/1	0.98	0.03	37,37,37,37	0
54	MG	1A	3723	1/1	0.98	0.05	37,37,37,37	0
54	MG	1A	3646	1/1	0.98	0.09	47,47,47,47	0
54	MG	1P	202	1/1	0.98	0.20	15,15,15,15	0
54	MG	2A	3736	1/1	0.98	0.09	52,52,52,52	0
54	MG	2A	3551	1/1	0.98	0.04	57,57,57,57	0
54	MG	1A	3520	1/1	0.98	0.08	38,38,38,38	0
54	MG	2A	3396	1/1	0.98	0.05	41,41,41,41	0
54	MG	1A	3813	1/1	0.98	0.17	35,35,35,35	0
54	MG	1A	3648	1/1	0.98	0.11	33,33,33,33	0
54	MG	1A	3060	1/1	0.98	0.04	24,24,24,24	0
54	MG	2A	3250	1/1	0.98	0.11	22,22,22,22	0
54	MG	2A	3251	1/1	0.98	0.06	35,35,35,35	0
54	MG	2a	3086	1/1	0.98	0.06	61,61,61,61	0
54	MG	1A	3650	1/1	0.98	0.04	19,19,19,19	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	MG	1A	3817	1/1	0.98	0.12	13,13,13,13	0
54	MG	1A	3927	1/1	0.98	0.08	32,32,32,32	0
54	MG	1A	3310	1/1	0.98	0.06	30,30,30,30	0
54	MG	1Q	205	1/1	0.98	0.05	25,25,25,25	0
54	MG	2a	3092	1/1	0.98	0.11	38,38,38,38	0
54	MG	2A	3566	1/1	0.98	0.11	38,38,38,38	0
54	MG	2A	3567	1/1	0.98	0.06	49,49,49,49	0
54	MG	1A	3929	1/1	0.98	0.05	52,52,52,52	0
54	MG	1A	3819	1/1	0.98	0.09	22,22,22,22	0
54	MG	2A	3570	1/1	0.98	0.05	57,57,57,57	0
54	MG	2A	3755	1/1	0.98	0.07	37,37,37,37	0
54	MG	1R	202	1/1	0.98	0.07	35,35,35,35	0
54	MG	1A	3047	1/1	0.98	0.15	22,22,22,22	0
54	MG	1A	3239	1/1	0.98	0.34	28,28,28,28	0
54	MG	1A	3240	1/1	0.98	0.27	31,31,31,31	0
54	MG	1A	3314	1/1	0.98	0.07	15,15,15,15	0
54	MG	1A	3656	1/1	0.98	0.04	42,42,42,42	0
54	MG	2A	3578	1/1	0.98	0.04	57,57,57,57	0
54	MG	2A	3579	1/1	0.98	0.07	52,52,52,52	0
54	MG	2A	3580	1/1	0.98	0.04	56,56,56,56	0
54	MG	2A	3582	1/1	0.98	0.04	34,34,34,34	0
54	MG	2A	3265	1/1	0.98	0.07	42,42,42,42	0
54	MG	2a	3110	1/1	0.98	0.08	56,56,56,56	0
54	MG	1A	3825	1/1	0.98	0.04	42,42,42,42	0
54	MG	2A	3267	1/1	0.98	0.08	51,51,51,51	0
54	MG	1A	3090	1/1	0.98	0.23	17,17,17,17	0
54	MG	2A	3419	1/1	0.98	0.03	43,43,43,43	0
54	MG	2B	215	1/1	0.98	0.04	58,58,58,58	0
54	MG	2A	3589	1/1	0.98	0.04	51,51,51,51	0
54	MG	1A	3128	1/1	0.98	0.10	22,22,22,22	0
54	MG	1A	3152	1/1	0.98	0.11	31,31,31,31	0
54	MG	1A	3108	1/1	0.98	0.17	31,31,31,31	0
54	MG	1U	203	1/1	0.98	0.22	24,24,24,24	0
54	MG	1A	3245	1/1	0.98	0.15	25,25,25,25	0
54	MG	1A	3832	1/1	0.98	0.05	29,29,29,29	0
54	MG	1A	3363	1/1	0.98	0.07	24,24,24,24	0
54	MG	2a	3124	1/1	0.98	0.04	51,51,51,51	0
54	MG	1A	3742	1/1	0.98	0.06	27,27,27,27	0
54	MG	2A	3278	1/1	0.98	0.07	30,30,30,30	0
54	MG	1A	3023	1/1	0.98	0.13	11,11,11,11	0
54	MG	1A	3092	1/1	0.98	0.06	21,21,21,21	0
54	MG	2A	3142	1/1	0.98	0.09	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3432	1/1	0.98	0.07	41,41,41,41	0
54	MG	1A	3050	1/1	0.98	0.07	33,33,33,33	0
54	MG	1A	3064	1/1	0.98	0.04	21,21,21,21	0
54	MG	2a	3135	1/1	0.98	0.04	60,60,60,60	0
54	MG	1A	3479	1/1	0.98	0.06	49,49,49,49	0
54	MG	1B	204	1/1	0.98	0.04	35,35,35,35	0
54	MG	2a	3139	1/1	0.98	0.05	58,58,58,58	0
54	MG	1a	1802	1/1	0.98	0.05	77,77,77,77	0
54	MG	1A	3186	1/1	0.98	0.08	32,32,32,32	0
54	MG	2E	306	1/1	0.98	0.05	25,25,25,25	0
54	MG	1A	3481	1/1	0.98	0.05	10,10,10,10	0
54	MG	1A	3751	1/1	0.98	0.05	26,26,26,26	0
54	MG	1A	3602	1/1	0.98	0.33	26,26,26,26	0
54	MG	1A	3753	1/1	0.98	0.05	34,34,34,34	0
54	MG	10	101	1/1	0.98	0.10	38,38,38,38	0
54	MG	1A	3846	1/1	0.98	0.12	47,47,47,47	0
54	MG	1A	3754	1/1	0.98	0.14	46,46,46,46	0
54	MG	2A	3156	1/1	0.98	0.05	46,46,46,46	0
54	MG	2A	3296	1/1	0.98	0.08	43,43,43,43	0
54	MG	1A	3540	1/1	0.98	0.06	42,42,42,42	0
54	MG	1B	214	1/1	0.98	0.04	35,35,35,35	0
54	MG	1A	3482	1/1	0.98	0.04	19,19,19,19	0
54	MG	1A	3159	1/1	0.98	0.14	18,18,18,18	0
54	MG	1A	3370	1/1	0.98	0.07	36,36,36,36	0
54	MG	11	102	1/1	0.98	0.04	35,35,35,35	0
54	MG	1A	3961	1/1	0.98	0.09	49,49,49,49	0
54	MG	1A	3287	1/1	0.98	0.29	24,24,24,24	0
54	MG	1A	3853	1/1	0.98	0.06	31,31,31,31	0
54	MG	1A	3040	1/1	0.98	0.11	25,25,25,25	0
54	MG	1A	3161	1/1	0.98	0.07	29,29,29,29	0
54	MG	2R	201	1/1	0.98	0.06	30,30,30,30	0
54	MG	1B	223	1/1	0.98	0.04	43,43,43,43	0
54	MG	2A	3310	1/1	0.98	0.04	26,26,26,26	0
54	MG	1A	3489	1/1	0.98	0.05	10,10,10,10	0
54	MG	1a	1699	1/1	0.98	0.10	29,29,29,29	0
54	MG	2a	3168	1/1	0.98	0.05	59,59,59,59	0
54	MG	1A	3034	1/1	0.98	0.12	22,22,22,22	0
54	MG	1A	3968	1/1	0.98	0.04	15,15,15,15	0
54	MG	2A	3315	1/1	0.98	0.07	40,40,40,40	0
54	MG	15	105	1/1	0.98	0.19	23,23,23,23	0
54	MG	2a	3173	1/1	0.98	0.04	54,54,54,54	0
54	MG	1A	3221	1/1	0.98	0.06	25,25,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3685	1/1	0.98	0.13	30,30,30,30	0
54	MG	1A	3163	1/1	0.98	0.06	17,17,17,17	0
54	MG	1A	3614	1/1	0.98	0.06	16,16,16,16	0
54	MG	2A	3649	1/1	0.98	0.09	37,37,37,37	0
54	MG	1A	3769	1/1	0.98	0.05	31,31,31,31	0
54	MG	2A	3475	1/1	0.98	0.04	65,65,65,65	0
54	MG	2a	3181	1/1	0.98	0.08	61,61,61,61	0
54	MG	1A	3493	1/1	0.98	0.04	37,37,37,37	0
54	MG	2A	3477	1/1	0.98	0.04	20,20,20,20	0
54	MG	1D	306	1/1	0.98	0.07	35,35,35,35	0
54	MG	2A	3655	1/1	0.98	0.06	58,58,58,58	0
54	MG	1a	1713	1/1	0.98	0.05	34,34,34,34	0
54	MG	1A	3115	1/1	0.98	0.15	23,23,23,23	0
54	MG	2A	3658	1/1	0.98	0.04	52,52,52,52	0
54	MG	1A	3618	1/1	0.98	0.09	40,40,40,40	0
54	MG	2A	3662	1/1	0.98	0.04	35,35,35,35	0
54	MG	1A	3866	1/1	0.98	0.06	39,39,39,39	0
54	MG	2A	3056	1/1	0.98	0.04	29,29,29,29	0
54	MG	2A	3665	1/1	0.98	0.04	56,56,56,56	0
54	MG	2A	3057	1/1	0.98	0.06	42,42,42,42	0
54	MG	1A	3555	1/1	0.98	0.06	42,42,42,42	0
54	MG	1a	1843	1/1	0.98	0.04	62,62,62,62	0
54	MG	1A	3224	1/1	0.98	0.19	26,26,26,26	0
54	MG	1A	3870	1/1	0.98	0.04	27,27,27,27	0
54	MG	1a	1846	1/1	0.98	0.06	58,58,58,58	0
54	MG	2A	3672	1/1	0.98	0.05	49,49,49,49	0
54	MG	2A	3192	1/1	0.98	0.06	39,39,39,39	0
54	MG	1A	3496	1/1	0.98	0.07	28,28,28,28	0
54	MG	19	103	1/1	0.98	0.07	35,35,35,35	0
54	MG	1A	3694	1/1	0.98	0.04	38,38,38,38	0
54	MG	2a	3018	1/1	0.98	0.22	50,50,50,50	0
54	MG	1A	3622	1/1	0.98	0.09	16,16,16,16	0
54	MG	1a	1724	1/1	0.98	0.07	32,32,32,32	0
54	MG	1A	3435	1/1	0.98	0.15	36,36,36,36	0
54	MG	1A	3011	1/1	0.98	0.06	37,37,37,37	0
54	MG	1A	3044	1/1	0.98	0.07	18,18,18,18	0
54	MG	1A	3338	1/1	0.98	0.07	38,38,38,38	0
54	MG	2A	3072	1/1	0.98	0.11	48,48,48,48	0
54	MG	1A	3140	1/1	0.98	0.05	25,25,25,25	0
58	ZN	1Y	202	1/1	0.98	0.04	59,59,59,59	0
54	MG	2A	3504	1/1	0.98	0.06	41,41,41,41	0
58	ZN	1n	102	1/1	0.98	0.03	78,78,78,78	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1a	1857	1/1	0.98	0.05	52,52,52,52	0
54	MG	1A	3990	1/1	0.98	0.05	43,43,43,43	0
54	MG	1A	3083	1/1	0.98	0.35	37,37,37,37	0
59	SF4	1d	306	8/8	0.98	0.04	64,67,77,86	0
59	SF4	2d	501	8/8	0.98	0.04	67,74,83,87	0
54	MG	2A	3661	1/1	0.99	0.05	49,49,49,49	0
54	MG	1A	3200	1/1	0.99	0.18	33,33,33,33	0
54	MG	1a	1803	1/1	0.99	0.04	51,51,51,51	0
54	MG	1A	3450	1/1	0.99	0.03	39,39,39,39	0
54	MG	1A	3921	1/1	0.99	0.03	42,42,42,42	0
54	MG	1A	3615	1/1	0.99	0.05	18,18,18,18	0
54	MG	1A	3451	1/1	0.99	0.07	29,29,29,29	0
54	MG	2A	3324	1/1	0.99	0.08	31,31,31,31	0
54	MG	1A	3423	1/1	0.99	0.03	17,17,17,17	0
54	MG	2a	3130	1/1	0.99	0.05	63,63,63,63	0
54	MG	1A	3868	1/1	0.99	0.03	21,21,21,21	0
54	MG	1A	3029	1/1	0.99	0.07	23,23,23,23	0
54	MG	1A	3400	1/1	0.99	0.06	17,17,17,17	0
54	MG	2a	3134	1/1	0.99	0.04	71,71,71,71	0
54	MG	2A	3576	1/1	0.99	0.07	25,25,25,25	0
54	MG	1A	3550	1/1	0.99	0.10	36,36,36,36	0
54	MG	1A	3324	1/1	0.99	0.03	12,12,12,12	0
54	MG	2a	3138	1/1	0.99	0.06	37,37,37,37	0
54	MG	1E	304	1/1	0.99	0.11	11,11,11,11	0
54	MG	1A	3402	1/1	0.99	0.05	12,12,12,12	0
54	MG	2A	3581	1/1	0.99	0.04	54,54,54,54	0
54	MG	2A	3496	1/1	0.99	0.07	47,47,47,47	0
54	MG	1A	3874	1/1	0.99	0.03	34,34,34,34	0
54	MG	1a	1817	1/1	0.99	0.03	70,70,70,70	0
54	MG	1A	3587	1/1	0.99	0.04	21,21,21,21	0
54	MG	1A	3876	1/1	0.99	0.04	57,57,57,57	0
54	MG	2A	3587	1/1	0.99	0.06	31,31,31,31	0
54	MG	1A	3488	1/1	0.99	0.08	45,45,45,45	0
54	MG	2A	3686	1/1	0.99	0.03	36,36,36,36	0
54	MG	1A	3554	1/1	0.99	0.03	40,40,40,40	0
54	MG	1A	3077	1/1	0.99	0.13	32,32,32,32	0
54	MG	2A	3591	1/1	0.99	0.06	28,28,28,28	0
54	MG	1A	3404	1/1	0.99	0.13	25,25,25,25	0
54	MG	1A	3459	1/1	0.99	0.04	36,36,36,36	0
54	MG	2A	3195	1/1	0.99	0.10	28,28,28,28	0
54	MG	2A	3344	1/1	0.99	0.04	30,30,30,30	0
54	MG	2A	3596	1/1	0.99	0.03	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	2A	3345	1/1	0.99	0.04	27,27,27,27	0
54	MG	1A	3405	1/1	0.99	0.03	16,16,16,16	0
54	MG	1A	3461	1/1	0.99	0.04	28,28,28,28	0
54	MG	1A	3748	1/1	0.99	0.05	32,32,32,32	0
54	MG	1A	3383	1/1	0.99	0.03	28,28,28,28	0
54	MG	1A	3001	1/1	0.99	0.04	26,26,26,26	0
54	MG	2A	3273	1/1	0.99	0.10	34,34,34,34	0
54	MG	1A	3888	1/1	0.99	0.04	32,32,32,32	0
54	MG	1A	3385	1/1	0.99	0.07	17,17,17,17	0
54	MG	1A	3135	1/1	0.99	0.05	29,29,29,29	0
54	MG	1A	4003	1/1	0.99	0.02	42,42,42,42	0
54	MG	2A	3356	1/1	0.99	0.12	37,37,37,37	0
54	MG	1A	3892	1/1	0.99	0.03	20,20,20,20	0
54	MG	1A	3671	1/1	0.99	0.07	57,57,57,57	0
54	MG	1a	1701	1/1	0.99	0.04	46,46,46,46	0
54	MG	1a	1702	1/1	0.99	0.05	31,31,31,31	0
54	MG	1B	213	1/1	0.99	0.08	39,39,39,39	0
54	MG	1A	3894	1/1	0.99	0.05	55,55,55,55	0
54	MG	1A	3895	1/1	0.99	0.08	40,40,40,40	0
54	MG	1A	3797	1/1	0.99	0.11	51,51,51,51	0
54	MG	1a	1842	1/1	0.99	0.03	63,63,63,63	0
54	MG	1A	3301	1/1	0.99	0.10	39,39,39,39	0
54	MG	1A	3057	1/1	0.99	0.10	16,16,16,16	0
54	MG	15	101	1/1	0.99	0.15	28,28,28,28	0
54	MG	2A	3621	1/1	0.99	0.04	59,59,59,59	0
54	MG	1A	3051	1/1	0.99	0.22	30,30,30,30	0
54	MG	1a	1711	1/1	0.99	0.06	31,31,31,31	0
54	MG	1A	3675	1/1	0.99	0.08	32,32,32,32	0
54	MG	1A	3901	1/1	0.99	0.02	47,47,47,47	0
54	MG	1A	3390	1/1	0.99	0.05	29,29,29,29	0
54	MG	2A	3453	1/1	0.99	0.03	58,58,58,58	0
54	MG	2A	3628	1/1	0.99	0.02	41,41,41,41	0
54	MG	1A	3677	1/1	0.99	0.04	33,33,33,33	0
54	MG	1A	3678	1/1	0.99	0.04	32,32,32,32	0
54	MG	1A	3207	1/1	0.99	0.10	24,24,24,24	0
54	MG	2A	3632	1/1	0.99	0.03	24,24,24,24	0
54	MG	2A	3633	1/1	0.99	0.05	28,28,28,28	0
54	MG	1A	3503	1/1	0.99	0.05	10,10,10,10	0
54	MG	1A	3763	1/1	0.99	0.03	28,28,28,28	0
54	MG	1A	3415	1/1	0.99	0.09	15,15,15,15	0
54	MG	1A	3909	1/1	0.99	0.06	40,40,40,40	0
54	MG	2A	3638	1/1	0.99	0.02	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MG	1A	3392	1/1	0.99	0.10	9,9,9,9	0
54	MG	2A	3230	1/1	0.99	0.15	38,38,38,38	0
54	MG	2A	3383	1/1	0.99	0.09	27,27,27,27	0
54	MG	1D	301	1/1	0.99	0.18	24,24,24,24	0
54	MG	1A	3443	1/1	0.99	0.06	15,15,15,15	0
54	MG	2A	3644	1/1	0.99	0.03	38,38,38,38	0
54	MG	1A	3156	1/1	0.99	0.18	24,24,24,24	0
54	MG	2A	3468	1/1	0.99	0.03	32,32,32,32	0
54	MG	1D	305	1/1	0.99	0.11	26,26,26,26	0
54	MG	2A	3308	1/1	0.99	0.07	28,28,28,28	0
54	MG	2A	3554	1/1	0.99	0.04	42,42,42,42	0
54	MG	1A	3913	1/1	0.99	0.12	47,47,47,47	0
54	MG	1A	3026	1/1	0.99	0.23	20,20,20,20	0
54	MG	1D	308	1/1	0.99	0.06	31,31,31,31	0
54	MG	2A	3558	1/1	0.99	0.05	49,49,49,49	0
54	MG	1a	1796	1/1	0.99	0.03	73,73,73,73	0
58	ZN	15	109	1/1	0.99	0.03	58,58,58,58	0
58	ZN	16	102	1/1	0.99	0.02	35,35,35,35	0
54	MG	1A	3726	1/1	0.99	0.04	40,40,40,40	0
54	MG	1D	310	1/1	0.99	0.05	15,15,15,15	0
54	MG	1A	3038	1/1	0.99	0.12	27,27,27,27	0
58	ZN	25	103	1/1	0.99	0.04	78,78,78,78	0
58	ZN	26	501	1/1	0.99	0.03	53,53,53,53	0
58	ZN	29	501	1/1	0.99	0.03	67,67,67,67	0
54	MG	1A	3396	1/1	0.99	0.07	17,17,17,17	0
54	MG	2A	3659	1/1	0.99	0.02	52,52,52,52	0
54	MG	1A	3048	1/1	0.99	0.15	23,23,23,23	0
54	MG	2A	3340	1/1	1.00	0.03	31,31,31,31	0
54	MG	1A	3006	1/1	1.00	0.04	12,12,12,12	0
54	MG	2A	3462	1/1	1.00	0.08	33,33,33,33	0
54	MG	1A	3043	1/1	1.00	0.02	10,10,10,10	0
54	MG	1D	304	1/1	1.00	0.04	16,16,16,16	0
58	ZN	19	104	1/1	1.00	0.03	43,43,43,43	0
54	MG	1A	3891	1/1	1.00	0.04	16,16,16,16	0
54	MG	2A	3479	1/1	1.00	0.04	25,25,25,25	0
54	MG	1A	3468	1/1	1.00	0.03	31,31,31,31	0
54	MG	1A	3436	1/1	1.00	0.03	14,14,14,14	0
54	MG	1A	3836	1/1	1.00	0.03	12,12,12,12	0
54	MG	1A	3328	1/1	1.00	0.06	18,18,18,18	0
54	MG	1A	3887	1/1	1.00	0.02	30,30,30,30	0
54	MG	1A	3969	1/1	1.00	0.04	15,15,15,15	0
54	MG	1A	3831	1/1	1.00	0.02	19,19,19,19	0

6.5 Other polymers [i](#)

There are no such residues in this entry.