



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2023 – 10:23 AM EDT

PDB ID : 2Q8C
Title : Crystal structure of JMJD2A in ternary complex with an histone H3K9me3 peptide and 2-oxoglutarate
Authors : Couture, J.-F.; Collazo, E.; Ortiz-Tello, P.; Brunzelle, J.S.; Trievel, R.C.
Deposited on : 2007-06-10
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	352	84% (green), 13% (yellow), 3% (orange), 2% (red), 0% (grey)
1	B	352	78% (green), 16% (yellow), 5% (orange), 1% (red), 0% (grey)
2	F	15	20% (green), 7% (yellow), 73% (grey)
2	G	15	20% (green), 33% (yellow), 47% (grey)

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called JmjC domain-containing histone demethylation protein 3A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	345	2794	1802	468	509	15	0	1	0
1	B	335	2743	1775	461	492	15	0	3	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	cloning artifact	UNP O75164
A	0	SER	-	cloning artifact	UNP O75164
B	-1	GLY	-	cloning artifact	UNP O75164
B	0	SER	-	cloning artifact	UNP O75164

- Molecule 2 is a protein called HISTONE 3 PEPTIDE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	F	4	34	21	8	5	0	0	0
2	G	8	57	32	15	10	0	1	0


- Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ni	0	0
			1	1		
3	B	1	Total	Ni	0	0
			1	1		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Zn 1 1	0	0
4	B	1	Total Zn 1 1	0	0

- Molecule 5 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula: C₅H₆O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 10 5 5	0	0
5	B	1	Total C O 10 5 5	0	0


- Molecule 6 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	104	Total O 104 104	0	0
6	B	94	Total O 94 94	0	0
6	F	1	Total O 1 1	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: JmjC domain-containing histone demethylation protein 3A

Chain A: 



- Molecule 1: JmjC domain-containing histone demethylation protein 3A

Chain B: 




- Molecule 2: HISTONE 3 PEPTIDE

Chain F: 



- Molecule 2: HISTONE 3 PEPTIDE

Chain G: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	100.89Å 149.12Å 57.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.90 – 2.05 28.97 – 2.05	Depositor EDS
% Data completeness (in resolution range)	99.0 (28.90-2.05) 99.0 (28.97-2.05)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 2.04Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.201 , 0.236 0.260 , 0.283	Depositor DCC
R_{free} test set	2762 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	38.3	Xtrriage
Anisotropy	0.171	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5851	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NI, AKG, M3L, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/2884	0.60	0/3911
1	B	0.54	0/2842	0.61	1/3853 (0.0%)
2	F	0.60	0/21	0.80	0/26
2	G	0.62	0/50	0.76	0/62
All	All	0.55	0/5797	0.61	1/7852 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	74	LEU	CA-CB-CG	-5.49	102.68	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2794	0	2674	41	0
1	B	2743	0	2628	41	0
2	F	34	0	41	1	0
2	G	57	0	56	5	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	1	0
4	B	1	0	0	1	0
5	A	10	0	4	0	0
5	B	10	0	4	1	0
6	A	104	0	0	3	0
6	B	94	0	0	4	0
6	F	1	0	0	1	0
All	All	5851	0	5407	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:249:MET:HE3	6:B:554:HOH:O	1.57	1.02
1:A:139:THR:HG23	1:A:287:GLU:OE1	1.73	0.88
1:A:306:CYS:HG	4:A:505:ZN:ZN	0.85	0.86
1:A:139:THR:HG21	6:A:532:HOH:O	1.77	0.85
1:B:81:LEU:HG	1:B:249:MET:SD	2.22	0.79
1:B:306:CYS:HG	4:B:506:ZN:ZN	0.92	0.79
1:B:169:GLU:OE1	2:G:8[A]:ARG:NH1	2.16	0.79
1:A:163:GLU:HG3	1:A:319:VAL:HG21	1.65	0.78
1:A:92:MET:HE1	1:A:100:ILE:HD12	1.67	0.75
1:A:222:LEU:HD22	1:A:255:ILE:HD11	1.69	0.73
1:A:92:MET:CE	1:A:100:ILE:HD12	2.19	0.71
1:A:222:LEU:HD22	1:A:255:ILE:CD1	2.20	0.71
1:A:84:GLN:HE22	1:A:184:SER:HB2	1.57	0.70
1:B:214:GLU:HG3	6:B:512:HOH:O	1.94	0.67
1:A:44:LEU:HD22	1:A:268:MET:HE3	1.78	0.66
1:B:222:LEU:HD22	1:B:255:ILE:CD1	2.25	0.65
1:B:151:GLY:HA2	1:B:174:PRO:HG3	1.80	0.63
1:A:217:LYS:HD2	1:A:273:TYR:OH	2.00	0.62
1:A:222:LEU:HG	1:A:226:PHE:CE1	2.35	0.62
1:B:207:SER:OG	1:B:281:HIS:HE1	1.86	0.59
1:B:84:GLN:HE22	1:B:184:SER:HB2	1.67	0.58
1:B:306:CYS:HB3	1:B:312:MET:HG3	1.85	0.57
1:A:207:SER:OG	1:A:281:HIS:HE1	1.88	0.57
1:A:79:SER:O	1:A:79:SER:OG	2.22	0.56
1:A:139:THR:CG2	1:A:287:GLU:OE1	2.48	0.56
1:A:305:LEU:CD1	1:A:314:LYS:HG2	2.35	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:ARG:HD2	6:A:598:HOH:O	2.06	0.56
1:B:222:LEU:HD22	1:B:255:ILE:HD12	1.88	0.55
1:B:44:LEU:HD22	1:B:268:MET:HE3	1.88	0.53
1:B:242:MET:CG	2:G:13:GLY:HA2	2.38	0.53
1:A:44:LEU:HD22	1:A:268:MET:CE	2.38	0.53
1:B:242:MET:HG2	2:G:13:GLY:HA2	1.90	0.53
1:B:309[B]:ARG:HB3	1:B:312:MET:HG2	1.92	0.52
1:A:82:PHE:HB2	1:A:244:LEU:HB2	1.93	0.50
1:B:301:LYS:HD3	1:B:321:VAL:HG22	1.93	0.50
1:B:305:LEU:CD1	1:B:314:LYS:HG2	2.40	0.50
1:A:305:LEU:HD12	1:A:314:LYS:HG2	1.94	0.49
1:B:12:ALA:N	6:B:582:HOH:O	2.46	0.48
1:B:153:LEU:HD11	1:B:197:ILE:HG21	1.94	0.48
1:B:155:THR:HG21	1:B:291:PHE:HB2	1.94	0.48
1:A:186:ALA:HA	1:A:244:LEU:HD23	1.96	0.48
1:B:132:TYR:OH	5:B:504:AKG:O4	2.26	0.47
1:A:52:GLU:H	1:A:52:GLU:HG3	1.43	0.47
1:A:222:LEU:HD22	1:A:255:ILE:HD12	1.97	0.46
1:A:222:LEU:CD2	1:A:255:ILE:CD1	2.93	0.46
1:B:142:GLU:HB2	1:B:144:HIS:CE1	2.50	0.46
1:A:19:PRO:HD2	1:A:48:VAL:O	2.15	0.46
1:A:306:CYS:HB3	1:A:312:MET:HG3	1.98	0.45
1:B:71:ILE:HG21	1:B:86:ASN:HB3	1.96	0.45
1:B:82:PHE:HB2	1:B:244:LEU:HB2	1.99	0.45
1:B:98:ARG:HG3	1:B:283:PHE:CE2	2.51	0.45
1:B:123:LYS:HE2	1:B:123:LYS:HB2	1.80	0.45
1:A:44:LEU:HD12	1:A:210[B]:SER:HB3	1.98	0.44
1:B:75:VAL:HG11	1:B:125:LEU:HG	1.99	0.44
1:B:137:ASN:HD21	2:G:8[A]:ARG:HH12	1.66	0.44
1:B:309[A]:ARG:HB2	1:B:312:MET:HG2	1.99	0.44
1:B:208:TRP:HE1	1:B:262:GLN:NE2	2.16	0.43
1:A:221:ARG:HH11	1:B:13:ARG:CZ	2.31	0.43
1:B:197:ILE:O	1:B:288:SER:HB2	2.19	0.43
1:A:111:TYR:HA	1:A:116:GLU:OE2	2.19	0.43
1:B:170:GLY:O	2:G:9:M3L:HM23	2.19	0.43
1:B:255:ILE:HA	1:B:256:PRO:HD3	1.93	0.43
1:A:139:THR:HG22	1:A:141:TYR:H	1.84	0.42
1:A:222:LEU:CD2	1:A:255:ILE:HD11	2.44	0.42
1:B:68:PRO:HD2	6:B:533:HOH:O	2.19	0.42
1:A:208:TRP:HE1	1:A:262:GLN:NE2	2.18	0.42
1:A:208:TRP:HE1	1:A:262:GLN:HE21	1.68	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:LEU:HD11	1:A:197:ILE:HG21	2.01	0.42
1:B:208:TRP:HE1	1:B:262:GLN:HE21	1.68	0.41
1:A:309:ARG:HB2	1:A:312:MET:HG2	2.02	0.41
1:A:318:ASP:OD1	1:A:322:ARG:NH2	2.53	0.41
1:A:92:MET:HE3	1:A:100:ILE:HD12	1.99	0.41
1:B:224:LYS:HG3	1:B:231:ALA:HB2	2.00	0.41
1:A:81:LEU:HD21	1:A:226:PHE:CE1	2.56	0.41
1:A:182:LYS:HE3	6:A:547:HOH:O	2.21	0.41
2:F:7:ALA:O	6:F:95:HOH:O	2.22	0.41
1:A:29:ARG:HH11	1:A:29:ARG:HB3	1.86	0.40
1:A:114:PHE:HE2	1:A:207:SER:HG	1.66	0.40
1:B:141:TYR:CE2	1:B:149:ASN:HA	2.56	0.40
1:B:187:TRP:CZ2	1:B:250:LEU:HD11	2.56	0.40
1:B:224:LYS:HG3	1:B:231:ALA:CB	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	344/352 (98%)	340 (99%)	4 (1%)	0	100	100
1	B	336/352 (96%)	332 (99%)	4 (1%)	0	100	100
2	F	1/15 (7%)	1 (100%)	0	0	100	100
2	G	6/15 (40%)	3 (50%)	1 (17%)	2 (33%)	0	0
All	All	687/734 (94%)	676 (98%)	9 (1%)	2 (0%)	41	31

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	G	7	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G	12	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	295/308 (96%)	283 (96%)	12 (4%)	30	23
1	B	288/308 (94%)	274 (95%)	14 (5%)	25	17
2	F	2/9 (22%)	2 (100%)	0	100	100
2	G	4/9 (44%)	4 (100%)	0	100	100
All	All	589/634 (93%)	563 (96%)	26 (4%)	27	21

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	29	ARG
1	A	44	LEU
1	A	52	GLU
1	A	79	SER
1	A	113	GLU
1	A	132	TYR
1	A	139	THR
1	A	157	LEU
1	A	259	LYS
1	A	314	LYS
1	A	347	THR
1	B	21	MET
1	B	44	LEU
1	B	71	ILE
1	B	74	LEU
1	B	132	TYR
1	B	157	LEU
1	B	164	SER
1	B	219	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	224	LYS
1	B	232	GLN
1	B	281	HIS
1	B	311	ASP
1	B	327	GLU
1	B	331	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	84	GLN
1	A	86	ASN
1	A	262	GLN
1	A	281	HIS
1	B	84	GLN
1	B	232	GLN
1	B	262	GLN
1	B	281	HIS
1	B	290	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	M3L	G	9	2	10,11,12	0.63	0	9,14,16	0.48	0
2	M3L	F	9	2	10,11,12	0.56	0	9,14,16	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	M3L	G	9	2	-	5/9/10/12	-
2	M3L	F	9	2	-	0/9/10/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	9	M3L	O-C-CA-CB
2	G	9	M3L	CD-CE-NZ-CM1
2	G	9	M3L	CD-CE-NZ-CM3
2	G	9	M3L	CD-CE-NZ-CM2
2	G	9	M3L	CE-CD-CG-CB

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	9	M3L	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	AKG	B	504	3	9,9,9	2.45	3 (33%)	11,11,11	2.69	3 (27%)
5	AKG	A	503	3	9,9,9	2.79	3 (33%)	11,11,11	2.93	4 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	AKG	B	504	3	-	0/9/9/9	-
5	AKG	A	503	3	-	0/9/9/9	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	503	AKG	C2-C1	-5.89	1.45	1.53
5	B	504	AKG	C2-C1	-5.34	1.46	1.53
5	A	503	AKG	C3-C2	4.89	1.56	1.51
5	B	504	AKG	C3-C2	3.87	1.55	1.51
5	A	503	AKG	C4-C5	2.34	1.56	1.50
5	B	504	AKG	C4-C5	2.18	1.55	1.50

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	503	AKG	O1-C1-C2	-7.73	111.40	121.72
5	B	504	AKG	O1-C1-C2	-7.39	111.86	121.72
5	A	503	AKG	C3-C4-C5	-3.23	106.66	113.60
5	A	503	AKG	O2-C1-C2	2.87	121.81	113.97
5	A	503	AKG	C3-C2-C1	2.83	121.22	115.97
5	B	504	AKG	O2-C1-C2	2.63	121.15	113.97
5	B	504	AKG	C3-C2-C1	2.59	120.77	115.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	504	AKG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.