

Full wwPDB X-ray Structure Validation Report (i)

Nov 18, 2022 - 03:30 am GMT

PDB ID	:	7Q9X
Title	:	Crystal structure of Chromobacterium violaceum aminotransferase in complex
		with PLP-pyruvate adduct
Authors	:	Isupov, M.N.; Mitchell, D.; Sayer, C.; Littlechild, J.A.
Deposited on	:	2021-11-15
Resolution	:	1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity		4 02b-467
NIGH TODATY	•	
Mogul	:	1.8.4, CSD as 541 be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.31.2
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution		
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	3398 (1.60-1.60)		
Clashscore	141614	3665 (1.60-1.60)		
Ramachandran outliers	138981	3564 (1.60-1.60)		
Sidechain outliers	138945	3563(1.60-1.60)		
RSRZ outliers	127900	3321 (1.60-1.60)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	AAA	493	% 87 %	5%	8%
1	BBB	493	% 	7%	8%
1	CCC	493	2% 8 5%	8%	8%
1	DDD	493	83%	9%	8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	AN7	AAA	501	-	-	Х	-
4	NA	DDD	505	-	-	-	Х
4	NA	DDD	514	-	-	-	Х
5	PLP	BBB	503[B]	-	-	Х	-

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 17188 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1		455	Total	С	Ν	0	\mathbf{S}	0	27	0
1	ллл	400	3728	2387	647	673	21	0	21	U
1	BBB	455	Total	С	Ν	0	S	0	34	0
	400	3771	2425	647	678	21	0	- 54	0	
1	CCC	CCC 455	Total	С	Ν	0	S	0	20	Ο
	400	3734	2399	644	670	21	0	29		
1 DDD	455	Total	С	Ν	0	S	0	ეე	0	
	455	3711	2378	643	669	21	0		0	

• Molecule 1 is a protein called Probable aminotransferase.

There are 136 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	-33	MET	-	initiating methionine	UNP Q7NWG4
AAA	-32	GLY	-	expression tag	UNP Q7NWG4
AAA	-31	SER	-	expression tag	UNP Q7NWG4
AAA	-30	SER	-	expression tag	UNP Q7NWG4
AAA	-29	HIS	-	expression tag	UNP Q7NWG4
AAA	-28	HIS	-	expression tag	UNP Q7NWG4
AAA	-27	HIS	-	expression tag	UNP Q7NWG4
AAA	-26	HIS	-	expression tag	UNP Q7NWG4
AAA	-25	HIS	-	expression tag	UNP Q7NWG4
AAA	-24	HIS	-	expression tag	UNP Q7NWG4
AAA	-23	SER	-	expression tag	UNP Q7NWG4
AAA	-22	SER	-	expression tag	UNP Q7NWG4
AAA	-21	GLY	-	expression tag	UNP Q7NWG4
AAA	-20	LEU	-	expression tag	UNP Q7NWG4
AAA	-19	VAL	-	expression tag	UNP Q7NWG4
AAA	-18	PRO	-	expression tag	UNP Q7NWG4
AAA	-17	ARG	-	expression tag	UNP Q7NWG4
AAA	-16	GLY	-	expression tag	UNP Q7NWG4
AAA	-15	SER	-	expression tag	UNP Q7NWG4
AAA	-14	HIS	-	expression tag	UNP Q7NWG4
AAA	-13	MET	-	expression tag	UNP Q7NWG4



7Q9X

Chain	Residue	Modelled	Actual	Comment	Reference
	_12	ALA	-	expression tag	UNP O7NWG4
		SER	_	expression tag	UNP O7NWG4
	-10	MET	_	expression tag	UNP O7NWG4
	_9	THR	_	expression tag	UNP O7NWG4
	-8	GLY	_	expression tag	UNP O7NWG4
	-7	GLY		expression tag	UNP O7NWG4
	-6	GLN		expression tag	UNP O7NWG4
AAA	-5	GLN	_	expression tag	UNP Q7NWG4
AAA	-4	MET	_	expression tag	UNP Q7NWG4
AAA	-3	GLY	_	expression tag	UNP Q7NWG4
AAA	-2	ARG	_	expression tag	UNP Q7NWG4
AAA	-1	GLY	_	expression tag	UNP Q7NWG4
AAA	0	SER	_	expression tag	UNP Q7NWG4
BBB	-33	MET	_	initiating methionine	UNP Q7NWG4
BBB	-32	GLY	_	expression tag	UNP Q7NWG4
BBB	-31	SEB	_	expression tag	UNP Q7NWG4
BBB	-30	SER	_	expression tag	UNP Q7NWG4
BBB	-29	HIS	_	expression tag	UNP Q7NWG4
BBB	-28	HIS	_	expression tag	UNP Q7NWG4
BBB	-27	HIS	_	expression tag	UNP Q7NWG4
BBB	-26	HIS	_	expression tag	UNP Q7NWG4
BBB	-25	HIS	_	expression tag	UNP Q7NWG4
BBB	-24	HIS	_	expression tag	UNP Q7NWG4
BBB	-23	SER	_	expression tag	UNP Q7NWG4
BBB	-22	SER	_	expression tag	UNP Q7NWG4
BBB	-21	GLY	_	expression tag	UNP Q7NWG4
BBB	-20	LEU	-	expression tag	UNP Q7NWG4
BBB	-19	VAL	_	expression tag	UNP Q7NWG4
BBB	-18	PRO	_	expression tag	UNP Q7NWG4
BBB	-17	ARG	_	expression tag	UNP Q7NWG4
BBB	-16	GLY	_	expression tag	UNP Q7NWG4
BBB	-15	SER	-	expression tag	UNP Q7NWG4
BBB	-14	HIS	_	expression tag	UNP Q7NWG4
BBB	-13	MET	-	expression tag	UNP Q7NWG4
BBB	-12	ALA	-	expression tag	UNP Q7NWG4
BBB	-11	SER	-	expression tag	UNP Q7NWG4
BBB	-10	MET	-	expression tag	UNP Q7NWG4
BBB	-9	THR	-	expression tag	UNP Q7NWG4
BBB	-8	GLY	-	expression tag	UNP Q7NWG4
BBB	-7	GLY	-	expression tag	UNP Q7NWG4
BBB	-6	GLN	-	expression tag	UNP Q7NWG4
BBB	-5	GLN	-	expression tag	UNP Q7NWG4



7	Q	9X	
•	5		

Chain	Residue	Modelled	Actual	Comment	Reference
BBB	-4	MET	-	expression tag	UNP O7NWG4
BBB	-3	GLY	_	expression tag	UNP O7NWG4
BBB	-2	ARG	_	expression tag	UNP Q7NWG4
BBB	-1	GLY	_	expression tag	UNP Q7NWG4
BBB	0	SER	_	expression tag	UNP Q7NWG4
CCC	-33	MET	_	initiating methionine	UNP Q7NWG4
CCC	-32	GLY	_	expression tag	UNP Q7NWG4
CCC	-31	SER	-	expression tag	UNP Q7NWG4
CCC	-30	SER	-	expression tag	UNP Q7NWG4
CCC	-29	HIS	_	expression tag	UNP Q7NWG4
CCC	-28	HIS	_	expression tag	UNP Q7NWG4
CCC	-27	HIS	_	expression tag	UNP Q7NWG4
CCC	-26	HIS	_	expression tag	UNP Q7NWG4
CCC	-25	HIS	-	expression tag	UNP Q7NWG4
CCC	-24	HIS	-	expression tag	UNP Q7NWG4
CCC	-23	SER	-	expression tag	UNP Q7NWG4
CCC	-22	SER	-	expression tag	UNP Q7NWG4
CCC	-21	GLY	-	expression tag	UNP Q7NWG4
CCC	-20	LEU	-	expression tag	UNP Q7NWG4
CCC	-19	VAL	-	expression tag	UNP Q7NWG4
CCC	-18	PRO	-	expression tag	UNP Q7NWG4
CCC	-17	ARG	-	expression tag	UNP Q7NWG4
CCC	-16	GLY	-	expression tag	UNP Q7NWG4
CCC	-15	SER	-	expression tag	UNP Q7NWG4
CCC	-14	HIS	-	expression tag	UNP Q7NWG4
CCC	-13	MET	-	expression tag	UNP Q7NWG4
CCC	-12	ALA	-	expression tag	UNP Q7NWG4
CCC	-11	SER	-	expression tag	UNP Q7NWG4
CCC	-10	MET	-	expression tag	UNP Q7NWG4
CCC	-9	THR	-	expression tag	UNP Q7NWG4
CCC	-8	GLY	-	expression tag	UNP Q7NWG4
CCC	-7	GLY	-	expression tag	UNP Q7NWG4
CCC	-6	GLN	-	expression tag	UNP Q7NWG4
CCC	-5	GLN	-	expression tag	UNP Q7NWG4
CCC	-4	MET	-	expression tag	UNP Q7NWG4
CCC	-3	GLY	-	expression tag	UNP Q7NWG4
CCC	-2	ARG	-	expression tag	UNP Q7NWG4
CCC	-1	GLY	-	expression tag	UNP Q7NWG4
CCC	0	SER	-	expression tag	UNP Q7NWG4
DDD	-33	MET	-	initiating methionine	UNP Q7NWG4
DDD	-32	GLY	-	expression tag	UNP Q7NWG4
DDD	-31	SER	-	expression tag	UNP Q7NWG4



Chain	Residue	Modelled	Actual	Comment	Reference
DDD	-30	SER	-	expression tag	UNP Q7NWG4
DDD	-29	HIS	-	expression tag	UNP Q7NWG4
DDD	-28	HIS	-	expression tag	UNP Q7NWG4
DDD	-27	HIS	-	expression tag	UNP Q7NWG4
DDD	-26	HIS	-	expression tag	UNP Q7NWG4
DDD	-25	HIS	-	expression tag	UNP Q7NWG4
DDD	-24	HIS	-	expression tag	UNP Q7NWG4
DDD	-23	SER	-	expression tag	UNP Q7NWG4
DDD	-22	SER	-	expression tag	UNP Q7NWG4
DDD	-21	GLY	-	expression tag	UNP Q7NWG4
DDD	-20	LEU	-	expression tag	UNP Q7NWG4
DDD	-19	VAL	-	expression tag	UNP Q7NWG4
DDD	-18	PRO	-	expression tag	UNP Q7NWG4
DDD	-17	ARG	-	expression tag	UNP Q7NWG4
DDD	-16	GLY	-	expression tag	UNP Q7NWG4
DDD	-15	SER	-	expression tag	UNP Q7NWG4
DDD	-14	HIS	-	expression tag	UNP Q7NWG4
DDD	-13	MET	-	expression tag	UNP Q7NWG4
DDD	-12	ALA	-	expression tag	UNP Q7NWG4
DDD	-11	SER	-	expression tag	UNP Q7NWG4
DDD	-10	MET	-	expression tag	UNP Q7NWG4
DDD	-9	THR	-	expression tag	UNP Q7NWG4
DDD	-8	GLY	-	expression tag	UNP Q7NWG4
DDD	-7	GLY	-	expression tag	UNP Q7NWG4
DDD	-6	GLN	-	expression tag	UNP Q7NWG4
DDD	-5	GLN	-	expression tag	UNP Q7NWG4
DDD	-4	MET	-	expression tag	UNP Q7NWG4
DDD	-3	GLY	-	expression tag	UNP Q7NWG4
DDD	-2	ARG	-	expression tag	UNP Q7NWG4
DDD	-1	GLY	-	expression tag	UNP Q7NWG4
DDD	0	SER	-	expression tag	UNP Q7NWG4

• Molecule 2 is (3E)-4-{3-hydroxy-2-methyl-5-[(phosphonooxy)methyl]pyridin-4-yl}-2-ox obut-3-enoic acid (three-letter code: AN7) (formula: $C_{11}H_{12}NO_8P$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
9	ΛΛΛ	1	Total	С	Ν	0	Р	0	0
	ллл	1	21	11	1	8	1	0	0
9	BBB	1	Total	С	Ν	0	Р	0	1
	DDD	1	21	11	1	8	1	0	T
9	CCC	1	Total	С	Ν	0	Р	0	0
		1	21	11	1	8	1	0	0
9	מתת	1	Total	С	Ν	0	Р	0	0
	עעע	1	21	11	1	8	1	0	0

• Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	AAA	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	AAA	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	BBB	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	CCC	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	DDD	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	13	Total Na 13 13	0	0
4	BBB	26	Total Na 26 26	0	0
4	CCC	17	Total Na 17 17	0	0
4	DDD	21	Total Na 21 21	0	0

• Molecule 5 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: $C_8H_{10}NO_6P$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
5	BBB	1	Total 15	C 8	N 1	O 5	Р 1	0	1

• Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	BBB	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
6	DDD	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	CCC	1	Total 7	$\begin{array}{c} \mathrm{C} \\ 4 \end{array}$	O 3	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	AAA	526	Total O 526 526	0	0
8	BBB	567	Total O 567 567	0	0
8	CCC	453	Total O 453 453	0	0
8	DDD	485	Total O 485 485	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Probable aminotransferase

E392 V114 MET F393 N118 SER F490 D126 H18 R4100 E142 H18 F452 T153 SER F458 N163 H18 F458 N163 SER F458 N163 SER F458 N163 SER F458 N163 SER F458 N167 VLU A459 N167 VLU P176 B173 B173 P176 B173 B173 P176 B173 B174 P176 B176 CU P176 B173 B176 P176 B176 CU P176 B173 B176 P176 B176 CU P176 B176 CU



4 Data and refinement statistics (i)

Property	Value	Source	
Space group	P 1	Depositor	
Cell constants	60.33Å 61.38Å 116.48Å	Depositor	
a, b, c, α , β , γ	103.56° 89.38° 105.42°	Depositor	
Bosolution (Å)	39.43 - 1.60	Depositor	
Resolution (A)	57.44 - 1.60	EDS	
% Data completeness	76.1(39.43-1.60)	Depositor	
(in resolution range)	76.1(57.44-1.60)	EDS	
R_{merge}	(Not available)	Depositor	
R_{sym}	(Not available)	Depositor	
$< I/\sigma(I) > 1$	$2.57 (at 1.60 \text{\AA})$	Xtriage	
Refinement program	REFMAC 5.8.0267	Depositor	
B B.	0.227 , 0.261	Depositor	
n, n_{free}	0.227 , 0.261	DCC	
R_{free} test set	7878 reflections (5.02%)	wwPDB-VP	
Wilson B-factor $(Å^2)$	13.9	Xtriage	
Anisotropy	0.277	Xtriage	
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS	
L-test for twinning ²	$ < L > = 0.45, < L^2 > = 0.28$	Xtriage	
Estimated twinning fraction	No twinning to report.	Xtriage	
F_o, F_c correlation	0.96	EDS	
Total number of atoms	17188	wwPDB-VP	
Average B, all atoms $(Å^2)$	17.0	wwPDB-VP	

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 89.82 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.9432e-08. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, NA, AN7, PO4, EDO, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	AAA	0.64	0/3901	0.74	0/5271	
1	BBB	0.65	0/3973	0.75	0/5367	
1	CCC	0.64	0/3913	0.74	0/5286	
1	DDD	0.64	0/3871	0.73	0/5235	
All	All	0.64	0/15658	0.74	0/21159	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	3728	0	3697	34	0
1	BBB	3771	0	3768	48	0
1	CCC	3734	0	3728	32	0
1	DDD	3711	0	3659	50	0
2	AAA	21	0	8	8	0
2	BBB	21	0	8	0	0
2	CCC	21	0	8	4	0
2	DDD	21	0	8	4	0
3	AAA	8	0	12	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	BBB	4	0	6	0	0
3	CCC	4	0	6	0	0
3	DDD	4	0	6	0	0
4	AAA	13	0	0	0	0
4	BBB	26	0	0	0	0
4	CCC	17	0	0	1	0
4	DDD	21	0	0	0	0
5	BBB	15	0	6	6	0
6	BBB	5	0	0	0	0
6	DDD	5	0	0	0	0
7	CCC	7	0	10	0	0
8	AAA	526	0	0	9	0
8	BBB	567	0	0	18	0
8	CCC	453	0	0	8	0
8	DDD	485	0	0	17	0
All	All	17188	0	14930	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A + 1	A + a	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:BBB:304[A]:LYS:HE2	8:BBB:602:HOH:O	1.14	1.23
1:BBB:206[A]:ARG:HG3	8:BBB:608:HOH:O	1.01	1.16
1:BBB:288[B]:LYS:NZ	5:BBB:503[B]:PLP:C4A	2.11	1.13
1:AAA:308[B]:GLU:HG3	8:AAA:639:HOH:O	1.45	1.12
1:DDD:206[A]:ARG:HG3	8:DDD:619:HOH:O	0.95	1.12
1:DDD:40[B]:GLU:OE2	8:DDD:604:HOH:O	1.72	1.08
1:DDD:40[B]:GLU:CG	8:DDD:604:HOH:O	2.01	1.07
1:AAA:308[B]:GLU:CG	8:AAA:639:HOH:O	1.98	1.04
1:BBB:288[B]:LYS:HZ1	5:BBB:503[B]:PLP:C4A	1.68	1.04
1:DDD:40[B]:GLU:HG2	8:DDD:604:HOH:O	1.56	1.03
1:CCC:12[A]:GLU:HG3	8:CCC:618:HOH:O	1.62	0.98
1:DDD:167[B]:LYS:HG2	1:DDD:171[B]:GLU:OE2	1.72	0.90
1:DDD:210[B]:GLU:OE2	8:DDD:605:HOH:O	1.92	0.88
1:DDD:386[A]:LYS:NZ	8:DDD:606:HOH:O	2.06	0.88
1:BBB:48[A]:GLU:OE2	8:BBB:604:HOH:O	1.91	0.87
1:AAA:288[B]:LYS:NZ	2:AAA:501:AN7:CAJ	2.39	0.86
1:BBB:288[B]:LYS:HZ2	5:BBB:503[B]:PLP:C4A	1.84	0.84
1:AAA:288[B]:LYS:HZ2	2:AAA:501:AN7:CAJ	1.92	0.81



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:BBB:206[A]:ARG:CG	8:BBB:608:HOH:O	1.76	0.79
1:BBB:210[B]:GLU:OE1	8:BBB:605:HOH:O	2.02	0.77
1:CCC:288[B]:LYS:NZ	2:CCC:501:AN7:CAJ	2.52	0.72
1:DDD:167[A]:LYS:NZ	8:DDD:607:HOH:O	2.17	0.72
1:AAA:350[B]:ASP:OD2	8:AAA:606:HOH:O	1.96	0.72
1:DDD:206[A]:ARG:CG	8:DDD:619:HOH:O	1.76	0.71
1:CCC:288[B]:LYS:HZ1	2:CCC:501:AN7:CAJ	2.03	0.71
1:AAA:38[B]:ARG:CG	1:BBB:81[B]:GLU:OE2	2.40	0.70
1:AAA:94:PRO:HB3	1:BBB:10[A]:TRP:CH2	2.27	0.70
1:BBB:288[B]:LYS:NZ	5:BBB:503[B]:PLP:C4	2.57	0.67
1:AAA:350[B]:ASP:CG	8:AAA:606:HOH:O	2.33	0.66
1:AAA:308[B]:GLU:CD	8:AAA:639:HOH:O	2.29	0.66
1:DDD:167[B]:LYS:CG	1:DDD:171[B]:GLU:OE2	2.45	0.65
1:CCC:176:PRO:O	8:CCC:603:HOH:O	2.14	0.65
1:AAA:110:GLY:HA2	1:AAA:304[B]:LYS:HE2	1.80	0.64
1:BBB:206[A]:ARG:NE	8:BBB:608:HOH:O	2.26	0.64
1:AAA:288[B]:LYS:HZ1	2:AAA:501:AN7:CAJ	2.10	0.63
1:DDD:153:TYR:CE2	2:DDD:501:AN7:HAI	2.34	0.63
1:AAA:308[A]:GLU:HG3	8:AAA:677:HOH:O	1.98	0.62
1:BBB:407[B]:ILE:HD12	1:BBB:410:ARG:HH12	1.65	0.61
1:CCC:190[A]:LYS:NZ	8:CCC:604:HOH:O	2.18	0.61
1:CCC:376[B]:VAL:HG23	8:CCC:778:HOH:O	2.01	0.60
4:CCC:509:NA:NA	8:CCC:818:HOH:O	1.74	0.59
1:DDD:386[B]:LYS:HD3	1:DDD:392:GLU:CD	2.24	0.58
1:DDD:110:GLY:HA2	1:DDD:304:LYS:HE3	1.84	0.58
1:DDD:410:ARG:NH1	1:DDD:448:GLU:OE2	2.37	0.58
1:BBB:118:ASN:HD21	1:BBB:322:TYR:HB2	1.68	0.58
1:DDD:210[B]:GLU:CD	8:DDD:605:HOH:O	2.38	0.58
1:BBB:410:ARG:NH1	1:BBB:448:GLU:OE2	2.36	0.58
1:DDD:305[A]:ARG:NH1	8:DDD:601:HOH:O	0.73	0.57
1:CCC:288[B]:LYS:HZ1	2:CCC:501:AN7:CAI	2.18	0.57
1:DDD:153:TYR:CE2	2:DDD:501:AN7:CAI	2.88	0.56
1:CCC:410:ARG:NH2	1:CCC:448:GLU:OE2	2.40	0.55
1:BBB:407[B]:ILE:HD12	1:BBB:410:ARG:NH1	2.22	0.54
1:CCC:174:ASP:OD2	1:DDD:144:LYS:HG3	2.07	0.54
1:BBB:250:ARG:HG3	1:CCC:250:ARG:HB3	1.90	0.54
1:AAA:206[B]:ARG:HG3	8:AAA:957:HOH:O	2.08	0.53
1:CCC:94:PRO:HB3	1:DDD:10[B]:TRP:CH2	2.44	0.53
$1:BBB:288[B]:LYS:H\overline{Z}2$	5:BBB:503[B]:PLP:C4	2.21	0.53
1:CCC:322:TYR:CD2	1:DDD:296:PRO:HA	2.44	0.53
1:DDD:40[B]:GLU:CD	8:DDD:604:HOH:O	2.12	0.52



Atom-1	Atom-2	Interatomic $distance (\hat{A})$	Clash
	8.DDD.620.HOH.O	$\frac{\text{distance (A)}}{2.42}$	0.52
1.DDD.175.GL1.N	0.DDD.020.HOH.O	2.40	0.52
1.000.125[D]:ASF.0D2	1.DDD.130.1LE.N	2.40	0.52
		1.70	0.51
1:AAA:38[B]:ARG:HG3	I:BBB:81[B]:GLU:OE2	2.08	0.51
1:AAA:288[B]:LY 5:HZ2	2:AAA:501:AN7:HAJ	1.71	0.50
1:DDD:153:TYR:HE2	2:DDD:501:AN7:CAI	2.24	0.50
1:BBB:305[A]:ARG:NH1	8:BBB:601:HOH:O	0.65	0.50
1:AAA:38[B]:ARG:HG2	1:BBB:81[B]:GLU:OE2	2.12	0.50
1:BBB:109:ALA:HB2	8:CCC:877:HOH:O	2.10	0.50
1:CCC:276:HIS:CE1	1:CCC:376[B]:VAL:HG21	2.46	0.50
1:DDD:386[B]:LYS:HD3	1:DDD:392:GLU:OE2	2.11	0.49
1:BBB:308[A]:GLU:HG3	8:BBB:826:HOH:O	2.12	0.49
1:DDD:175:LEU:HB3	1:DDD:176:PRO:HA	1.94	0.49
1:AAA:219:LYS:NZ	8:AAA:612:HOH:O	2.42	0.49
1:BBB:304[A]:LYS:NZ	8:BBB:622:HOH:O	2.46	0.49
1:DDD:340:ARG:NH2	8:DDD:623:HOH:O	2.44	0.48
1:AAA:158:ILE:N	1:BBB:125[B]:ASP:OD1	2.47	0.48
1:BBB:61:CYS:O	1:BBB:292:SER:HA	2.14	0.48
1:BBB:142[B]:GLU:H	1:BBB:142[B]:GLU:CD	2.17	0.48
1:AAA:319:GLY:HA3	1:BBB:21:PRO:HB3	1.96	0.48
1:CCC:296:PRO:HA	1:DDD:322:TYR:CD2	2.49	0.48
1:DDD:61:CYS:O	1:DDD:292:SER:HA	2.14	0.48
1:DDD:206[A]:ARG:NE	8:DDD:619:HOH:O	2.43	0.48
1:BBB:175:LEU:HB3	1:BBB:176:PRO:HA	1.96	0.48
1:AAA:158:ILE:HG13	1:BBB:125[B]:ASP:OD1	2.13	0.47
1:AAA:69:LYS:NZ	8:AAA:616:HOH:O	2.47	0.47
1:CCC:61:CYS:O	1:CCC:292:SER:HA	2.14	0.47
1:DDD:308:GLU:HG3	8:DDD:666:HOH:O	2.14	0.47
1:AAA:61:CYS:O	1:AAA:292:SER:HA	2.15	0.47
1:AAA:175:LEU:HB3	1:AAA:176:PRO:HA	1.97	0.47
1:CCC:175:LEU:HB3	1:CCC:176:PRO:HA	1.97	0.47
1:CCC:144:LYS:HG3	1:DDD:174:ASP:OD2	2.15	0.46
1:BBB:234:VAL:HG12	1:BBB:234:VAL:O	2.15	0.46
1:BBB:317:ASN:ND2	8:BBB:624:HOH:O	2.46	0.46
1:DDD:234:VAL:O	1:DDD:234:VAL:HG12	2.15	0.46
1:BBB:444[B]:ARG:NH1	8:BBB:617:HOH:O	2.40	0.46
1:DDD:244:GLU:HG2	8:DDD:619:HOH:O	2.16	0.46
1:CCC:187:TRP:CZ3	1:CCC:190[B]:LYS:HD2	2.51	0.46
1:DDD:118:ASN:HD21	1:DDD:322:TYR:HB2	1.81	0.46
1:BBB:142[B]:GLU:HG2	1:BBB:218:ASP:O	2.16	0.45
1:DDD:276:HIS:CE1	1:DDD:376[B]:VAL:HG21	2.51	0.45



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:AAA:38[B]:ARG:NE	1:BBB:81[B]:GLU:OE2	2.50	0.45
1:AAA:288[B]:LYS:HZ2	2:AAA:501:AN7:CAT	2.30	0.45
1:BBB:167[B]:LYS:NZ	8:BBB:632:HOH:O	2.49	0.45
1:CCC:158:ILE:N	1:DDD:125[B]:ASP:OD1	2.48	0.45
1:CCC:365[B]:SER:OG	8:CCC:602:HOH:O	2.07	0.45
1:DDD:451[A]:GLN:HA	1:DDD:451[A]:GLN:OE1	2.16	0.45
1:CCC:319:GLY:HA3	1:DDD:21:PRO:HB3	1.99	0.45
1:AAA:153:TYR:CE2	2:AAA:501:AN7:CAI	3.00	0.44
1:AAA:288[B]:LYS:NZ	2:AAA:501:AN7:CAT	2.80	0.44
1:BBB:304[A]:LYS:CE	8:BBB:602:HOH:O	2.01	0.44
1:AAA:288[B]:LYS:HZ1	2:AAA:501:AN7:CAI	2.31	0.44
1:CCC:71:PHE:CZ	1:CCC:335:ASN:HA	2.52	0.44
1:AAA:234:VAL:HG12	1:AAA:234:VAL:O	2.18	0.44
1:CCC:123[B]:SER:OG	1:CCC:285:THR:HB	2.18	0.43
1:CCC:234:VAL:O	1:CCC:234:VAL:HG12	2.18	0.43
1:CCC:21:PRO:HB3	1:DDD:319:GLY:HA3	1.98	0.43
1:DDD:114[B]:VAL:HG23	1:DDD:299:ALA:HB1	1.99	0.43
1:AAA:446[B]:LEU:HD23	1:AAA:446[B]:LEU:HA	1.89	0.43
1:DDD:71:PHE:CZ	1:DDD:335:ASN:HA	2.53	0.43
1:CCC:283[B]:LEU:HD21	1:CCC:306:VAL:HG11	1.99	0.43
1:BBB:304[A]:LYS:HG2	8:BBB:602:HOH:O	2.18	0.43
1:DDD:170:HIS:HA	1:DDD:175:LEU:HB2	2.01	0.42
1:CCC:114[B]:VAL:HG23	1:CCC:299:ALA:HB1	2.01	0.42
1:BBB:261:VAL:HG12	1:BBB:288[B]:LYS:NZ	2.34	0.42
1:BBB:288[B]:LYS:NZ	5:BBB:503[B]:PLP:C3	2.82	0.42
1:DDD:167[B]:LYS:HE2	1:DDD:171[B]:GLU:OE2	2.18	0.42
1:AAA:71:PHE:CZ	1:AAA:335:ASN:HA	2.54	0.42
1:BBB:304[A]:LYS:CG	8:BBB:602:HOH:O	2.68	0.42
1:BBB:81[A]:GLU:OE2	8:BBB:606:HOH:O	2.21	0.42
1:BBB:170:HIS:HA	1:BBB:175:LEU:HB2	2.02	0.42
1:BBB:71:PHE:CZ	1:BBB:335:ASN:HA	2.55	0.41
1:AAA:21:PRO:HB3	1:BBB:319:GLY:HA3	2.01	0.41
1:CCC:153:TYR:CE2	2:CCC:501:AN7:CAI	3.04	0.41
1:CCC:170:HIS:HA	1:CCC:175:LEU:HB2	2.03	0.41
1:DDD:458:LEU:O	1:DDD:459:ALA:HB2	2.20	0.41
1:AAA:364:PHE:CD1	1:AAA:446[B]:LEU:HD12	2.56	0.41
1:CCC:376[B]:VAL:CG2	8:CCC:778:HOH:O	2.63	0.41
1:DDD:394:PHE:HZ	1:DDD:453:LEU:HD21	1.85	0.41
1:BBB:416:ARG:NH2	8:BBB:648:HOH:O	2.54	0.41
1:DDD:153:TYR:CD2	2:DDD:501:AN7:HAI	2.56	0.41
1:DDD:210[B]:GLU:HG2	1:DDD:210[B]:GLU:H	1.74	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:CCC:394:PHE:HZ	1:CCC:453:LEU:HD21	1.86	0.40
1:DDD:309:GLY:HA2	8:DDD:830:HOH:O	2.20	0.40
1:AAA:134:TYR:O	1:AAA:138:GLN:HG2	2.21	0.40
1:BBB:206[B]:ARG:NH1	8:BBB:650:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	AAA	480/493~(97%)	461 (96%)	18 (4%)	1 (0%)	47	26
1	BBB	488/493~(99%)	471 (96%)	16 (3%)	1 (0%)	47	26
1	CCC	482/493~(98%)	465 (96%)	16 (3%)	1 (0%)	47	26
1	DDD	476/493~(97%)	460 (97%)	15 (3%)	1 (0%)	47	26
All	All	1926/1972~(98%)	1857 (96%)	65 (3%)	4 (0%)	47	26

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	BBB	287	ALA
1	DDD	287	ALA
1	AAA	287	ALA
1	CCC	287	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	hain Analysed Rotameric Outliers		Percentiles			
1	AAA	391/394~(99%)	391~(100%)	0		100	100
1	BBB	399/394~(101%)	395~(99%)	4 (1%)		76	61
1	CCC	393/394~(100%)	391~(100%)	2~(0%)		88	80
1	DDD	387/394~(98%)	385~(100%)	2 (0%)		88	80
All	All	1570/1576~(100%)	1562 (100%)	8 (0%)		91	80

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

All (8) residues with a non-rotameric sidechain are listed below:

\mathbf{Mol}	Chain	Res	Type
1	BBB	142[A]	GLU
1	BBB	142[B]	GLU
1	BBB	244	GLU
1	BBB	451	GLN
1	CCC	409[A]	PHE
1	CCC	409[B]	PHE
1	DDD	142	GLU
1	DDD	308	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 90 ligands modelled in this entry, 77 are monoatomic - leaving 13 for Mogul analysis.



7Q9X

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	Bond lengths		В	ond ang	les
INIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
2	AN7	CCC	501	4	21,21,21	2.20	2 (9%)	$28,\!30,\!30$	1.17	2 (7%)
3	EDO	CCC	503	-	3,3,3	0.07	0	2,2,2	0.40	0
7	PEG	CCC	502	-	$6,\!6,\!6$	0.21	0	$5,\!5,\!5$	0.21	0
3	EDO	DDD	502	-	3,3,3	0.10	0	2,2,2	0.18	0
6	PO4	DDD	503	-	$4,\!4,\!4$	0.74	0	$6,\!6,\!6$	0.43	0
2	AN7	DDD	501	4	21,21,21	2.62	2 (9%)	28,30,30	1.07	1 (3%)
3	EDO	AAA	502	-	3,3,3	0.17	0	2,2,2	0.28	0
6	PO4	BBB	504	-	4,4,4	0.73	0	$6,\!6,\!6$	0.47	0
3	EDO	BBB	502	-	3,3,3	0.08	0	2,2,2	0.41	0
5	PLP	BBB	503[B]	-	$15,\!15,\!16$	0.64	0	20,22,23	1.57	4 (20%)
3	EDO	AAA	503	-	3,3,3	0.07	0	2,2,2	0.21	0
2	AN7	AAA	501	4	21,21,21	2.62	1 (4%)	28,30,30	1.09	2 (7%)
2	AN7	BBB	501[A]	4	21,21,21	2.63	2 (9%)	28,30,30	0.90	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AN7	CCC	501	4	-	1/15/15/15	0/1/1/1
3	EDO	CCC	503	-	-	1/1/1/1	-
7	PEG	CCC	502	-	-	2/4/4/4	-
3	EDO	DDD	502	-	-	0/1/1/1	-
2	AN7	DDD	501	4	-	6/15/15/15	0/1/1/1
3	EDO	AAA	502	-	-	1/1/1/1	-
3	EDO	BBB	502	-	-	1/1/1/1	-
5	PLP	BBB	503[B]	-	-	0/6/6/8	0/1/1/1
3	EDO	AAA	503	-	-	1/1/1/1	-
2	AN7	AAA	501	4	-	5/15/15/15	0/1/1/1
2	AN7	BBB	501[A]	4	-	6/15/15/15	0/1/1/1

All (7) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
2	AAA	501	AN7	CAO-CAP	-11.55	1.39	1.54
2	DDD	501	AN7	CAO-CAP	-11.53	1.40	1.54
2	BBB	501[A]	AN7	CAO-CAP	-11.38	1.40	1.54
2	CCC	501	AN7	CAO-CAP	-9.25	1.42	1.54
2	BBB	501[A]	AN7	OAE-CAO	-3.31	1.20	1.30
2	CCC	501	AN7	OAE-CAO	-2.63	1.22	1.30
2	DDD	501	AN7	OAE-CAO	-2.12	1.24	1.30

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
5	BBB	503[B]	PLP	C4A-C4-C5	4.19	125.25	120.94
2	CCC	501	AN7	CAJ-CAI-CAP	3.87	127.19	121.48
2	DDD	501	AN7	CAJ-CAI-CAP	3.51	126.66	121.48
5	BBB	503[B]	PLP	C3-C4-C5	-3.31	115.16	118.74
2	AAA	501	AN7	CAJ-CAI-CAP	2.89	125.74	121.48
5	BBB	503[B]	PLP	C6-C5-C4	2.73	120.30	118.16
2	CCC	501	AN7	OAC-CAP-CAO	2.71	124.07	117.69
5	BBB	503[B]	PLP	O3P-P-O2P	2.29	116.41	107.64
2	BBB	501[A]	AN7	CAJ-CAI-CAP	2.28	124.84	121.48
2	AAA	501	AN7	OAE-CAO-CAP	2.28	119.33	113.19

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
2	AAA	501	AN7	CAJ-CAI-CAP-CAO
2	AAA	501	AN7	OAB-CAO-CAP-CAI
2	AAA	501	AN7	OAE-CAO-CAP-CAI
2	BBB	501[A]	AN7	CAJ-CAI-CAP-CAO
2	BBB	501[A]	AN7	OAB-CAO-CAP-CAI
2	BBB	501[A]	AN7	OAE-CAO-CAP-OAC
2	BBB	501[A]	AN7	OAE-CAO-CAP-CAI
2	DDD	501	AN7	CAJ-CAI-CAP-CAO
2	DDD	501	AN7	OAB-CAO-CAP-CAI
2	DDD	501	AN7	OAE-CAO-CAP-OAC
2	DDD	501	AN7	OAE-CAO-CAP-CAI
7	CCC	502	PEG	O2-C3-C4-O4
2	CCC	501	AN7	CAI-CAJ-CAT-CAR
2	AAA	501	AN7	CAJ-CAI-CAP-OAC
2	DDD	501	AN7	CAJ-CAI-CAP-OAC
3	CCC	503	EDO	O1-C1-C2-O2

All (24) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	AAA	503	EDO	O1-C1-C2-O2
2	BBB	501[A]	AN7	CAJ-CAI-CAP-OAC
2	AAA	501	AN7	CAI-CAJ-CAT-CAR
2	BBB	501[A]	AN7	CAI-CAJ-CAT-CAR
2	DDD	501	AN7	CAI-CAJ-CAT-CAR
3	BBB	502	EDO	O1-C1-C2-O2
7	CCC	502	PEG	C4-C3-O2-C2
3	AAA	502	EDO	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	CCC	501	AN7	4	0
2	DDD	501	AN7	4	0
5	BBB	503[B]	PLP	6	0
2	AAA	501	AN7	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2		$\mathbf{OWAB}(\mathbf{A}^2)$	Q<0.9
1	AAA	455/493~(92%)	-0.28	4 (0%) 84 8	34	5, 12, 23, 58	0
1	BBB	455/493~(92%)	-0.24	7 (1%) 73 7	73	4, 12, 24, 40	0
1	CCC	455/493~(92%)	-0.17	11 (2%) 59	56	5, 14, 34, 77	0
1	DDD	455/493~(92%)	-0.08	10 (2%) 62	60	5, 16, 45, 111	0
All	All	1820/1972 (92%)	-0.19	32 (1%) 68	67	4, 13, 32, 111	0

All (32) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	DDD	459	ALA	4.9
1	DDD	28	LEU	4.8
1	DDD	5	ARG	4.3
1	BBB	6	THR	3.8
1	DDD	409[A]	PHE	3.7
1	BBB	409[A]	PHE	3.7
1	CCC	455	ALA	3.7
1	DDD	10[A]	TRP	3.7
1	CCC	454	LYS	3.5
1	BBB	459	ALA	3.4
1	DDD	22	PHE	3.4
1	CCC	453	LEU	3.3
1	BBB	10[A]	TRP	3.2
1	DDD	6	THR	3.2
1	CCC	31	ALA	3.1
1	AAA	409[A]	PHE	3.0
1	CCC	409[A]	PHE	3.0
1	AAA	455	ALA	2.9
1	BBB	31	ALA	2.8
1	AAA	31	ALA	2.6
1	CCC	458	LEU	2.5



Mol	Chain	Res	Type	RSRZ
1	AAA	454	LYS	2.4
1	DDD	33	ALA	2.4
1	CCC	452	THR	2.4
1	BBB	9	GLN	2.3
1	DDD	9	GLN	2.3
1	CCC	85	TYR	2.2
1	BBB	32	GLY	2.1
1	CCC	403	LEU	2.1
1	DDD	29	ASN	2.1
1	CCC	89	PHE	2.1
1	CCC	451	GLN	2.1

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	\mathbf{B} -factors(Å ²)	Q<0.9
4	NA	DDD	505	1/1	0.19	0.81	60,60,60,60	0
4	NA	DDD	510	1/1	0.21	0.35	51,51,51,51	0
4	NA	BBB	527	1/1	0.38	0.35	54,54,54,54	0
4	NA	DDD	514	1/1	0.48	0.57	70,70,70,70	0
4	NA	BBB	525	1/1	0.51	0.14	55,55,55,55	0
4	NA	BBB	530	1/1	0.52	0.30	47,47,47,47	0
4	NA	DDD	516	1/1	0.58	0.21	49,49,49,49	0
4	NA	CCC	519	1/1	0.62	0.15	26,26,26,26	1
4	NA	BBB	529	1/1	0.66	0.35	48,48,48,48	0
4	NA	CCC	516	1/1	0.67	0.26	42,42,42,42	0
4	NA	CCC	509	1/1	0.67	0.31	44,44,44,44	0
4	NA	DDD	517	1/1	0.68	0.22	39,39,39,39	0



7	O	9	Х	
•	ષ્ટ	\cdot	<u> </u>	

Conti	nued from	m previou	s page					
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q < 0.9
4	NA	BBB	509	1/1	0.69	0.16	41,41,41,41	0
4	NA	DDD	512	1/1	0.70	0.17	46, 46, 46, 46	0
4	NA	BBB	514	1/1	0.71	0.22	36, 36, 36, 36	0
4	NA	BBB	524	1/1	0.72	0.24	33,33,33,33	0
3	EDO	BBB	502	4/4	0.72	0.29	41,41,42,44	0
4	NA	BBB	519	1/1	0.73	0.17	47,47,47,47	0
3	EDO	AAA	502	4/4	0.75	0.32	34,35,35,36	0
4	NA	CCC	504	1/1	0.76	0.17	42,42,42,42	0
4	NA	BBB	508	1/1	0.77	0.30	39,39,39,39	0
4	NA	BBB	522	1/1	0.78	0.12	37,37,37,37	0
4	NA	DDD	513	1/1	0.79	0.13	41,41,41,41	0
4	NA	CCC	511	1/1	0.79	0.21	43,43,43,43	0
3	EDO	AAA	503	4/4	0.80	0.41	34,35,36,36	0
4	NA	AAA	516	1/1	0.80	0.40	48,48,48,48	0
4	NA	BBB	528	1/1	0.81	0.25	47,47,47,47	0
4	NA	CCC	510	1/1	0.82	0.23	39,39,39,39	0
4	NA	DDD	508	1/1	0.82	0.65	57,57,57,57	0
7	PEG	CCC	502	7/7	0.82	0.23	27,33,37,37	0
4	NA	DDD	520	1/1	0.83	0.17	62,62,62,62	0
4	NA	BBB	505	1/1	0.84	0.08	47,47,47,47	0
4	NA	AAA	508	1/1	0.84	0.12	39,39,39,39	0
4	NA	CCC	520	1/1	0.84	0.31	44,44,44,44	0
4	NA	DDD	515	1/1	0.84	0.17	49,49,49,49	0
4	NA	BBB	526	1/1	0.85	0.13	37,37,37,37	0
4	NA	AAA	512	1/1	0.85	0.21	42,42,42,42	0
4	NA	DDD	509	1/1	0.85	0.09	37,37,37,37	0
4	NA	DDD	523	1/1	0.85	0.14	41,41,41,41	0
4	NA	CCC	506	1/1	0.85	0.38	45,45,45,45	0
4	NA	BBB	515	1/1	0.87	0.21	39,39,39,39	0
4	NA	DDD	504	1/1	0.88	0.11	25,25,25,25	0
3	EDO	DDD	502	4/4	0.88	0.24	32,32,32,33	0
4	NA	DDD	518	1/1	0.88	0.14	31,31,31,31	0
4	NA	DDD	506	1/1	0.88	0.38	36,36,36,36	0
4	NA	DDD	522	1/1	0.88	0.12	32,32,32,32	0
4	NA	BBB	513	1/1	0.88	0.20	40,40,40,40	0
4	NA	DDD	524	1/1	0.88	0.15	39,39,39,39	0
4	NA	BBB	523	1/1	0.88	0.16	44,44,44,44	0
4	NA	BBB	517	1/1	0.89	0.16	42,42,42,42	0
4	NA	DDD	521	1/1	0.90	0.27	47,47,47,47	0
4	NA	AAA	513	1/1	0.90	0.15	43,43,43,43	0
4	NA	AAA	514	1/1	0.90	0.28	47,47,47,47	0
3	EDO	CCC	503	4/4	0.90	0.18	27,28,28,29	0

 α 1 L.



7	\cap	Q	X	
1	ખ્ય	J	7	

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
4	NA	BBB	510	1/1	0.90	0.28	37,37,37,37	0
4	NA	BBB	506	1/1	0.91	0.32	30,30,30,30	0
4	NA	BBB	521	1/1	0.91	0.10	37,37,37,37	0
4	NA	AAA	505	1/1	0.92	0.26	31,31,31,31	0
4	NA	AAA	509	1/1	0.92	0.21	46,46,46,46	0
4	NA	CCC	507	1/1	0.92	0.28	27,27,27,27	0
4	NA	DDD	519	1/1	0.92	0.07	24,24,24,24	0
4	NA	CCC	508	1/1	0.92	0.09	35,35,35,35	0
4	NA	BBB	511	1/1	0.93	0.20	36,36,36,36	0
4	NA	BBB	516	1/1	0.93	0.36	41,41,41,41	0
4	NA	AAA	511	1/1	0.93	0.10	43,43,43,43	0
4	NA	AAA	515	1/1	0.93	0.13	41,41,41,41	0
4	NA	BBB	520	1/1	0.93	0.17	37,37,37,37	0
4	NA	BBB	507	1/1	0.94	0.07	37,37,37,37	0
4	NA	CCC	515	1/1	0.94	0.19	37,37,37,37	0
4	NA	BBB	518	1/1	0.94	0.12	36,36,36,36	0
4	NA	BBB	512	1/1	0.94	0.07	33,33,33,33	0
2	AN7	DDD	501	21/21	0.94	0.13	14,20,35,35	0
4	NA	CCC	513	1/1	0.95	0.18	35,35,35,35	0
4	NA	CCC	514	1/1	0.95	0.12	42,42,42,42	0
2	AN7	CCC	501	21/21	0.95	0.11	12,18,33,36	0
4	NA	DDD	507	1/1	0.95	0.19	31,31,31,31	0
2	AN7	AAA	501	21/21	0.95	0.12	9,14,26,28	0
4	NA	AAA	507	1/1	0.95	0.20	39,39,39,39	0
2	AN7	BBB	501[A]	21/21	0.95	0.10	8,13,16,17	21
4	NA	AAA	504	1/1	0.96	0.14	33,33,33,33	0
4	NA	AAA	510	1/1	0.96	0.12	38,38,38,38	0
4	NA	CCC	512	1/1	0.96	0.05	40,40,40,40	0
4	NA	DDD	511	1/1	0.96	0.19	39,39,39,39	0
4	NA	CCC	517	1/1	0.96	0.14	33,33,33,33	0
5	PLP	BBB	503[B]	15/16	0.96	0.09	4,8,9,11	15
4	NA	AAA	506	1/1	0.96	0.30	32,32,32,32	0
6	PO4	BBB	504	5/5	0.97	0.10	26,26,30,30	0
4	NA	CCC	518	1/1	0.97	0.07	24,24,24,24	0
6	PO4	DDD	503	5/5	0.98	0.13	32,37,38,38	0
4	NA	CCC	505	1/1	0.98	0.23	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





















6.5 Other polymers (i)

There are no such residues in this entry.

