



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 01:39 pm BST

PDB ID : 6QER
Title : Apo Form Of ComR From *S. Thermophilus* in space group C2
Authors : Thuillier, J.; Nessler, S.
Deposited on : 2019-01-08
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">79% 17% •</p>
1	B	310	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">6% 76% 20% ••</p>
1	C	310	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">% 83% 16% •</p>
1	D	310	<div style="display: flex; align-items: center;"> <div style="width: 30%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">30% 71% 23% • 5%</p>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcriptional regulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	300	2492	1609	406	471	6	0	0	0
1	B	300	2492	1609	406	471	6	0	0	0
1	C	305	2531	1634	414	477	6	0	0	0
1	D	294	2450	1585	399	461	5	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	32	Total	O	0	0
			32	32		
2	B	20	Total	O	0	0
			20	20		
2	C	32	Total	O	0	0
			32	32		
2	D	5	Total	O	0	0
			5	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transcriptional regulator




- Molecule 1: Transcriptional regulator



- Molecule 1: Transcriptional regulator



- Molecule 1: Transcriptional regulator



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	271.79Å 73.72Å 78.31Å 90.00° 104.97° 90.00°	Depositor
Resolution (Å)	44.24 – 2.46 44.24 – 2.46	Depositor EDS
% Data completeness (in resolution range)	99.3 (44.24-2.46) 99.5 (44.24-2.46)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.231 , 0.264 0.234 , 0.264	Depositor DCC
R_{free} test set	2703 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	47.6	Xtrriage
Anisotropy	0.474	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.014 for -h-2*1,-k,l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10054	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/2535	0.67	1/3411 (0.0%)
1	B	0.55	0/2535	0.61	0/3411
1	C	0.71	0/2577	0.65	0/3469
1	D	0.39	0/2492	0.56	1/3352 (0.0%)
All	All	0.59	0/10139	0.62	2/13643 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	281	LEU	CA-CB-CG	6.08	129.28	115.30
1	D	260	HIS	N-CA-C	-6.00	94.81	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2492	0	2545	33	0
1	B	2492	0	2545	42	0
1	C	2531	0	2575	27	0
1	D	2450	0	2503	46	0
2	A	32	0	0	2	0
2	B	20	0	0	1	0
2	C	32	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	5	0	0	0	0
All	All	10054	0	10168	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:257:GLU:HG2	1:B:266:GLU:HB2	1.51	0.90
1:D:79:TYR:O	1:D:83:ASN:ND2	2.17	0.78
1:A:272:ASP:OD1	1:A:294:LYS:NZ	2.16	0.78
1:B:108:TYR:CE1	1:B:123:LEU:HB3	2.18	0.78
1:B:178:GLN:N	1:B:178:GLN:OE1	2.22	0.71
1:B:12:LYS:NZ	1:B:16:GLU:OE2	2.25	0.70
1:B:281:LEU:HD22	1:B:283:ASP:HB2	1.74	0.69
1:B:295:LEU:HD23	1:B:300:GLY:HA2	1.76	0.68
1:A:98:LYS:O	2:A:401:HOH:O	2.12	0.66
1:D:278:ALA:HB2	1:D:290:ILE:HD12	1.77	0.66
1:D:276:VAL:O	1:D:279:SER:OG	2.09	0.66
1:A:87:LYS:NZ	2:A:404:HOH:O	2.30	0.65
1:C:287:GLU:OE2	1:C:304:SER:HB3	1.98	0.63
1:B:122:THR:HG23	1:B:164:LEU:HD13	1.80	0.63
1:B:10:ARG:NH1	1:B:70:ASP:OD2	2.24	0.62
1:C:10:ARG:HD2	1:C:66:LEU:O	2.01	0.61
1:B:82:LYS:HA	1:B:85:LEU:HD12	1.83	0.60
1:C:85:LEU:O	1:C:100:LYS:HE3	2.02	0.60
1:A:109:GLU:OE2	1:B:189:LYS:NZ	2.32	0.58
1:C:178:GLN:OE1	1:C:178:GLN:N	2.30	0.58
1:A:3:LEU:HD11	1:A:70:ASP:HB3	1.85	0.57
1:C:276:VAL:O	1:C:280:VAL:HG23	2.05	0.56
1:B:10:ARG:NH2	1:B:66:LEU:O	2.30	0.56
1:D:90:THR:HG22	1:D:92:ARG:H	1.71	0.56
1:D:15:ARG:NE	1:D:41:GLU:OE2	2.32	0.55
1:B:294:LYS:HG2	1:B:299:LEU:HB2	1.89	0.55
1:B:10:ARG:HD2	1:B:66:LEU:O	2.06	0.54
1:C:3:LEU:HD11	1:C:70:ASP:HB3	1.89	0.54
1:D:204:ILE:HD12	1:D:245:TYR:CZ	2.43	0.54
1:C:25:LEU:HD22	1:C:37:LEU:HD22	1.90	0.53
1:D:86:ILE:HG21	1:D:201:VAL:HG13	1.89	0.53
1:A:184:PHE:CE2	1:A:188:ILE:HD11	2.43	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:176:ARG:HH11	1:D:62:SER:HB3	1.72	0.53
1:A:276:VAL:O	1:A:280:VAL:HG12	2.09	0.53
1:D:82:LYS:HA	1:D:85:LEU:HD12	1.91	0.52
1:B:85:LEU:O	1:B:100:LYS:HE3	2.09	0.52
1:A:87:LYS:HG2	1:A:204:ILE:HD12	1.90	0.52
1:B:87:LYS:HG2	1:B:204:ILE:HD12	1.91	0.52
1:B:93:ASN:ND2	1:B:285:VAL:HG11	2.24	0.52
1:D:94:PRO:HA	1:D:97:ILE:HD12	1.90	0.52
1:C:93:ASN:HD22	1:C:285:VAL:HG13	1.75	0.51
1:B:85:LEU:HD22	1:B:104:ILE:HG13	1.92	0.51
1:B:108:TYR:CZ	1:B:123:LEU:HB3	2.44	0.51
1:D:39:ARG:NH2	1:D:117:GLU:OE1	2.39	0.51
1:D:192:LEU:O	1:D:232:LYS:HE3	2.11	0.51
1:A:92:ARG:HE	1:A:283:ASP:CG	2.15	0.51
1:D:82:LYS:NZ	1:D:119:GLU:OE2	2.34	0.50
1:C:71:ASN:HD21	1:C:73:THR:HB	1.76	0.50
1:B:147:ASP:OD2	2:B:401:HOH:O	2.19	0.50
1:D:159:SER:OG	1:D:160:THR:N	2.45	0.50
1:D:200:ASP:O	1:D:204:ILE:HG12	2.12	0.50
1:C:135:TRP:CZ3	1:C:136:GLU:HG2	2.47	0.49
1:D:231:ASP:OD1	1:D:232:LYS:N	2.44	0.49
1:B:101:LEU:HD11	1:B:130:LEU:HB3	1.93	0.49
1:A:179:TYR:CE2	1:A:181:LYS:HG2	2.47	0.49
1:B:286:LEU:O	1:B:290:ILE:HG13	2.11	0.49
1:B:104:ILE:HG23	1:B:108:TYR:CZ	2.48	0.48
1:D:276:VAL:O	1:D:280:VAL:HG23	2.13	0.48
1:C:29:GLY:HA2	1:C:32:LEU:O	2.13	0.48
1:A:295:LEU:HD23	1:A:300:GLY:HA3	1.95	0.48
1:B:175:GLY:HA2	1:B:219:PHE:CZ	2.48	0.48
1:D:35:ARG:NH1	1:D:143:GLU:HG3	2.29	0.48
1:C:275:ILE:HD13	1:C:302:GLY:HA3	1.96	0.48
1:D:237:ILE:O	1:D:241:GLN:N	2.47	0.48
1:D:93:ASN:O	1:D:97:ILE:HG13	2.13	0.47
1:C:242:LEU:HB3	1:C:245:TYR:CD1	2.49	0.47
1:D:142:GLU:OE2	1:D:172:HIS:NE2	2.44	0.47
1:A:14:GLU:OE1	1:A:61:LYS:NZ	2.46	0.47
1:B:108:TYR:HE1	1:B:123:LEU:HB3	1.71	0.47
1:D:140:LYS:H	1:D:140:LYS:HG2	1.41	0.47
1:B:169:TYR:O	1:B:172:HIS:HB2	2.13	0.47
1:B:31:GLU:O	1:B:51:ARG:NH1	2.46	0.47
1:D:265:LYS:HB2	1:D:265:LYS:HE3	1.66	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:PHE:CZ	1:A:188:ILE:HD11	2.50	0.46
1:D:197:TRP:CG	1:D:198:THR:N	2.83	0.46
1:C:182:LYS:O	1:C:186:ARG:HG3	2.16	0.46
1:D:169:TYR:O	1:D:172:HIS:HB2	2.16	0.46
1:D:231:ASP:HA	1:D:234:LEU:HG	1.97	0.46
1:D:104:ILE:O	1:D:107:VAL:HG12	2.15	0.46
1:B:176:ARG:NH1	1:D:62:SER:HB3	2.31	0.46
1:D:177:LYS:O	1:D:177:LYS:HD3	2.15	0.45
1:B:281:LEU:CD2	1:B:283:ASP:HB2	2.45	0.45
1:C:14:GLU:O	1:C:18:GLN:HG3	2.17	0.45
1:C:138:SER:HB3	1:C:141:VAL:HB	1.99	0.45
1:C:184:PHE:CE2	1:C:188:ILE:HD11	2.52	0.45
1:A:92:ARG:NE	1:A:283:ASP:OD1	2.49	0.45
1:C:4:LYS:HE2	1:C:46:LEU:HB2	1.99	0.45
1:B:14:GLU:O	1:B:18:GLN:HG3	2.17	0.44
1:D:100:LYS:O	1:D:104:ILE:HG13	2.17	0.44
1:D:119:GLU:O	1:D:122:THR:OG1	2.30	0.44
1:D:258:LEU:C	1:D:260:HIS:H	2.20	0.44
1:A:97:ILE:HD11	1:C:264:LYS:HG3	1.98	0.44
1:A:4:LYS:HG2	1:A:46:LEU:HB2	2.00	0.44
1:C:32:LEU:HD13	1:C:51:ARG:HD2	1.98	0.44
1:D:68:ASP:OD1	1:D:69:GLN:HG2	2.17	0.44
1:B:200:ASP:OD1	1:B:240:SER:OG	2.36	0.44
1:D:12:LYS:HE2	1:D:16:GLU:OE2	2.18	0.44
1:D:17:ARG:HG2	1:D:18:GLN:H	1.82	0.44
1:A:88:PHE:HA	1:A:89:PRO:HD3	1.68	0.43
1:A:197:TRP:CG	1:A:198:THR:N	2.87	0.43
1:D:108:TYR:O	1:D:112:PHE:HB2	2.18	0.43
1:A:101:LEU:O	1:A:105:GLU:HG3	2.18	0.43
1:A:135:TRP:HA	1:A:137:GLU:OE1	2.19	0.43
1:D:190:ARG:O	1:D:194:GLN:NE2	2.38	0.43
1:B:246:LYS:HD3	1:B:277:PHE:CZ	2.53	0.43
1:B:277:PHE:O	1:B:280:VAL:HG12	2.18	0.43
1:D:256:TYR:O	1:D:260:HIS:HB2	2.18	0.42
1:A:135:TRP:HD1	1:A:137:GLU:OE1	2.02	0.42
1:B:46:LEU:HD12	1:B:47:PRO:HD2	2.00	0.42
1:C:30:ALA:HB2	1:C:154:ARG:HH21	1.85	0.42
1:B:35:ARG:NH1	1:B:143:GLU:HG3	2.33	0.42
1:A:138:SER:HB3	1:A:141:VAL:HG23	2.01	0.42
1:A:182:LYS:O	1:A:186:ARG:HG3	2.19	0.42
1:C:92:ARG:HA	1:C:92:ARG:HD3	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:67:LEU:HD23	1:C:67:LEU:HA	1.76	0.42
1:D:240:SER:HB3	1:D:242:LEU:HG	2.01	0.42
1:B:101:LEU:O	1:B:104:ILE:HB	2.20	0.42
1:B:95:ASP:HA	1:B:98:LYS:HE3	2.02	0.42
1:C:196:ILE:HG22	1:C:239:LYS:HG2	2.01	0.42
1:A:35:ARG:NH1	1:A:143:GLU:HG3	2.35	0.41
1:A:287:GLU:HG2	1:A:291:LYS:HE2	2.02	0.41
1:D:185:GLU:O	1:D:188:ILE:HG13	2.20	0.41
1:D:225:ASP:HB3	1:D:228:THR:OG1	2.21	0.41
1:D:159:SER:H	1:D:162:ASP:HB2	1.85	0.41
1:A:67:LEU:HA	1:A:67:LEU:HD23	1.72	0.41
1:D:127:GLU:O	1:D:131:SER:HB3	2.21	0.41
1:A:122:THR:HG23	1:A:164:LEU:HD13	2.03	0.41
1:B:75:PRO:HG2	1:B:111:PHE:HE1	1.84	0.41
1:A:183:LEU:O	1:A:187:ILE:HG12	2.20	0.41
1:C:88:PHE:HA	1:C:89:PRO:HD3	1.79	0.41
1:A:103:LEU:O	1:A:107:VAL:HG23	2.21	0.41
1:A:275:ILE:HD13	1:A:291:LYS:HG2	2.03	0.41
1:C:77:GLU:OE2	1:C:110:LYS:NZ	2.43	0.41
1:D:138:SER:HB3	1:D:141:VAL:HB	2.02	0.41
1:D:143:GLU:O	1:D:146:GLU:HB3	2.20	0.41
1:A:10:ARG:HD2	1:A:66:LEU:O	2.21	0.40
1:A:74:ILE:HA	1:A:75:PRO:HD3	1.81	0.40
1:B:207:PHE:CE2	1:B:245:TYR:HD2	2.39	0.40
1:C:295:LEU:HA	1:C:295:LEU:HD23	1.80	0.40
1:A:255:LYS:HE3	1:A:297:ASP:OD2	2.21	0.40
1:B:257:GLU:OE2	1:B:261:LYS:HG3	2.21	0.40
1:D:204:ILE:HD11	1:D:242:LEU:HD22	2.04	0.40
1:B:288:GLU:HA	1:B:291:LYS:HE3	2.03	0.40
1:B:91:TYR:OH	1:B:244:SER:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	298/310 (96%)	289 (97%)	9 (3%)	0	100	100
1	B	298/310 (96%)	289 (97%)	8 (3%)	1 (0%)	41	49
1	C	303/310 (98%)	295 (97%)	8 (3%)	0	100	100
1	D	290/310 (94%)	282 (97%)	7 (2%)	1 (0%)	41	49
All	All	1189/1240 (96%)	1155 (97%)	32 (3%)	2 (0%)	47	57

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	132	PHE
1	B	262	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/286 (97%)	277 (100%)	1 (0%)	91	94
1	B	278/286 (97%)	274 (99%)	4 (1%)	67	77
1	C	281/286 (98%)	280 (100%)	1 (0%)	91	94
1	D	273/286 (96%)	271 (99%)	2 (1%)	84	90
All	All	1110/1144 (97%)	1102 (99%)	8 (1%)	84	90

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	137	GLU
1	B	95	ASP
1	B	102	THR
1	B	133	THR
1	B	277	PHE
1	C	305	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	64	THR
1	D	119	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	300/310 (96%)	0.16	6 (2%) 65 62	22, 34, 60, 88	0
1	B	300/310 (96%)	0.59	19 (6%) 20 16	25, 54, 117, 171	0
1	C	305/310 (98%)	0.09	4 (1%) 77 76	21, 32, 51, 68	0
1	D	294/310 (94%)	1.58	93 (31%) 0 0	37, 115, 178, 184	0
All	All	1199/1240 (96%)	0.60	122 (10%) 6 4	21, 44, 154, 184	0

All (122) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	108	TYR	9.4
1	D	258	LEU	8.4
1	D	111	PHE	6.2
1	D	278	ALA	5.9
1	D	223	PHE	5.8
1	D	130	LEU	5.1
1	D	265	LYS	5.0
1	D	72	ILE	4.8
1	D	282	GLU	4.8
1	D	295	LEU	4.6
1	D	174	TYR	4.5
1	D	226	PHE	4.5
1	D	91	TYR	4.5
1	D	243	TYR	4.4
1	C	303	TRP	4.4
1	D	222	SER	4.2
1	D	69	GLN	4.2
1	D	78	TYR	4.2
1	D	260	HIS	4.0
1	D	80	GLU	3.9
1	B	281	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	245	TYR	3.9
1	D	9	LEU	3.8
1	D	207	PHE	3.8
1	D	218	ILE	3.8
1	B	295	LEU	3.8
1	D	256	TYR	3.8
1	D	114	ILE	3.8
1	D	262	GLU	3.8
1	D	95	ASP	3.7
1	D	281	LEU	3.7
1	B	296	ALA	3.7
1	D	277	PHE	3.7
1	D	268	ALA	3.7
1	D	88	PHE	3.7
1	D	244	SER	3.6
1	D	197	TRP	3.6
1	D	259	LEU	3.5
1	D	108	TYR	3.4
1	D	137	GLU	3.4
1	D	234	LEU	3.4
1	D	220	HIS	3.4
1	D	227	LEU	3.4
1	B	176	ARG	3.3
1	D	178	GLN	3.3
1	D	285	VAL	3.3
1	D	257	GLU	3.2
1	D	298	GLY	3.2
1	D	286	LEU	3.2
1	D	90	THR	3.1
1	B	88	PHE	3.0
1	D	175	GLY	3.0
1	D	263	ASN	3.0
1	D	68	ASP	3.0
1	D	79	TYR	3.0
1	A	176	ARG	3.0
1	D	238	GLU	2.9
1	D	211	MET	2.9
1	D	112	PHE	2.9
1	D	131	SER	2.8
1	B	275	ILE	2.8
1	D	64	THR	2.8
1	D	84	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	275	ILE	2.8
1	D	115	LEU	2.8
1	D	99	SER	2.8
1	C	73	THR	2.7
1	B	284	SER	2.7
1	D	7	ILE	2.7
1	D	113	ASP	2.7
1	A	181	LYS	2.7
1	D	231	ASP	2.7
1	D	292	ALA	2.6
1	B	64	THR	2.6
1	D	271	TYR	2.6
1	A	178	GLN	2.5
1	A	2	ASN	2.5
1	B	90	THR	2.5
1	D	71	ASN	2.5
1	D	102	THR	2.5
1	D	183	LEU	2.5
1	D	242	LEU	2.5
1	D	106	GLU	2.5
1	B	132	PHE	2.5
1	D	261	LYS	2.5
1	D	179	TYR	2.4
1	D	62	SER	2.4
1	D	232	LYS	2.4
1	D	254	ALA	2.4
1	B	282	GLU	2.4
1	D	98	LYS	2.3
1	D	251	VAL	2.3
1	B	265	LYS	2.3
1	D	219	PHE	2.3
1	B	280	VAL	2.3
1	D	73	THR	2.3
1	A	177	LYS	2.2
1	B	174	TYR	2.2
1	D	19	GLN	2.2
1	D	241	GLN	2.2
1	B	177	LYS	2.2
1	D	205	VAL	2.2
1	B	97	ILE	2.2
1	D	86	ILE	2.2
1	D	230	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	89	PRO	2.2
1	C	197	TRP	2.2
1	D	200	ASP	2.2
1	D	206	LEU	2.2
1	D	168	TYR	2.1
1	D	188	ILE	2.1
1	D	87	LYS	2.1
1	D	171	PHE	2.1
1	D	134	SER	2.1
1	B	67	LEU	2.1
1	B	1	MET	2.0
1	D	85	LEU	2.0
1	D	123	LEU	2.0
1	D	201	VAL	2.0
1	C	92	ARG	2.0
1	D	246	LYS	2.0
1	A	1	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.