



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 18, 2022 – 10:52 am BST

PDB ID : 7QR5
Title : SpCas9 bound to FANCF off-target6 DNA substrate
Authors : Pacesa, M.; Jinek, M.
Deposited on : 2022-01-17
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)
RNA backbone	3102	1117 (3.70-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	84	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="flex-grow: 1; position: relative;"> <div style="position: absolute; top: -10px; left: 0; right: 0; text-align: center;">%</div> <div style="position: absolute; top: 10px; left: 0; right: 0; text-align: center;">45% 40% 14%</div> </div> </div>
2	B	1368	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="flex-grow: 1; position: relative;"> <div style="position: absolute; top: -10px; left: 0; right: 0; text-align: center;">%</div> <div style="position: absolute; top: 10px; left: 0; right: 0; text-align: center;">82% 15%</div> </div> </div>
3	C	28	<div style="display: flex; align-items: center;"> <div style="flex-grow: 1; position: relative;"> <div style="position: absolute; top: 10px; left: 0; right: 0; text-align: center;">50% 50%</div> </div> </div>
4	D	12	<div style="display: flex; align-items: center;"> <div style="flex-grow: 1; position: relative;"> <div style="position: absolute; top: 10px; left: 0; right: 0; text-align: center;">75% 17% 8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	EDO	C	102	-	-	-	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 13529 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called FANCF sgRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	A	84	1755	784	317	571	83	0	0	1

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9/Csn1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	1333	10897	6942	1891	2042	22	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	ALA	ASP	engineered mutation	UNP Q99ZW2
B	840	ALA	HIS	engineered mutation	UNP Q99ZW2

- Molecule 3 is a DNA chain called FANCF off-target6 target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	C	28	573	273	108	165	27	0	0	0

- Molecule 4 is a DNA chain called FANCF off-target6 non-target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	D	11	207	98	37	62	10	0	0	1


- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	4	Total K 4 4	0	0
6	B	6	Total K 6 6	0	0
6	C	1	Total K 1 1	0	0

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total C O 4 2 2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	23	Total O 23 23	0	0
8	B	46	Total O 46 46	0	0
8	C	11	Total O 11 11	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: FANCF sgRNA



- Molecule 2: CRISPR-associated endonuclease Cas9/Csn1







- Molecule 3: FANCF off-target6 target strand



- Molecule 4: FANCF off-target6 non-target strand



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	178.31Å 66.97Å 187.72Å 90.00° 111.17° 90.00°	Depositor
Resolution (Å)	47.71 – 3.30 47.71 – 3.30	Depositor EDS
% Data completeness (in resolution range)	98.4 (47.71-3.30) 98.4 (47.71-3.30)	Depositor EDS
R_{merge}	0.51	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 3.33Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.231 , 0.254 0.231 , 0.254	Depositor DCC
R_{free} test set	1553 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	78.9	Xtriage
Anisotropy	0.364	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	13529	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/1964	0.90	0/3060
2	B	0.25	0/11088	0.41	0/14896
3	C	0.65	0/643	1.03	0/991
4	D	0.58	0/231	0.95	0/356
All	All	0.29	0/13926	0.57	0/19303

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1755	0	881	38	0
2	B	10897	0	11069	125	0
3	C	573	0	316	10	0
4	D	207	0	114	2	0
5	A	2	0	0	0	0
6	A	4	0	0	0	0
6	B	6	0	0	0	0
6	C	1	0	0	0	0
7	C	4	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	A	23	0	0	1	0
8	B	46	0	0	1	0
8	C	11	0	0	0	0
All	All	13529	0	12386	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1215:ALA:HB2	2:B:1221:GLN:HG3	1.64	0.78
1:A:46:A:H2'	1:A:47:A:C8	2.22	0.74
1:A:46:A:H2'	1:A:47:A:H8	1.53	0.71
1:A:3:A:H2'	1:A:4:A:C8	2.26	0.71
2:B:967:ARG:NH1	2:B:986:ASP:OD1	2.24	0.70
3:C:4:DG:C8	3:C:4:DG:H5''	2.28	0.69
1:A:73:G:H3'	1:A:74:A:H5''	1.74	0.68
1:A:4:A:OP1	2:B:661:ARG:NE	2.24	0.68
2:B:158:LEU:HD22	2:B:419:LEU:HD12	1.77	0.67
2:B:184:LEU:HD12	2:B:299:ALA:HB2	1.79	0.64
2:B:1357:GLU:OE1	2:B:1359:ARG:NH1	2.30	0.64
2:B:704:PHE:O	2:B:708:ILE:HG12	1.99	0.62
2:B:898:ASP:O	2:B:905:ARG:NH2	2.33	0.62
2:B:1004:LEU:HD11	2:B:1042:ILE:HD11	1.80	0.61
2:B:1205:GLU:HB2	2:B:1348:ILE:HD11	1.82	0.61
2:B:448:ILE:HG12	2:B:455:LEU:HD11	1.83	0.61
2:B:558:LYS:HD2	2:B:586:ARG:HE	1.67	0.60
2:B:269:ASP:N	2:B:269:ASP:OD1	2.35	0.59
2:B:271:TYR:HA	2:B:274:ASP:HB2	1.86	0.58
2:B:936:ASP:OD1	2:B:951:ARG:NH1	2.35	0.58
3:C:10:DG:H2'	3:C:11:DA:C8	2.39	0.58
2:B:557:ARG:NH2	2:B:596:ASP:OD1	2.36	0.57
1:A:59:U:OP1	2:B:467:ARG:NH2	2.38	0.57
1:A:16:G:O2'	2:B:447:ARG:NH1	2.38	0.57
2:B:822:MET:HG3	2:B:883:TRP:HE1	1.70	0.57
2:B:1205:GLU:OE1	2:B:1359:ARG:NH2	2.39	0.56
2:B:1216:SER:OG	2:B:1217:ALA:N	2.38	0.56
3:C:8:DC:H2'	3:C:9:DA:C8	2.40	0.56
1:A:22:U:H2'	1:A:23:U:C6	2.40	0.56
2:B:489:GLN:HG3	2:B:625:LEU:HD21	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1148:LYS:HG2	2:B:1159:SER:HA	1.88	0.54
2:B:1252:ASN:ND2	8:B:1503:HOH:O	2.40	0.54
1:A:73:G:H5'	1:A:73:G:H8	1.73	0.54
2:B:673:LYS:HB2	2:B:703:THR:HG21	1.89	0.53
2:B:841:ILE:O	2:B:864:ARG:NH2	2.41	0.53
2:B:817:GLN:O	2:B:882:TYR:OH	2.25	0.53
2:B:923:GLU:OE1	2:B:959:LYS:NZ	2.34	0.53
1:A:37:U:H2'	1:A:38:A:C8	2.44	0.53
1:A:38:A:H2'	1:A:39:G:C8	2.44	0.53
2:B:1204:PHE:HE1	2:B:1214:LEU:HD13	1.74	0.52
2:B:1163:LEU:HG	2:B:1343:LEU:HD21	1.91	0.52
1:A:20:C:OP2	2:B:403:ARG:NH1	2.43	0.52
2:B:501:ASN:HB3	2:B:708:ILE:HD12	1.92	0.52
1:A:3:A:H2'	1:A:4:A:H8	1.73	0.51
2:B:1286:ASN:ND2	2:B:1334:LYS:HG2	2.25	0.51
2:B:1151:LYS:HD2	2:B:1158:LYS:HD2	1.91	0.51
2:B:5:TYR:CZ	2:B:751:MET:HG3	2.46	0.50
1:A:74:A:OP1	1:A:74:A:H8	1.93	0.50
2:B:1042:ILE:HG23	2:B:1043:MET:HG2	1.92	0.50
2:B:665:LYS:HA	2:B:669:GLY:HA3	1.93	0.50
2:B:1136:SER:HA	4:D:2:DG:O3'	2.11	0.50
1:A:14:C:H2'	1:A:15:A:C8	2.47	0.49
1:A:27:G:N2	1:A:44:U:OP2	2.45	0.49
2:B:870:VAL:HG23	2:B:908:LEU:HG	1.94	0.49
2:B:1224:ASN:HB2	2:B:1280:VAL:HG11	1.94	0.48
2:B:312:ILE:HG13	2:B:313:THR:HG22	1.94	0.48
2:B:1107:LYS:HB3	3:C:1:DG:OP2	2.13	0.48
1:A:22:U:H2'	1:A:23:U:H6	1.79	0.48
2:B:168:PHE:CD2	2:B:447:ARG:HD3	2.48	0.48
2:B:761:ILE:HD11	2:B:957:THR:HG22	1.96	0.48
2:B:308:VAL:HG11	2:B:319:ALA:HB3	1.95	0.48
2:B:103:GLU:HB2	2:B:106:LEU:HD12	1.95	0.47
2:B:1122:ARG:HG2	2:B:1134:PHE:CE2	2.49	0.47
2:B:1210:ARG:HA	2:B:1280:VAL:HG22	1.96	0.47
2:B:524:LEU:HG	2:B:545:LYS:HG2	1.96	0.47
2:B:1306:ALA:O	2:B:1310:ILE:HG12	2.14	0.47
2:B:864:ARG:NH2	2:B:871:PRO:HD3	2.30	0.47
3:C:17:DT:H2'	3:C:18:DT:C6	2.49	0.47
2:B:882:TYR:CZ	2:B:886:LEU:HD11	2.50	0.47
2:B:245:SER:HA	2:B:297:SER:HB2	1.97	0.47
2:B:790:GLU:HG2	2:B:889:ALA:HA	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:70:ARG:HD2	2:B:74:ARG:NH2	2.31	0.46
1:A:34:A:OP1	1:A:34:A:H8	1.97	0.46
1:A:48:A:H2'	1:A:49:A:C8	2.51	0.46
2:B:287:ALA:O	2:B:291:LEU:HG	2.15	0.46
2:B:706:GLU:HG2	2:B:710:LYS:HE2	1.98	0.46
1:A:54:G:H2'	1:A:55:C:C6	2.51	0.46
2:B:787:GLY:O	2:B:791:LEU:HB2	2.16	0.46
2:B:1114:ARG:NH1	4:D:4:DA:OP1	2.48	0.46
2:B:400:ARG:NH2	2:B:406:ASP:OD2	2.39	0.46
1:A:30:C:H2'	1:A:31:U:C6	2.50	0.45
2:B:9:LEU:HD12	2:B:761:ILE:HG22	1.97	0.45
2:B:956:ILE:HA	2:B:1008:PHE:O	2.16	0.45
2:B:107:VAL:HG23	2:B:1131:TYR:CE1	2.51	0.45
1:A:26:A:H2'	1:A:27:G:H5''	1.97	0.45
2:B:841:ILE:HD13	2:B:900:LEU:HG	1.99	0.45
2:B:901:THR:O	2:B:904:GLU:HG2	2.16	0.45
2:B:1246:LYS:O	2:B:1255:LYS:NZ	2.49	0.45
2:B:615:ILE:HD13	2:B:642:LEU:HD11	1.98	0.45
1:A:3:A:H1'	2:B:694:MET:HE2	1.98	0.45
2:B:182:ASP:OD1	2:B:209:LYS:HB2	2.17	0.45
2:B:61:ALA:O	2:B:65:LYS:HG2	2.17	0.44
2:B:672:ASP:HA	2:B:703:THR:OG1	2.16	0.44
2:B:1117:ASP:N	2:B:1117:ASP:OD1	2.50	0.44
2:B:306:LEU:HD21	2:B:414:ILE:HD13	1.99	0.44
2:B:253:LYS:HD2	2:B:261:ASP:OD1	2.17	0.44
2:B:780:ARG:NH1	2:B:806:LEU:O	2.48	0.44
2:B:870:VAL:HG13	2:B:871:PRO:HD2	1.98	0.44
2:B:48:ILE:HG12	2:B:984:ALA:HB1	1.99	0.44
2:B:212:LEU:HD21	2:B:225:LEU:HD22	2.00	0.44
2:B:776:ASN:OD1	2:B:777:SER:N	2.51	0.44
2:B:512:SER:OG	2:B:617:GLU:OE1	2.36	0.43
2:B:468:LYS:HD2	2:B:483:ASP:HA	2.01	0.43
2:B:1050:ILE:O	2:B:1051:THR:HG22	2.18	0.43
2:B:250:PRO:HD2	2:B:264:LEU:O	2.17	0.43
2:B:262:ALA:HB1	2:B:278:LEU:HD12	1.99	0.43
1:A:10:U:OP1	2:B:783:ARG:NH2	2.51	0.43
1:A:46:A:N3	8:A:202:HOH:O	2.36	0.43
2:B:841:ILE:CD1	2:B:896:LYS:HG3	2.48	0.43
2:B:892:ILE:HB	2:B:896:LYS:HE2	1.99	0.43
1:A:28:A:O4'	2:B:122:ILE:HD11	2.18	0.43
1:A:73:G:H3'	1:A:74:A:C5'	2.45	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1107:LYS:NZ	3:C:-1:DC:O2	2.51	0.43
2:B:1220:LEU:HG	2:B:1339:THR:HG22	1.99	0.43
2:B:1047:LYS:O	2:B:1076:LYS:NZ	2.33	0.43
2:B:1051:THR:HA	2:B:1057:ILE:HA	2.00	0.43
1:A:73:G:C3'	1:A:74:A:H5''	2.46	0.43
3:C:-4:DT:H2''	3:C:-3:DA:C8	2.54	0.43
2:B:305:ILE:HG22	2:B:306:LEU:HD23	1.99	0.43
1:A:73:G:H2'	1:A:75:A:N7	2.33	0.42
1:A:5:U:H3	3:C:16:DG:H22	1.65	0.42
2:B:672:ASP:HB3	2:B:675:SER:OG	2.19	0.42
2:B:168:PHE:CG	2:B:447:ARG:HD3	2.54	0.42
2:B:404:THR:H	2:B:407:ASN:ND2	2.16	0.42
1:A:33:G:H8	1:A:36:A:H62	1.66	0.42
1:A:68:A:C4	1:A:69:A:C8	3.07	0.42
2:B:5:TYR:CE2	2:B:756:PRO:HB3	2.54	0.42
2:B:419:LEU:HD22	2:B:444:LEU:HD13	2.00	0.42
2:B:846:PHE:O	2:B:916:PHE:HB3	2.19	0.42
2:B:1147:ALA:HB2	2:B:1190:VAL:HA	2.01	0.42
2:B:1212:ARG:NH2	2:B:1280:VAL:O	2.52	0.42
2:B:478:PHE:CE1	2:B:482:VAL:HG21	2.54	0.42
2:B:1206:LEU:HD13	2:B:1210:ARG:NH1	2.34	0.42
1:A:34:A:H3'	1:A:35:A:H8	1.84	0.42
1:A:42:A:H2'	1:A:43:G:C8	2.54	0.42
2:B:633:GLU:HB2	2:B:652:LYS:HE3	2.00	0.42
2:B:3:LYS:HD2	2:B:3:LYS:HA	1.88	0.42
2:B:323:LYS:HE2	2:B:327:GLU:OE2	2.19	0.42
2:B:499:ASP:HB2	2:B:663:SER:HB3	2.01	0.42
3:C:4:DG:H5''	3:C:4:DG:H8	1.79	0.42
2:B:116:HIS:HA	2:B:117:PRO:HD3	1.90	0.42
3:C:2:DG:H5'	3:C:3:DA:N7	2.35	0.41
2:B:439:LYS:HG2	2:B:476:TRP:NE1	2.36	0.41
2:B:442:LYS:HE3	2:B:446:PHE:HB2	2.02	0.41
1:A:14:C:H2'	1:A:15:A:H8	1.86	0.41
2:B:276:ASP:HB3	2:B:599:LYS:NZ	2.34	0.41
2:B:1052:LEU:N	2:B:1056:GLU:O	2.54	0.41
1:A:37:U:H2'	1:A:38:A:H8	1.82	0.41
2:B:302:LEU:HD13	2:B:302:LEU:HA	1.90	0.41
2:B:521:TYR:HB3	2:B:683:LEU:HB3	2.03	0.41
2:B:781:MET:HG2	2:B:803:ASN:HA	2.03	0.41
1:A:69:A:H2'	1:A:70:C:H6	1.86	0.41
2:B:455:LEU:HA	2:B:465:MET:HE2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:G:OP1	2:B:116:HIS:NE2	2.52	0.40
2:B:529:TYR:HA	2:B:579:GLU:O	2.21	0.40
2:B:739:GLN:O	2:B:743:VAL:HG23	2.20	0.40
2:B:1086:VAL:HA	2:B:1089:MET:SD	2.61	0.40
2:B:99:HIS:O	2:B:103:GLU:HG2	2.21	0.40
2:B:8:GLY:HA3	2:B:991:ALA:HB2	2.03	0.40
2:B:528:LYS:HE3	2:B:539:PHE:CE1	2.57	0.40
2:B:629:ARG:HE	2:B:655:ARG:NH1	2.20	0.40
2:B:639:TYR:HB3	2:B:642:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	B	1323/1368 (97%)	1282 (97%)	41 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	B	1196/1225 (98%)	1192 (100%)	4 (0%)	92 96

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	269	ASP
2	B	557	ARG
2	B	694	MET
2	B	1327	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	407	ASN
2	B	668	ASN
2	B	920	GLN
2	B	1041	ASN
2	B	1044	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	81/84 (96%)	19 (23%)	1 (1%)

All (19) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	12	U
1	A	18	A
1	A	27	G
1	A	28	A
1	A	29	G
1	A	33	G
1	A	34	A
1	A	35	A
1	A	43	G
1	A	51	A
1	A	56	U
1	A	59	U
1	A	63	U
1	A	68	A
1	A	73	G
1	A	74	A
1	A	75	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	76	A
1	A	77	A

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	42	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 13 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	EDO	C	102	-	3,3,3	0.59	0	2,2,2	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	C	102	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	C	102	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	84/84 (100%)	-0.26	1 (1%) 79 78	48, 81, 173, 193	0
2	B	1333/1368 (97%)	0.03	19 (1%) 75 75	44, 81, 116, 153	0
3	C	28/28 (100%)	-0.30	0 100 100	52, 83, 139, 155	0
4	D	11/12 (91%)	0.24	0 100 100	61, 86, 135, 155	0
All	All	1456/1492 (97%)	0.01	20 (1%) 75 75	44, 82, 120, 193	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	868	ASP	2.9
2	B	355	SER	2.8
2	B	802	GLU	2.7
2	B	175	ASN	2.7
2	B	1058	ARG	2.6
2	B	1302	ILE	2.5
2	B	290	PHE	2.5
2	B	346	LYS	2.4
1	A	0	G	2.3
2	B	1039	TYR	2.3
2	B	846	PHE	2.3
2	B	580	ILE	2.3
2	B	908	LEU	2.2
2	B	1004	LEU	2.2
2	B	1133	GLY	2.1
2	B	1036	TYR	2.1
2	B	373	TYR	2.0
2	B	349	GLU	2.0
2	B	1291	LEU	2.0
2	B	1046	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	K	B	1405	1/1	0.66	0.14	104,104,104,104	0
7	EDO	C	102	4/4	0.66	0.46	66,67,70,72	0
6	K	C	101	1/1	0.78	0.31	117,117,117,117	0
6	K	A	105	1/1	0.81	0.26	111,111,111,111	0
6	K	B	1402	1/1	0.82	0.17	92,92,92,92	0
6	K	A	106	1/1	0.86	0.13	85,85,85,85	0
5	MG	A	101	1/1	0.87	0.12	39,39,39,39	0
6	K	B	1403	1/1	0.88	0.10	97,97,97,97	0
6	K	B	1404	1/1	0.90	0.26	105,105,105,105	0
6	K	B	1401	1/1	0.90	0.34	115,115,115,115	0
6	K	A	104	1/1	0.93	0.24	88,88,88,88	0
6	K	B	1406	1/1	0.93	0.10	116,116,116,116	0
5	MG	A	102	1/1	0.94	0.15	58,58,58,58	0
6	K	A	103	1/1	0.96	0.17	71,71,71,71	0

6.5 Other polymers [i](#)

There are no such residues in this entry.