



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 13, 2023 – 07:03 AM EDT

PDB ID : 4QZX  
Title : yCP beta5-C63F mutant in complex with the epoxyketone inhibitor ONX 0914  
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.  
Deposited on : 2014-07-29  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*






The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 2% 99%
1	O	250	 3% 98%
2	B	258	 3% 91% 5%
2	P	258	 4% 90% 5%
3	C	254	 4% 90% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	11% 89% 6%
4	D	260	2% 87% 10%
4	R	260	3% 85% 5% 10%
5	E	234	3% 94% 5%
5	S	234	6% 93% 6%
6	F	288	2% 81% 16%
6	T	288	3% 81% 16%
7	G	252	3% 90% 6%
7	U	252	% 89% 6%
8	H	232	% 92% .
8	V	232	% 92% .
9	I	205	94% 5%
9	W	205	95% 5%
10	J	198	% 92% .
10	X	198	% 93% .
11	K	212	93% 6%
11	Y	212	% 93% 7%
12	L	222	95% 5%
12	Z	222	% 95% 5%
13	M	246	3% 90% 6%
13	a	246	2% 91% 6%
14	N	196	97% .
14	b	196	% 99% .

## 2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 50044 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	1773	1114	307	348	4	0	0	0
5	S	231	1773	1114	307	348	4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	1892	1203	329	356	4	0	0	0
6	T	243	1892	1203	329	356	4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	1907	1214	320	365	8	0	0	0
7	U	241	1907	1214	320	365	8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	222	1684	1061	293	323	7	0	0	0
8	V	222	1684	1061	293	323	7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	1581	1010	258	305	8	0	0	0
9	W	204	1581	1010	258	305	8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	1561	992	264	299	6	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1649	1051	280	312	6	0	0	0
11	Y	212	1649	1051	280	312	6	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	63	PHE	CYS	engineered mutation	UNP P30656
Y	63	PHE	CYS	engineered mutation	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1757	1115	303	335	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	231	1806	1142	309	348	7	0	0	0
13	a	232	1815	1148	311	349	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	I	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	N	2	Total Mg 2 2	0	0
15	V	1	Total Mg 1 1	0	0
15	Y	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is 1,2,4-trideoxy-4-methyl-2-{[N-(morpholin-4-ylacetyl)-L-alanyl-O-methyl-L-tyrosyl]amino}-1-phenyl-D-xylitol (three-letter code: 04C) (formula: C<sub>31</sub>H<sub>44</sub>N<sub>4</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	H	1	Total	C	N	O	0	0
			42	31	4	7		
17	K	1	Total	C	N	O	0	0
			42	31	4	7		
17	N	1	Total	C	N	O	0	0
			42	31	4	7		
17	V	1	Total	C	N	O	0	0
			42	31	4	7		
17	Y	1	Total	C	N	O	0	0
			42	31	4	7		
17	b	1	Total	C	N	O	0	0
			42	31	4	7		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	V	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	A	23	Total O 23 23	0	0
19	B	21	Total O 21 21	0	0
19	C	16	Total O 16 16	0	0
19	D	12	Total O 12 12	0	0
19	E	5	Total O 5 5	0	0
19	F	9	Total O 9 9	0	0
19	G	19	Total O 19 19	0	0
19	H	21	Total O 21 21	0	0
19	I	22	Total O 22 22	0	0
19	J	25	Total O 25 25	0	0
19	K	26	Total O 26 26	0	0
19	L	17	Total O 17 17	0	0
19	M	21	Total O 21 21	0	0
19	N	11	Total O 11 11	0	0
19	O	17	Total O 17 17	0	0
19	P	6	Total O 6 6	0	0
19	Q	11	Total O 11 11	0	0
19	R	6	Total O 6 6	0	0
19	S	6	Total O 6 6	0	0
19	T	13	Total O 13 13	0	0
19	U	15	Total O 15 15	0	0
19	V	20	Total O 20 20	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
19	W	15	Total 15	O 15	0	0
19	X	28	Total 28	O 28	0	0
19	Y	15	Total 15	O 15	0	0
19	Z	19	Total 19	O 19	0	0
19	a	22	Total 22	O 22	0	0
19	b	14	Total 14	O 14	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3



- Molecule 2: Proteasome subunit alpha type-3





- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4







- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit beta type-2



- Molecule 8: Proteasome subunit beta type-2



- Molecule 9: Proteasome subunit beta type-3





- Molecule 9: Proteasome subunit beta type-3





- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6





- Molecule 12: Proteasome subunit beta type-6



- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	137.21Å 300.81Å 145.09Å 90.00° 113.52° 90.00°	Depositor
Resolution (Å)	15.00 – 2.60 15.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.4 (15.00-2.60) 98.4 (15.00-2.60)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.43 (at 2.61Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.198 , 0.223 0.203 , 0.228	Depositor DCC
$R_{free}$ test set	16113 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.3	Xtrriage
Anisotropy	0.031	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 39.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	50044	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	67.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, 04C, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1952	0.47	0/2642
1	O	0.27	0/1952	0.47	0/2642
2	B	0.27	0/1934	0.48	0/2618
2	P	0.27	0/1934	0.48	0/2618
3	C	0.28	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.27	0/1837	0.46	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.46	0/2433
6	F	0.28	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.28	0/1945	0.47	0/2634
7	U	0.28	0/1945	0.47	0/2634
8	H	0.26	0/1715	0.48	1/2326 (0.0%)
8	V	0.26	0/1715	0.47	1/2326 (0.0%)
9	I	0.28	0/1611	0.48	0/2174
9	W	0.27	0/1611	0.48	0/2174
10	J	0.28	0/1589	0.49	0/2142
10	X	0.27	0/1589	0.48	0/2142
11	K	0.26	0/1687	0.51	0/2282
11	Y	0.26	0/1687	0.51	0/2282
12	L	0.28	0/1795	0.47	0/2420
12	Z	0.27	0/1795	0.47	0/2420
13	M	0.28	0/1837	0.51	0/2492
13	a	0.28	0/1846	0.51	0/2503
14	N	0.26	0/1541	0.48	1/2087 (0.0%)
14	b	0.26	0/1541	0.48	1/2087 (0.0%)
All	All	0.27	0/50179	0.48	4/67851 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	1	THR	N-CA-C	5.51	125.88	111.00
8	V	1	THR	N-CA-C	5.47	125.78	111.00
14	N	1	THR	N-CA-C	5.22	125.09	111.00
14	b	1	THR	N-CA-C	5.17	124.96	111.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	0	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	1	0
2	P	1904	0	1904	4	0
3	C	1881	0	1895	4	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	1	0
4	R	1813	0	1797	4	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	4	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	5	0
8	H	1684	0	1685	1	0
8	V	1684	0	1685	1	0
9	I	1581	0	1574	5	0
9	W	1581	0	1574	4	0
10	J	1561	0	1569	7	0
10	X	1561	0	1569	5	0
11	K	1649	0	1596	10	0
11	Y	1649	0	1596	11	0
12	L	1757	0	1711	4	0
12	Z	1757	0	1711	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	M	1806	0	1808	2	0
13	a	1815	0	1821	0	0
14	N	1512	0	1478	3	0
14	b	1512	0	1478	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0
15	K	1	0	0	0	0
15	N	2	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	H	42	0	42	0	0
17	K	42	0	42	1	0
17	N	42	0	42	4	0
17	V	42	0	42	0	0
17	Y	42	0	42	0	0
17	b	42	0	42	0	0
18	H	12	0	13	0	0
18	K	12	0	13	1	0
18	V	12	0	13	0	0
18	Y	12	0	13	0	0
19	A	23	0	0	0	0
19	B	21	0	0	0	0
19	C	16	0	0	0	0
19	D	12	0	0	0	0
19	E	5	0	0	0	0
19	F	9	0	0	0	0
19	G	19	0	0	0	0
19	H	21	0	0	0	0
19	I	22	0	0	0	0
19	J	25	0	0	0	0
19	K	26	0	0	0	0
19	L	17	0	0	0	0
19	M	21	0	0	0	0
19	N	11	0	0	1	0
19	O	17	0	0	0	0
19	P	6	0	0	0	0
19	Q	11	0	0	0	0
19	R	6	0	0	1	0
19	S	6	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	T	13	0	0	0	0
19	U	15	0	0	0	0
19	V	20	0	0	0	0
19	W	15	0	0	0	0
19	X	28	0	0	0	0
19	Y	15	0	0	0	0
19	Z	19	0	0	0	0
19	a	22	0	0	0	0
19	b	14	0	0	0	0
All	All	50044	0	49327	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:1:MET:O	10:J:2:ASP:HB2	1.91	0.71
10:X:1:MET:O	10:X:2:ASP:HB2	1.91	0.68
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.77	0.66
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.77	0.65
10:J:23:ARG:HH21	11:K:118:ASP:CG	2.07	0.58
11:K:100:MET:HE3	11:K:127:PHE:HB2	1.86	0.56
14:N:48:SER:HB2	17:N:201:04C:H25	1.87	0.55
11:K:73:ARG:HG2	11:K:73:ARG:HH11	1.72	0.55
17:N:201:04C:O13	17:N:201:04C:O21	2.11	0.54
11:Y:73:ARG:HH11	11:Y:73:ARG:HG2	1.72	0.54
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.90	0.54
11:K:59:LEU:HG	11:K:63:PHE:CE2	2.43	0.54
11:Y:5:ALA:HB3	11:Y:100:MET:HE2	1.90	0.53
11:Y:59:LEU:HG	11:Y:63:PHE:CE2	2.43	0.52
7:U:23:PHE:O	7:U:26:THR:HB	2.09	0.52
7:G:23:PHE:O	7:G:26:THR:HB	2.10	0.52
11:K:5:ALA:HB3	11:K:100:MET:HE2	1.93	0.50
17:N:201:04C:O13	19:N:301:HOH:O	2.10	0.50
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.47	0.50
11:K:59:LEU:HG	11:K:63:PHE:CZ	2.47	0.50
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.60	0.49
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.94	0.49
11:Y:59:LEU:HG	11:Y:63:PHE:CZ	2.47	0.49
3:C:201:VAL:O	3:C:202:GLN:CB	2.60	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.94	0.49
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	1.95	0.49
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.95	0.49
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.95	0.48
3:C:169:VAL:HG23	3:C:196:SER:HB2	1.95	0.48
10:J:174:MET:HA	10:X:174:MET:HA	1.94	0.48
10:J:67:TYR:CE1	10:J:75:LEU:HD13	2.49	0.48
10:X:67:TYR:CE1	10:X:75:LEU:HD13	2.48	0.48
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.96	0.47
14:N:45:ARG:CZ	17:N:201:O4C:H44	2.44	0.47
11:Y:99:THR:HG22	11:Y:115:VAL:HB	1.97	0.46
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.97	0.46
9:I:98:ARG:O	9:I:126:ILE:HD11	2.16	0.46
11:K:99:THR:HG22	11:K:115:VAL:HB	1.97	0.46
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.99	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.44
14:N:152:VAL:HA	14:N:175:MET:HE1	1.98	0.44
3:Q:201:VAL:HG13	3:Q:202:GLN:N	2.32	0.44
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.00	0.44
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.53	0.44
3:C:201:VAL:HG13	3:C:202:GLN:N	2.32	0.44
9:W:98:ARG:O	9:W:126:ILE:HD11	2.17	0.44
11:Y:100:MET:CE	11:Y:127:PHE:HB2	2.47	0.44
11:K:100:MET:CE	11:K:127:PHE:HB2	2.48	0.44
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.83	0.44
12:L:125:PHE:CD2	12:L:131:TYR:HB3	2.53	0.43
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.18	0.43
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.43
12:L:8:ASN:HA	12:L:30:ILE:O	2.18	0.43
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.00	0.42
11:K:73:ARG:HH11	11:K:73:ARG:CG	2.33	0.42
11:Y:73:ARG:HH11	11:Y:73:ARG:CG	2.33	0.42
4:R:113:LEU:HB2	19:R:301:HOH:O	2.20	0.42
2:P:50:LYS:O	2:P:51:VAL:C	2.58	0.42
11:Y:83:LEU:CD2	11:Y:99:THR:HG21	2.50	0.42
13:M:97:ALA:HA	13:M:130:VAL:HG21	2.02	0.42
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.54	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.42
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.85	0.42
1:O:55:LEU:HB3	7:U:159:ALA:O	2.20	0.41
6:T:172:LEU:CD1	6:T:195:ILE:HD13	2.50	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.84	0.41
6:F:172:LEU:CD1	6:F:195:ILE:HD13	2.50	0.41
2:P:6:ASP:OD2	3:Q:4:ARG:HG3	2.19	0.41
10:J:21:VAL:HG11	11:K:122:LEU:HD11	2.03	0.41
2:B:50:LYS:O	2:B:51:VAL:C	2.59	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.56	0.41
12:L:4:PRO:O	13:M:104:ARG:NH1	2.50	0.41
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.56	0.41
9:W:20:VAL:HG23	9:W:189:ILE:HB	2.03	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.51	0.41
4:R:158:ARG:HB3	5:S:57:SER:HB3	2.02	0.40
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.52	0.40
17:K:301:04C:H36	18:K:303:MES:O3S	2.22	0.40
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.04	0.40
3:Q:201:VAL:O	3:Q:202:GLN:HB2	2.21	0.40
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	2.04	0.40
9:I:36:SER:HB2	10:J:126:VAL:HG11	2.04	0.40
9:I:20:VAL:HG23	9:I:189:ILE:HB	2.03	0.40
11:Y:37:ILE:HG21	11:Y:63:PHE:HD2	1.87	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
1	O	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
2	B	242/258 (94%)	233 (96%)	7 (3%)	2 (1%)	19	39
2	P	242/258 (94%)	233 (96%)	7 (3%)	2 (1%)	19	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	39
3	Q	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	39
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
5	S	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
6	F	241/288 (84%)	235 (98%)	6 (2%)	0	100	100
6	T	241/288 (84%)	235 (98%)	6 (2%)	0	100	100
7	G	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
7	U	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
8	H	220/232 (95%)	216 (98%)	4 (2%)	0	100	100
8	V	220/232 (95%)	216 (98%)	4 (2%)	0	100	100
9	I	202/205 (98%)	193 (96%)	9 (4%)	0	100	100
9	W	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	52
10	X	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	52
11	K	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	229/246 (93%)	221 (96%)	7 (3%)	1 (0%)	34	57
13	a	230/246 (94%)	222 (96%)	7 (3%)	1 (0%)	34	57
14	N	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
14	b	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
All	All	6273/6614 (95%)	6110 (97%)	151 (2%)	12 (0%)	47	71

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
10	J	2	ASP
2	P	51	VAL
3	Q	202	GLN

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
10	X	2	ASP
3	C	205	ALA
3	Q	205	ALA
2	B	221	ASP
13	M	229	GLY
2	P	221	ASP
13	a	229	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	85
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	85
2	B	203/216 (94%)	196 (97%)	7 (3%)	37	63
2	P	203/216 (94%)	196 (97%)	7 (3%)	37	63
3	C	212/226 (94%)	204 (96%)	8 (4%)	33	59
3	Q	212/226 (94%)	204 (96%)	8 (4%)	33	59
4	D	194/215 (90%)	186 (96%)	8 (4%)	30	56
4	R	194/215 (90%)	186 (96%)	8 (4%)	30	56
5	E	190/193 (98%)	183 (96%)	7 (4%)	34	60
5	S	190/193 (98%)	183 (96%)	7 (4%)	34	60
6	F	201/239 (84%)	192 (96%)	9 (4%)	27	52
6	T	201/239 (84%)	193 (96%)	8 (4%)	31	57
7	G	206/210 (98%)	198 (96%)	8 (4%)	32	58
7	U	206/210 (98%)	198 (96%)	8 (4%)	32	58
8	H	181/190 (95%)	175 (97%)	6 (3%)	38	64
8	V	181/190 (95%)	175 (97%)	6 (3%)	38	64
9	I	172/173 (99%)	169 (98%)	3 (2%)	60	81
9	W	172/173 (99%)	169 (98%)	3 (2%)	60	81

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	J	173/175 (99%)	168 (97%)	5 (3%)	42	68
10	X	173/175 (99%)	169 (98%)	4 (2%)	50	75
11	K	169/169 (100%)	164 (97%)	5 (3%)	41	67
11	Y	169/169 (100%)	164 (97%)	5 (3%)	41	67
12	L	185/185 (100%)	179 (97%)	6 (3%)	39	65
12	Z	185/185 (100%)	179 (97%)	6 (3%)	39	65
13	M	197/208 (95%)	190 (96%)	7 (4%)	35	61
13	a	198/208 (95%)	191 (96%)	7 (4%)	36	62
14	N	162/162 (100%)	161 (99%)	1 (1%)	86	95
14	b	162/162 (100%)	161 (99%)	1 (1%)	86	95
All	All	5309/5540 (96%)	5145 (97%)	164 (3%)	40	66

All (164) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	61	LEU
1	A	157	PHE
2	B	50	LYS
2	B	52	THR
2	B	55	LEU
2	B	58	GLN
2	B	114	LEU
2	B	184	LYS
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	203	THR
4	D	20	LEU
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	D	214	ILE
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	54	GLU
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	14	ASP
6	F	117	GLN
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	203	ASN
6	F	206	LYS
6	F	214	TRP
6	F	221	ASN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	125	MET
7	G	166	GLN
7	G	181	LYS
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	56	THR
8	H	68	LEU
8	H	84	LYS
8	H	127	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
9	I	182	TRP
10	J	23	ARG
10	J	75	LEU
10	J	78	GLN
10	J	144	LEU
10	J	174	MET
11	K	4	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	K	9	GLN
11	K	35	ILE
11	K	99	THR
11	K	106	ARG
12	L	1	GLN
12	L	23	LEU
12	L	49	ASN
12	L	136	CYS
12	L	150	LEU
12	L	167	LYS
13	M	43	ILE
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
13	M	231	GLN
14	N	39	ASP
1	O	17	LYS
1	O	61	LEU
1	O	157	PHE
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	58	GLN
2	P	114	LEU
2	P	184	LYS
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	203	THR
4	R	20	LEU
4	R	99	ILE
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	54	GLU
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	14	ASP
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	203	ASN
6	T	206	LYS
6	T	214	TRP
6	T	221	ASN
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	125	MET
7	U	166	GLN
7	U	181	LYS
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	56	THR
8	V	68	LEU
8	V	84	LYS
8	V	127	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
9	W	182	TRP
10	X	75	LEU
10	X	78	GLN
10	X	144	LEU
10	X	174	MET
11	Y	4	LEU
11	Y	9	GLN
11	Y	35	ILE
11	Y	99	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	Y	106	ARG
12	Z	1	GLN
12	Z	23	LEU
12	Z	49	ASN
12	Z	136	CYS
12	Z	150	LEU
12	Z	167	LYS
13	a	43	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
13	a	231	GLN
14	b	39	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (72) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	38	ASN
3	C	147	GLN
3	C	160	GLN
4	D	91	HIS
4	D	225	ASN
5	E	68	HIS
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	114	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
7	G	117	GLN
7	G	121	GLN
10	J	55	GLN
11	K	85	ASN
11	K	176	ASN
12	L	3	ASN
12	L	79	HIS
12	L	158	ASN
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
13	M	231	GLN
1	O	94	HIS
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
3	Q	38	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
10	X	55	GLN
11	Y	85	ASN
11	Y	176	ASN
12	Z	3	ASN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
12	Z	70	ASN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	194	ASN
13	a	213	GLN
13	a	231	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 10 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
17	04C	K	301	11	44,44,44	1.38	3 (6%)	56,58,58	1.25	8 (14%)
18	MES	Y	303	-	12,12,12	2.26	1 (8%)	14,16,16	1.61	2 (14%)
18	MES	V	303	-	12,12,12	2.25	1 (8%)	14,16,16	1.44	3 (21%)
17	04C	Y	301	11	44,44,44	1.38	3 (6%)	56,58,58	1.27	8 (14%)
17	04C	b	201	14	44,44,44	1.35	3 (6%)	56,58,58	1.41	7 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
18	MES	H	302	-	12,12,12	2.18	1 (8%)	14,16,16	1.36	2 (14%)
17	04C	H	301	8	44,44,44	1.22	3 (6%)	56,58,58	1.14	7 (12%)
17	04C	V	301	8	44,44,44	1.20	3 (6%)	56,58,58	1.15	7 (12%)
18	MES	K	303	-	12,12,12	2.35	1 (8%)	14,16,16	1.48	2 (14%)
17	04C	N	201	14	44,44,44	1.36	3 (6%)	56,58,58	1.41	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	04C	K	301	11	-	11/44/52/52	0/3/3/3
18	MES	Y	303	-	-	3/6/14/14	0/1/1/1
18	MES	V	303	-	-	0/6/14/14	0/1/1/1
17	04C	Y	301	11	-	11/44/52/52	0/3/3/3
17	04C	b	201	14	-	15/44/52/52	0/3/3/3
18	MES	H	302	-	-	3/6/14/14	0/1/1/1
17	04C	H	301	8	-	15/44/52/52	0/3/3/3
17	04C	V	301	8	-	15/44/52/52	0/3/3/3
18	MES	K	303	-	-	0/6/14/14	0/1/1/1
17	04C	N	201	14	-	16/44/52/52	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	K	303	MES	C8-S	-7.81	1.66	1.77
18	Y	303	MES	C8-S	-7.50	1.66	1.77
18	V	303	MES	C8-S	-7.50	1.66	1.77
18	H	302	MES	C8-S	-7.29	1.67	1.77
17	K	301	04C	C10-C9	5.88	1.63	1.53
17	Y	301	04C	C10-C9	5.69	1.63	1.53
17	N	201	04C	C10-C9	5.12	1.62	1.53
17	b	201	04C	C10-C9	4.97	1.62	1.53
17	H	301	04C	C40-C41	-4.55	1.40	1.51
17	V	301	04C	C40-C41	-4.48	1.40	1.51
17	Y	301	04C	C40-C41	-4.40	1.40	1.51
17	N	201	04C	C40-C41	-4.34	1.40	1.51
17	K	301	04C	C40-C41	-4.34	1.40	1.51

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	b	201	04C	C40-C41	-4.25	1.41	1.51
17	H	301	04C	C7-C6	-3.96	1.41	1.51
17	b	201	04C	C7-C6	-3.95	1.41	1.51
17	N	201	04C	C7-C6	-3.90	1.41	1.51
17	V	301	04C	C7-C6	-3.87	1.42	1.51
17	Y	301	04C	C7-C6	-3.72	1.42	1.51
17	K	301	04C	C7-C6	-3.69	1.42	1.51
17	V	301	04C	C10-C9	3.58	1.59	1.53
17	H	301	04C	C10-C9	3.46	1.59	1.53

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	N	201	04C	C11-C10-C12	-6.09	101.88	109.88
17	b	201	04C	C11-C10-C12	-5.78	102.28	109.88
18	Y	303	MES	O1S-S-C8	4.60	112.45	106.92
17	b	201	04C	C29-C30-N31	-3.95	104.18	113.36
17	Y	301	04C	O13-C12-C10	-3.92	103.31	111.33
17	N	201	04C	C29-C30-N31	-3.80	104.53	113.36
17	K	301	04C	O13-C12-C10	-3.69	103.78	111.33
17	H	301	04C	C29-C30-N31	-3.63	104.93	113.36
17	V	301	04C	C29-C30-N31	-3.61	104.98	113.36
18	K	303	MES	O1S-S-C8	3.60	111.24	106.92
18	V	303	MES	O1S-S-C8	3.55	111.19	106.92
17	V	301	04C	O34-C33-C32	-3.30	104.52	111.80
17	K	301	04C	C11-C10-C12	-3.29	105.55	109.88
17	H	301	04C	O34-C33-C32	-3.25	104.64	111.80
18	H	302	MES	O2S-S-C8	3.06	110.60	106.92
17	Y	301	04C	C11-C10-C12	-3.05	105.87	109.88
17	b	201	04C	C35-C36-N31	-3.00	105.55	110.10
17	Y	301	04C	O34-C33-C32	-2.91	105.39	111.80
17	N	201	04C	C35-C36-N31	-2.86	105.77	110.10
17	N	201	04C	C7-C8-C9	-2.81	105.32	111.11
18	Y	303	MES	O2S-S-C8	2.75	110.22	106.92
17	b	201	04C	C7-C8-C9	-2.71	105.54	111.11
17	K	301	04C	O34-C33-C32	-2.68	105.90	111.80
17	K	301	04C	C7-C6-C5	2.64	126.15	120.91
17	H	301	04C	C7-C6-C1	-2.56	115.82	120.91
18	H	302	MES	O3S-S-C8	2.54	109.88	105.77
17	Y	301	04C	C7-C6-C5	2.54	125.95	120.91
17	V	301	04C	C7-C6-C1	-2.54	115.87	120.91
17	V	301	04C	C7-C6-C5	2.53	125.93	120.91

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	K	301	04C	C7-C6-C1	-2.51	115.93	120.91
18	K	303	MES	O2S-S-C8	2.50	109.92	106.92
17	H	301	04C	C7-C6-C5	2.47	125.81	120.91
17	b	201	04C	O34-C33-C32	-2.46	106.39	111.80
17	N	201	04C	O34-C33-C32	-2.44	106.41	111.80
17	Y	301	04C	C7-C6-C1	-2.43	116.08	120.91
17	b	201	04C	C7-C6-C5	2.42	125.72	120.91
17	N	201	04C	C7-C6-C1	-2.40	116.14	120.91
17	N	201	04C	C7-C6-C5	2.40	125.67	120.91
17	b	201	04C	C7-C6-C1	-2.37	116.20	120.91
17	V	301	04C	C7-C8-C9	-2.35	106.27	111.11
18	V	303	MES	O3S-S-C8	2.34	109.55	105.77
17	Y	301	04C	C30-N31-C36	-2.33	107.47	111.09
17	Y	301	04C	C29-C30-N31	-2.30	108.02	113.36
17	H	301	04C	C7-C8-C9	-2.30	106.37	111.11
17	K	301	04C	C29-C30-N31	-2.28	108.07	113.36
17	V	301	04C	C12-C10-C9	-2.27	106.69	110.99
17	K	301	04C	C30-N31-C36	-2.24	107.62	111.09
17	V	301	04C	C41-C40-C24	-2.23	107.22	113.39
17	Y	301	04C	C7-C8-C9	-2.22	106.54	111.11
17	K	301	04C	C7-C8-C9	-2.20	106.58	111.11
17	H	301	04C	C41-C40-C24	-2.17	107.41	113.39
17	H	301	04C	C12-C10-C9	-2.13	106.95	110.99
18	V	303	MES	O2S-S-C8	2.08	109.42	106.92

There are no chirality outliers.

All (89) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	H	301	04C	C11-C10-C9-C8
17	H	301	04C	C12-C10-C9-C8
17	H	301	04C	C11-C10-C12-O13
17	K	301	04C	C11-C10-C9-C8
17	K	301	04C	C12-C10-C9-C8
17	N	201	04C	C11-C10-C9-C8
17	N	201	04C	C12-C10-C9-C8
17	N	201	04C	C9-C10-C12-O13
17	V	301	04C	C11-C10-C9-C8
17	V	301	04C	C12-C10-C9-C8
17	V	301	04C	C11-C10-C12-O13
17	Y	301	04C	C11-C10-C9-C8
17	Y	301	04C	C12-C10-C9-C8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
17	b	201	04C	C11-C10-C9-C8
17	b	201	04C	C12-C10-C9-C8
17	b	201	04C	C9-C10-C12-O13
17	N	201	04C	C43-C44-O45-C46
17	b	201	04C	C43-C44-O45-C46
17	N	201	04C	C47-C44-O45-C46
17	b	201	04C	C47-C44-O45-C46
17	K	301	04C	C47-C44-O45-C46
17	K	301	04C	C43-C44-O45-C46
17	Y	301	04C	C47-C44-O45-C46
17	Y	301	04C	C43-C44-O45-C46
17	N	201	04C	N25-C24-C40-C41
17	b	201	04C	N25-C24-C40-C41
17	H	301	04C	C47-C44-O45-C46
17	H	301	04C	C43-C44-O45-C46
17	V	301	04C	C47-C44-O45-C46
17	V	301	04C	C43-C44-O45-C46
17	N	201	04C	C23-C24-C40-C41
17	b	201	04C	C23-C24-C40-C41
17	H	301	04C	C11-C10-C9-O21
17	N	201	04C	C12-C10-C9-O21
17	V	301	04C	C11-C10-C9-O21
17	b	201	04C	C12-C10-C9-O21
17	H	301	04C	C5-C6-C7-C8
17	V	301	04C	C5-C6-C7-C8
17	H	301	04C	O37-C29-C30-N31
17	V	301	04C	O37-C29-C30-N31
17	N	201	04C	C5-C6-C7-C8
17	b	201	04C	C5-C6-C7-C8
17	H	301	04C	N28-C29-C30-N31
17	V	301	04C	N28-C29-C30-N31
17	H	301	04C	C1-C6-C7-C8
17	V	301	04C	C1-C6-C7-C8
17	N	201	04C	C1-C6-C7-C8
17	b	201	04C	C1-C6-C7-C8
17	N	201	04C	N28-C29-C30-N31
17	b	201	04C	N28-C29-C30-N31
17	Y	301	04C	C5-C6-C7-C8
17	K	301	04C	C5-C6-C7-C8
17	N	201	04C	O37-C29-C30-N31
17	b	201	04C	O37-C29-C30-N31
17	Y	301	04C	C1-C6-C7-C8

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
17	K	301	04C	C1-C6-C7-C8
17	K	301	04C	C11-C10-C9-O21
17	K	301	04C	C12-C10-C9-O21
17	N	201	04C	C11-C10-C9-O21
17	Y	301	04C	C11-C10-C9-O21
17	Y	301	04C	C12-C10-C9-O21
17	b	201	04C	C11-C10-C9-O21
18	Y	303	MES	C7-C8-S-O3S
17	N	201	04C	C29-C30-N31-C32
17	b	201	04C	C29-C30-N31-C32
17	H	301	04C	C6-C7-C8-N22
17	V	301	04C	C6-C7-C8-N22
18	H	302	MES	C7-C8-S-O1S
18	H	302	MES	C7-C8-S-O2S
18	Y	303	MES	C7-C8-S-O1S
18	Y	303	MES	C7-C8-S-O2S
17	N	201	04C	C29-C30-N31-C36
17	b	201	04C	C29-C30-N31-C36
18	H	302	MES	C7-C8-S-O3S
17	V	301	04C	C29-C30-N31-C32
17	V	301	04C	C12-C10-C9-O21
17	H	301	04C	C29-C30-N31-C32
17	Y	301	04C	O49-C23-C24-N25
17	K	301	04C	O49-C23-C24-N25
17	H	301	04C	C29-C30-N31-C36
17	V	301	04C	C29-C30-N31-C36
17	N	201	04C	C11-C10-C12-O13
17	H	301	04C	C12-C10-C9-O21
17	H	301	04C	C9-C10-C12-O13
17	V	301	04C	C9-C10-C12-O13
17	Y	301	04C	N22-C23-C24-N25
17	K	301	04C	N22-C23-C24-N25
17	K	301	04C	N22-C8-C9-C10
17	Y	301	04C	N22-C8-C9-C10


There are no ring outliers.


3 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	K	301	04C	1	0
18	K	303	MES	1	0
17	N	201	04C	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/250 (100%)	-0.37	6 (2%) 59 53	41, 55, 93, 144	0
1	O	250/250 (100%)	-0.29	7 (2%) 53 46	46, 65, 108, 155	0
2	B	244/258 (94%)	-0.24	8 (3%) 46 39	41, 63, 110, 160	0
2	P	244/258 (94%)	-0.15	11 (4%) 33 26	45, 67, 115, 155	0
3	C	240/254 (94%)	-0.10	11 (4%) 32 26	42, 69, 129, 163	0
3	Q	240/254 (94%)	0.26	27 (11%) 5 3	52, 86, 179, 219	0
4	D	235/260 (90%)	-0.33	4 (1%) 70 66	45, 68, 98, 141	0
4	R	235/260 (90%)	-0.19	7 (2%) 50 43	52, 72, 118, 172	0
5	E	231/234 (98%)	-0.19	8 (3%) 44 36	46, 70, 110, 154	0
5	S	231/234 (98%)	0.07	15 (6%) 18 14	53, 85, 139, 181	0
6	F	243/288 (84%)	-0.41	6 (2%) 57 51	40, 62, 113, 143	0
6	T	243/288 (84%)	-0.18	9 (3%) 41 34	46, 77, 140, 179	0
7	G	241/252 (95%)	-0.38	7 (2%) 51 45	39, 58, 101, 147	0
7	U	241/252 (95%)	-0.38	2 (0%) 86 84	43, 62, 95, 134	0
8	H	222/232 (95%)	-0.49	2 (0%) 84 82	38, 56, 86, 108	0
8	V	222/232 (95%)	-0.47	2 (0%) 84 82	37, 58, 90, 119	0
9	I	204/205 (99%)	-0.71	0 100 100	36, 50, 81, 107	0
9	W	204/205 (99%)	-0.65	1 (0%) 91 89	36, 55, 82, 112	0
10	J	195/198 (98%)	-0.56	2 (1%) 82 80	37, 53, 83, 124	0
10	X	195/198 (98%)	-0.54	2 (1%) 82 80	42, 56, 87, 138	0
11	K	212/212 (100%)	-0.50	1 (0%) 91 89	33, 56, 84, 101	0
11	Y	212/212 (100%)	-0.49	2 (0%) 84 82	31, 58, 85, 114	0
12	L	222/222 (100%)	-0.61	0 100 100	37, 56, 83, 101	0
12	Z	222/222 (100%)	-0.60	2 (0%) 84 82	36, 56, 87, 104	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	M	231/246 (93%)	-0.49	7 (3%) 50 43	35, 56, 88, 116	0
13	a	232/246 (94%)	-0.50	5 (2%) 62 56	37, 57, 85, 121	0
14	N	196/196 (100%)	-0.63	0 100 100	33, 53, 84, 107	0
14	b	196/196 (100%)	-0.57	1 (0%) 91 89	34, 54, 85, 109	0
All	All	6333/6614 (95%)	-0.37	155 (2%) 59 53	31, 61, 114, 219	0

All (155) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	49	THR	10.3
3	Q	50	LEU	8.5
1	A	1	MET	8.2
1	O	1	MET	8.2
3	C	206	LYS	8.2
3	Q	206	LYS	8.1
2	P	51	VAL	6.9
3	C	238	LYS	6.7
10	J	1	MET	6.0
3	Q	48	SER	5.5
2	P	59	ASP	5.4
5	S	202	ASP	5.3
3	Q	223	SER	5.1
2	B	218	GLY	4.9
2	B	51	VAL	4.8
3	Q	238	LYS	4.5
8	V	222	ASP	4.5
2	P	218	GLY	4.5
10	X	1	MET	4.4
3	C	49	THR	4.3
2	B	220	ASN	4.3
4	R	241	ALA	4.2
2	P	220	ASN	4.2
10	X	194	ASP	4.1
5	E	202	ASP	4.1
7	U	222	ASP	4.0
3	Q	239	GLN	3.9
3	C	202	GLN	3.8
3	C	225	GLU	3.8
3	C	239	GLN	3.8
1	A	250	LEU	3.8
3	Q	236	GLN	3.8

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
3	C	50	LEU	3.7
1	O	249	ALA	3.7
2	P	219	ALA	3.5
1	O	201	GLU	3.4
13	M	1	THR	3.4
6	T	241	LYS	3.4
3	Q	240	GLU	3.4
5	S	173	ARG	3.4
4	R	125	LEU	3.3
2	P	60	THR	3.3
3	Q	51	LYS	3.3
5	S	58	TYR	3.2
4	R	113	LEU	3.2
1	O	52	SER	3.2
5	E	54	GLU	3.2
8	V	221	CYS	3.2
6	T	244	ASN	3.2
6	F	215	CYS	3.2
8	H	222	ASP	3.1
5	S	233	ILE	3.1
13	a	230	THR	3.1
1	A	249	ALA	3.1
2	B	59	ASP	3.1
1	A	2	THR	3.0
13	M	230	THR	3.0
2	P	221	ASP	3.0
7	U	242	GLN	3.0
6	T	53	LYS	3.0
3	Q	202	GLN	3.0
8	H	221	CYS	3.0
3	Q	225	GLU	3.0
13	a	1	THR	3.0
11	K	212	GLY	3.0
6	T	243	ILE	2.9
11	Y	212	GLY	2.9
3	Q	55	THR	2.9
7	G	181	LYS	2.9
2	B	221	ASP	2.9
6	T	2	THR	2.9
11	Y	106	ARG	2.9
2	B	240	LYS	2.9
7	G	242	GLN	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
3	Q	205	ALA	2.9
4	D	241	ALA	2.9
5	S	225	ASP	2.9
3	Q	204	GLY	2.8
3	C	205	ALA	2.8
7	G	3	TYR	2.8
9	W	1	SER	2.8
4	R	242	GLU	2.8
1	A	248	GLU	2.8
5	E	233	ILE	2.8
3	C	180	LYS	2.7
4	D	242	GLU	2.7
10	J	194	ASP	2.7
3	Q	180	LYS	2.7
3	Q	221	ALA	2.7
13	a	232	LYS	2.7
3	Q	171	GLU	2.7
3	Q	60	SER	2.7
2	P	182	ASP	2.6
2	B	219	ALA	2.6
5	S	54	GLU	2.6
1	O	50	LYS	2.6
4	D	238	LYS	2.6
5	S	180	LYS	2.6
6	T	239	ALA	2.5
7	G	2	GLY	2.5
5	S	204	SER	2.5
13	M	216	ASN	2.5
2	P	186	ASP	2.5
4	R	230	GLU	2.5
5	S	52	ALA	2.5
4	D	125	LEU	2.5
1	O	248	GLU	2.5
3	Q	207	ASN	2.5
12	Z	1	GLN	2.5
12	Z	210	ASP	2.4
1	A	182	GLU	2.4
3	Q	235	GLU	2.4
3	Q	141	ASP	2.4
3	C	240	GLU	2.4
5	S	51	ASN	2.4
6	F	53	LYS	2.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
6	T	205	GLU	2.4
6	T	215	CYS	2.4
13	M	227	GLY	2.3
13	a	229	GLY	2.3
5	E	207	VAL	2.3
2	P	225	TYR	2.3
3	C	236	GLN	2.3
7	G	179	LYS	2.3
13	M	226	LYS	2.3
5	S	194	GLU	2.3
2	P	50	LYS	2.3
5	S	122	TYR	2.3
13	M	231	GLN	2.3
1	O	2	THR	2.3
7	G	241	GLU	2.2
3	Q	181	GLU	2.2
6	F	201	GLU	2.2
3	Q	187	GLU	2.2
5	S	203	GLU	2.2
6	T	204	LYS	2.2
3	Q	52	LEU	2.1
5	E	180	LYS	2.1
4	R	217	GLN	2.1
5	E	218	ASP	2.1
14	b	195	GLN	2.1
7	G	240	ALA	2.1
5	E	173	ARG	2.1
6	F	241	LYS	2.1
3	Q	46	ARG	2.1
5	S	201	ARG	2.1
5	S	171	LEU	2.1
6	F	228	LYS	2.1
13	a	231	GLN	2.0
4	R	2	ARG	2.0
13	M	228	TYR	2.0
3	Q	203	THR	2.0
6	F	2	THR	2.0
2	B	52	THR	2.0
5	E	201	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
17	04C	N	201	42/42	0.91	0.26	34,50,63,67	0
15	MG	N	203	1/1	0.93	0.25	57,57,57,57	0
15	MG	Z	301	1/1	0.93	0.17	68,68,68,68	0
17	04C	H	301	42/42	0.93	0.14	35,42,67,69	0
15	MG	G	301	1/1	0.93	0.12	60,60,60,60	0
17	04C	b	201	42/42	0.93	0.23	35,52,71,75	0
18	MES	V	303	12/12	0.94	0.24	56,58,69,78	0
17	04C	V	301	42/42	0.95	0.13	34,42,74,75	0
15	MG	K	302	1/1	0.96	0.09	55,55,55,55	0
18	MES	H	302	12/12	0.96	0.19	58,61,66,67	0
17	04C	K	301	42/42	0.96	0.11	31,41,54,56	0
15	MG	N	202	1/1	0.97	0.11	50,50,50,50	0
17	04C	Y	301	42/42	0.97	0.12	29,40,59,60	0
15	MG	I	301	1/1	0.97	0.24	68,68,68,68	0
15	MG	V	302	1/1	0.97	0.16	62,62,62,62	0
18	MES	K	303	12/12	0.97	0.16	34,36,47,49	0
15	MG	Y	302	1/1	0.97	0.15	65,65,65,65	0
18	MES	Y	303	12/12	0.97	0.15	32,35,41,41	0
16	CL	G	302	1/1	0.99	0.06	48,48,48,48	0
16	CL	U	301	1/1	0.99	0.12	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around 04C N 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 04C H 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around 04C b 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 04C V 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 04C K 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 04C Y 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.