

Full wwPDB X-ray Structure Validation Report (i)

Mar 25, 2024 – 03:01 pm GMT

PDB ID	:	8QZR
Title	:	SARS-CoV-2 delta RBD complexed with BA.4/5-9 Fab
Authors	:	Zhou, D.; Ren, J.; Stuart, D.I.
Deposited on	:	2023-10-29
Resolution	:	3.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1038 (3.96-3.60)
Clashscore	141614	1100 (3.96-3.60)
Ramachandran outliers	138981	1062 (3.96-3.60)
Sidechain outliers	138945	1058 (3.96-3.60)
RSRZ outliers	127900	1009 (3.98-3.58)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	В	215	6% 51% 11%)	_	39%	-		
1	L	215	90%				9%	•	
2	А	225	61%	12%	•	27%			
2	Н	225	6% 77%			19%		•	
3	С	202	7%76%			18%	•	•	



Mol	Chain	Length	Quality of chain	Quality of chain					
			4%						
3	Ε	202	76%	19%	• •				

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	Е	601	-	-	-	Х



8QZR

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8709 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called BA.4/5-9 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	т	215	Total	С	Ν	0	\mathbf{S}	0	0	0	
1		210	1661	1038	284	333	6	0	0	0	
1	В	129	Total	С	Ν	0	\mathbf{S}	0	0	0	
1	D	132	1031	643	178	207	3	0	0	0	

• Molecule 2 is a protein called BA.4/5-9 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Н	219	Total 1630	C 1025	N 275	O 322	S 8	0	0	0
2	А	165	Total 1261	С 794	N 215	0 247	S 5	0	0	0

• Molecule 3 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	3 C	194	Total	С	Ν	0	S	0	1	0
0			1544	988	260	288	8	0	L	
2	F	104	Total	С	Ν	0	S	0	1	0
0	3 E	194	1544	988	260	288	8	0	L	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	327	HIS	-	expression tag	UNP P0DTC2
С	328	HIS	-	expression tag	UNP P0DTC2
С	329	HIS	-	expression tag	UNP P0DTC2
С	330	HIS	-	expression tag	UNP P0DTC2
С	331	HIS	-	expression tag	UNP P0DTC2
С	332	HIS	-	expression tag	UNP P0DTC2
С	452	ARG	LEU	variant	UNP P0DTC2
С	478	LYS	THR	variant	UNP P0DTC2



Chain	Residue	Modelled	Actual	Comment	Reference
С	527	LYS	-	expression tag	UNP P0DTC2
С	528	LYS	-	expression tag	UNP P0DTC2
Е	327	HIS	-	expression tag	UNP P0DTC2
Е	328	HIS	-	expression tag	UNP P0DTC2
Е	329	HIS	-	expression tag	UNP P0DTC2
Е	330	HIS	-	expression tag	UNP P0DTC2
Е	331	HIS	-	expression tag	UNP P0DTC2
E	332	HIS	-	expression tag	UNP P0DTC2
Е	452	ARG	LEU	variant	UNP P0DTC2
Е	478	LYS	THR	variant	UNP P0DTC2
Е	527	LYS	-	expression tag	UNP P0DTC2
E	528	LYS	-	expression tag	UNP P0DTC2

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	С	1	Total C N O 14 8 1 5	0	0
4	Е	1	Total C N O 14 8 1 5	0	0

• Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O_4S).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



 \bullet Molecule 1: BA.4/5-9 light chain





4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants	251.58Å 251.58Å 251.58Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	59.30 - 3.77	Depositor
Resolution (A)	59.30 - 3.77	EDS
% Data completeness	99.9 (59.30-3.77)	Depositor
(in resolution range)	$100.0\ (59.30-3.77)$	EDS
R _{merge}	0.41	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.01 (at 3.77 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
D D.	0.251 , 0.300	Depositor
Π, Π_{free}	0.251 , 0.297	DCC
R_{free} test set	1322 reflections (4.95%)	wwPDB-VP
Wilson B-factor $(Å^2)$	165.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.34, 183.6	EDS
L-test for twinning ²	$< L > = 0.38, < L^2 > = 0.21$	Xtriage
Estimated twinning fraction	0.138 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8709	wwPDB-VP
Average B, all atoms $(Å^2)$	196.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 1.96% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
WIOI		RMSZ	# Z > 5	RMSZ	# Z > 5
1	В	0.25	0/1055	0.51	0/1430
1	L	0.25	0/1700	0.49	0/2309
2	А	0.26	0/1292	0.48	0/1751
2	Н	0.26	0/1669	0.49	0/2273
3	С	0.26	0/1590	0.48	0/2161
3	Е	0.26	0/1590	0.49	0/2161
All	All	0.26	0/8896	0.49	0/12085

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	1031	0	975	18	0
1	L	1661	0	1598	19	0
2	А	1261	0	1202	25	0
2	Н	1630	0	1584	37	0
3	С	1544	0	1465	25	0
3	Е	1544	0	1465	28	0
4	С	14	0	13	1	0



	- $ -$							
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes		
4	Ε	14	0	13	1	0		
5	С	5	0	0	0	0		
5	Ε	5	0	0	0	0		
All	All	8709	0	8315	126	0		

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:A:31:ASN:OD1	3:E:453:TYR:OH	2.07	0.70	
2:H:204:ASN:ND2	2:H:215:ASP:OD2	2.25	0.70	
2:A:57:SER:HB3	3:E:489:TYR:HD1	1.56	0.70	
3:C:392:PHE:HB3	3:C:517:LEU:HD23	1.75	0.68	
2:H:72:ARG:HH21	2:H:77:THR:HG22	1.60	0.66	
1:B:89:GLN:HE21	1:B:97:TYR:HB3	1.63	0.64	
3:E:442:ASP:O	3:E:448:ASN:ND2	2.31	0.63	
1:B:6:GLN:O	1:B:101:GLN:NE2	2.32	0.63	
1:B:37:GLN:HB2	1:B:47:LEU:HD11	1.81	0.62	
3:C:376:THR:HB	3:C:435:ALA:HB3	1.82	0.62	
1:L:46:LEU:HD22	2:H:106:ASP:HB2	1.82	0.62	
3:E:356:LYS:HG3	3:E:358:ILE:HG23	1.81	0.62	
3:C:358:ILE:HG13	3:C:395:VAL:HG13	1.82	0.61	
3:E:358:ILE:HG13	3:E:395:VAL:HG13	1.82	0.61	
3:E:392:PHE:HB3	3:E:517:LEU:HD23	1.83	0.61	
2:H:126:PRO:HB3	2:H:152:TYR:HB3	1.84	0.60	
2:H:53:PRO:O	2:H:72:ARG:NH1	2.32	0.60	
1:L:36:TYR:HE2	2:H:107:PHE:HB2	1.67	0.60	
1:B:53:ASN:OD1	3:E:408:ARG:NH2	2.35	0.60	
2:H:175:ALA:HA	2:H:185:LEU:HB3	1.83	0.59	
3:C:356:LYS:HG3	3:C:358:ILE:HG23	1.84	0.59	
1:L:89:GLN:HE21	1:L:97:TYR:HB3	1.68	0.59	
2:H:100:ASN:ND2	2:H:106:ASP:OD1	2.36	0.58	
2:A:52:ASN:ND2	2:A:57:SER:HB2	2.19	0.58	
1:B:139:ASN:HA	1:B:173:THR:HB	1.86	0.58	
2:H:35:HIS:NE2	2:H:99:GLU:OE1	2.30	0.58	
3:C:356:LYS:HB3	3:C:397:ALA:HB3	1.87	0.57	
2:A:107:PHE:HB2	1:B:36:TYR:HE2	1.69	0.57	
1:L:95:PRO:HB3	2:H:59:THR:HG21	1.86	0.56	
3:C:392:PHE:HA	3:C:517:LEU:HA	1.87	0.56	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:91:THR:HG23	2:H:117:THR:HA	1.88	0.56
3:C:350:VAL:HG22	3:C:422:ASN:HB3	1.87	0.56
1:L:6:GLN:O	1:L:101:GLN:NE2	2.40	0.55
3:E:452:ARG:HG2	3:E:494:SER:HA	1.87	0.55
1:L:32:TYR:HB3	1:L:91:HIS:CD2	2.42	0.55
2:A:119:SER:HB3	2:A:153:PHE:CZ	2.42	0.55
1:L:91:HIS:NE2	2:H:104:SER:HA	2.22	0.55
3:E:448:ASN:HB3	3:E:497:PHE:HB2	1.88	0.55
3:C:455:LEU:HD11	3:C:493:GLN:HG2	1.88	0.54
2:H:52:ASN:ND2	2:H:57:SER:HB2	2.22	0.53
2:A:35:HIS:NE2	2:A:99:GLU:OE1	2.33	0.53
3:C:408:ARG:NH1	3:C:414:GLN:OE1	2.42	0.53
2:A:101:GLY:HA2	3:E:453:TYR:OH	2.08	0.52
2:H:57:SER:HB3	3:C:489:TYR:HD1	1.74	0.52
2:H:67:ARG:NH2	2:H:90:ASP:OD2	2.41	0.52
1:L:37:GLN:HB2	1:L:47:LEU:HD11	1.92	0.52
2:H:100:ASN:ND2	3:C:505:TYR:OH	2.43	0.52
2:H:36:TRP:CE2	2:H:81:MET:HB2	2.45	0.51
2:A:47:TRP:HB2	1:B:99:PHE:HE1	1.76	0.51
1:B:35:TRP:CD2	1:B:73:LEU:HB2	2.45	0.51
3:E:518:LEU:HD21	3:E:525:CYS:SG	2.51	0.51
2:H:166:LEU:HD21	2:H:189:VAL:HG21	1.93	0.50
3:E:336:CYS:SG	3:E:361:CYS:N	2.84	0.50
2:A:99:GLU:HA	2:A:106:ASP:O	2.12	0.50
2:A:106:ASP:HB3	1:B:46:LEU:HD22	1.93	0.49
3:E:342:PHE:HB2	4:E:601:NAG:H82	1.93	0.49
3:E:350:VAL:HG22	3:E:422:ASN:HB3	1.94	0.49
2:A:36:TRP:CE2	2:A:81:MET:HB2	2.47	0.48
3:C:336:CYS:SG	3:C:361:CYS:N	2.86	0.48
1:L:109:ARG:HH12	1:L:112:ALA:HB2	1.78	0.48
3:C:350:VAL:HA	3:C:400:PHE:HB2	1.96	0.48
2:H:160:SER:O	2:H:204:ASN:N	2.40	0.48
2:A:39:GLN:NE2	1:B:38:GLN:OE1	2.46	0.48
2:H:5:VAL:O	2:H:23:LYS:N	2.44	0.47
1:B:37:GLN:O	1:B:45:ARG:N	2.46	0.47
2:H:175:ALA:HB2	2:H:185:LEU:HD23	1.96	0.47
3:E:350:VAL:HA	3:E:400:PHE:HB2	1.95	0.47
3:E:518:LEU:HD13	3:E:520:ALA:H	1.79	0.47
1:L:36:TYR:CE2	2:H:107:PHE:HB2	2.47	0.47
2:H:99:GLU:HA	2:H:106:ASP:O	2.16	0.46
1:B:109:ARG:HD3	1:B:172:SER:HB2	1.97	0.46



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:E:398:ASP:HB2	3:E:512:VAL:HB	1.98	0.46
1:L:133:VAL:HG13	1:L:180:LEU:HB3	1.99	0.45
2:A:67:ARG:NH2	2:A:90:ASP:OD2	2.43	0.45
2:A:98:ARG:NH2	2:A:108:ASP:OD2	2.48	0.45
2:H:11:VAL:HG22	2:H:117:THR:HB	1.99	0.45
2:A:104:SER:HA	1:B:91:HIS:NE2	2.30	0.45
1:B:32:TYR:HB3	1:B:91:HIS:CD2	2.50	0.45
3:C:390:LEU:HD13	3:C:390:LEU:HA	1.80	0.45
2:H:196:LEU:HD23	2:H:220:PRO:HG3	1.97	0.45
3:C:342:PHE:HB2	4:C:601:NAG:H82	1.98	0.45
3:C:398:ASP:HB2	3:C:512:VAL:HB	1.98	0.45
1:L:91:HIS:CE1	2:H:104:SER:HA	2.52	0.45
2:A:91:THR:HG23	2:A:117:THR:HA	1.99	0.44
1:L:109:ARG:NH2	1:L:173:THR:HG22	2.32	0.44
3:E:406:GLU:HB3	3:E:418:ILE:HG13	1.99	0.44
2:H:100:ASN:O	2:H:102:GLY:N	2.49	0.44
2:H:101:GLY:HA2	3:C:453:TYR:OH	2.17	0.44
1:L:97:TYR:CE1	2:H:35:HIS:HE1	2.36	0.44
1:L:91:HIS:HB3	1:L:97:TYR:CD2	2.53	0.44
1:L:139:ASN:HA	1:L:173:THR:HB	1.98	0.44
3:E:379:CYS:HA	3:E:432:CYS:HA	2.00	0.44
2:H:126:PRO:HD2	2:H:212:THR:HG21	2.00	0.44
1:B:21:LEU:HD23	1:B:103:THR:HB	2.00	0.44
3:E:455:LEU:HD11	3:E:493:GLN:HG2	2.00	0.43
1:B:109:ARG:NH2	1:B:141:TYR:HB2	2.34	0.43
3:E:497:PHE:CE2	3:E:507:PRO:HB3	2.54	0.43
2:A:119:SER:O	2:A:121:ALA:N	2.51	0.43
3:C:401:VAL:HG22	3:C:509:ARG:HG2	2.00	0.42
1:L:126:LEU:HD12	1:L:126:LEU:HA	1.80	0.42
2:H:57:SER:HA	3:C:485:GLY:O	2.19	0.42
2:A:102:GLY:O	3:E:417:LYS:HD3	2.20	0.42
1:B:35:TRP:CE2	1:B:73:LEU:HB2	2.54	0.42
3:C:449:TYR:O	3:C:451:TYR:N	2.52	0.42
3:C:365:TYR:OH	3:C:392:PHE:HZ	2.03	0.42
2:H:30:ILE:HD11	2:A:74:THR:HG21	2.01	0.41
3:E:408:ARG:NH1	3:E:414:GLN:OE1	2.53	0.41
3:E:339:GLY:O	3:E:343:ASN:HB2	2.21	0.41
2:H:102:GLY:O	3:C:417:LYS:HD3	2.20	0.41
2:H:106:ASP:OD2	2:H:108:ASP:HB3	2.21	0.41
2:A:31:ASN:HB2	3:E:494:SER:O	2.20	0.41
3:C:409:GLN:O	3:C:411:ALA:N	2.54	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:100:ASN:ND2	2:H:106:ASP:CG	2.74	0.41
2:A:108:ASP:N	2:A:108:ASP:OD1	2.54	0.41
2:A:57:SER:HA	3:E:485:GLY:O	2.20	0.41
1:L:164:VAL:HG22	1:L:176:LEU:HD12	2.02	0.41
2:H:98:ARG:NH2	2:H:108:ASP:OD2	2.46	0.41
2:A:104:SER:HA	1:B:91:HIS:CE1	2.55	0.41
2:A:13:LYS:HD3	2:A:121:ALA:H	1.86	0.41
2:A:27:ASP:OD1	2:A:28:THR:N	2.54	0.41
2:H:2:VAL:HG11	2:H:109:TYR:CD2	2.56	0.41
3:E:387:LEU:HA	3:E:387:LEU:HD23	1.77	0.41
3:E:455:LEU:HD21	3:E:493:GLN:HB2	2.02	0.40
1:L:114:PRO:HB3	1:L:140:PHE:HB3	2.03	0.40
3:C:387:LEU:HA	3:C:387:LEU:HD23	1.82	0.40
3:C:439:ASN:O	3:C:443[A]:SER:OG	2.24	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perc	entiles
1	В	126/215~(59%)	119 (94%)	7 (6%)	0	100	100
1	L	213/215~(99%)	202 (95%)	10 (5%)	1 (0%)	29	65
2	А	157/225~(70%)	138 (88%)	16 (10%)	3(2%)	8	42
2	Н	215/225~(96%)	200 (93%)	11 (5%)	4 (2%)	8	42
3	С	193/202~(96%)	174 (90%)	16 (8%)	3(2%)	9	44
3	Е	193/202~(96%)	174 (90%)	17 (9%)	2 (1%)	15	52
All	All	1097/1284 (85%)	1007 (92%)	77 (7%)	13 (1%)	13	49

All (13) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
2	Н	74	THR
3	С	450	ASN
3	Е	450	ASN
2	Н	56	VAL
2	Н	104	SER
2	А	121	ALA
3	С	449	TYR
2	Н	75	SER
2	А	56	VAL
3	Е	449	TYR
1	Ĺ	139	ASN
2	А	104	SER
3	C	410	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	В	113/186~(61%)	113 (100%)	0	100	100
1	L	186/186~(100%)	185 (100%)	1 (0%)	88	94
2	А	139/190~(73%)	139 (100%)	0	100	100
2	Н	184/190~(97%)	181 (98%)	3~(2%)	62	80
3	С	168/175~(96%)	162~(96%)	6 (4%)	35	63
3	Ε	168/175~(96%)	163~(97%)	5(3%)	41	66
All	All	958/1102~(87%)	943~(98%)	15 (2%)	62	80

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	L	133	VAL
2	Н	194	SER
2	Н	200	THR
2	Н	215	ASP
3	С	336	CYS
3	С	361	CYS



contentaca jient prettoat page						
Mol	Chain	\mathbf{Res}	Type			
3	С	362	VAL			
3	С	395	VAL			
3	С	515	PHE			
3	С	518	LEU			
3	Е	362	VAL			
3	Е	395	VAL			
3	Е	489	TYR			
3	Е	515	PHE			
3	Е	518	LEU			

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	Н	100	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol Type Chain		Dec	a Tink	Bond lengths			Bond angles			
INIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
5	SO4	Е	602	-	4,4,4	0.15	0	$6,\!6,\!6$	0.07	0
5	SO4	С	602	-	4,4,4	0.15	0	$6,\!6,\!6$	0.05	0
4	NAG	С	601	3	14,14,15	0.24	0	17,19,21	0.52	0
4	NAG	Е	601	3	14,14,15	0.22	0	17,19,21	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	С	601	3	-	2/6/23/26	0/1/1/1
4	NAG	Е	601	3	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	Е	601	NAG	O5-C5-C6-O6
4	С	601	NAG	O5-C5-C6-O6
4	Е	601	NAG	C4-C5-C6-O6
4	С	601	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	С	601	NAG	1	0
4	Е	601	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	В	132/215~(61%)	0.60	12 (9%) 9 8	152, 204, 329, 457	0
1	L	215/215~(100%)	0.48	16 (7%) 14 12	148, 204, 264, 328	0
2	А	165/225~(73%)	0.83	27~(16%) 1 1	137, 197, 353, 538	0
2	Н	219/225~(97%)	0.41	14 (6%) 19 16	136, 181, 229, 298	0
3	С	194/202~(96%)	0.51	14 (7%) 15 13	127, 180, 238, 276	0
3	Е	194/202~(96%)	0.42	9 (4%) 32 29	114, 168, 226, 277	0
All	All	1119/1284 (87%)	0.53	92 (8%) 11 10	114, 186, 294, 538	0

All (92) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	145	ALA	17.3
2	А	158	THR	6.2
2	А	209	PRO	4.9
2	А	180	SER	4.9
3	Е	342	PHE	4.8
1	В	143	ARG	4.1
3	С	496	GLY	4.1
2	Н	137	SER	4.0
2	А	119	SER	3.9
2	А	215	ASP	3.9
1	В	83	PHE	3.7
2	А	210	SER	3.6
2	А	176	VAL	3.5
2	А	164	GLY	3.5
1	L	51	ALA	3.5
2	А	124	LYS	3.4
2	Н	107	PHE	3.4
3	Е	392	PHE	3.3
3	С	365	TYR	3.3



Mol	Chain	Res	Type	RSRZ
3	С	387	LEU	3.3
2	А	179	SER	3.2
1	В	165	THR	3.1
2	А	159	VAL	3.1
3	Е	374	PHE	3.1
1	L	48	ILE	3.0
2	А	157	VAL	3.0
1	L	114	PRO	3.0
2	А	211	ASN	2.9
3	С	497	PHE	2.9
1	L	200	GLN	2.9
1	В	20	THR	2.9
1	L	118	ILE	2.9
2	А	214	VAL	2.8
2	Н	33	PHE	2.8
2	Н	222	SER	2.7
3	Е	362	VAL	2.7
1	L	13	LEU	2.7
3	С	377	PHE	2.7
1	L	47	LEU	2.7
1	L	149	TRP	2.7
1	В	44	PRO	2.7
2	Н	48	MET	2.6
2	А	172	THR	2.6
1	L	89	GLN	2.6
2	А	206	ASN	2.6
3	С	338	PHE	2.6
1	L	83	PHE	2.6
2	Н	110	TRP	2.5
2	А	155	GLU	2.5
3	С	433	VAL	2.5
2	Н	218	VAL	2.5
2	A	48	MET	2.5
3	С	434	ILE	2.5
3	E	425	LEU	2.5
2	Н	223	CYS	2.5
2	Н	45	LEU	2.4
1	L	103	THR	2.4
2	А	153	PHE	2.4
2	А	45	LEU	2.4
1	L	20	THR	2.4
1	L	197	VAL	2.3



8QZR

Mol	Chain	Res	Type	RSRZ
1	В	51	ALA	2.3
2	А	160	SER	2.3
1	В	95	PRO	2.3
3	Е	341	VAL	2.3
2	А	178	GLN	2.3
2	А	184	SER	2.2
3	С	402	ILE	2.2
2	Н	64	PHE	2.2
3	С	501	ASN	2.2
3	Е	513	LEU	2.2
2	А	151	ASP	2.2
2	Н	145	LEU	2.2
1	В	175	SER	2.2
1	В	62	PHE	2.2
2	А	118	VAL	2.2
3	С	366	SER	2.2
3	Е	387	LEU	2.1
2	Н	97	ALA	2.1
3	С	432	CYS	2.1
1	L	193	TYR	2.1
2	А	154	PRO	2.1
2	А	107	PHE	2.1
3	С	384	PRO	2.1
1	В	33	LEU	2.1
1	В	110	THR	2.1
2	Н	197	GLY	2.1
1	L	182	LEU	2.0
1	L	49	TYR	2.0
3	Е	410	ILE	2.0
2	Н	70	MET	2.0
3	С	335	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	NAG	Е	601	14/15	0.47	0.41	194,242,269,270	0
4	NAG	С	601	14/15	0.59	0.24	182,221,247,250	0
5	SO4	Е	602	5/5	0.83	0.45	191,215,240,420	0
5	SO4	С	602	5/5	0.87	0.23	146,173,231,287	0

6.5 Other polymers (i)

There are no such residues in this entry.

