wwPDB EM Validation Summary Report

Oct 26, 2026 – 01:01 pm GMT

PDB ID	:	9R12 / pdb_00009r12
EMDB ID	:	EMD-53490
Title	:	Bovine complex I at pH 6.0 in the active state
Authors	:	Fisher, W.; Grba, D.N.; Hirst, J.
Deposited on	:	2025-04-25
Resolution	:	2.26 Å(reported)
Based on initial model	:	7QSL

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


EMDB validation analysis	:	0.0.1.dev133
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4-5-2 with Phenix2.2
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	3535 (1.76 - 2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	115	84% 15%
2	B	216	62% 8% 28%
3	C	266	73% 5% 21%
4	D	463	81% 12% 7%
















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	249	6% 69% 16% 14%
6	F	464	80% 13% 7%
7	G	727	5% 80% 15%
8	H	318	83% 16%
9	I	212	73% 10% 17%
10	J	175	10% 82% 15%
11	K	98	74% 26%
12	L	606	5% 82% 17%
13	M	459	83% 16%
14	N	347	84% 16%
15	O	343	6% 76% 17% 7%
16	P	380	5% 72% 18% 10%
17	Q	175	5% 64% 8% 26%
18	R	124	9% 70% 7% 23%
19	S	99	9% 66% 22% 12%
20	T	156	33% 38% 15% 46%
20	U	156	11% 40% 14% 45%
21	V	116	7% 86% 14%
22	W	128	9% 76% 14% 10%
23	X	172	8% 92% 8%
24	Y	141	19% 82% 17%
25	Z	144	10% 85% 12%
26	a	70	87% 13%
27	b	84	15% 89% 11%
28	c	76	9% 63% 36%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	d	121	
30	e	106	
31	f	57	
32	g	154	
33	h	189	
34	i	128	
35	j	108	
36	k	98	
37	l	186	
38	m	129	
39	n	179	
40	o	137	
41	p	176	
42	q	146	
43	r	113	
44	s	109	

2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 70211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	115	921	622	133	159	7	0	0

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	155	1242	792	224	212	14	0	0

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	209	1738	1120	298	317	3	0	0

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	430	3459	2209	596	629	25	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	129	ARG	GLN	variant	UNP P17694

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	214	Total	C	N	O	S	0	0
			1659	1059	278	312	10		

- Molecule 6 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	432	Total	C	N	O	S	0	0
			3326	2096	594	616	20		

- Molecule 7 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	699	Total	C	N	O	S	1	0
			5366	3362	934	1030	40		

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	318	Total	C	N	O	S	0	0
			2509	1681	385	420	23		

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	176	Total	C	N	O	S	0	0
			1414	889	243	270	12		

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	175	Total	C	N	O	S	0	0
			1345	906	191	236	12		

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	98	Total	C	N	O	S	0	0
			745	486	112	131	16		

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	606	Total	C	N	O	S	0	0
			4802	3195	737	827	43		

- Molecule 13 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	459	Total	C	N	O	S	5	0
			3694	2461	578	616	39		

- Molecule 14 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	347	Total	C	N	O	S	0	0
			2733	1817	416	457	43		

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	320	Total	C	N	O	S	0	0
			2589	1662	429	488	10		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
O	255	LYS	ASN	variant	UNP P34942

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	342	Total	C	N	O	S	0	0
			2754	1781	487	481	5		

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	129	Total	C	N	O	S	0	0
			1049	659	188	199	3		

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	96	Total	C	N	O	S	0	0
			740	454	140	143	3		

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	87	Total	C	N	O	S	0	0
			700	440	131	127	2		

- Molecule 20 is a protein called Acyl carrier protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	85	Total	C	N	O	S	0	0
			688	444	101	138	5		
20	U	86	Total	C	N	O	S	0	0
			693	447	102	139	5		

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	V	116	Total	C	N	O	S	0	0
			931	602	157	169	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
V	0	ACE	-	acetylation	UNP P23935

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	W	115	Total	C	N	O	S	0	0
			976	625	181	166	4		

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	X	171	Total	C	N	O	S	0	0
			1402	887	253	252	10		

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	141	Total	C	N	O	S	0	0
			1030	657	176	191	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	0	ACE	-	acetylation	UNP Q8HXG6

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Z	141	Total	C	N	O	S	0	0
			1152	740	201	202	9		

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	70	Total	C	N	O	S	0	0
			569	365	104	95	5		

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	84	Total	C	N	O	S	0	0
			654	427	109	116	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
b	0	ACE	-	acetylation	UNP Q02371

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	c	49	Total	C	N	O	0	0
			414	273	70	71		

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	121	Total	C	N	O	S	0	0
			999	650	172	172	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
d	0	ACE	-	acetylation	UNP Q02827

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	99	Total	C	N	O	S	0	0
			829	523	158	142	6		

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	57	Total	C	N	O	S	0	0
			492	322	86	82	2		

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	100	Total	C	N	O	S	0	0
			839	539	139	157	4		

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	138	Total	C	N	O	S	0	0
			1154	759	196	197	2		

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	111	Total	C	N	O	S	0	0
			945	619	165	160	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
i	0	ACE	-	acetylation	UNP Q02367

- Molecule 35 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	67	Total	C	N	O	S	0	0
			580	381	95	103	1		

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	81	Total	C	N	O	S	0	0
			653	427	110	114	2		

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	156	Total	C	N	O	S	0	0
			1314	850	216	240	8		

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	m	128	Total	C	N	O	0	0
			1067	684	188	195		

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	172	Total	C	N	O	S	0	0
			1492	955	273	257	7		

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	122	Total	C	N	O	S	0	0
			1048	653	201	185	9		

- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	173	Total	C	N	O	S	0	0
			1453	910	268	267	8		

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	q	146	Total	C	N	O	S	0	0
			1212	780	216	211	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
q	0	ACE	-	acetylation	UNP O97725

- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	r	96	Total	C	N	O	S	0	0
			776	490	144	139	3		


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
r	0	ACE	-	acetylation	UNP Q05752

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.


Mol	Chain	Residues	Atoms					AltConf	Trace
44	s	45	Total	C	N	O	S	1	0
			391	244	71	75	1		

- Molecule 45 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$).



Mol	Chain	Residues	Atoms					AltConf
45	A	1	Total	C	N	O	P	0
			35	25	1	8	1	
45	A	1	Total	C	N	O	P	0
			33	23	1	8	1	
45	B	1	Total	C	N	O	P	0
			41	31	1	8	1	
45	B	1	Total	C	N	O	P	0
			54	44	1	8	1	
45	L	1	Total	C	N	O	P	0
			40	30	1	8	1	
45	M	1	Total	C	N	O	P	0
			39	29	1	8	1	
45	M	1	Total	C	N	O	P	0
			42	32	1	8	1	
45	Z	1	Total	C	N	O	P	0
			48	38	1	8	1	
45	d	1	Total	C	N	O	P	0
			33	23	1	8	1	

- Molecule 46 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: $C_{41}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
46	A	1	Total	C	N	O	P	0
			37	27	1	8	1	
46	H	1	Total	C	N	O	P	0
			29	19	1	8	1	
46	I	1	Total	C	N	O	P	0
			38	28	1	8	1	
46	I	1	Total	C	N	O	P	0
			35	25	1	8	1	
46	L	1	Total	C	N	O	P	0
			39	29	1	8	1	
46	L	1	Total	C	N	O	P	0
			45	35	1	8	1	
46	L	1	Total	C	N	O	P	0
			35	25	1	8	1	
46	M	1	Total	C	N	O	P	0
			45	35	1	8	1	
46	M	1	Total	C	N	O	P	0
			51	41	1	8	1	
46	N	1	Total	C	N	O	P	0
			51	41	1	8	1	
46	Y	1	Total	C	N	O	P	0
			40	30	1	8	1	
46	b	1	Total	C	N	O	P	0
			47	37	1	8	1	
46	d	1	Total	C	N	O	P	0
			48	38	1	8	1	
46	d	1	Total	C	N	O	P	0
			37	27	1	8	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
46	m	1	Total	C	N	O	P	0
			40	30	1	8	1	

- Molecule 47 is DODECYL-BETA-D-MALTOSIDE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms			AltConf
47	A	1	Total	C	O	0
			35	24	11	
47	L	1	Total	C	O	0
			35	24	11	
47	L	1	Total	C	O	0
			35	24	11	
47	M	1	Total	C	O	0
			35	24	11	
47	M	1	Total	C	O	0
			35	24	11	
47	Y	1	Total	C	O	0
			35	24	11	
47	i	1	Total	C	O	0
			35	24	11	
47	p	1	Total	C	O	0
			35	24	11	

- Molecule 48 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms	AltConf
48	B	1	Total Fe S 8 4 4	0
48	F	1	Total Fe S 8 4 4	0
48	G	1	Total Fe S 8 4 4	0
48	G	1	Total Fe S 8 4 4	0
48	I	1	Total Fe S 8 4 4	0
48	I	1	Total Fe S 8 4 4	0

- Molecule 49 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2).



Mol	Chain	Residues	Atoms			AltConf
49	E	1	Total	Fe	S	0
			4	2	2	
49	G	1	Total	Fe	S	0
			4	2	2	

- Molecule 50 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms					AltConf
50	F	1	Total	C	N	O	P	0
			31	17	4	9	1	

- Molecule 51 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
51	G	1	Total K 1 1	0

- Molecule 52 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




Mol	Chain	Residues	Atoms	AltConf
52	H	1	Total C O P 50 31 17 2	0
52	K	1	Total C O P 69 50 17 2	0
52	L	1	Total C O P 60 41 17 2	0
52	N	1	Total C O P 60 41 17 2	0
52	d	1	Total C O P 73 54 17 2	0
52	d	1	Total C O P 65 46 17 2	0
52	h	1	Total C O P 78 59 17 2	0
52	r	1	Total C O P 62 43 17 2	0

- Molecule 53 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	AltConf
53	O	1	Total Mg 1 1	0

- Molecule 54 is 2'-DEOXYGUANOSINE-5'-TRIPHOSPHATE (CCD ID: DGT) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
54	O	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 55 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					AltConf
55	P	1	Total	C	N	O	P	0
			48	21	7	17	3	

- Molecule 56 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
56	R	1	Total	Zn	0
			1	1	

- Molecule 57 is {S}-[2-[3-[[(2 {R})-3,3-dimethyl-2-oxidanyl-4-phosphonooxy-butanoyl]amino]propanoylamino]ethyl] (3 {S})-3-oxidanyltetradecanethioate (CCD ID: EHZ) (formula: $C_{25}H_{49}N_2O_9PS$).



Mol	Chain	Residues	Atoms					AltConf
57	T	1	Total	C	N	O	P	S	0
			37	25	2	8	1	1	
57	U	1	Total	C	N	O	P	S	0
			37	25	2	8	1	1	

- Molecule 58 is MYRISTIC ACID (CCD ID: MYR) (formula: $C_{14}H_{28}O_2$).



Mol	Chain	Residues	Atoms	AltConf
58	o	1	Total C O 15 14 1	0

- Molecule 59 is water.

Mol	Chain	Residues	Atoms	AltConf
59	A	49	Total O 49 49	0
59	B	69	Total O 69 69	0
59	C	90	Total O 90 90	0
59	D	172	Total O 172 172	0
59	E	13	Total O 13 13	0
59	F	34	Total O 34 34	0
59	G	149	Total O 149 149	0
59	H	154	Total O 154 154	0
59	I	84	Total O 84 84	0
59	J	56	Total O 56 56	0
59	K	47	Total O 47 47	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
59	L	81	Total O 81 81	0
59	M	106	Total O 106 106	0
59	N	83	Total O 83 83	0
59	O	14	Total O 14 14	0
59	P	68	Total O 68 68	0
59	Q	61	Total O 61 61	0
59	R	21	Total O 21 21	0
59	S	1	Total O 1 1	0
59	T	1	Total O 1 1	0
59	U	3	Total O 3 3	0
59	V	3	Total O 3 3	0
59	W	16	Total O 16 16	0
59	X	33	Total O 33 33	0
59	Y	3	Total O 3 3	0
59	Z	34	Total O 34 34	0
59	a	27	Total O 27 27	0
59	b	2	Total O 2 2	0
59	d	16	Total O 16 16	0
59	e	21	Total O 21 21	0
59	f	4	Total O 4 4	0
59	g	4	Total O 4 4	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
59	h	23	Total O 23 23	0
59	i	1	Total O 1 1	0
59	l	11	Total O 11 11	0
59	m	11	Total O 11 11	0
59	n	10	Total O 10 10	0
59	p	10	Total O 10 10	0
59	q	26	Total O 26 26	0
59	r	21	Total O 21 21	0
59	s	4	Total O 4 4	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: NADH-ubiquinone oxidoreductase chain 3

Chain A:




• Molecule 2: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial

Chain B:




• Molecule 3: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial


Chain C:



• Molecule 4: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial


Chain D:






• Molecule 5: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial

Chain E:




• Molecule 6: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial


Chain F:




• Molecule 7: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial

Chain G:







• Molecule 8: NADH-ubiquinone oxidoreductase chain 1




• Molecule 9: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial



• Molecule 10: NADH-ubiquinone oxidoreductase chain 6




• Molecule 11: NADH-ubiquinone oxidoreductase chain 4L




• Molecule 12: NADH-ubiquinone oxidoreductase chain 5

Chain L:




• Molecule 13: NADH-ubiquinone oxidoreductase chain 4

Chain M:




• Molecule 14: NADH-ubiquinone oxidoreductase chain 2


Chain N:




• Molecule 15: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial

Chain O:







• Molecule 16: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial




• Molecule 17: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial




• Molecule 18: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial




• Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2




• Molecule 20: Acyl carrier protein, mitochondrial




• Molecule 20: Acyl carrier protein, mitochondrial




• Molecule 21: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5




• Molecule 22: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6





• Molecule 23: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8







• Molecule 24: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11







• Molecule 25: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13







• Molecule 26: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1






• Molecule 27: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3






• Molecule 28: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial





• Molecule 29: NADH dehydrogenase [ubiquinone] 1 subunit C2






• Molecule 30: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5

Chain e:






• Molecule 31: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1


Chain f:







• Molecule 32: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial

Chain g:









• Molecule 33: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial

Chain h:









• Molecule 34: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6


Chain i:









• Molecule 35: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial




• Molecule 36: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3




• Molecule 37: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




• Molecule 38: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4




• Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9




• Molecule 40: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7




• Molecule 41: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10



• Molecule 42: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12



• Molecule 43: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7




• Molecule 44: NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial

Chain s:


5%
35%
6%
59%


MET ALA ALA SER LEU LEU LEU ARG GLN GLY ARG ALA GLY ALA LEU LYS THR VAL LEU LEU GLU ALA GLY VAL PHE ARG GLY VAL ALA PRO ALA VAL SER LEU SER ALA GLU SER GLY LYS ASN GLU LYS GLY LEU PRO PRO ASN PRO LYS LYS GLN SER PRO PRO LYS LYS PRO VAL SER


ALA ALA PRO THR E31 P32 F33 D34 L52 L58 S59 M63 P64 E71 H75

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	247586	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; Global and local CTF parameters were refined both in cycles in RELION then during refinement cycles in the final homogeneous refinement in cryoSPARC.	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	40.88	Depositor
Minimum defocus (nm)	900	Depositor
Maximum defocus (nm)	2300	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	39.556	Depositor
Minimum map value	-15.932	Depositor
Average map value	0.163	Depositor
Map value standard deviation	1.740	Depositor
Recommended contour level	8.57	Depositor
Map size (Å)	237.804, 256.158, 339.948	wwPDB
Map dimensions	426, 321, 298	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.798, 0.798, 0.798	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 2MR, CDL, PC1, MG, NDP, MYR, SF4, K, DGT, EHZ, WYK, 3PE, ZN, FME, LMT, FES, ACE, FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.34	0/936	0.37	0/1281
2	B	0.40	0/1260	0.43	0/1703
3	C	0.35	0/1789	0.41	2/2436 (0.1%)
4	D	0.37	0/3537	0.38	0/4794
5	E	0.33	0/1699	0.36	0/2312
6	F	0.36	0/3401	0.35	0/4595
7	G	0.37	0/5457	0.37	0/7397
8	H	0.36	0/2571	0.43	0/3513
9	I	0.38	0/1445	0.41	0/1956
10	J	0.31	0/1370	0.37	0/1859
11	K	0.32	0/745	0.38	0/1008
12	L	0.35	0/4920	0.35	0/6694
13	M	0.36	0/3779	0.37	0/5152
14	N	0.36	0/2792	0.41	0/3800
15	O	0.39	0/2651	0.30	0/3587
16	P	0.36	0/2831	0.36	0/3841
17	Q	0.34	0/1072	0.35	0/1449
18	R	0.35	0/753	0.36	0/1014
19	S	0.35	0/711	0.34	0/956
20	T	0.25	0/700	0.38	0/944
20	U	0.33	0/705	0.34	0/952
21	V	0.41	1/949 (0.1%)	0.34	0/1286
22	W	0.32	0/1000	0.33	0/1344
23	X	0.34	0/1439	0.34	0/1942
24	Y	0.36	1/1048 (0.1%)	0.29	0/1423
25	Z	0.34	0/1181	0.32	0/1592
26	a	0.37	0/584	0.39	0/786
27	b	0.41	1/673 (0.1%)	0.34	0/925
28	c	0.32	0/427	0.27	0/579
29	d	0.39	1/1027 (0.1%)	0.38	0/1387
30	e	0.34	0/850	0.35	0/1136

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
31	f	0.30	0/505	0.35	0/681
32	g	0.33	0/865	0.39	0/1175
33	h	0.36	0/1188	0.32	0/1607
34	i	0.38	1/974 (0.1%)	0.33	0/1325
35	j	0.33	0/607	0.32	0/833
36	k	0.27	0/672	0.31	0/906
37	l	0.34	0/1369	0.30	0/1873
38	m	0.34	0/1094	0.33	0/1480
39	n	0.35	0/1545	0.28	0/2092
40	o	0.30	0/1073	0.33	0/1437
41	p	0.36	0/1486	0.33	0/2004
42	q	0.38	1/1251 (0.1%)	0.38	0/1700
43	r	0.40	1/795 (0.1%)	0.39	0/1077
44	s	0.31	0/403	0.30	0/545
All	All	0.36	7/68129 (0.0%)	0.36	2/92378 (0.0%)

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	b	0	ACE	C-N	6.32	1.46	1.33
42	q	0	ACE	C-N	6.30	1.46	1.33
21	V	0	ACE	C-N	6.13	1.45	1.33
29	d	0	ACE	C-N	5.97	1.45	1.33
34	i	0	ACE	C-N	5.92	1.45	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	C	210	ARG	CA-C-N	6.06	132.46	120.94
3	C	210	ARG	C-N-CA	6.06	132.46	120.94

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	921	0	952	12	0
2	B	1242	0	1238	15	0
3	C	1738	0	1685	9	0
4	D	3459	0	3404	34	0
5	E	1659	0	1664	22	0
6	F	3326	0	3282	35	0
7	G	5366	0	5378	82	0
8	H	2509	0	2621	43	0
9	I	1414	0	1370	12	0
10	J	1345	0	1352	28	0
11	K	745	0	785	25	0
12	L	4802	0	4960	73	0
13	M	3694	0	3891	54	0
14	N	2733	0	2912	42	0
15	O	2589	0	2565	35	0
16	P	2754	0	2773	48	0
17	Q	1049	0	1045	10	0
18	R	740	0	714	6	0
19	S	700	0	719	12	0
20	T	688	0	684	16	0
20	U	693	0	688	14	0
21	V	931	0	973	10	0
22	W	976	0	991	9	0
23	X	1402	0	1377	8	0
24	Y	1030	0	1039	15	0
25	Z	1152	0	1151	15	0
26	a	569	0	568	6	0
27	b	654	0	663	6	0
28	c	414	0	415	1	0
29	d	999	0	988	18	0
30	e	829	0	829	12	0
31	f	492	0	501	6	0
32	g	839	0	790	16	0
33	h	1154	0	1168	13	0
34	i	945	0	960	23	0
35	j	580	0	519	16	0
36	k	653	0	639	9	0
37	l	1314	0	1210	22	0
38	m	1067	0	1067	16	0
39	n	1492	0	1438	24	0
40	o	1048	0	1014	32	0
41	p	1453	0	1425	22	0
42	q	1212	0	1183	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	r	776	0	782	6	0
44	s	391	0	361	5	0
45	A	68	0	84	4	0
45	B	95	0	144	7	0
45	L	40	0	54	0	0
45	M	81	0	113	6	0
45	Z	48	0	73	10	0
45	d	33	0	40	4	0
46	A	37	0	48	1	0
46	H	29	0	32	1	0
46	I	73	0	94	1	0
46	L	119	0	163	5	0
46	M	96	0	146	12	0
46	N	51	0	82	2	0
46	Y	40	0	57	1	0
46	b	47	0	71	3	0
46	d	85	0	121	9	0
46	m	40	0	57	3	0
47	A	35	0	46	4	0
47	L	70	0	92	4	0
47	M	70	0	92	5	0
47	Y	35	0	46	5	0
47	i	35	0	46	4	0
47	p	35	0	46	0	0
48	B	8	0	0	1	0
48	F	8	0	0	1	0
48	G	16	0	0	0	0
48	I	16	0	0	0	0
49	E	4	0	0	0	0
49	G	4	0	0	0	0
50	F	31	0	19	2	0
51	G	1	0	0	0	0
52	H	50	0	44	4	0
52	K	69	0	82	5	0
52	L	60	0	64	0	0
52	N	60	0	64	8	0
52	d	138	0	170	9	0
52	h	78	0	100	8	0
52	r	62	0	68	2	0
53	O	1	0	0	0	0
54	O	31	0	12	3	0
55	P	48	0	24	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	R	1	0	0	0	0
57	T	37	0	0	0	0
57	U	37	0	0	0	0
58	o	15	0	27	1	0
59	A	49	0	0	1	0
59	B	69	0	0	4	0
59	C	90	0	0	0	0
59	D	172	0	0	7	0
59	E	13	0	0	1	0
59	F	34	0	0	1	0
59	G	149	0	0	11	0
59	H	154	0	0	11	0
59	I	84	0	0	0	0
59	J	56	0	0	6	0
59	K	47	0	0	6	0
59	L	81	0	0	7	0
59	M	106	0	0	3	0
59	N	83	0	0	4	0
59	O	14	0	0	2	0
59	P	68	0	0	4	0
59	Q	61	0	0	0	0
59	R	21	0	0	0	0
59	S	1	0	0	0	0
59	T	1	0	0	0	0
59	U	3	0	0	0	0
59	V	3	0	0	1	0
59	W	16	0	0	0	0
59	X	33	0	0	1	0
59	Y	3	0	0	0	0
59	Z	34	0	0	1	0
59	a	27	0	0	2	0
59	b	2	0	0	0	0
59	d	16	0	0	1	0
59	e	21	0	0	1	0
59	f	4	0	0	0	0
59	g	4	0	0	0	0
59	h	23	0	0	3	0
59	i	1	0	0	0	0
59	l	11	0	0	0	0
59	m	11	0	0	1	0
59	n	10	0	0	0	0
59	p	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
59	q	26	0	0	0	0
59	r	21	0	0	0	0
59	s	4	0	0	0	0
All	All	70211	0	69154	868	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 868 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
29:d:1:MET:HB2	33:h:122:TRP:HB3	1.55	0.88
7:G:703:ILE:HG21	18:R:83:THR:HB	1.58	0.85
3:C:8:ARG:NH2	43:r:61:GLU:OE1	2.13	0.81
12:L:176:ARG:NH1	59:L:801:HOH:O	2.15	0.80
31:f:53:GLU:OE2	31:f:53:GLU:N	2.15	0.79

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	113/115 (98%)	107 (95%)	6 (5%)	0	100 100
2	B	152/216 (70%)	146 (96%)	5 (3%)	1 (1%)	18 17
3	C	207/266 (78%)	202 (98%)	5 (2%)	0	100 100
4	D	427/463 (92%)	410 (96%)	17 (4%)	0	100 100
5	E	212/249 (85%)	201 (95%)	9 (4%)	2 (1%)	14 12
6	F	430/464 (93%)	411 (96%)	18 (4%)	1 (0%)	43 50
7	G	698/727 (96%)	674 (97%)	21 (3%)	3 (0%)	30 31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
8	H	316/318 (99%)	302 (96%)	13 (4%)	1 (0%)	36 40
9	I	174/212 (82%)	170 (98%)	4 (2%)	0	100 100
10	J	173/175 (99%)	163 (94%)	9 (5%)	1 (1%)	21 21
11	K	96/98 (98%)	94 (98%)	2 (2%)	0	100 100
12	L	604/606 (100%)	573 (95%)	28 (5%)	3 (0%)	24 24
13	M	462/459 (101%)	453 (98%)	9 (2%)	0	100 100
14	N	345/347 (99%)	336 (97%)	9 (3%)	0	100 100
15	O	318/343 (93%)	307 (96%)	11 (4%)	0	100 100
16	P	340/380 (90%)	330 (97%)	9 (3%)	1 (0%)	36 40
17	Q	127/175 (73%)	126 (99%)	0	1 (1%)	16 14
18	R	94/124 (76%)	92 (98%)	2 (2%)	0	100 100
19	S	85/99 (86%)	79 (93%)	6 (7%)	0	100 100
20	T	83/156 (53%)	78 (94%)	4 (5%)	1 (1%)	10 7
20	U	84/156 (54%)	77 (92%)	5 (6%)	2 (2%)	4 2
21	V	114/116 (98%)	112 (98%)	1 (1%)	1 (1%)	14 12
22	W	113/128 (88%)	110 (97%)	3 (3%)	0	100 100
23	X	169/172 (98%)	166 (98%)	3 (2%)	0	100 100
24	Y	139/141 (99%)	138 (99%)	1 (1%)	0	100 100
25	Z	139/144 (96%)	133 (96%)	5 (4%)	1 (1%)	18 17
26	a	68/70 (97%)	68 (100%)	0	0	100 100
27	b	82/84 (98%)	78 (95%)	3 (4%)	1 (1%)	10 7
28	c	47/76 (62%)	46 (98%)	1 (2%)	0	100 100
29	d	119/121 (98%)	116 (98%)	3 (2%)	0	100 100
30	e	97/106 (92%)	93 (96%)	4 (4%)	0	100 100
31	f	55/57 (96%)	52 (94%)	2 (4%)	1 (2%)	6 3
32	g	98/154 (64%)	91 (93%)	7 (7%)	0	100 100
33	h	136/189 (72%)	134 (98%)	2 (2%)	0	100 100
34	i	107/128 (84%)	98 (92%)	7 (6%)	2 (2%)	6 3
35	j	65/108 (60%)	62 (95%)	3 (5%)	0	100 100
36	k	79/98 (81%)	75 (95%)	3 (4%)	1 (1%)	9 6
37	l	154/186 (83%)	147 (96%)	7 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
38	m	126/129 (98%)	119 (94%)	6 (5%)	1 (1%)	16 14
39	n	170/179 (95%)	162 (95%)	8 (5%)	0	100 100
40	o	120/137 (88%)	112 (93%)	7 (6%)	1 (1%)	16 14
41	p	171/176 (97%)	166 (97%)	5 (3%)	0	100 100
42	q	144/146 (99%)	142 (99%)	2 (1%)	0	100 100
43	r	92/113 (81%)	88 (96%)	4 (4%)	0	100 100
44	s	44/109 (40%)	39 (89%)	5 (11%)	0	100 100
All	All	8188/9215 (89%)	7878 (96%)	284 (4%)	26 (0%)	37 40

5 of 26 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	L	562	LEU
20	T	70	LEU
5	E	180	LYS
25	Z	101	PRO
38	m	23	ASP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	100/100 (100%)	93 (93%)	7 (7%)	14 13
2	B	130/174 (75%)	127 (98%)	3 (2%)	44 55
3	C	190/228 (83%)	189 (100%)	1 (0%)	81 87
4	D	370/392 (94%)	366 (99%)	4 (1%)	65 75
5	E	183/205 (89%)	178 (97%)	5 (3%)	39 49
6	F	346/368 (94%)	341 (99%)	5 (1%)	59 70
7	G	587/608 (96%)	569 (97%)	18 (3%)	35 44
8	H	274/274 (100%)	269 (98%)	5 (2%)	51 63
9	I	151/175 (86%)	149 (99%)	2 (1%)	61 72

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	J	141/141 (100%)	136 (96%)	5 (4%)	32	39
11	K	85/85 (100%)	84 (99%)	1 (1%)	63	74
12	L	533/533 (100%)	515 (97%)	18 (3%)	32	40
13	M	416/412 (101%)	403 (97%)	13 (3%)	35	44
14	N	315/315 (100%)	312 (99%)	3 (1%)	68	77
15	O	283/303 (93%)	273 (96%)	10 (4%)	32	39
16	P	296/327 (90%)	292 (99%)	4 (1%)	59	70
17	Q	116/153 (76%)	110 (95%)	6 (5%)	21	22
18	R	79/97 (81%)	77 (98%)	2 (2%)	42	52
19	S	77/82 (94%)	73 (95%)	4 (5%)	21	22
20	T	79/135 (58%)	77 (98%)	2 (2%)	42	52
20	U	79/135 (58%)	76 (96%)	3 (4%)	29	36
21	V	101/101 (100%)	101 (100%)	0	100	100
22	W	107/114 (94%)	103 (96%)	4 (4%)	30	37
23	X	154/155 (99%)	151 (98%)	3 (2%)	50	61
24	Y	101/101 (100%)	95 (94%)	6 (6%)	18	18
25	Z	120/121 (99%)	118 (98%)	2 (2%)	53	65
26	a	59/59 (100%)	56 (95%)	3 (5%)	21	23
27	b	71/71 (100%)	70 (99%)	1 (1%)	59	70
28	c	45/68 (66%)	45 (100%)	0	100	100
29	d	106/106 (100%)	98 (92%)	8 (8%)	12	11
30	e	89/96 (93%)	83 (93%)	6 (7%)	15	14
31	f	54/54 (100%)	50 (93%)	4 (7%)	13	11
32	g	91/131 (70%)	87 (96%)	4 (4%)	25	29
33	h	121/158 (77%)	118 (98%)	3 (2%)	42	52
34	i	106/121 (88%)	103 (97%)	3 (3%)	38	48
35	j	61/84 (73%)	61 (100%)	0	100	100
36	k	63/76 (83%)	60 (95%)	3 (5%)	23	25
37	l	140/159 (88%)	133 (95%)	7 (5%)	22	24
38	m	114/115 (99%)	108 (95%)	6 (5%)	20	22
39	n	156/161 (97%)	153 (98%)	3 (2%)	50	61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
40	o	110/120 (92%)	108 (98%)	2 (2%)	51 63
41	p	155/157 (99%)	150 (97%)	5 (3%)	34 43
42	q	131/131 (100%)	128 (98%)	3 (2%)	44 55
43	r	85/96 (88%)	82 (96%)	3 (4%)	32 39
44	s	45/92 (49%)	44 (98%)	1 (2%)	45 56
All	All	7215/7889 (92%)	7014 (97%)	201 (3%)	38 48

5 of 201 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
19	S	60	VAL
29	d	6	GLN
43	r	107	GLN
20	U	39	ASP
24	Y	43	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 64 such sidechains are listed below:

Mol	Chain	Res	Type
39	n	159	GLN
41	p	22	GLN
13	M	415	GLN
13	M	399	ASN
41	p	58	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

9 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	FME	A	1	1	8,9,10	1.48	1 (12%)	7,9,11	1.62	2 (28%)
10	FME	J	1	10	8,9,10	1.51	1 (12%)	7,9,11	1.50	1 (14%)
8	FME	H	1	8	8,9,10	1.51	1 (12%)	7,9,11	1.60	1 (14%)
12	FME	L	1	12	8,9,10	1.47	1 (12%)	7,9,11	1.73	3 (42%)
14	FME	N	1	14	8,9,10	1.50	1 (12%)	7,9,11	1.59	1 (14%)
2	WYK	B	77	2	9,11,12	2.39	2 (22%)	7,13,15	0.92	0
11	FME	K	1	11	8,9,10	1.53	1 (12%)	7,9,11	1.79	2 (28%)
13	FME	M	1	13	8,9,10	1.48	1 (12%)	7,9,11	2.10	2 (28%)
4	2MR	D	85	4	10,12,13	2.25	2 (20%)	5,13,15	1.85	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FME	A	1	1	-	2/7/9/11	-
10	FME	J	1	10	-	4/7/9/11	-
8	FME	H	1	8	-	2/7/9/11	-
12	FME	L	1	12	-	1/7/9/11	-
14	FME	N	1	14	-	2/7/9/11	-
2	WYK	B	77	2	-	4/10/11/13	-
11	FME	K	1	11	-	2/7/9/11	-
13	FME	M	1	13	-	6/7/9/11	-
4	2MR	D	85	4	-	0/10/13/15	-

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	77	WYK	CZ-NE	6.15	1.45	1.33
4	D	85	2MR	CZ-NH2	5.05	1.44	1.33
4	D	85	2MR	CZ-NE	4.43	1.43	1.34
14	N	1	FME	CN-N	3.73	1.45	1.33
10	J	1	FME	CN-N	3.73	1.45	1.33

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
13	M	1	FME	CA-N-CN	-4.22	116.33	122.82
4	D	85	2MR	CD-NE-CZ	-3.52	116.81	123.41
14	N	1	FME	CE-SD-CG	2.88	110.30	100.40
8	H	1	FME	CE-SD-CG	2.87	110.27	100.40
10	J	1	FME	CE-SD-CG	2.76	109.87	100.40

There are no chirality outliers.

5 of 23 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	FME	C-CA-CB-CG
2	B	77	WYK	CA-CB-CG-CD
2	B	77	WYK	CA-CB-CG-OH
2	B	77	WYK	NE-CD-CG-CB
8	H	1	FME	C-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	J	1	FME	1	0
2	B	77	WYK	1	0

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 57 ligands modelled in this entry, 3 are monoatomic - leaving 54 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
48	SF4	I	203	9	0,12,12	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
46	3PE	M	601	-	44,44,50	0.92	3 (6%)	47,49,55	1.20	2 (4%)
52	CDL	N	401	-	59,59,99	1.12	6 (10%)	65,71,111	1.29	4 (6%)
48	SF4	G	802	7	0,12,12	-	-	-		
46	3PE	L	703	-	44,44,50	0.91	3 (6%)	47,49,55	1.12	2 (4%)
46	3PE	Y	201	-	39,39,50	0.96	3 (7%)	42,44,55	1.19	2 (4%)
52	CDL	L	702	-	59,59,99	1.15	6 (10%)	65,71,111	1.20	4 (6%)
45	PC1	B	203	-	53,53,53	1.22	3 (5%)	59,61,61	1.12	3 (5%)
45	PC1	M	603	-	38,38,53	1.42	5 (13%)	44,46,61	1.05	2 (4%)
52	CDL	d	205	-	64,64,99	1.09	6 (9%)	70,76,111	1.19	4 (5%)
57	EHZ	T	101	20	29,36,37	1.73	5 (17%)	35,44,47	2.24	10 (28%)
52	CDL	H	602	-	49,49,99	1.22	8 (16%)	55,61,111	1.36	7 (12%)
47	LMT	Y	202	-	36,36,36	1.11	2 (5%)	47,47,47	1.27	8 (17%)
46	3PE	L	706	-	34,34,50	1.05	3 (8%)	37,39,55	1.14	2 (5%)
52	CDL	r	201	-	61,61,99	1.13	7 (11%)	67,73,111	1.31	5 (7%)
46	3PE	I	204	-	34,34,50	1.05	4 (11%)	37,39,55	1.20	2 (5%)
46	3PE	m	201	-	39,39,50	0.99	4 (10%)	42,44,55	1.21	2 (4%)
45	PC1	A	201	-	34,34,53	1.47	4 (11%)	40,42,61	1.16	3 (7%)
46	3PE	d	203	-	36,36,50	0.97	3 (8%)	39,41,55	1.16	2 (5%)
47	LMT	A	204	-	36,36,36	1.07	2 (5%)	47,47,47	1.10	2 (4%)
45	PC1	L	707	-	39,39,53	1.41	5 (12%)	45,47,61	1.06	2 (4%)
47	LMT	M	606	-	36,36,36	1.13	2 (5%)	47,47,47	1.06	2 (4%)
46	3PE	b	101	-	46,46,50	0.89	3 (6%)	49,51,55	1.20	3 (6%)
52	CDL	K	101	-	68,68,99	1.07	5 (7%)	74,80,111	1.17	4 (5%)
49	FES	E	301	5	0,4,4	-	-	-		
47	LMT	L	705	-	36,36,36	1.15	3 (8%)	47,47,47	1.10	1 (2%)
48	SF4	F	502	6	0,12,12	-	-	-		
46	3PE	M	602	-	50,50,50	0.87	2 (4%)	53,55,55	1.21	3 (5%)
47	LMT	p	201	-	36,36,36	1.12	2 (5%)	47,47,47	1.16	3 (6%)
47	LMT	M	605	-	36,36,36	1.13	2 (5%)	47,47,47	0.91	1 (2%)
46	3PE	d	201	-	47,47,50	0.86	4 (8%)	50,52,55	1.23	2 (4%)
48	SF4	I	202	9	0,12,12	-	-	-		
46	3PE	N	402	-	50,50,50	0.84	4 (8%)	53,55,55	0.97	2 (3%)
54	DGT	O	402	53	29,33,33	3.14	15 (51%)	44,52,52	2.09	13 (29%)
52	CDL	d	202	-	72,72,99	1.04	7 (9%)	78,84,111	1.16	5 (6%)
45	PC1	B	202	-	40,40,53	1.39	4 (10%)	46,48,61	1.11	2 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
47	LMT	i	201	-	36,36,36	1.14	2 (5%)	47,47,47	0.89	0
52	CDL	h	201	-	77,77,99	1.01	8 (10%)	83,89,111	1.30	5 (6%)
48	SF4	B	201	2	0,12,12	-	-	-		
48	SF4	G	801	7	0,12,12	-	-	-		
57	EHZ	U	101	20	29,36,37	1.66	5 (17%)	35,44,47	1.83	10 (28%)
46	3PE	H	601	-	28,28,50	1.05	2 (7%)	31,33,55	1.24	3 (9%)
47	LMT	L	704	-	36,36,36	1.17	2 (5%)	47,47,47	1.08	4 (8%)
50	FMN	F	501	-	33,33,33	2.57	10 (30%)	48,50,50	1.89	15 (31%)
45	PC1	Z	200	-	47,47,53	1.38	6 (12%)	53,55,61	1.28	5 (9%)
45	PC1	d	204	-	32,32,53	1.52	4 (12%)	38,40,61	1.19	2 (5%)
55	NDP	P	401	-	49,52,52	3.93	24 (48%)	66,80,80	2.00	14 (21%)
58	MYR	o	201	40	14,14,15	0.42	0	13,13,15	0.95	0
46	3PE	L	701	-	38,38,50	1.01	3 (7%)	41,43,55	1.32	3 (7%)
45	PC1	A	203	-	32,32,53	1.55	5 (15%)	38,40,61	1.18	2 (5%)
45	PC1	M	604	-	41,41,53	1.42	6 (14%)	47,49,61	1.11	2 (4%)
46	3PE	I	201	-	37,37,50	1.00	4 (10%)	40,42,55	1.13	3 (7%)
46	3PE	A	202	-	36,36,50	1.01	4 (11%)	39,41,55	1.18	2 (5%)
49	FES	G	803	7	0,4,4	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	SF4	I	203	9	-	-	0/6/5/5
46	3PE	M	601	-	-	34/48/48/54	-
52	CDL	N	401	-	-	32/69/69/110	-
48	SF4	G	802	7	-	-	0/6/5/5
46	3PE	L	703	-	-	19/48/48/54	-
46	3PE	Y	201	-	-	22/43/43/54	-
52	CDL	L	702	-	-	35/70/70/110	-
45	PC1	B	203	-	-	27/57/57/57	-
45	PC1	M	603	-	-	12/42/42/57	-
52	CDL	d	205	-	-	34/75/75/110	-
57	EHZ	T	101	20	-	17/42/44/45	-
52	CDL	H	602	-	-	29/60/60/110	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	LMT	Y	202	-	-	8/21/61/61	0/2/2/2
46	3PE	L	706	-	-	21/38/38/54	-
52	CDL	r	201	-	-	38/72/72/110	-
46	3PE	I	204	-	-	20/38/38/54	-
46	3PE	m	201	-	-	22/43/43/54	-
45	PC1	A	201	-	-	11/38/38/57	-
46	3PE	d	203	-	-	24/40/40/54	-
47	LMT	A	204	-	-	4/21/61/61	0/2/2/2
45	PC1	L	707	-	-	18/43/43/57	-
47	LMT	M	606	-	-	8/21/61/61	0/2/2/2
46	3PE	b	101	-	-	23/50/50/54	-
52	CDL	K	101	-	-	39/79/79/110	-
49	FES	E	301	5	-	-	0/1/1/1
47	LMT	L	705	-	-	13/21/61/61	0/2/2/2
48	SF4	F	502	6	-	-	0/6/5/5
46	3PE	M	602	-	-	29/54/54/54	-
47	LMT	p	201	-	-	10/21/61/61	0/2/2/2
47	LMT	M	605	-	-	8/21/61/61	0/2/2/2
46	3PE	d	201	-	-	27/51/51/54	-
54	DGT	O	402	53	-	5/22/34/34	0/3/3/3
46	3PE	N	402	-	-	29/54/54/54	-
48	SF4	I	202	9	-	-	0/6/5/5
52	CDL	d	202	-	-	36/83/83/110	-
45	PC1	B	202	-	-	13/44/44/57	-
47	LMT	i	201	-	-	11/21/61/61	0/2/2/2
52	CDL	h	201	-	-	45/88/88/110	-
48	SF4	B	201	2	-	-	0/6/5/5
48	SF4	G	801	7	-	-	0/6/5/5
57	EHZ	U	101	20	-	11/42/44/45	-
46	3PE	H	601	-	-	16/31/31/54	-
47	LMT	L	704	-	-	13/21/61/61	0/2/2/2
50	FMN	F	501	-	-	3/18/18/18	0/3/3/3
45	PC1	Z	200	-	-	24/51/51/57	-
45	PC1	d	204	-	-	18/36/36/57	-
55	NDP	P	401	-	-	7/34/77/77	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	MYR	o	201	40	-	4/11/12/13	-
46	3PE	L	701	-	-	25/42/42/54	-
45	PC1	A	203	-	-	20/36/36/57	-
45	PC1	M	604	-	-	28/45/45/57	-
46	3PE	I	201	-	-	17/41/41/54	-
46	3PE	A	202	-	-	17/40/40/54	-
49	FES	G	803	7	-	-	0/1/1/1

The worst 5 of 220 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	P	401	NDP	C6N-C5N	11.84	1.54	1.33
55	P	401	NDP	C2B-C1B	-8.83	1.30	1.53
55	P	401	NDP	C7N-N7N	8.01	1.54	1.33
55	P	401	NDP	O4B-C1B	7.96	1.60	1.42
55	P	401	NDP	O4D-C1D	7.92	1.60	1.42

The worst 5 of 179 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
57	T	101	EHZ	C8-C9-S1	8.31	123.92	113.63
55	P	401	NDP	C5A-C4A-N3A	-5.87	119.09	126.75
54	O	402	DGT	C1'-N9-C8	5.66	140.54	127.85
55	P	401	NDP	N6A-C6A-N1A	-5.62	106.05	118.35
57	U	101	EHZ	C8-C9-S1	5.59	120.55	113.63

There are no chirality outliers.

5 of 926 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
45	A	201	PC1	O11-C1-C2-O21
45	A	203	PC1	C22-C21-O21-C2
45	A	203	PC1	O32-C31-O31-C3
45	A	203	PC1	C32-C31-O31-C3
45	B	202	PC1	C22-C21-O21-C2

There are no ring outliers.


41 monomers are involved in 132 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
46	M	601	3PE	6	0
52	N	401	CDL	8	0
46	L	703	3PE	3	0
46	Y	201	3PE	1	0
45	B	203	PC1	5	0
45	M	603	PC1	2	0
52	d	205	CDL	5	0
52	H	602	CDL	4	0
47	Y	202	LMT	5	0
46	L	706	3PE	2	0
52	r	201	CDL	2	0
46	m	201	3PE	3	0
45	A	201	PC1	3	0
46	d	203	3PE	1	0
47	A	204	LMT	4	0
47	M	606	LMT	4	0
46	b	101	3PE	3	0
52	K	101	CDL	5	0
47	L	705	LMT	1	0
48	F	502	SF4	1	0
46	M	602	3PE	6	0
47	M	605	LMT	1	0
46	d	201	3PE	8	0
46	N	402	3PE	2	0
54	O	402	DGT	3	0
52	d	202	CDL	4	0
45	B	202	PC1	2	0
47	i	201	LMT	4	0
52	h	201	CDL	8	0
48	B	201	SF4	1	0
46	H	601	3PE	1	0
47	L	704	LMT	3	0
50	F	501	FMN	2	0
45	Z	200	PC1	10	0
45	d	204	PC1	4	0
55	P	401	NDP	4	0
58	o	201	MYR	1	0
45	A	203	PC1	1	0
45	M	604	PC1	4	0
46	I	201	3PE	1	0
46	A	202	3PE	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 3PE M 601




Bond lengths



Bond angles




Torsions




Rings


Ligand CDL N 401




Ligand 3PE L 703




Ligand 3PE Y 201




Bond lengths



Bond angles




Torsions




Rings


Ligand CDL L 702




Bond lengths



Bond angles




Torsions




Rings


Ligand PC1 B 203




Ligand PC1 M 603




Ligand CDL d 205




Ligand EHZ T 101




Ligand CDL H 602




Ligand LMT Y 202




Ligand 3PE L 706




Ligand CDL r 201



Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE I 204




Ligand 3PE m 201




Ligand PC1 A 201




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE d 203



Bond lengths



Bond angles




Torsions




Rings


Ligand LMT A 204




Bond lengths



Bond angles




Torsions




Rings


Ligand PC1 L 707



Bond lengths



Bond angles



Torsions



Rings


Ligand LMT M 606




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE b 101




Ligand CDL K 101




Bond lengths



Bond angles




Torsions




Rings


Ligand LMT L 705




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE M 602




Ligand LMT p 201




Ligand LMT M 605




Ligand 3PE d 201




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE N 402




Bond lengths



Bond angles




Torsions




Rings


Ligand DGT O 402




Bond lengths



Bond angles




Torsions




Rings


Ligand CDL d 202




Bond lengths



Bond angles




Torsions




Rings

Ligand PC1 B 202




Ligand LMT i 201




Ligand CDL h 201



Bond lengths



Bond angles




Torsions




Rings


Ligand EHZ U 101




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE H 601




Ligand LMT L 704




Ligand FMN F 501




Bond lengths



Bond angles




Torsions




Rings


Ligand PC1 Z 200




Bond lengths



Bond angles




Torsions




Rings


Ligand PC1 d 204




Bond lengths



Bond angles




Torsions




Rings


Ligand NDP P 401




Ligand 3PE L 701




Ligand PC1 A 203




Bond lengths



Bond angles




Torsions




Rings


Ligand PC1 M 604




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE I 201




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE A 202




Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.


6 Map visualisation

This section contains visualisations of the EMDB entry EMD-53490. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 149




Y Index: 160




Z Index: 213


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



X Index: 161




Y Index: 172




Z Index: 296


6.3.2 Raw map



X Index: 312



Y Index: 305





Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)


6.4.1 Primary map



X



Y


Z

6.4.2 Raw map


X



Y


Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)


6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 8.57. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation (i)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_53490_msk_1.map (i)



X



Y




Z

7 Map analysis


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate



The volume at the recommended contour level is 208 nm^3; this corresponds to an approximate mass of 188 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


7.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.442 Å^{-1}

8.2 Resolution estimates (i)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.26	-	-
Author-provided FSC curve	2.26	2.56	2.29
Unmasked-calculated*	3.20	3.93	3.27

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.20 differs from the reported value 2.26 by more than 10 %


9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-53490 and PDB model 9R12. Per-residue inclusion information can be found in section 3 on page 24.


9.1 Map-model overlay



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 8.57 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.


9.2 Q-score mapped to coordinate model



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (8.57).

9.4 Atom inclusion (i)



At the recommended contour level, 79% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (8.57) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7840	0.6810
A	0.7970	0.7070
B	0.9250	0.7280
C	0.9210	0.7270
D	0.9160	0.7270
E	0.7730	0.6740
F	0.8420	0.6780
G	0.8470	0.6950
H	0.9310	0.7270
I	0.9280	0.7300
J	0.8190	0.7050
K	0.8610	0.7170
L	0.7330	0.6600
M	0.8800	0.7070
N	0.9080	0.7180
O	0.7270	0.6470
P	0.8390	0.6940
Q	0.8300	0.7080
R	0.8260	0.7000
S	0.6980	0.6330
T	0.4050	0.5710
U	0.5660	0.6050
V	0.8040	0.6850
W	0.7890	0.6990
X	0.8040	0.6850
Y	0.6130	0.6450
Z	0.7850	0.6910
a	0.8850	0.7050
b	0.7140	0.6700
c	0.6540	0.6640
d	0.6760	0.6770
e	0.7430	0.6670
f	0.5700	0.6310
g	0.7110	0.6740
h	0.8020	0.6860



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	0.5510	0.5990
j	0.5590	0.5920
k	0.4980	0.5890
l	0.6660	0.6310
m	0.6360	0.6480
n	0.6740	0.6270
o	0.5080	0.5780
p	0.7230	0.6530
q	0.8050	0.7070
r	0.8020	0.7000
s	0.6600	0.6580