

# Full wwPDB X-ray Structure Validation Report (i)

#### May 10, 2025 - 07:48 pm BST

PDB ID	:	8R3A / pdb_00008r3a
Title	:	NT-26 Arsenite oxidase B F108C-G123C
Authors	:	Engrola, F.; Santos-Silva, T.; Correia, M.A.S.; Romao, M.J.
Deposited on	:	2023-11-08
Resolution	:	1.89  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	$2.0\mathrm{rc1}$
$\mathrm{EDS}$	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	845	92%		8%
1	С	845	88%		11% •
1	Е	845	89%		9% •
1	G	845	90%		8% •
2	В	175	.% 69%	6% •	24%



Mol	Chain	Length	Quality of chain					
2	D	175	% 69%	7%	24%			
2	F	175	% 70%	6%	24%			
2	Н	175	% 69%	7%	24%			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	GOL	G	914	-	-	Х	-
13	FES	D	201	-	-	Х	-
13	FES	F	201	-	-	Х	-
13	FES	Н	201	-	-	Х	-
6	EDO	А	907	-	Х	-	-
7	PEG	Е	904	-	-	Х	-
7	PEG	Е	908	-	-	Х	-



## 2 Entry composition (i)

There are 15 unique types of molecules in this entry. The entry contains 63455 atoms, of which 29455 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Aton	ns			ZeroOcc	AltConf	Trace
1 Λ	Q 4 9	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	24	0	
1		042	12927	4149	6279	1189	1267	43	0	21	0
1	1 C	843	Total	С	Η	Ν	Ο	S	0	28	0
1	U		12947	4156	6287	1189	1273	42			0
1	F	843	Total	С	Η	Ν	Ο	S	0	20	0
	040	12891	4141	6261	1183	1265	41	0	20	0	
1 G	843	Total	С	Н	Ν	Ο	S	0	28	0	
		12980	4162	6310	1197	1269	42	0		U	

• Molecule 1 is a protein called AroA.

• Molecule 2 is a protein called Arsenite oxidase small subunit AioB Rieske [2Fe-2S] cluster.

Mol	Chain	Residues			Aton	ns			ZeroOcc	AltConf	Trace
2 B	133	Total	С	Η	Ν	0	S	0	5	0	
		1969	639	952	170	202	6	0		0	
0	П	122	Total	С	Н	Ν	0	S	0	3	0
	D	100	1949	633	940	169	201	6			0
0	Б	199	Total	С	Н	Ν	0	S	0	2	0
	199	1949	633	940	169	201	6	0	3	0	
2 H	133	Total	С	Η	Ν	0	S	0	K	0	
		1969	639	952	170	202	6	0	5	U	

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	108	CYS	PHE	engineered mutation	UNP L0NMC5
В	123	CYS	GLY	engineered mutation	UNP L0NMC5
D	108	CYS	PHE	engineered mutation	UNP L0NMC5
D	123	CYS	GLY	engineered mutation	UNP L0NMC5
F	108	CYS	PHE	engineered mutation	UNP L0NMC5
F	123	CYS	GLY	engineered mutation	UNP L0NMC5
Н	108	CYS	PHE	engineered mutation	UNP L0NMC5
Н	123	CYS	GLY	engineered mutation	UNP L0NMC5





8R3A

• Molecule 3 is SERINE (CCD ID: SER) (formula:  $C_3H_7NO_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	А	1	Total 12	C 3	Н 6	N 1	O 2	0	0

• Molecule 4 is MOLYBDENUM(IV) ION (CCD ID: 4MO) (formula: Mo) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Mo 1 1	0	0
4	С	1	Total Mo 1 1	0	0
4	Ε	1	Total Mo 1 1	0	0
4	G	1	Total Mo 1 1	0	0

• Molecule 5 is FE3-S4 CLUSTER (CCD ID: F3S) (formula: Fe<sub>3</sub>S<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	Δ	1	Total Fe S	0	0
0	Л	T	7   3   4	0	0
5	С	1	Total Fe S	0	0
0	U	1	7   3   4	0	0
5	F	1	Total Fe S	0	0
0	Ľ	1	7 3 4	0	0
5	С	1	Total Fe S	0	0
5	G	1	7   3   4	0	0

• Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula:  $C_2H_6O_2$ ).





8R3A
------

Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
6	٨	1	Total	С	Н	0	0	0
0	A	1	8	2	4	2	0	0
6	٨	1	Total	С	Н	0	0	0
0	A	1	8	2	4	2	0	0
6	Λ	1	Total	С	Η	0	0	0
0	Π	1	8	2	4	2	0	0
6	Δ	1	Total	С	Η	Ο	0	1
0	11	I	16	4	8	4	0	T
6	А	1	Total	С	Η	Ο	0	0
		Ŧ	8	2	4	2	0	0
6	С	1	Total	С	Η	Ο	0	0
0	0	1	8	2	4	2	0	0
6	С	1	Total	С	Η	Ο	0	0
0	U	I	8	2	4	2	0	0
6	С	1	Total	С	Η	Ο	0	0
0	U	I	8	2	4	2	0	0
6	С	1	Total	С	Η	Ο	0	0
0	U	I	8	2	4	2	0	0
6	F	1	Total	С	Η	0	0	0
0	Ľ	I	8	2	4	2	0	0
6	F	1	Total	С	Η	0	0	0
0	Ľ	I	8	2	4	2	0	0
6	F	1	Total	С	Η	0	0	0
0	Ľ	I	8	2	4	2	0	0
6	F	1	Total	С	Η	0	0	0
0	Ľ	1	8	2	4	2	0	0
6	F	1	Total	С	Η	Ο	0	0
0	Ľ	1	8	2	4	2	0	0
6	F	1	Total	С	Η	0	0	0
0	Ľ	1	8	2	4	2	0	0
6	F	1	Total	С	Η	0	0	0
0	Ľ	1	8	2	4	2	0	0
6	F	1	Total	С	Η	0	0	0
0	Ľ	1	8	2	4	2	0	0
6	С	1	Total	С	Η	0	0	0
0	G	1	8	2	4	2	0	0
6	C	1	Total	С	Н	0	0	0
	G	1	8	2	4	2		U
6	C	1	Total	С	Η	0	0	Ο
	G	L	8	2	4	2	0	U
6	C	1	Total	С	Η	0	0	0
	G	1	8	2	4	2	0	U
6	C	1	Total	С	Η	0	0	0
0	G	L	8	2	4	2		



$\alpha$ $\cdot$ 1	C		
Continued	from	previous	page
	9	1	1 0

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	G	1	Total 8	С 2	H	O 2	0	0
6	Н	1	Total 8	$\begin{array}{c} \mathrm{C} \\ \mathrm{2} \end{array}$	H 4	O 2	0	0

• Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula:  $C_4H_{10}O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total         C         H         O           15         4         8         3	0	0
7	А	1	Total         C         H         O           15         4         8         3	0	0
7	С	1	Total         C         H         O           15         4         8         3	0	0
7	Е	1	Total         C         H         O           15         4         8         3	0	0
7	Е	1	Total         C         H         O           15         4         8         3	0	0
7	Е	1	Total         C         H         O           15         4         8         3	0	0
7	Е	1	Total         C         H         O           15         4         8         3	0	0
7	Е	1	Total         C         H         O           15         4         8         3	0	0
7	Е	1	Total         C         H         O           15         4         8         3	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	G	1	Total         C         H         O           15         4         8         3	0	0
7	G	1	Total         C         H         O           15         4         8         3	0	0

• Molecule 8 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA -1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (CCD ID: MGD) (formula: C<sub>20</sub>H<sub>26</sub>N<sub>10</sub>O<sub>13</sub>P<sub>2</sub>S<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues			Ato	$\mathbf{ms}$				ZeroOcc	AltConf
0	Δ	1	Total	С	Η	Ν	Ο	Р	S	0	0
0	0 7	1	67	20	20	10	13	2	2	0	0
0	8 A	1	Total	С	Η	Ν	Ο	Р	S	0	0
0		1	67	20	20	10	13	2	2	0	0
0	C	1	Total	С	Η	Ν	Ο	Р	S	0	0
0	8 C		67	20	20	10	13	2	2	0	U
0	C	1	Total	С	Η	Ν	Ο	Р	S	0	0
0	U	1	67	20	20	10	13	2	2		
0	Б	1	Total	С	Η	Ν	Ο	Р	S	0	0
0	E	1	67	20	20	10	13	2	2	0	0
0	Б	1	Total	С	Η	Ν	Ο	Р	S	0	0
0	E	1	67	20	20	10	13	2	2	0	0
0	С	1	Total	С	Η	Ν	Ο	Р	S	0	0
0	G	1	67	20	20	10	13	2	2	0	0
0	С	1	Total	С	Η	Ν	Ο	Р	S	0	0
0	8 G		67	20	20	10	13	2	2	0	U



• Molecule 9 is SULFATE ION (CCD ID: SO4) (formula:  $O_4S$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
9	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

- Molecule 10 is 3,6,9,12,15,18-HEXAOXAICOSANE-1,20-DIOL (CCD ID: P33) (formula:  $\rm C_{14}H_{30}O_8).$ 





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	Λ	1	Total	С	Η	Ο	0	0
10	Л	1	50	14	28	8	0	0
10	С	1	Total	С	Η	Ο	0	0
10	U	1	50	14	28	8		0
10	С	1	Total	С	Η	Ο	0	0
10	U	1	50	14	28	8	0	
10	F	1	Total	С	Η	Ο	0	0
10	Ľ	1	50	14	28	8	0	0
10	С	1	Total	С	Η	0	0	0
10	G	1	50	14	28	8		0

• Molecule 11 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	А	1	Total         C         H         O           11         3         5         3	0	0
11	А	1	Total         C         H         O           11         3         5         3	0	0
11	Е	1	Total         C         H         O           11         3         5         3	0	0
11	G	1	Total         C         H         O           11         3         5         3	0	0

• Molecule 12 is OXYGEN ATOM (CCD ID: O) (formula: O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	А	1	Total O 1 1	0	0
12	С	1	Total O 1 1	0	0
12	Е	1	Total O 1 1	0	0
12	G	1	Total O 1 1	0	0

• Molecule 13 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	В	1	TotalFeS422	0	0
13	D	1	TotalFeS422	0	0
13	F	1	TotalFeS422	0	0
13	Н	1	$\begin{array}{ccc} \text{Total} & \text{Fe} & \text{S} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 14 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula:  $C_{10}H_{22}O_6$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	F	1	Total	С	Η	Ο	0	0
14	Ľ	1	36	10	20	6	0	0

• Molecule 15 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	А	632	Total O 632 632	0	0
15	В	69	Total         O           69         69	0	0
15	С	543	Total O 543 543	0	0
15	D	69	Total         O           69         69	0	0
15	Е	541	Total O 541 541	0	0
15	F	50	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 50 & 50 \end{array}$	0	0
15	G	596	Total O 596 596	0	0
15	Н	69	Total O 69 69	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: AroA



# 89 N329 11 11 14 11 15 1323 16 1340 17 1333 18 1333 19 1333 11 1310 12 1333 13 1333 14 134 15 1333 16 14 17 14 13 14 14 1440 14 1440 14 1440 14 1440 14 1440 14 1440 14 1440 14 1440 14 1440 14 1440 145 145 145 145 145 145 145 145 145 145 145 145 145 145 145









#### • Molecule 2: Arsenite oxidase small subunit AioB Rieske [2Fe-2S] cluster





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants	141.61Å 148.93Å 231.90Å	Deneiten
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	49.32 - 1.89	Depositor
Resolution (A)	49.32 - 1.89	EDS
% Data completeness	99.4 (49.32-1.89)	Depositor
(in resolution range)	99.4 (49.32-1.89)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.42 (at 1.90 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
P. P.	0.152 , $0.185$	Depositor
$n, n_{free}$	0.152 , $0.185$	DCC
$R_{free}$ test set	19231  reflections  (5.00%)	wwPDB-VP
Wilson B-factor $(Å^2)$	27.2	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.42 , $45.7$	EDS
L-test for $twinning^2$	$< L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	0.016 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	63455	wwPDB-VP
Average B, all atoms $(Å^2)$	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.13% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: P33, SO4, 1PE, PEG, FES, EDO, GOL, MGD, O, 4MO, F3S

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	ond lengths	Bond angles		
MIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.95	5/6883~(0.1%)	1.19	15/9318~(0.2%)	
1	С	0.92	5/6920~(0.1%)	1.19	21/9373~(0.2%)	
1	Ε	0.94	5/6863~(0.1%)	1.22	24/9294~(0.3%)	
1	G	0.95	4/6929~(0.1%)	1.19	20/9382~(0.2%)	
2	В	0.81	0/1056	1.12	1/1441~(0.1%)	
2	D	0.88	0/1042	1.11	1/1421~(0.1%)	
2	F	0.86	0/1042	1.18	1/1421~(0.1%)	
2	H	0.82	0/1056	1.11	2/1441~(0.1%)	
All	All	0.93	19/31791~(0.1%)	1.19	85/43091~(0.2%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	6
1	С	0	6
1	Ε	0	4
1	G	0	11
2	D	0	1
All	All	0	28

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
1	G	739[A]	ASP	CG-OD2	8.93	1.42	1.25
1	G	739[B]	ASP	CG-OD2	8.93	1.42	1.25
1	А	739[A]	ASP	CG-OD2	8.53	1.41	1.25
1	А	739[B]	ASP	CG-OD2	8.53	1.41	1.25
1	А	787	GLU	CD-OE1	8.31	1.41	1.25

WORLDWIDE PROTEIN DATA BANK

Mol	Chain	Res	Type	Atoms		Observed(A)	Ideal(A)
1	G	787	GLU	CD-OE1	8.26	1.41	1.25
1	С	739[A]	ASP	CG-OD2	8.04	1.40	1.25
1	С	739[B]	ASP	CG-OD2	8.04	1.40	1.25
1	Е	739[A]	ASP	CG-OD2	6.95	1.38	1.25
1	Е	739[B]	ASP	CG-OD2	6.95	1.38	1.25
1	С	787	GLU	CD-OE1	6.53	1.37	1.25
1	Е	787	GLU	CD-OE1	6.40	1.37	1.25
1	А	768	ASN	C-O	-5.83	1.19	1.24
1	С	555	HIS	CE1-NE2	5.58	1.38	1.32
1	Е	209	HIS	ND1-CE1	5.56	1.38	1.32
1	А	310	ASP	CG-OD1	5.48	1.35	1.25
1	С	25	HIS	CE1-NE2	5.48	1.38	1.32
1	G	575	ARG	NE-CZ	-5.28	1.27	1.33
1	Е	310	ASP	CG-OD1	5.09	1.35	1.25

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Е	832	VAL	N-CA-CB	-10.54	98.26	112.28
1	Е	8	ASP	CA-CB-CG	9.85	122.44	112.60
1	С	832	VAL	N-CA-CB	-9.79	99.44	112.16
1	Е	644	GLU	CB-CG-CD	9.26	128.35	112.60
1	G	787	GLU	CG-CD-OE2	-9.19	97.26	118.40
1	С	8	ASP	CA-CB-CG	8.33	120.93	112.60
1	G	329	ARG	CG-CD-NE	8.20	130.03	112.00
1	Е	189	GLU	CB-CG-CD	-8.08	98.87	112.60
1	А	787	GLU	CG-CD-OE2	-7.91	100.20	118.40
1	С	776	MET	CG-SD-CE	7.89	118.25	100.90
1	Е	776	MET	CG-SD-CE	7.73	117.90	100.90
1	G	189	GLU	CB-CG-CD	-7.66	99.58	112.60
1	С	787	GLU	CG-CD-OE2	-7.60	100.91	118.40
1	G	787	GLU	CG-CD-OE1	7.50	135.65	118.40
2	D	84	THR	CA-CB-OG1	-7.47	98.39	109.60
2	Н	84	THR	CA-CB-OG1	-7.41	98.49	109.60
1	G	844	SER	CA-C-O	-7.29	108.41	120.80
1	А	213	ASP	CA-CB-CG	7.11	119.71	112.60
1	С	787	GLU	CG-CD-OE1	7.07	134.67	118.40
1	С	575	ARG	NE-CZ-NH2	7.07	125.56	119.20
2	F	84	THR	CA-CB-OG1	-7.02	99.08	109.60
1	С	375	GLU	CB-CG-CD	6.94	124.40	112.60
1	G	213	ASP	CA-CB-CG	6.93	119.53	112.60
1	С	117	ARG	NE-CZ-NH2	-6.92	112.97	119.20



8R3A
------

Conti	nued fron	ı previou	s page				
Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Е	787	GLU	CG-CD-OE2	-6.88	102.57	118.40
1	А	8	ASP	CA-CB-CG	6.69	119.29	112.60
1	Е	787	GLU	CG-CD-OE1	6.54	133.43	118.40
1	G	8	ASP	CA-CB-CG	6.51	119.11	112.60
2	В	84	THR	CA-CB-OG1	-6.49	99.86	109.60
1	А	787	GLU	CG-CD-OE1	6.39	133.11	118.40
1	Е	117	ARG	NE-CZ-NH2	-6.38	113.46	119.20
1	Е	333	ASP	CA-CB-CG	6.36	118.96	112.60
1	Е	463	VAL	N-CA-CB	-6.33	98.99	110.95
1	G	333	ASP	CA-CB-CG	6.32	118.92	112.60
1	G	552	GLU	CB-CG-CD	6.27	123.25	112.60
1	А	552	GLU	CB-CG-CD	6.14	123.04	112.60
1	Е	213	ASP	CA-CB-CG	6.10	118.70	112.60
1	G	531	ASP	CA-CB-CG	6.06	118.66	112.60
1	А	375	GLU	CB-CG-CD	6.05	122.88	112.60
1	А	115	GLU	CG-CD-OE1	-5.91	104.81	118.40
1	А	256	ARG	CG-CD-NE	-5.74	99.37	112.00
1	А	425	ASN	CA-CB-CG	5.70	118.30	112.60
1	Е	552	GLU	CB-CG-CD	5.67	122.24	112.60
1	С	755	GLU	N-CA-CB	5.64	118.41	110.12
1	Е	425	ASN	CA-CB-CG	5.64	118.24	112.60
1	С	213	ASP	CA-CB-CG	5.63	118.23	112.60
1	А	739[A]	ASP	CA-CB-CG	5.49	118.09	112.60
1	А	739[B]	ASP	CA-CB-CG	5.49	118.09	112.60
1	Е	46	THR	CA-CB-OG1	-5.47	101.40	109.60
1	Е	694[A]	ASP	CA-CB-CG	5.45	118.05	112.60
1	Е	694[B]	ASP	CA-CB-CG	5.45	118.05	112.60
1	С	832	VAL	CA-CB-CG1	5.45	119.66	110.40
1	G	739[A]	ASP	CA-CB-CG	5.41	118.01	112.60
1	G	739[B]	ASP	CA-CB-CG	5.41	118.01	112.60
1	Е	198	ILE	N-CA-CB	-5.39	106.20	112.34
1	G	784	ARG	NE-CZ-NH1	-5.38	116.12	121.50
1	G	117	ARG	NE-CZ-NH2	-5.36	114.38	119.20
1	С	844	SER	CA-C-O	-5.33	111.75	120.80
1	С	731	ASP	CA-CB-CG	5.28	117.88	112.60
1	G	787	GLU	CB-CG-CD	-5.27	103.64	112.60
2	Н	73	GLU	CB-CG-CD	5.26	121.54	112.60
1	С	739[A]	ASP	CA-CB-CG	5.18	117.78	112.60
1	С	739[B]	ASP	CA-CB-CG	5.18	117.78	112.60
1	G	198	ILE	N-CA-CB	-5.18	106.44	112.34
1	С	694[A]	ASP	CA-CB-CG	5.16	117.76	112.60
1	С	694[B]	ASP	CA-CB-CG	5.16	117.76	112.60

Continued on next page...

WORLDWIDE PROTEIN DATA BANK

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	531	ASP	CA-CB-CG	5.16	117.76	112.60
1	Е	375	GLU	CB-CG-CD	5.15	121.35	112.60
1	Е	8	ASP	CB-CA-C	-5.14	99.11	109.55
1	G	825	ILE	CB-CA-C	-5.14	105.74	111.80
1	Е	739[A]	ASP	CA-CB-CG	5.13	117.73	112.60
1	Е	739[B]	ASP	CA-CB-CG	5.13	117.73	112.60
1	С	552	GLU	CB-CG-CD	5.07	121.23	112.60
1	Е	531	ASP	CA-CB-CG	5.07	117.67	112.60
1	G	149[A]	ARG	NE-CZ-NH2	-5.06	114.65	119.20
1	G	149[B]	ARG	NE-CZ-NH2	-5.06	114.65	119.20
1	С	333	ASP	CA-CB-CG	5.05	117.65	112.60
1	А	668	ASP	CB-CA-C	-5.04	105.11	111.86
1	А	784	ARG	NE-CZ-NH1	-5.04	116.46	121.50
1	Е	440	ARG	CD-NE-CZ	-5.03	117.36	124.40
1	G	755	GLU	N-CA-CB	5.03	117.51	110.12
1	С	331	PHE	CA-CB-CG	-5.02	108.78	113.80
1	С	825	ILE	CB-CA-C	-5.02	105.88	111.80
1	Е	832	VAL	CA-CB-CG1	5.01	118.93	110.40
1	А	107	ARG	CB-CA-C	5.00	119.07	111.02

There are no chirality outliers.

Mol	Chain	Res	Type	Group
1	А	149[A]	ARG	Sidechain
1	А	350	ARG	Sidechain
1	А	440	ARG	Sidechain
1	А	691	ARG	Sidechain
1	А	784	ARG	Sidechain
1	А	785	ARG	Sidechain
1	С	149[A]	ARG	Sidechain
1	С	350	ARG	Sidechain
1	С	440	ARG	Sidechain
1	С	501[A]	ARG	Sidechain
1	С	522	ARG	Sidechain
1	С	784	ARG	Sidechain
2	D	53	ARG	Sidechain
1	Е	329	ARG	Sidechain
1	Е	440	ARG	Sidechain
1	Е	522[A]	ARG	Sidechain
1	Е	785	ARG	Sidechain
1	G	149[A]	ARG	Sidechain
		Contin	nued on r	next page

All (28) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	G	329	ARG	Sidechain
1	G	405	ARG	Sidechain
1	G	440	ARG	Sidechain
1	G	501[A]	ARG	Sidechain
1	G	522[A]	ARG	Sidechain
1	G	599[A]	ARG	Sidechain
1	G	784	ARG	Sidechain
1	G	785	ARG	Sidechain
1	G	82	ARG	Sidechain
1	G	843	GLN	Peptide

Continued from previous page...

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6648	6279	6327	44	0
1	С	6660	6287	6311	65	0
1	Е	6630	6261	6315	69	0
1	G	6670	6310	6332	60	1
2	В	1017	952	960	9	0
2	D	1009	940	951	9	0
2	F	1009	940	953	8	0
2	Н	1017	952	958	10	0
3	А	6	6	4	3	0
4	А	1	0	0	0	0
4	С	1	0	0	0	0
4	Е	1	0	0	1	0
4	G	1	0	0	0	0
5	А	7	0	0	0	0
5	С	7	0	0	0	0
5	Е	7	0	0	0	0
5	G	7	0	0	0	0
6	А	24	24	36	3	0
6	С	16	16	24	1	0
6	Е	32	32	48	2	0
6	G	24	24	36	2	0
6	H	4	4	6	0	0
7	A	14	16	20	1	0



8R3A
------

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	С	7	8	10	0	0
7	Е	42	48	60	11	0
7	G	14	16	20	2	0
8	А	94	40	44	4	0
8	С	94	40	44	5	0
8	Е	94	40	44	4	0
8	G	94	40	44	5	0
9	А	5	0	0	0	0
9	С	5	0	0	0	0
10	А	22	28	30	2	0
10	С	44	56	60	0	0
10	Е	22	28	30	3	0
10	G	22	28	30	7	0
11	А	12	10	16	4	0
11	Ε	6	5	8	0	0
11	G	6	5	8	4	0
12	А	1	0	0	0	0
12	С	1	0	0	0	0
12	Е	1	0	0	1	0
12	G	1	0	0	0	0
13	В	4	0	0	1	0
13	D	4	0	0	2	0
13	F	4	0	0	2	0
13	Н	4	0	0	2	0
14	Ε	16	20	22	5	0
15	А	632	0	0	7	0
15	В	69	0	0	0	0
15	С	543	0	0	12	0
15	D	69	0	0	1	0
15	Е	541	0	0	10	0
15	F	50	0	0	1	0
15	G	596	0	0	13	0
15	Н	69	0	0	1	0
All	All	34000	29455	29751	280	1

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (280) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



8R3A
------

Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:A:843:GLN:C	3:A:901:SER:N	1.68	1.51
1:C:423:ARG:HA	1:C:693[A]:MET:HE1	1.34	1.10
1:G:843:GLN:HG3	2:H:116:ASN:HD21	1.31	0.95
1:G:423:ARG:HA	1:G:693[A]:MET:HE1	1.50	0.92
1:A:405:ARG:HH12	11:A:916:GOL:H31	1.38	0.87
1:A:423:ARG:HA	1:A:693[A]:MET:HE1	1.56	0.86
1:E:706:GLN:HE22	7:E:908:PEG:H42	1.39	0.84
1:A:571:MET:HE1	10:A:914:P33:H142	1.60	0.84
1:A:501[B]:ARG:NH1	6:A:909:EDO:O2	2.10	0.83
1:C:566[A]:MET:HE1	15:C:1309:HOH:O	1.78	0.82
1:E:95:VAL:H	1:E:657:ASN:HD21	1.28	0.82
1:A:843:GLN:C	3:A:901:SER:CA	2.53	0.81
1:G:95:VAL:H	1:G:657:ASN:HD21	1.26	0.81
1:C:276:ARG:HE	1:C:299:ASN:HD22	1.29	0.80
1:E:212:ARG:HH22	14:E:917:1PE:H222	1.48	0.79
1:A:693[A]:MET:HE2	1:A:695:ALA:HB2	1.64	0.78
1:G:557[A]:ILE:HD13	15:G:1550:HOH:O	1.83	0.77
1:E:423:ARG:HA	1:E:693[A]:MET:HE1	1.64	0.77
10:G:913:P33:H142	15:G:1503:HOH:O	1.84	0.76
1:C:843:GLN:HG3	2:D:116:ASN:HD21	1.50	0.76
1:G:212:ARG:HH12	10:G:913:P33:H181	1.49	0.75
2:B:76:ALA:HB3	2:B:102[A]:ILE:HD11	1.69	0.75
1:E:276:ARG:HE	1:E:299:ASN:HD22	1.34	0.75
1:C:25:HIS:HD2	15:C:1071:HOH:O	1.71	0.74
1:C:95:VAL:H	1:C:657:ASN:HD21	1.34	0.74
1:G:843:GLN:HG3	2:H:116:ASN:ND2	2.03	0.73
1:C:52:ILE:HD11	6:C:907:EDO:H12	1.71	0.73
1:G:693[A]:MET:HE2	1:G:695:ALA:HB2	1.69	0.72
1:E:693[A]:MET:HE3	1:E:695:ALA:HB2	1.72	0.72
2:F:106:LYS:HB2	13:F:201:FES:S2	2.30	0.71
2:F:136:GLN:H	2:F:144:ASN:HD22	1.37	0.71
1:C:423:ARG:HA	1:C:693[A]:MET:CE	2.17	0.71
1:G:74:TYR:OH	1:G:85:HIS:HD2	1.73	0.71
1:C:693[A]:MET:HE2	1:C:695:ALA:HB2	1.71	0.70
1:G:599[B]:ARG:NH2	1:G:625:TRP:O	2.22	0.70
1:C:74:TYR:OH	1:C:85:HIS:HD2	1.75	0.70
1:G:599[B]:ARG:HH11	1:G:602:ASN:HD21	1.39	0.70
1:E:329:ARG:HG2	7:E:909:PEG:H11	1.74	0.69
1:E:522[B]:ARG:NH1	1:E:522[B]:ARG:HG2	2.06	0.69
1:C:566[A]:MET:CE	15:C:1309:HOH:O	2.38	0.69
2:D:73:GLU:HG2	15:D:349:HOH:O	1.92	0.69
2.B.136.CI N.H	2:B:144:ASN:HD22	1.41	0.69
1:C:693[A]:MET:HE2 1:G:599[B]:ARG:NH2 1:C:74:TYR:OH 1:G:599[B]:ARG:HH11 1:E:329:ARG:HG2 1:E:522[B]:ARG:NH1 1:C:566[A]:MET:CE 2:D:73:CLU:HC2	1:C:695:ALA:HB2 1:G:625:TRP:O 1:C:85:HIS:HD2 1:G:602:ASN:HD21 7:E:909:PEG:H11 1:E:522[B]:ARG:HG2 15:C:1309:HOH:O 15:D:340:HOH:O	$     \begin{array}{r}       1.71 \\       2.22 \\       1.75 \\       1.39 \\       1.74 \\       2.06 \\       2.38 \\       1.92 \\     \end{array} $	$\begin{array}{c} 0.70 \\ 0.70 \\ 0.70 \\ 0.70 \\ 0.69 \\ 0.69 \\ 0.69 \\ 0.69 \\ 0.69 \\ 0.69 \\ 0.69 \end{array}$



8R3A
------

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:G:423:ARG:HA	1:G:693[A]:MET:CE	2.23	0.68
1:E:423:ARG:HA	1:E:693[A]:MET:CE	2.23	0.68
2:H:123[B]:CYS:SG	15:H:367:HOH:O	2.52	0.68
2:H:136:GLN:H	2:H:144:ASN:HD22	1.41	0.68
7:A:905:PEG:H11	15:A:1358:HOH:O	1.93	0.68
2:D:136:GLN:H	2:D:144:ASN:HD22	1.41	0.67
1:E:571:MET:HE1	14:E:917:1PE:H241	1.77	0.67
1:G:166:SER:OG	1:G:489:HIS:HE1	1.77	0.67
1:E:166:SER:OG	1:E:489:HIS:HE1	1.77	0.67
1:A:423:ARG:HA	1:A:693[A]:MET:CE	2.25	0.67
1:A:566[A]:MET:HE1	1:A:592:PRO:HA	1.77	0.67
1:E:426:GLY:HA3	1:E:693[A]:MET:HE2	1.76	0.66
1:E:814:ASN:HD21	1:E:817:GLN:HE21	1.42	0.66
1:E:41:ASN:HB2	15:E:1324:HOH:O	1.96	0.66
1:A:672:GLU:OE1	15:A:1001:HOH:O	2.13	0.66
1:E:557[A]:ILE:HD13	15:E:1500:HOH:O	1.96	0.66
1:E:74:TYR:OH	1:E:85:HIS:HD2	1.78	0.65
1:G:704:GLY:H	11:G:914:GOL:H2	1.61	0.65
2:F:136:GLN:H	2:F:144:ASN:ND2	1.95	0.64
1:G:718:ASN:ND2	8:G:911:MGD:H18	1.94	0.64
1:C:718:ASN:ND2	8:C:909:MGD:H18	1.96	0.63
2:D:136:GLN:H	2:D:144:ASN:ND2	1.96	0.63
1:C:166:SER:OG	1:C:489:HIS:HE1	1.81	0.62
2:B:136:GLN:HE22	2:B:141:ALA:H	1.46	0.62
2:H:136:GLN:HE22	2:H:141:ALA:H	1.48	0.62
2:H:136:GLN:H	2:H:144:ASN:ND2	1.98	0.62
1:E:95:VAL:H	1:E:657:ASN:ND2	1.98	0.62
1:A:212:ARG:HH12	10:A:914:P33:H61	1.65	0.61
1:E:330:ASP:HB3	1:E:334:LYS:HE3	1.82	0.61
15:A:1131:HOH:O	10:E:920:P33:H31	2.00	0.61
1:E:418:GLY:HA2	1:E:817:GLN:HE22	1.66	0.60
1:E:718:ASN:ND2	8:E:919:MGD:H18	1.99	0.60
1:G:25:HIS:HD2	15:G:1083:HOH:O	1.83	0.60
1:C:95:VAL:H	1:C:657:ASN:ND2	1.99	0.60
10:G:913:P33:H172	15:G:1400:HOH:O	2.01	0.60
1:C:406:ARG:HA	1:C:437:ASN:HD21	1.66	0.60
4:E:901:4MO:MO	12:E:922:O:O	1.71	0.60
1:E:340:GLY:HA3	1:E:365:ASP:OD2	2.02	0.60
1:E:557[A]:ILE:CD1	15:E:1500:HOH:O	2.49	0.60
1:E:814:ASN:HD21	1:E:817:GLN:NE2	1.99	0.60
1:G:557[A]:ILE:CD1	15:G:1550:HOH:O	2.43	0.60



8R3A
------

		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:G:706:GLN:HB3	11:G:914:GOL:H12	1.83	0.60
7:E:904:PEG:H42	1:G:477:GLY:CA	2.32	0.60
1:G:95:VAL:H	1:G:657:ASN:ND2	1.96	0.60
1:A:843:GLN:HG3	2:B:116:ASN:HD21	1.67	0.59
2:B:136:GLN:H	2:B:144:ASN:ND2	2.00	0.59
2:D:136:GLN:HE22	2:D:141:ALA:H	1.50	0.59
2:F:136:GLN:HE22	2:F:141:ALA:H	1.50	0.59
1:C:531:ASP:OD2	1:E:531:ASP:OD2	2.21	0.58
1:A:693[A]:MET:HE2	1:A:695:ALA:CB	2.32	0.58
1:E:599:ARG:HE	1:E:602:ASN:ND2	2.02	0.57
1:E:426:GLY:HA3	1:E:693[A]:MET:CE	2.33	0.57
1:G:599[A]:ARG:HE	1:G:602:ASN:ND2	2.02	0.57
1:A:25:HIS:HD2	15:A:1064:HOH:O	1.88	0.57
1:E:6:HIS:HA	15:F:320:HOH:O	2.05	0.57
1:G:706:GLN:CB	11:G:914:GOL:H12	2.35	0.57
1:G:174:GLY:HA2	8:G:911:MGD:C6	2.35	0.56
1:G:571:MET:HE1	10:G:913:P33:H81	1.87	0.56
1:C:41[B]:ASN:ND2	2:H:149:VAL:HG21	2.20	0.56
1:C:489:HIS:HD2	15:C:1129:HOH:O	1.88	0.56
1:C:276:ARG:HE	1:C:299:ASN:ND2	2.01	0.56
1:G:667:THR:HG22	1:G:668:ASP:HB2	1.88	0.56
1:G:405:ARG:HH12	6:G:907:EDO:H11	1.71	0.56
1:C:340:GLY:HA3	1:C:365:ASP:OD2	2.06	0.55
1:E:174:GLY:HA2	8:E:919:MGD:C6	2.36	0.55
1:G:718:ASN:HD22	8:G:911:MGD:H18	1.54	0.55
1:C:270:GLU:HB3	1:C:403:LYS:HE2	1.88	0.55
1:E:562:THR:HA	1:E:566[A]:MET:HE2	1.88	0.55
1:C:267:MET:O	1:C:272:HIS:HE1	1.89	0.55
1:E:693[A]:MET:HE3	1:E:695:ALA:CB	2.36	0.54
1:E:8:ASP:HB3	2:F:47:VAL:HG21	1.90	0.54
1:A:174:GLY:HA2	8:A:911:MGD:C6	2.38	0.54
1:A:418:GLY:HA2	1:A:817:GLN:HE22	1.73	0.54
10:G:913:P33:H112	15:G:1503:HOH:O	2.07	0.54
1:C:227:GLU:OE2	1:C:250:HIS:HD2	1.91	0.54
1:E:153:LYS:HE3	1:E:530:VAL:HG21	1.90	0.54
1:A:561:ALA:O	1:A:566[A]:MET:HE3	2.08	0.53
1:E:330:ASP:HB3	1:E:334:LYS:CE	2.38	0.53
1:C:418:GLY:HA2	1:C:817:GLN:HE22	1.73	0.53
1:G:267:MET:O	1:G:272:HIS:HE1	1.90	0.53
1:E:267:MET:O	1:E:272:HIS:HE1	1.91	0.53
1:E:25:HIS:HD2	15:E:1097:HOH:O	1.91	0.53



8R3A
------

		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:E:227:GLU:OE2	1:E:250:HIS:HD2	1.91	0.52
7:E:904:PEG:H22	15:E:1481:HOH:O	2.09	0.52
1:A:156:LYS:HD3	1:A:611[B]:MET:HE2	1.91	0.52
1:C:407:VAL:H	1:C:437:ASN:ND2	2.08	0.52
1:E:276:ARG:HE	1:E:299:ASN:ND2	2.07	0.52
1:A:561:ALA:O	1:A:566[A]:MET:CE	2.58	0.52
1:C:96:VAL:O	1:C:250:HIS:HE1	1.93	0.52
1:G:407:VAL:H	1:G:437:ASN:ND2	2.07	0.52
1:C:599:ARG:HE	1:C:602:ASN:ND2	2.08	0.52
1:C:718:ASN:HD22	8:C:909:MGD:H18	1.57	0.52
2:D:70:TYR:CD1	2:D:71:PRO:HA	2.45	0.52
1:C:174:GLY:HA2	8:C:909:MGD:C6	2.39	0.52
1:G:599[B]:ARG:HH11	1:G:602:ASN:ND2	2.07	0.52
2:B:70:TYR:CD1	2:B:71:PRO:HA	2.45	0.52
1:E:843:GLN:CD	2:F:116:ASN:HD21	2.18	0.52
1:G:406:ARG:HA	1:G:437:ASN:HD21	1.74	0.52
2:F:70:TYR:CD1	2:F:71:PRO:HA	2.44	0.51
2:H:106:LYS:HB2	13:H:201:FES:S2	2.51	0.51
1:C:843:GLN:HG3	2:D:116:ASN:ND2	2.22	0.51
1:A:41[B]:ASN:H	1:A:41[B]:ASN:HD22	1.56	0.51
1:A:358:GLY:HA3	1:A:693[A]:MET:HE3	1.91	0.51
1:G:704:GLY:N	11:G:914:GOL:H2	2.25	0.51
10:G:913:P33:H62	15:G:1503:HOH:O	2.11	0.51
1:E:566[A]:MET:HE1	15:E:1021:HOH:O	2.10	0.51
1:G:693[A]:MET:HE2	1:G:695:ALA:CB	2.41	0.50
1:G:418:GLY:HA2	1:G:817:GLN:HE22	1.74	0.50
2:H:70:TYR:CD1	2:H:71:PRO:HA	2.46	0.50
1:A:450:GLY:HA2	8:A:912:MGD:C12	2.42	0.50
1:A:566[A]:MET:HE2	1:A:592:PRO:HG3	1.94	0.50
1:A:717:ASN:OD1	8:A:912:MGD:H8	2.12	0.49
1:A:843:GLN:CA	3:A:901:SER:N	2.68	0.49
1:G:599[A]:ARG:HH21	1:G:602:ASN:HD21	1.59	0.49
1:C:404:ARG:HH12	1:C:437:ASN:ND2	2.10	0.49
1:A:413:LYS:HE2	8:A:911:MGD:S13	2.52	0.49
1:C:194:LYS:HE3	15:C:1076:HOH:O	2.12	0.49
1:G:489:HIS:HD2	15:G:1100:HOH:O	1.95	0.49
1:A:735:ASP:H	11:A:915:GOL:H31	1.78	0.48
1:C:74:TYR:OH	1:C:85:HIS:CD2	2.63	0.48
1:G:34:HIS:HD2	15:G:1496:HOH:O	1.96	0.48
1:E:704:GLY:H	6:E:911:EDO:H21	1.79	0.48
1:E:718:ASN:HD22	8:E:919:MGD:H18	1.59	0.48



8R3A
------

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:B:106:LYS:HB2	13:B:201:FES:S2	2.53	0.48
1:C:450:GLY:HA2	8:C:908:MGD:C12	2.44	0.48
1:E:562:THR:C	1:E:566[A]:MET:HE2	2.38	0.48
1:E:96:VAL:O	1:E:250:HIS:HE1	1.96	0.47
1:E:149:ARG:NH1	1:E:522[A]:ARG:HG2	2.29	0.47
1:E:74:TYR:OH	1:E:85:HIS:CD2	2.64	0.47
1:E:477:GLY:CA	7:E:904:PEG:H11	2.44	0.47
1:E:599:ARG:HH21	1:E:602:ASN:HD21	1.62	0.47
1:E:489:HIS:HD2	15:E:1045:HOH:O	1.96	0.47
1:A:566[A]:MET:CE	1:A:592:PRO:HB3	2.44	0.47
1:A:734:ASN:HA	11:A:915:GOL:H31	1.96	0.47
1:C:562:THR:C	1:C:566[A]:MET:HE2	2.40	0.47
1:E:562:THR:CA	1:E:566[A]:MET:HE2	2.44	0.47
1:A:194:LYS:HE3	15:A:1074:HOH:O	2.14	0.47
1:E:212:ARG:NH2	14:E:917:1PE:H222	2.25	0.47
1:E:832:VAL:HG22	1:E:835:LEU:HD22	1.95	0.47
1:C:28:ILE:O	1:C:572:ASN:HB2	2.15	0.46
1:C:599:ARG:HH21	1:C:602:ASN:HD21	1.62	0.46
1:C:717:ASN:OD1	8:C:908:MGD:H8	2.15	0.46
1:C:41[A]:ASN:H	1:C:41[A]:ASN:ND2	2.13	0.46
1:E:28:ILE:O	1:E:572:ASN:HB2	2.15	0.46
1:G:95:VAL:N	1:G:657:ASN:HD21	2.05	0.46
1:E:709:LYS:HE3	7:E:908:PEG:H41	1.98	0.46
1:C:34:HIS:HE1	15:C:1434:HOH:O	1.99	0.46
1:C:41[A]:ASN:H	1:C:41[A]:ASN:HD22	1.63	0.46
1:C:566[A]:MET:HE1	15:C:1009:HOH:O	2.15	0.46
7:E:908:PEG:H12	15:E:1093:HOH:O	2.16	0.46
1:C:693[A]:MET:HE2	1:C:695:ALA:CB	2.44	0.45
1:G:404:ARG:HH12	1:G:437:ASN:ND2	2.14	0.45
1:E:95:VAL:N	1:E:657:ASN:HD21	2.06	0.45
1:G:74:TYR:OH	1:G:85:HIS:CD2	2.61	0.45
1:G:599[B]:ARG:HA	1:G:599[B]:ARG:HD3	1.59	0.45
1:A:518:PRO:HA	15:E:1313:HOH:O	2.15	0.45
1:C:562:THR:HA	1:C:566[A]:MET:HE2	1.97	0.45
1:G:706:GLN:HE22	7:G:906:PEG:C1	2.29	0.45
1:A:41[B]:ASN:H	1:A:41[B]:ASN:ND2	2.12	0.45
1:C:92:HIS:HD2	1:C:93:GLU:OE2	1.99	0.45
1:E:31:CYS:SG	1:E:97:ASN:HB3	2.56	0.45
1:G:28:ILE:O	1:G:572:ASN:HB2	2.16	0.45
1:G:272:HIS:HD2	15:G:1199:HOH:O	2.01	0.44
1:C:557[A]:ILE:CD1	15:C:1474:HOH:O	2.65	0.44



8R3A
------

Atom 1			Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:G:450:GLY:HA2	8:G:912:MGD:C12	2.48	0.43
1:A:156:LYS:HD3	1:A:611[B]:MET:CE	2.47	0.43
1:A:347:TYR:CG	1:A:348:PRO:HA	2.53	0.43
1:E:333:ASP:OD1	7:E:909:PEG:C4	2.66	0.43
1:G:717:ASN:OD1	8:G:912:MGD:H8	2.18	0.43
1:C:829:PRO:HB2	1:C:831:ASN:OD1	2.18	0.43
1:A:162:ALA:HB2	6:A:904:EDO:H11	2.00	0.43
1:G:776[B]:MET:HB2	1:G:776[B]:MET:HE3	1.79	0.43
2:F:108[A]:CYS:CB	2:F:123[A]:CYS:SG	3.06	0.43
1:A:829:PRO:HB2	1:A:831:ASN:OD1	2.18	0.43
1:C:562:THR:CA	1:C:566[A]:MET:HE2	2.49	0.43
1:C:693[A]:MET:CE	1:C:695:ALA:HB2	2.43	0.43
1:C:329:ARG:NH1	15:C:1012:HOH:O	2.48	0.43
1:G:149[B]:ARG:NH2	1:G:606:ARG:HH12	2.17	0.43
1:G:347:TYR:CG	1:G:348:PRO:HA	2.54	0.43
1:G:706:GLN:HE22	7:G:906:PEG:H11	1.84	0.43
1:G:599[A]:ARG:HE	1:G:602:ASN:HD22	1.66	0.43
1:G:156:LYS:HD3	1:G:611:MET:CE	2.49	0.42
1:G:8:ASP:HB3	2:H:47:VAL:HG21	2.01	0.42
1:G:31:CYS:SG	1:G:97:ASN:HB3	2.59	0.42
1:C:624:ASP:C	1:C:624:ASP:OD1	2.62	0.42
1:E:329:ARG:HH11	7:E:909:PEG:C1	2.33	0.42
6:A:904:EDO:H22	15:A:1512:HOH:O	2.20	0.42
1:C:707:GLN:OE1	15:C:1001:HOH:O	2.21	0.42
1:A:31:CYS:SG	1:A:97:ASN:HB3	2.60	0.42
1:A:405:ARG:NH1	11:A:916:GOL:H31	2.20	0.42
7:E:904:PEG:H42	1:G:477:GLY:HA3	2.02	0.42
1:G:262:LYS:NZ	15:G:1017:HOH:O	2.49	0.42
1:C:62[A]:GLN:H	1:C:62[A]:GLN:CD	2.27	0.42
1:C:95:VAL:N	1:C:657:ASN:HD21	2.10	0.42
1:C:363:PHE:O	1:C:367:VAL:HG23	2.20	0.42
1:A:208:VAL:HB	1:A:211:THR:HG22	2.02	0.42
14:E:917:1PE:H262	15:E:1229:HOH:O	2.20	0.42
1:C:19:LYS:HE3	15:C:1051:HOH:O	2.20	0.41
1:A:117:ARG:HA	10:E:920:P33:H91	2.02	0.41
1:C:8:ASP:HB3	2:D:47:VAL:HG21	2.02	0.41
1:C:208:VAL:HB	1:C:211:THR:HG22	2.02	0.41
1:C:227:GLU:OE2	1:C:250:HIS:CD2	2.73	0.41
1:E:709:LYS:CE	7:E:908:PEG:H41	2.51	0.41
1:E:717:ASN:OD1	8:E:918:MGD:H8	2.20	0.41
1:G:46:THR:H	6:G:908:EDO:H21	1.85	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:B:154:ASP:OD1	2:B:154:ASP:N	2.54	0.41
1:E:460:ASP:O	1:E:463:VAL:HB	2.21	0.41
1:E:571:MET:HE1	14:E:917:1PE:C24	2.48	0.41
1:A:41[B]:ASN:ND2	15:A:1042:HOH:O	2.54	0.41
1:A:566[A]:MET:HE2	1:A:566[A]:MET:HB3	1.88	0.41
1:E:390:LYS:HE3	6:E:907:EDO:C1	2.51	0.41
1:G:208:VAL:HB	1:G:211:THR:HG22	2.03	0.41
1:C:356:ASN:ND2	15:C:1002:HOH:O	2.34	0.41
1:C:496:ALA:O	1:C:500:LYS:HE2	2.21	0.41
1:A:245:ASN:HD22	1:A:245:ASN:HA	1.63	0.40
1:G:433:LEU:HD23	1:G:438:ILE:HD12	2.03	0.40
1:A:28:ILE:O	1:A:572:ASN:HB2	2.20	0.40
1:C:650:ARG:O	1:C:654[A]:MET:HG2	2.20	0.40
1:E:599:ARG:HE	1:E:602:ASN:HD22	1.67	0.40
10:G:913:P33:H31	15:G:1360:HOH:O	2.22	0.40
1:E:423:ARG:CA	1:E:693[A]:MET:HE1	2.44	0.40
1:C:23:THR:O	1:C:24:CYS:C	2.64	0.40
2:D:106:LYS:HB2	13:D:201:FES:S2	2.61	0.40
1:E:829:PRO:HB2	1:E:831:ASN:OD1	2.22	0.40
10:E:920:P33:H172	10:E:920:P33:H141	1.79	0.40
1:E:284:ARG:HH21	1:E:289:ASN:HD22	1.68	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:686:ASP:O	$1:G:686:ASP:O[2_545]$	1.52	0.68

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	864/845~(102%)	835~(97%)	28 (3%)	1 (0%)	48	41
1	С	869/845~(103%)	839~(96%)	29 (3%)	1 (0%)	48	41
1	Е	861/845~(102%)	829 (96%)	31~(4%)	1 (0%)	48	41
1	G	869/845~(103%)	837~(96%)	32~(4%)	0	100	100
2	В	136/175~(78%)	131 (96%)	5 (4%)	0	100	100
2	D	134/175~(77%)	130~(97%)	4 (3%)	0	100	100
2	F	134/175~(77%)	126 (94%)	8 (6%)	0	100	100
2	Н	136/175~(78%)	130 (96%)	6 (4%)	0	100	100
All	All	4003/4080 (98%)	3857 (96%)	143 (4%)	3 (0%)	48	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Е	811	ILE
1	А	811	ILE
1	С	811	ILE

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	698/678~(103%)	692~(99%)	6 (1%)	75	77
1	$\mathbf{C}$	703/678~(104%)	692~(98%)	11 (2%)	58	56
1	Ε	696/678~(103%)	688~(99%)	8 (1%)	70	71
1	G	703/678~(104%)	694~(99%)	9 (1%)	65	65
2	В	111/131 (85%)	110 (99%)	1 (1%)	75	77
2	D	109/131~(83%)	108~(99%)	1 (1%)	75	77
2	F	109/131~(83%)	109 (100%)	0	100	100
2	Н	111/131 (85%)	111 (100%)	0	100	100
All	All	3240/3236~(100%)	3204 (99%)	36 (1%)	70	71



Mol	Chain	Res	Type
1	А	237	THR
1	А	347	TYR
1	А	522	ARG
1	А	644	GLU
1	А	792	PHE
1	А	830	ARG
2	В	154	ASP
1	С	27	CYS
1	С	41[A]	ASN
1	С	41[B]	ASN
1	С	134	GLN
1	С	260	LEU
1	С	341	THR
1	С	347	TYR
1	С	522	ARG
1	С	607	VAL
1	С	792	PHE
1	С	832	VAL
2	D	154	ASP
1	Е	27	CYS
1	Е	134	GLN
1	Е	189	GLU
1	Е	347	TYR
1	Е	463	VAL
1	Е	792	PHE
1	Е	832	VAL
1	Е	844	SER
1	G	134	GLN
1	G	189	GLU
1	G	329	ARG
1	G	347	TYR
1	G	463	VAL
1	G	522[A]	ARG
1	G	522[B]	ARG
1	G	686	ASP
1	G	792	PHE

All (36) residues with a non-rotameric sidechain are listed below:

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (93) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	6	HIS
	a .:	7	



Mol	Chain	Res	Type
1	А	25	HIS
1	А	118	ASN
1	А	121	GLN
1	А	245	ASN
1	А	535	GLN
1	А	542	ASN
1	А	589	GLN
1	А	619	GLN
1	А	814	ASN
1	А	817	GLN
2	В	116	ASN
2	В	120	ASN
2	В	136	GLN
2	В	143	GLN
2	В	144	ASN
1	С	25	HIS
1	С	34	HIS
1	С	85	HIS
1	С	92	HIS
1	С	121	GLN
1	С	134	GLN
1	С	250	HIS
1	С	272	HIS
1	С	299	ASN
1	С	359	HIS
1	С	425	ASN
1	С	437	ASN
1	С	489	HIS
1	С	542	ASN
1	С	589	GLN
1	С	602	ASN
1	C	657	ASN
1	C	660	GLN
1	C	718	ASN
1	C	817	GLN
2	D	116	ASN
2	D	120	ASN
2	D	136	GLN
2	D	143	GLN
2	D	144	ASN
1	E	6	HIS
1	Е	21	ASN



Mol	Chain	Res	Type		
1	Е	25	HIS		
1	Е	34	HIS		
1	Е	79	GLN		
1	Е	85	HIS		
1	Е	118	ASN		
1	Е	121	GLN		
1	Е	136	GLN		
1	Е	220	ASN		
1	Е	250	HIS		
1	Е	272	HIS		
1	Е	289	ASN		
1	Е	299	ASN		
1	Е	359	HIS		
1	Е	489	HIS		
1	Е	542	ASN		
1	Е	602	ASN		
1	Е	619	GLN		
1	Е	626	GLN		
1	Е	657	ASN		
1	Е	660	GLN		
1	Е	706	GLN		
1	Е	718	ASN		
1	Е	814	ASN		
1	Е	817	GLN		
2	F	116	ASN		
2	F	136	GLN		
2	F	143	GLN		
2	F	144	ASN		
1	G	21	ASN		
1	G	25	HIS		
1	G	34	HIS		
1	G	79	GLN		
1	G	85	HIS		
1	G	121	GLN		
1	G	272	HIS		
1	G	437	ASN		
1	G	489	HIS		
1	G	542	ASN		
1	G	589	GLN		
1	G	602	ASN		
1	G	657	ASN		
1	G	660	GLN		



e ontinaca front pretto ae page									
Mol	Chain	$\mathbf{Res}$	Type						
1	G	675	GLN						
1	G	706	GLN						
1	G	718	ASN						
1	G	817	GLN						
2	Н	116	ASN						
2	Н	136	GLN						
2	Н	143	GLN						
2	Н	144	ASN						

Continued from previous page...

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 73 ligands modelled in this entry, 8 are monoatomic - leaving 65 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	EDO	Н	202	-	$3,\!3,\!3$	0.35	0	$2,\!2,\!2$	0.38	0
6	EDO	А	906	-	3,3,3	0.12	0	2,2,2	0.32	0
7	PEG	G	904	-	$6,\!6,\!6$	0.31	0	$5,\!5,\!5$	0.35	0
5	F3S	Е	902	1	$0,\!9,\!9$	-	-	-		
6	EDO	G	909	-	3,3,3	0.22	0	2,2,2	0.18	0
8	MGD	С	908	4	41,52,52	1.04	4 (9%)	40,81,81	1.45	6 (15%)



		<u> </u>	D	<b>T</b> • 1	Bond lengths			Bond angles		
10101	Type	Unain	Res	LINK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	F3S	А	903	1	0,9,9	-	-	-		
7	PEG	Е	909	-	6,6,6	0.53	0	$5,\!5,\!5$	0.46	0
6	EDO	Е	907	-	$3,\!3,\!3$	0.33	0	$2,\!2,\!2$	0.56	0
6	EDO	С	904	-	$3,\!3,\!3$	0.66	0	$2,\!2,\!2$	0.80	0
10	P33	E	920	-	21,21,21	0.51	0	20,20,20	0.51	0
8	MGD	С	909	4	$41,\!52,\!52$	1.55	5 (12%)	40,81,81	1.02	2 (5%)
7	PEG	А	910	-	6,6,6	0.35	0	$5,\!5,\!5$	0.24	0
8	MGD	Е	919	4	41,52,52	1.03	4 (9%)	40,81,81	1.29	7 (17%)
8	MGD	G	912	4	41,52,52	1.12	4 (9%)	40,81,81	1.22	3 (7%)
7	PEG	Е	908	-	6,6,6	0.34	0	$5,\!5,\!5$	0.24	0
6	EDO	А	904	-	3,3,3	1.15	0	2,2,2	0.94	0
8	MGD	А	911	4	41,52,52	1.36	3 (7%)	40,81,81	1.16	3 (7%)
6	EDO	С	903	-	3,3,3	0.18	0	2,2,2	0.66	0
6	EDO	С	906	-	3,3,3	0.20	0	2,2,2	0.14	0
7	PEG	Е	915	-	6,6,6	0.64	0	$5,\!5,\!5$	0.50	0
6	EDO	А	907	-	3,3,3	1.97	2 (66%)	2,2,2	1.67	1 (50%)
7	PEG	Е	916	-	$6,\!6,\!6$	0.60	0	$5,\!5,\!5$	0.61	0
13	FES	D	201	2	0,4,4	_	-	-		,
6	EDO	Е	903	-	3,3,3	0.87	0	2,2,2	0.61	0
8	MGD	А	912	4	41,52,52	1.10	5 (12%)	40,81,81	1.06	4 (10%)
10	P33	С	912	-	21,21,21	0.80	0	20,20,20	0.73	0
6	EDO	Е	913	-	3,3,3	0.13	0	2,2,2	0.56	0
11	GOL	А	915	-	$5,\!5,\!5$	0.31	0	$5,\!5,\!5$	0.54	0
11	GOL	Е	921	-	$5,\!5,\!5$	0.18	0	$5,\!5,\!5$	0.86	0
9	SO4	А	913	-	$4,\!4,\!4$	0.68	0	$6,\!6,\!6$	0.90	0
10	P33	А	914	-	21,21,21	0.92	0	20,20,20	0.76	0
8	MGD	G	911	4	$41,\!52,\!52$	1.35	2 (4%)	40,81,81	1.38	4 (10%)
6	EDO	G	910	-	3,3,3	0.60	0	2,2,2	1.10	0
7	PEG	Ε	904	-	$6,\!6,\!6$	0.51	0	$5,\!5,\!5$	0.87	0
6	EDO	G	907	-	$3,\!3,\!3$	0.10	0	$2,\!2,\!2$	0.48	0
6	EDO	Ε	911	-	3, 3, 3	0.39	0	$2,\!2,\!2$	1.02	0
5	F3S	С	902	1	$0,\!9,\!9$	-	-	_		
10	P33	С	911	-	21,21,21	0.36	0	20,20,20	0.57	0
6	EDO	А	908[A]	-	3,3,3	0.28	0	2,2,2	0.61	0
13	FES	Н	201	2	0,4,4	-	-	-		
6	EDO	E	914	-	3,3,3	0.32	0	2,2,2	0.68	0
14	1PE	E	917	-	15,15,15	0.57	0	14,14,14	0.58	0
7	PEG	E	905	-	6,6,6	0.34	0	$5,\!5,\!5$	0.37	0
11	GOL	A	916	-	$5,\!5,\!5$	0.32	0	$5,\!5,\!5$	0.71	0
13	FES	B	201	2	0,4,4	-	-	-		· · · · · · · · · · · · · · · · · · ·
6	EDO	G	908	-	$3,\!3,\!3$	0.37	0	$2,\!2,\!2$	1.06	0


Mal	Type	Chain	Dog	Link	Bond lengths			Bond angles		
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
6	EDO	С	907	-	3, 3, 3	0.96	0	$2,\!2,\!2$	0.98	0
6	EDO	Е	912	-	3,3,3	0.17	0	2,2,2	0.34	0
7	PEG	С	905	-	$6,\!6,\!6$	0.36	0	$5,\!5,\!5$	0.41	0
6	EDO	А	909	-	3,3,3	0.20	0	2,2,2	0.22	0
3	SER	А	901	-	4,5,6	1.09	0	$0,\!5,\!7$	-	-
6	EDO	G	905	-	3,3,3	1.05	0	2,2,2	0.37	0
13	FES	F	201	2	0,4,4	-	-	-		•
11	GOL	G	914	-	$5,\!5,\!5$	0.49	0	$5,\!5,\!5$	0.81	0
6	EDO	G	903	-	3,3,3	0.20	0	2,2,2	0.03	0
6	EDO	А	908[B]	-	3,3,3	0.19	0	2,2,2	0.49	0
7	PEG	G	906	-	$6,\!6,\!6$	0.49	0	$5,\!5,\!5$	0.43	0
10	P33	G	913	-	21,21,21	0.69	0	20,20,20	0.62	0
6	EDO	Е	906	-	3,3,3	0.66	0	2,2,2	0.67	0
6	EDO	Е	910	-	3,3,3	0.43	0	2,2,2	0.43	0
9	SO4	С	910	-	4,4,4	0.57	0	$6,\!6,\!6$	0.71	0
7	PEG	А	905	-	$6,\!6,\!6$	0.43	0	$5,\!5,\!5$	0.27	0
5	F3S	G	902	1	0,9,9	-	-	-		
8	MGD	Е	918	4	41,52,52	1.12	4 (9%)	40,81,81	1.14	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	Н	202	-	-	0/1/1/1	-
6	EDO	А	906	-	-	1/1/1/1	-
7	PEG	G	904	-	-	0/4/4/4	-
6	EDO	G	909	-	-	1/1/1/1	-
8	MGD	С	908	4	-	3/18/66/66	0/6/6/6
5	F3S	Е	902	1	-	-	0/3/3/3
5	F3S	А	903	1	-	-	0/3/3/3
7	PEG	Е	909	-	-	2/4/4/4	-
6	EDO	Е	907	-	-	1/1/1/1	-
6	EDO	С	904	-	-	1/1/1/1	-
10	P33	Е	920	-	-	10/19/19/19	-
8	MGD	С	909	4	-	4/18/66/66	0/6/6/6
7	PEG	А	910	-	-	2/4/4/4	-
8	MGD	Е	919	4	-	5/18/66/66	0/6/6/6
5	F3S	G	902	1	-	_	0/3/3/3
8	MGD	G	912	4	_	3/18/66/66	0/6/6/6



8R3A
------

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PEG	Е	908	-	-	3/4/4/4	-
6	EDO	А	904	-	-	0/1/1/1	-
8	MGD	А	911	4	-	4/18/66/66	0/6/6/6
6	EDO	С	903	-	-	0/1/1/1	-
6	EDO	С	906	-	-	1/1/1/1	-
7	PEG	Е	915	-	-	2/4/4/4	-
6	EDO	А	907	_	_	0/1/1/1	-
7	PEG	Е	916	-	-	2/4/4/4	-
13	FES	D	201	2	-	_	0/1/1/1
6	EDO	Е	903	-	-	0/1/1/1	-
8	MGD	А	912	4	-	5/18/66/66	0/6/6/6
10	P33	С	912	-	-	12/19/19/19	-
6	EDO	Е	913	-	-	1/1/1/1	-
11	GOL	А	915	-	-	0/4/4/4	-
11	GOL	Е	921	-	_	0/4/4/4	-
10	P33	А	914	-	-	7/19/19/19	-
8	MGD	G	911	4	-	4/18/66/66	0/6/6/6
6	EDO	G	910	-	-	0/1/1/1	-
7	PEG	Е	904	-	-	2/4/4/4	-
6	EDO	G	907	-	-	1/1/1/1	-
6	EDO	Е	911	-	-	0/1/1/1	-
5	F3S	С	902	1	-	-	0/3/3/3
10	P33	С	911	-	-	9/19/19/19	-
6	EDO	А	908[A]	-	-	1/1/1/1	-
13	FES	Н	201	2	_	_	0/1/1/1
6	EDO	Е	914	-	-	0/1/1/1	-
14	1PE	Е	917	-	-	11/13/13/13	-
7	PEG	Ε	905	-	-	2/4/4/4	-
11	GOL	А	916	-	-	2/4/4/4	-
13	FES	В	201	2	-	-	0/1/1/1
6	EDO	G	908	-	-	0/1/1/1	-
6	EDO	С	907	-	_	1/1/1/1	-
6	EDO	E	912	_	-	1/1/1/1	
7	PEG	С	905	-	-	3/4/4/4	-
6	EDO	A	909	-	-	1/1/1/1	-
3	SER	A	901	-	-	0/2/4/6	-
6	EDO	G	905	-	-	0/1/1/1	-
13	FES	F	201	2	-	-	0/1/1/1
11	GOL	G	914	-	_	4/4/4/4	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	G	903	-	-	1/1/1/1	-
6	EDO	А	908[B]	-	-	1/1/1/1	-
7	PEG	G	906	-	-	3/4/4/4	-
6	EDO	Е	906	-	-	0/1/1/1	-
6	EDO	Е	910	-	-	1/1/1/1	-
7	PEG	А	905	-	-	2/4/4/4	-
10	P33	G	913	-	-	14/19/19/19	-
8	MGD	Е	918	4	-	4/18/66/66	0/6/6/6

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
8	С	909	MGD	C23-C14	6.71	1.59	1.53
8	А	911	MGD	C23-C14	6.07	1.58	1.53
8	G	911	MGD	C23-C14	5.97	1.58	1.53
8	Е	918	MGD	C10-C11	-3.25	1.47	1.52
8	С	909	MGD	C5-C6	-3.05	1.41	1.47
8	С	909	MGD	C8-N7	-2.84	1.30	1.35
8	G	912	MGD	O11-C11	2.70	1.47	1.43
8	А	912	MGD	C5-C6	-2.69	1.42	1.47
6	А	907	EDO	O2-C2	2.67	1.55	1.42
8	Е	919	MGD	C5-C6	-2.63	1.42	1.47
8	G	911	MGD	C5-C6	-2.63	1.42	1.47
8	Е	918	MGD	C8-N7	-2.58	1.30	1.35
8	С	908	MGD	C23-C14	2.45	1.55	1.53
8	G	912	MGD	PA-O1A	-2.42	1.42	1.50
8	А	911	MGD	C5-C6	-2.41	1.42	1.47
8	А	912	MGD	C8-N7	-2.36	1.31	1.35
8	А	912	MGD	C23-C14	-2.33	1.51	1.53
8	С	908	MGD	C2'-C1'	-2.32	1.50	1.53
8	Е	919	MGD	C16-C21	2.30	1.42	1.38
8	А	912	MGD	C5-C4	-2.25	1.37	1.43
8	С	908	MGD	C5-C4	-2.25	1.37	1.43
8	С	908	MGD	C5-C6	-2.18	1.43	1.47
8	G	912	MGD	C5-C4	-2.17	1.37	1.43
8	А	911	MGD	C5-C4	-2.17	1.37	1.43
8	Е	919	MGD	C23-N22	-2.13	1.41	1.45
8	С	909	MGD	C16-C21	2.12	1.42	1.38
8	Е	919	MGD	C23-C14	2.11	1.55	1.53
8	Е	918	MGD	C2'-C1'	-2.09	1.50	1.53
8	A	912	MGD	C10-C11	-2.08	1.49	1.52



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
8	С	909	MGD	C6-N1	2.06	1.40	1.37
8	Е	918	MGD	C5-C4	-2.04	1.37	1.43
6	А	907	EDO	O1-C1	2.01	1.52	1.42
8	G	912	MGD	C8-N7	-2.00	1.31	1.35

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
8	С	908	MGD	O11-C23-N22	-4.50	103.94	108.57
8	G	912	MGD	O11-C23-N22	-3.76	104.71	108.57
8	G	911	MGD	C19-N20-C21	3.64	120.00	113.43
8	С	908	MGD	O11-C23-C14	3.29	111.16	108.96
8	Е	919	MGD	O6-C6-C5	3.19	130.60	124.37
8	Е	918	MGD	C19-N20-C21	3.16	119.14	113.43
8	А	911	MGD	O2B-PB-O1B	3.03	127.21	112.24
8	С	908	MGD	O6-C6-C5	2.95	130.14	124.37
8	G	911	MGD	O11-C23-N22	2.68	111.33	108.57
8	Е	919	MGD	O2B-PB-O1B	2.62	125.18	112.24
8	Е	919	MGD	C17-C16-N15	2.58	123.69	116.76
8	G	911	MGD	C17-C16-N15	2.56	123.64	116.76
8	G	912	MGD	O4'-C1'-C2'	-2.55	103.21	106.93
8	Е	919	MGD	O2A-PA-O1A	2.43	124.28	112.24
8	Е	919	MGD	C19-N20-C21	2.41	117.78	113.43
8	С	908	MGD	C19-N20-C21	2.38	117.72	113.43
8	Е	919	MGD	O11-C23-C14	2.36	110.54	108.96
8	А	911	MGD	C17-C16-N15	2.29	122.90	116.76
8	А	911	MGD	O2A-PA-O1A	2.26	123.44	112.24
8	А	912	MGD	C19-N20-C21	2.23	117.45	113.43
8	С	908	MGD	O2A-PA-O1A	2.21	123.16	112.24
8	Е	918	MGD	O2A-PA-O1A	2.20	123.11	112.24
8	Е	919	MGD	C5-C6-N1	-2.18	110.11	113.95
8	С	909	MGD	C19-N20-C21	2.16	117.32	113.43
8	А	912	MGD	O6-C6-C5	2.12	128.51	124.37
8	А	912	MGD	O2A-PA-O1A	2.11	122.68	112.24
8	С	909	MGD	C23-C14-C13	2.11	115.25	110.53
6	A	907	EDO	01-C1-C2	2.09	126.97	111.91
8	G	912	MGD	O11-C23-C14	2.04	110.32	108.96
8	G	911	MGD	O6-C6-C5	2.03	128.34	124.37
8	А	912	MGD	O17-C17-C16	-2.02	122.61	127.24
8	С	908	MGD	O6-C6-N1	-2.01	118.28	120.65

There are no chirality outliers.



Mol	Chain	Res	Type	Atoms
8	А	911	MGD	C5'-O5'-PB-O3B
8	А	912	MGD	C5'-O5'-PB-O1B
8	А	912	MGD	C5'-O5'-PB-O3B
8	С	908	MGD	PA-O3B-PB-O5'
8	С	908	MGD	C5'-O5'-PB-O1B
8	С	908	MGD	C5'-O5'-PB-O3B
8	С	909	MGD	PA-O3B-PB-O5'
8	С	909	MGD	C5'-O5'-PB-O3B
8	Е	918	MGD	PA-O3B-PB-O5'
8	Е	918	MGD	C5'-O5'-PB-O1B
8	Е	918	MGD	C5'-O5'-PB-O3B
8	Е	919	MGD	PA-O3B-PB-O5'
8	Е	919	MGD	C5'-O5'-PB-O3B
8	G	911	MGD	C5'-O5'-PB-O3B
8	G	912	MGD	C5'-O5'-PB-O1B
11	G	914	GOL	O1-C1-C2-C3
11	G	914	GOL	C1-C2-C3-O3
7	Е	916	PEG	C4-C3-O2-C2
10	С	912	P33	C14-C15-O16-C17
10	G	913	P33	C11-C12-O13-C14
7	G	906	PEG	O2-C3-C4-O4
10	А	914	P33	O13-C14-C15-O16
10	А	914	P33	O7-C8-C9-O10
10	С	911	P33	O7-C8-C9-O10
10	Е	920	P33	O10-C11-C12-O13
10	G	913	P33	O7-C8-C9-O10
10	G	913	P33	O13-C14-C15-O16
10	А	914	P33	C6-C5-O4-C3
14	Е	917	1PE	OH6-C15-C25-OH5
10	С	912	P33	O13-C14-C15-O16
10	А	914	P33	O10-C11-C12-O13
7	Ε	905	PEG	O2-C3-C4-O4
7	Е	909	PEG	O1-C1-C2-O2
7	E	915	PEG	O2-C3-C4-O4
10	С	912	P33	O4-C5-C6-O7
10	Е	920	P33	O13-C14-C15-O16
10	G	913	P33	O4-C5-C6-O7
10	G	913	P33	O10-C11-C12-O13
7	E	904	PEG	O1-C1-C2-O2
7	Е	909	PEG	O2-C3-C4-O4
10	С	911	P33	019-C20-C21-O22
10	G	913	P33	O19-C20-C21-O22

All (138) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
14	Е	917	1PE	OH5-C14-C24-OH4
11	А	916	GOL	C1-C2-C3-O3
7	Е	904	PEG	O2-C3-C4-O4
14	Е	917	1PE	ОН7-С16-С26-ОН6
10	G	913	P33	C6-C5-O4-C3
10	Е	920	P33	O4-C5-C6-O7
11	А	916	GOL	O2-C2-C3-O3
11	G	914	GOL	O1-C1-C2-O2
11	G	914	GOL	O2-C2-C3-O3
10	Е	920	P33	O1-C2-C3-O4
6	А	906	EDO	O1-C1-C2-O2
10	С	912	P33	O7-C8-C9-O10
7	С	905	PEG	O1-C1-C2-O2
10	С	912	P33	O19-C20-C21-O22
10	G	913	P33	O1-C2-C3-O4
10	С	911	P33	O4-C5-C6-O7
7	G	906	PEG	O1-C1-C2-O2
6	G	909	EDO	O1-C1-C2-O2
10	С	911	P33	O16-C17-C18-O19
10	С	911	P33	O13-C14-C15-O16
10	Е	920	P33	C14-C15-O16-C17
7	А	910	PEG	O1-C1-C2-O2
7	Е	905	PEG	O1-C1-C2-O2
6	А	908[B]	EDO	O1-C1-C2-O2
6	А	909	EDO	O1-C1-C2-O2
6	С	904	EDO	O1-C1-C2-O2
6	С	906	EDO	O1-C1-C2-O2
6	С	907	EDO	O1-C1-C2-O2
6	G	903	EDO	O1-C1-C2-O2
8	А	911	MGD	PA-O3B-PB-O5'
8	А	912	MGD	PA-O3B-PB-O5'
8	G	911	MGD	PA-O3B-PB-O5'
8	G	912	MGD	PA-O3B-PB-O5'
7	E	908	PEG	O1-C1-C2-O2
10	С	912	P33	O1-C2-C3-O4
14	E	917	1PE	C13-C23-OH3-C22
7	А	905	PEG	C4-C3-O2-C2
14	Е	917	1PE	C24-C14-OH5-C25
14	E	917	1PE	C25-C15-OH6-C26
7	G	906	PEG	C1-C2-O2-C3
8	G	912	MGD	C5'-O5'-PB-O3B
10	Е	920	P33	C11-C12-O13-C14

Continued from previous page...



Conti	nued fron	<i>i</i> previou	s page	
$\mathbf{Mol}$	Chain	Res	Type	Atoms
10	Е	920	P33	C5-C6-O7-C8
8	А	911	MGD	C5'-O5'-PB-O1B
8	С	909	MGD	C5'-O5'-PB-O1B
8	Е	919	MGD	C5'-O5'-PB-O1B
8	G	911	MGD	C5'-O5'-PB-O1B
10	Е	920	P33	O19-C20-C21-O22
6	Е	910	EDO	O1-C1-C2-O2
10	С	912	P33	C6-C5-O4-C3
10	G	913	P33	C5-C6-O7-C8
7	А	910	PEG	C1-C2-O2-C3
7	С	905	PEG	C4-C3-O2-C2
7	Е	915	PEG	C1-C2-O2-C3
7	С	905	PEG	O2-C3-C4-O4
10	G	913	P33	C21-C20-O19-C18
14	Е	917	1PE	OH2-C12-C22-OH3
6	Е	907	EDO	O1-C1-C2-O2
10	Е	920	P33	O7-C8-C9-O10
8	А	911	MGD	O4'-C4'-C5'-O5'
8	С	909	MGD	O4'-C4'-C5'-O5'
10	А	914	P33	O19-C20-C21-O22
10	А	914	P33	C9-C8-O7-C6
6	G	907	EDO	O1-C1-C2-O2
10	А	914	P33	O16-C17-C18-O19
10	С	912	P33	C12-C11-O10-C9
10	G	913	P33	C17-C18-O19-C20
6	А	908[A]	EDO	O1-C1-C2-O2
10	С	912	P33	C11-C12-O13-C14
10	С	912	P33	C15-C14-O13-C12
10	С	911	P33	O10-C11-C12-O13
7	А	905	PEG	C1-C2-O2-C3
10	G	913	P33	C15-C14-O13-C12
14	Е	917	1PE	C15-C25-OH5-C14
14	Е	917	1PE	C23-C13-OH4-C24
6	Е	912	EDO	O1-C1-C2-O2
14	Е	917	1PE	C14-C24-OH4-C13
10	G	913	P33	O16-C17-C18-O19
10	С	911	P33	C17-C18-O19-C20
8	А	912	MGD	PB-O3B-PA-O2A
8	Е	919	MGD	PB-O3B-PA-O2A
10	С	911	P33	O1-C2-C3-O4
10	G	913	P33	C9-C8-O7-C6
10	С	911	P33	C11-C12-O13-C14

tin J fa .  $\alpha$ 



Mol	Chain	Res	Type	Atoms
10	С	912	P33	C5-C6-O7-C8
8	А	912	MGD	C5'-O5'-PB-O2B
8	Ε	918	MGD	C5'-O5'-PB-O2B
8	Ε	919	MGD	O4'-C4'-C5'-O5'
8	G	911	MGD	O4'-C4'-C5'-O5'
7	Ε	916	PEG	O1-C1-C2-O2
7	Ε	908	PEG	C1-C2-O2-C3
6	Ε	913	EDO	O1-C1-C2-O2
10	С	912	P33	O10-C11-C12-O13
14	E	917	1PE	OH4-C13-C23-OH3
7	Ε	908	PEG	O2-C3-C4-O4
10	Е	920	P33	O16-C17-C18-O19

Continued from previous page...

There are no ring outliers.

32 monomers are involved in 75 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	С	908	MGD	2	0
7	Е	909	PEG	3	0
6	Е	907	EDO	1	0
10	Е	920	P33	3	0
8	С	909	MGD	3	0
8	Е	919	MGD	3	0
8	G	912	MGD	2	0
7	Е	908	PEG	4	0
6	А	904	EDO	2	0
8	А	911	MGD	2	0
13	D	201	FES	2	0
8	А	912	MGD	2	0
11	А	915	GOL	2	0
10	А	914	P33	2	0
8	G	911	MGD	3	0
7	Е	904	PEG	4	0
6	G	907	EDO	1	0
6	Е	911	EDO	1	0
13	Н	201	FES	2	0
14	Е	917	1PE	5	0
11	А	916	GOL	2	0
13	В	201	FES	1	0
6	G	908	EDO	1	0
6	С	907	EDO	1	0
6	А	909	EDO	1	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	901	SER	3	0
13	F	201	FES	2	0
11	G	914	GOL	4	0
7	G	906	PEG	2	0
10	G	913	P33	7	0
7	А	905	PEG	1	0
8	Е	918	MGD	1	0

Continued from previous page...

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











































































## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{A}^2)$	Q < 0.9
1	А	842/845~(99%)	-0.97	0 100 100	10, 23, 42, 67	13 (1%)
1	С	843/845~(99%)	-0.83	0 100 100	10, 26, 44, 73	14 (1%)
1	Е	843/845~(99%)	-0.75	2 (0%) 92 92	10, 27, 47, 71	10 (1%)
1	G	843/845~(99%)	-0.96	2 (0%) 92 92	9, 24, 42, 73	15 (1%)
2	В	133/175~(76%)	-0.35	1 (0%) 82 84	18,35,53,70	3~(2%)
2	D	133/175~(76%)	-0.38	1 (0%) 82 84	18,35,52,61	2(1%)
2	F	133/175~(76%)	0.06	1 (0%) 82 84	21,  40,  57,  68	2(1%)
2	Н	133/175~(76%)	-0.62	1 (0%) 82 84	15, 33, 50, 60	3(2%)
All	All	3903/4080 (95%)	-0.80	8 (0%) 92 92	9, 26, 48, 73	62 (1%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	43	ALA	4.2
2	В	43	ALA	3.5
2	F	43	ALA	3.1
2	Н	43	ALA	2.8
1	Е	401	GLY	2.4
1	G	41[A]	ASN	2.2
1	G	686	ASP	2.1
1	Е	92	HIS	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B$ -factors( $Å^2$ )	Q<0.9
7	PEG	G	904	7/7	0.76	0.17	66, 76, 78, 86	0
6	EDO	А	907	4/4	0.80	0.20	42,52,55,58	0
6	EDO	Е	912	4/4	0.81	0.15	58,62,66,66	0
6	EDO	G	903	4/4	0.83	0.20	60,63,65,70	0
10	P33	А	914	22/22	0.83	0.18	47,56,66,72	0
6	EDO	G	907	4/4	0.84	0.16	47,64,65,72	0
7	PEG	Е	916	7/7	0.85	0.16	49,56,64,66	0
6	EDO	Е	903	4/4	0.85	0.13	42,49,49,52	0
3	SER	А	901	6/7	0.85	0.12	37,46,50,56	0
6	EDO	Е	910	4/4	0.86	0.16	47,65,65,65	0
6	EDO	Е	906	4/4	0.86	0.19	46,47,52,55	0
6	EDO	G	910	4/4	0.86	0.16	46,53,56,60	0
7	PEG	Е	915	7/7	0.87	0.15	57,64,67,70	0
6	EDO	G	905	4/4	0.87	0.15	39,48,51,54	0
14	1PE	Е	917	16/16	0.87	0.14	41,56,64,73	0
6	EDO	А	908[A]	4/4	0.88	0.13	26,28,30,31	8
6	EDO	А	908[B]	4/4	0.88	0.13	35,40,45,47	8
7	PEG	G	906	7/7	0.88	0.16	53,63,71,76	0
7	PEG	Е	905	7/7	0.88	0.12	54,60,67,68	0
10	P33	С	912	22/22	0.88	0.16	40,53,76,80	0
11	GOL	А	916	6/6	0.88	0.14	47,59,63,70	0
6	EDO	С	904	4/4	0.88	0.14	40,47,52,71	0
6	EDO	С	907	4/4	0.89	0.13	48,50,53,62	0
6	EDO	А	909	4/4	0.89	0.14	56,58,60,60	0
6	EDO	Е	913	4/4	0.89	0.14	52,59,60,64	0
6	EDO	А	904	4/4	0.89	0.14	40,51,53,56	0
6	EDO	G	909	4/4	0.90	0.13	54,60,64,64	0
6	EDO	G	908	4/4	0.90	0.14	35,44,55,71	0
7	PEG	А	905	7/7	0.90	0.12	25,47,64,66	0
6	EDO	А	906	4/4	0.91	0.13	49,51,52,52	0
7	PEG	Е	908	7/7	0.91	0.11	49,59,65,69	0
6	EDO	Е	914	4/4	0.91	0.13	37,42,45,47	0



8R3A
------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
10	P33	G	913	22/22	0.91	0.13	33,50,61,77	0
11	GOL	А	915	6/6	0.91	0.12	29,41,48,67	0
6	EDO	С	903	4/4	0.91	0.11	44,48,49,56	0
7	PEG	С	905	7/7	0.91	0.13	51,58,62,71	0
6	EDO	С	906	4/4	0.92	0.11	45,53,55,61	0
7	PEG	Е	909	7/7	0.92	0.11	42,50,54,62	0
7	PEG	А	910	7/7	0.92	0.11	56,62,66,66	0
6	EDO	Е	907	4/4	0.92	0.12	50,57,58,58	0
7	PEG	Е	904	7/7	0.92	0.12	31,41,55,57	0
11	GOL	G	914	6/6	0.92	0.13	31,44,55,57	0
6	EDO	Н	202	4/4	0.92	0.12	45,57,61,62	0
10	P33	Е	920	22/22	0.93	0.11	34,45,60,64	0
11	GOL	Е	921	6/6	0.93	0.10	36,47,51,55	0
6	EDO	Е	911	4/4	0.94	0.10	30,45,50,52	0
10	P33	С	911	22/22	0.94	0.10	38,46,56,61	0
9	SO4	С	910	5/5	0.97	0.08	25,27,37,40	0
12	Ο	Е	922	1/1	0.98	0.07	34,34,34,34	0
9	SO4	А	913	5/5	0.98	0.06	25,30,41,46	0
8	MGD	С	909	47/47	0.99	0.03	18,22,26,28	0
8	MGD	Ε	918	47/47	0.99	0.03	$19,\!23,\!27,\!29$	0
8	MGD	Ε	919	47/47	0.99	0.03	17,22,27,32	0
8	MGD	G	911	47/47	0.99	0.03	$17,\!21,\!25,\!28$	0
8	MGD	G	912	47/47	0.99	0.03	$18,\!20,\!23,\!25$	0
5	F3S	Ε	902	7/7	0.99	0.02	$25,\!26,\!27,\!27$	0
8	MGD	А	911	47/47	0.99	0.03	$16,\!19,\!25,\!28$	0
12	0	А	917	1/1	0.99	0.05	28,28,28,28	0
12	Ο	С	913	1/1	0.99	0.06	$25,\!25,\!25,\!25$	0
8	MGD	А	912	47/47	0.99	0.03	14,18,22,23	0
12	Ο	G	915	1/1	0.99	0.08	32,32,32,32	0
13	FES	В	201	4/4	0.99	0.04	35,36,37,38	0
13	FES	D	201	4/4	0.99	0.05	37,39,39,39	0
13	FES	F	201	4/4	0.99	0.05	40,41,42,45	0
13	FES	Н	201	4/4	0.99	0.05	34,34,36,36	0
8	MGD	С	908	47/47	0.99	0.04	19,23,26,27	0
4	4MO	E	901	1/1	1.00	0.02	26,26,26,26	0
4	4MO	G	901	1/1	1.00	0.01	23,23,23,23	0
5	F3S	A	903	7/7	1.00	0.02	22,23,24,25	0
5	F3S	С	902	7/7	1.00	0.02	23,26,26,27	0
4	4MO	A	902	1/1	1.00	0.01	22,22,22,22	0
5	F3S	G	902	7/7	1.00	0.02	23,23,24,26	0
4	4MO	С	901	1/1	1.00	0.02	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all



instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






































































































## 6.5 Other polymers (i)

There are no such residues in this entry.

