



wwPDB X-ray Structure Validation Summary Report i

May 15, 2024 – 03:06 pm BST

PDB ID : 8R3S
Title : Transketolase from *Staphylococcus aureus* in complex with thiamin pyrophosphate
Authors : Ballut, L.; Georges, N.; Aghajari, N.; Hecquet, L.; Charmantray, F.; Doumeche, B.
Deposited on : 2023-11-10
Resolution : 2.80 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	E	677	75%	22%	.
1	F	677	79%	18%	..
1	G	677	77%	20%	..
1	H	677	76%	20%	..
1	I	677	79%	18%	..
1	J	677	78%	19%	.

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 51300 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transketolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	663	Total	C	N	O	S	0	0	0
			5107	3226	857	1011	13			
1	B	662	Total	C	N	O	S	0	0	0
			5098	3221	856	1008	13			
1	C	663	Total	C	N	O	S	0	0	0
			5107	3226	857	1011	13			
1	D	663	Total	C	N	O	S	0	1	0
			5121	3237	859	1012	13			
1	E	662	Total	C	N	O	S	0	1	0
			5106	3225	860	1009	12			
1	F	662	Total	C	N	O	S	0	0	0
			5095	3219	856	1008	12			
1	G	662	Total	C	N	O	S	0	0	0
			5099	3221	856	1010	12			
1	H	662	Total	C	N	O	S	0	0	0
			5098	3221	856	1008	13			
1	I	663	Total	C	N	O	S	0	0	0
			5104	3224	857	1011	12			
1	J	662	Total	C	N	O	S	0	0	0
			5095	3219	856	1008	12			

There are 150 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	663	GLU	-	expression tag	UNP P99161
A	664	ASN	-	expression tag	UNP P99161
A	665	LEU	-	expression tag	UNP P99161
A	666	TYR	-	expression tag	UNP P99161
A	667	PHE	-	expression tag	UNP P99161
A	668	GLN	-	expression tag	UNP P99161
A	669	GLY	-	expression tag	UNP P99161
A	670	LEU	-	expression tag	UNP P99161
A	671	GLU	-	expression tag	UNP P99161

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	672	HIS	-	expression tag	UNP P99161
A	673	HIS	-	expression tag	UNP P99161
A	674	HIS	-	expression tag	UNP P99161
A	675	HIS	-	expression tag	UNP P99161
A	676	HIS	-	expression tag	UNP P99161
A	677	HIS	-	expression tag	UNP P99161
B	663	GLU	-	expression tag	UNP P99161
B	664	ASN	-	expression tag	UNP P99161
B	665	LEU	-	expression tag	UNP P99161
B	666	TYR	-	expression tag	UNP P99161
B	667	PHE	-	expression tag	UNP P99161
B	668	GLN	-	expression tag	UNP P99161
B	669	GLY	-	expression tag	UNP P99161
B	670	LEU	-	expression tag	UNP P99161
B	671	GLU	-	expression tag	UNP P99161
B	672	HIS	-	expression tag	UNP P99161
B	673	HIS	-	expression tag	UNP P99161
B	674	HIS	-	expression tag	UNP P99161
B	675	HIS	-	expression tag	UNP P99161
B	676	HIS	-	expression tag	UNP P99161
B	677	HIS	-	expression tag	UNP P99161
C	663	GLU	-	expression tag	UNP P99161
C	664	ASN	-	expression tag	UNP P99161
C	665	LEU	-	expression tag	UNP P99161
C	666	TYR	-	expression tag	UNP P99161
C	667	PHE	-	expression tag	UNP P99161
C	668	GLN	-	expression tag	UNP P99161
C	669	GLY	-	expression tag	UNP P99161
C	670	LEU	-	expression tag	UNP P99161
C	671	GLU	-	expression tag	UNP P99161
C	672	HIS	-	expression tag	UNP P99161
C	673	HIS	-	expression tag	UNP P99161
C	674	HIS	-	expression tag	UNP P99161
C	675	HIS	-	expression tag	UNP P99161
C	676	HIS	-	expression tag	UNP P99161
C	677	HIS	-	expression tag	UNP P99161
D	663	GLU	-	expression tag	UNP P99161
D	664	ASN	-	expression tag	UNP P99161
D	665	LEU	-	expression tag	UNP P99161
D	666	TYR	-	expression tag	UNP P99161
D	667	PHE	-	expression tag	UNP P99161
D	668	GLN	-	expression tag	UNP P99161

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	669	GLY	-	expression tag	UNP P99161
D	670	LEU	-	expression tag	UNP P99161
D	671	GLU	-	expression tag	UNP P99161
D	672	HIS	-	expression tag	UNP P99161
D	673	HIS	-	expression tag	UNP P99161
D	674	HIS	-	expression tag	UNP P99161
D	675	HIS	-	expression tag	UNP P99161
D	676	HIS	-	expression tag	UNP P99161
D	677	HIS	-	expression tag	UNP P99161
E	663	GLU	-	expression tag	UNP P99161
E	664	ASN	-	expression tag	UNP P99161
E	665	LEU	-	expression tag	UNP P99161
E	666	TYR	-	expression tag	UNP P99161
E	667	PHE	-	expression tag	UNP P99161
E	668	GLN	-	expression tag	UNP P99161
E	669	GLY	-	expression tag	UNP P99161
E	670	LEU	-	expression tag	UNP P99161
E	671	GLU	-	expression tag	UNP P99161
E	672	HIS	-	expression tag	UNP P99161
E	673	HIS	-	expression tag	UNP P99161
E	674	HIS	-	expression tag	UNP P99161
E	675	HIS	-	expression tag	UNP P99161
E	676	HIS	-	expression tag	UNP P99161
E	677	HIS	-	expression tag	UNP P99161
F	663	GLU	-	expression tag	UNP P99161
F	664	ASN	-	expression tag	UNP P99161
F	665	LEU	-	expression tag	UNP P99161
F	666	TYR	-	expression tag	UNP P99161
F	667	PHE	-	expression tag	UNP P99161
F	668	GLN	-	expression tag	UNP P99161
F	669	GLY	-	expression tag	UNP P99161
F	670	LEU	-	expression tag	UNP P99161
F	671	GLU	-	expression tag	UNP P99161
F	672	HIS	-	expression tag	UNP P99161
F	673	HIS	-	expression tag	UNP P99161
F	674	HIS	-	expression tag	UNP P99161
F	675	HIS	-	expression tag	UNP P99161
F	676	HIS	-	expression tag	UNP P99161
F	677	HIS	-	expression tag	UNP P99161
G	663	GLU	-	expression tag	UNP P99161
G	664	ASN	-	expression tag	UNP P99161
G	665	LEU	-	expression tag	UNP P99161

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	666	TYR	-	expression tag	UNP P99161
G	667	PHE	-	expression tag	UNP P99161
G	668	GLN	-	expression tag	UNP P99161
G	669	GLY	-	expression tag	UNP P99161
G	670	LEU	-	expression tag	UNP P99161
G	671	GLU	-	expression tag	UNP P99161
G	672	HIS	-	expression tag	UNP P99161
G	673	HIS	-	expression tag	UNP P99161
G	674	HIS	-	expression tag	UNP P99161
G	675	HIS	-	expression tag	UNP P99161
G	676	HIS	-	expression tag	UNP P99161
G	677	HIS	-	expression tag	UNP P99161
H	663	GLU	-	expression tag	UNP P99161
H	664	ASN	-	expression tag	UNP P99161
H	665	LEU	-	expression tag	UNP P99161
H	666	TYR	-	expression tag	UNP P99161
H	667	PHE	-	expression tag	UNP P99161
H	668	GLN	-	expression tag	UNP P99161
H	669	GLY	-	expression tag	UNP P99161
H	670	LEU	-	expression tag	UNP P99161
H	671	GLU	-	expression tag	UNP P99161
H	672	HIS	-	expression tag	UNP P99161
H	673	HIS	-	expression tag	UNP P99161
H	674	HIS	-	expression tag	UNP P99161
H	675	HIS	-	expression tag	UNP P99161
H	676	HIS	-	expression tag	UNP P99161
H	677	HIS	-	expression tag	UNP P99161
I	663	GLU	-	expression tag	UNP P99161
I	664	ASN	-	expression tag	UNP P99161
I	665	LEU	-	expression tag	UNP P99161
I	666	TYR	-	expression tag	UNP P99161
I	667	PHE	-	expression tag	UNP P99161
I	668	GLN	-	expression tag	UNP P99161
I	669	GLY	-	expression tag	UNP P99161
I	670	LEU	-	expression tag	UNP P99161
I	671	GLU	-	expression tag	UNP P99161
I	672	HIS	-	expression tag	UNP P99161
I	673	HIS	-	expression tag	UNP P99161
I	674	HIS	-	expression tag	UNP P99161
I	675	HIS	-	expression tag	UNP P99161
I	676	HIS	-	expression tag	UNP P99161
I	677	HIS	-	expression tag	UNP P99161

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	663	GLU	-	expression tag	UNP P99161
J	664	ASN	-	expression tag	UNP P99161
J	665	LEU	-	expression tag	UNP P99161
J	666	TYR	-	expression tag	UNP P99161
J	667	PHE	-	expression tag	UNP P99161
J	668	GLN	-	expression tag	UNP P99161
J	669	GLY	-	expression tag	UNP P99161
J	670	LEU	-	expression tag	UNP P99161
J	671	GLU	-	expression tag	UNP P99161
J	672	HIS	-	expression tag	UNP P99161
J	673	HIS	-	expression tag	UNP P99161
J	674	HIS	-	expression tag	UNP P99161
J	675	HIS	-	expression tag	UNP P99161
J	676	HIS	-	expression tag	UNP P99161
J	677	HIS	-	expression tag	UNP P99161

- Molecule 2 is THIAMINE DIPHOSPHATE (three-letter code: TPP) (formula: C₁₂H₁₉N₄O₇P₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	B	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	C	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	D	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	E	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	F	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	G	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	H	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	I	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	J	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		


- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		
3	G	1	Total	Mg	0	0
			1	1		
3	H	1	Total	Mg	0	0
			1	1		
3	I	1	Total	Mg	0	0
			1	1		
3	J	1	Total	Mg	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transketolase




- Molecule 1: Transketolase







- Molecule 1: Transketolase




- Molecule 1: Transketolase





- Molecule 1: Transketolase






- Molecule 1: Transketolase






- Molecule 1: Transketolase



- Molecule 1: Transketolase



- Molecule 1: Transketolase





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.90Å 149.90Å 253.30Å 90.00° 90.20° 90.00°	Depositor
Resolution (Å)	34.86 – 2.80 34.86 – 2.80	Depositor EDS
% Data completeness (in resolution range)	96.1 (34.86-2.80) 96.1 (34.86-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.04 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487, PHENIX 1.20.1_4487	Depositor
R , R_{free}	0.219 , 0.260 0.220 , 0.260	Depositor DCC
R_{free} test set	8376 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	38.7	Xtriage
Anisotropy	0.505	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 26.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for h,-k,-l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	51300	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TPP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.28	0/5221	0.50	0/7080
1	B	0.28	0/5212	0.49	0/7068
1	C	0.29	0/5221	0.50	0/7080
1	D	0.28	0/5237	0.51	0/7103
1	E	0.31	1/5220 (0.0%)	0.57	3/7079 (0.0%)
1	F	0.28	0/5209	0.50	0/7065
1	G	0.28	0/5213	0.50	0/7070
1	H	0.30	1/5212 (0.0%)	0.50	1/7068 (0.0%)
1	I	0.30	0/5218	0.52	0/7077
1	J	0.28	0/5209	0.49	0/7065
All	All	0.29	2/52172 (0.0%)	0.51	4/70755 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	99	PRO	CG-CD	-7.48	1.25	1.50
1	H	335	LYS	C-N	-5.20	1.22	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	99	PRO	N-CD-CG	-13.99	82.21	103.20
1	E	99	PRO	CA-CB-CG	-13.63	78.10	104.00
1	E	99	PRO	CA-N-CD	-6.58	102.28	111.50
1	H	265	LEU	CB-CG-CD1	-5.25	102.07	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5107	0	4947	75	0
1	B	5098	0	4941	91	1
1	C	5107	0	4947	85	0
1	D	5121	0	4956	83	0
1	E	5106	0	4946	94	1
1	F	5095	0	4934	71	0
1	G	5099	0	4935	89	0
1	H	5098	0	4941	83	0
1	I	5104	0	4940	74	0
1	J	5095	0	4934	78	0
2	A	26	0	16	2	0
2	B	26	0	16	2	0
2	C	26	0	16	1	0
2	D	26	0	16	0	0
2	E	26	0	16	4	0
2	F	26	0	16	2	0
2	G	26	0	16	4	0
2	H	26	0	16	2	0
2	I	26	0	16	3	0
2	J	26	0	16	3	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
All	All	51300	0	49581	780	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 780 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:52:GLN:HE22	1:F:574:GLN:HE22	1.19	0.87
1:G:355:SER:HB2	1:G:518:THR:H	1.43	0.84
1:F:355:SER:HB2	1:F:518:THR:H	1.44	0.81
1:H:355:SER:HB2	1:H:518:THR:H	1.47	0.80
1:C:18:ILE:HG23	1:C:265:LEU:HD21	1.66	0.77

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:320:THR:O	1:E:217:LYS:NZ[1_455]	2.18	0.02

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	661/677 (98%)	633 (96%)	26 (4%)	2 (0%)	41 72
1	B	660/677 (98%)	637 (96%)	23 (4%)	0	100 100
1	C	661/677 (98%)	642 (97%)	18 (3%)	1 (0%)	47 78
1	D	662/677 (98%)	644 (97%)	17 (3%)	1 (0%)	47 78
1	E	661/677 (98%)	634 (96%)	26 (4%)	1 (0%)	47 78
1	F	660/677 (98%)	636 (96%)	24 (4%)	0	100 100
1	G	660/677 (98%)	633 (96%)	27 (4%)	0	100 100
1	H	660/677 (98%)	634 (96%)	24 (4%)	2 (0%)	41 72
1	I	661/677 (98%)	638 (96%)	23 (4%)	0	100 100
1	J	660/677 (98%)	641 (97%)	19 (3%)	0	100 100
All	All	6606/6770 (98%)	6372 (96%)	227 (3%)	7 (0%)	51 81

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	509	GLU
1	A	408	VAL
1	H	197	ALA
1	H	408	VAL
1	C	408	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	544/557 (98%)	529 (97%)	15 (3%)	43 77
1	B	543/557 (98%)	519 (96%)	24 (4%)	28 61
1	C	544/557 (98%)	524 (96%)	20 (4%)	34 68
1	D	545/557 (98%)	531 (97%)	14 (3%)	46 79
1	E	543/557 (98%)	526 (97%)	17 (3%)	40 74
1	F	542/557 (97%)	524 (97%)	18 (3%)	38 72
1	G	543/557 (98%)	529 (97%)	14 (3%)	46 79
1	H	543/557 (98%)	513 (94%)	30 (6%)	21 52
1	I	543/557 (98%)	524 (96%)	19 (4%)	36 70
1	J	542/557 (97%)	529 (98%)	13 (2%)	49 81
All	All	5432/5570 (98%)	5248 (97%)	184 (3%)	37 71

5 of 184 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	352	ASN
1	H	543	VAL
1	G	533	GLU
1	H	244	LYS
1	H	633	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 29 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	286	ASN
1	J	574	GLN
1	H	235	GLN
1	J	309	GLN
1	H	50	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 20 ligands modelled in this entry, 10 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPP	A	701	3	22,27,27	0.47	0	29,40,40	0.72	2 (6%)
2	TPP	C	701	3	22,27,27	0.46	0	29,40,40	0.72	2 (6%)
2	TPP	H	701	3	22,27,27	0.50	0	29,40,40	0.79	0
2	TPP	G	701	3	22,27,27	0.47	0	29,40,40	0.75	2 (6%)
2	TPP	F	701	3	22,27,27	0.47	0	29,40,40	0.73	2 (6%)
2	TPP	I	701	3	22,27,27	0.47	0	29,40,40	0.73	2 (6%)
2	TPP	J	701	3	22,27,27	0.48	0	29,40,40	0.71	2 (6%)
2	TPP	B	701	3	22,27,27	0.48	0	29,40,40	0.76	2 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPP	E	701	3	22,27,27	0.49	0	29,40,40	0.77	1 (3%)
2	TPP	D	701	3	22,27,27	0.47	0	29,40,40	0.73	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPP	A	701	3	-	4/16/17/17	0/2/2/2
2	TPP	C	701	3	-	5/16/17/17	0/2/2/2
2	TPP	H	701	3	-	8/16/17/17	0/2/2/2
2	TPP	G	701	3	-	5/16/17/17	0/2/2/2
2	TPP	F	701	3	-	5/16/17/17	0/2/2/2
2	TPP	I	701	3	-	4/16/17/17	0/2/2/2
2	TPP	J	701	3	-	4/16/17/17	0/2/2/2
2	TPP	B	701	3	-	6/16/17/17	0/2/2/2
2	TPP	E	701	3	-	6/16/17/17	0/2/2/2
2	TPP	D	701	3	-	9/16/17/17	0/2/2/2

There are no bond length outliers.

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	701	TPP	C5-C4-N3	2.22	112.01	107.57
2	C	701	TPP	PA-O3A-PB	2.16	140.24	132.83
2	G	701	TPP	PA-O3A-PB	2.15	140.19	132.83
2	A	701	TPP	PA-O3A-PB	2.14	140.17	132.83
2	A	701	TPP	C5-C4-N3	2.14	111.85	107.57

There are no chirality outliers.

5 of 56 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	701	TPP	C5-C6-C7-O7
2	A	701	TPP	C7-O7-PA-O1A
2	B	701	TPP	C6'-C5'-C7'-N3
2	B	701	TPP	C7-O7-PA-O1A
2	B	701	TPP	C7-O7-PA-O2A



There are no ring outliers.



9 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	TPP	2	0
2	C	701	TPP	1	0
2	H	701	TPP	2	0
2	G	701	TPP	4	0
2	F	701	TPP	2	0
2	I	701	TPP	3	0
2	J	701	TPP	3	0
2	B	701	TPP	2	0
2	E	701	TPP	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9	
1	A	663/677 (97%)	-0.14	4 (0%)	89	86	20, 31, 46, 68	0
1	B	662/677 (97%)	-0.17	1 (0%)	95	94	20, 31, 49, 76	0
1	C	663/677 (97%)	-0.27	2 (0%)	94	93	18, 28, 44, 74	0
1	D	663/677 (97%)	-0.17	2 (0%)	94	93	19, 29, 52, 79	0
1	E	662/677 (97%)	-0.15	2 (0%)	94	93	20, 30, 51, 82	0
1	F	662/677 (97%)	-0.11	4 (0%)	89	86	19, 32, 52, 82	0
1	G	662/677 (97%)	-0.09	5 (0%)	86	81	19, 34, 56, 84	0
1	H	662/677 (97%)	-0.12	10 (1%)	73	68	22, 34, 53, 76	0
1	I	663/677 (97%)	-0.07	6 (0%)	84	80	21, 33, 52, 84	0
1	J	662/677 (97%)	-0.16	2 (0%)	94	93	21, 31, 55, 86	0
All	All	6624/6770 (97%)	-0.15	38 (0%)	89	86	18, 31, 52, 86	0

The worst 5 of 38 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	319	GLU	3.0
1	A	1	MET	2.8
1	I	343	GLU	2.7
1	D	586[A]	TRP	2.7
1	J	546	SER	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	H	702	1/1	0.75	0.17	52,52,52,52	0
3	MG	A	702	1/1	0.79	0.10	49,49,49,49	0
3	MG	E	702	1/1	0.80	0.13	43,43,43,43	0
3	MG	G	702	1/1	0.83	0.15	54,54,54,54	0
3	MG	C	702	1/1	0.85	0.10	46,46,46,46	0
2	TPP	H	701	26/26	0.86	0.27	36,61,82,92	0
3	MG	F	702	1/1	0.86	0.14	52,52,52,52	0
2	TPP	G	701	26/26	0.88	0.26	41,64,84,86	0
2	TPP	B	701	26/26	0.89	0.27	36,60,76,95	0
2	TPP	E	701	26/26	0.89	0.25	36,53,71,96	0
2	TPP	F	701	26/26	0.91	0.26	42,58,73,86	0
3	MG	J	702	1/1	0.91	0.11	58,58,58,58	0
2	TPP	D	701	26/26	0.92	0.23	37,54,63,75	0
2	TPP	A	701	26/26	0.93	0.19	37,55,70,77	0
2	TPP	J	701	26/26	0.93	0.19	37,59,69,73	0
2	TPP	C	701	26/26	0.93	0.22	31,48,60,78	0
3	MG	I	702	1/1	0.94	0.17	53,53,53,53	0
2	TPP	I	701	26/26	0.95	0.23	39,57,72,86	0
3	MG	D	702	1/1	0.95	0.14	43,43,43,43	0
3	MG	B	702	1/1	0.98	0.08	50,50,50,50	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.