



# Full wwPDB X-ray Structure Validation Report ⓘ

May 5, 2026 – 04:38 pm BST

PDB ID : 9RGU / pdb\_00009rgu  
Title : Crystal Structure of Rattus norvegicus Enoyl-CoA Hydratase in complex with  
3S hydroxyhexanoyl-PAN and 3',5', diphosphate adenosine  
Authors : Dalwani, S.; Wierenga, R.K.  
Deposited on : 2025-06-07  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	<div> <div>6%</div> <div>85%</div> <div>12%</div> </div>
1	F	290	<div> <div>5%</div> <div>83%</div> <div>13%</div> </div>
2	B	290	<div> <div>7%</div> <div>84%</div> <div>12%</div> </div>
2	C	290	<div> <div>7%</div> <div>83%</div> <div>12%</div> </div>
3	D	290	<div> <div>10%</div> <div>85%</div> <div>12%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	290	<div><div></div><div>8%</div><div>84%</div><div></div><div>12%</div></div>

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 12437 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-CoA hydratase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	3	0
			1956	1227	335	379	15			
1	F	253	Total	C	N	O	S	0	2	0
			1940	1220	332	373	15			

- Molecule 2 is a protein called Enoyl-CoA hydratase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	254	Total	C	N	O	S	0	1	0
			1931	1215	330	372	14			
2	C	254	Total	C	N	O	S	0	2	0
			1931	1212	330	374	15			


- Molecule 3 is a protein called Enoyl-CoA hydratase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	254	Total	C	N	O	S	0	1	0
			1928	1210	331	374	13			

- Molecule 4 is a protein called Enoyl-CoA hydratase, mitochondrial.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	256	Total	C	N	O	S	0	3	0
			1953	1229	334	375	15			

- Molecule 5 is COENZYME A (CCD ID: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	S	0	1
			48	21	7	16	3	1		
5	E	1	Total	C	N	O	P	S	0	1
			48	21	7	16	3	1		

- Molecule 6 is {S}-[2-[3-[(2 {R})-3,3-dimethyl-2,4-bis(oxidanyl)butanoyl]amino]propanoyl amino]ethyl] (3 {S})-3-oxidanylhexanethioate (CCD ID: A1JF6) (formula: C<sub>17</sub>H<sub>32</sub>N<sub>2</sub>O<sub>6</sub>S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	S	0	1
			26	17	2	6	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	S	0	0
			26	17	2	6	1		
6	E	1	Total	C	N	O	S	0	1
			26	17	2	6	1		
6	F	1	Total	C	N	O	S	0	0
			26	17	2	6	1		

- Molecule 7 is ADENOSINE-3'-5'-DIPHOSPHATE (CCD ID: A3P) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	P	0	1
			27	10	5	10	2		
7	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
7	E	1	Total	C	N	O	P	0	1
			27	10	5	10	2		
7	F	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	81	Total	O	0	0
			81	81		
8	B	98	Total	O	0	0
			98	98		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	C	80	Total 80	O 80	0	0
8	D	67	Total 67	O 67	0	0
8	E	73	Total 73	O 73	0	0
8	F	91	Total 91	O 91	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-CoA hydratase, mitochondrial




- Molecule 1: Enoyl-CoA hydratase, mitochondrial




- Molecule 2: Enoyl-CoA hydratase, mitochondrial





- Molecule 2: Enoyl-CoA hydratase, mitochondrial









• Molecule 3: Enoyl-CoA hydratase, mitochondrial



• Molecule 4: Enoyl-CoA hydratase, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.83Å 93.00Å 247.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.90 – 1.70 47.90 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.90-1.70) 91.0 (47.90-1.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.17 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.217 , 0.248 0.216 , 0.244	Depositor DCC
$R_{free}$ test set	9603 reflections (2.25%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.4	Xtriage
Anisotropy	0.484	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 31.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12437	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CSD, CSO, A1JF6, A3P, COA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/1953	0.88	0/2620
1	F	0.43	0/1945	0.86	0/2608
2	B	0.43	0/1943	0.86	0/2608
2	C	0.43	0/1941	0.88	0/2603
3	D	0.42	0/1945	0.86	0/2611
4	E	0.43	0/1978	0.87	0/2654
All	All	0.43	0/11705	0.87	0/15704

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1956	0	1968	6	0
1	F	1940	0	1959	8	0
2	B	1931	0	1948	6	0
2	C	1931	0	1951	9	0
3	D	1928	0	1950	6	0
4	E	1953	0	1977	8	0
5	A	48	0	32	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	48	0	32	3	0
6	A	26	0	0	0	0
6	B	26	0	0	0	0
6	E	26	0	0	0	0
6	F	26	0	0	0	0
7	A	27	0	11	0	0
7	B	27	0	11	0	0
7	E	27	0	11	0	0
7	F	27	0	11	0	0
8	A	81	0	0	0	0
8	B	98	0	0	1	0
8	C	80	0	0	0	0
8	D	67	0	0	0	0
8	E	73	0	0	0	0
8	F	91	0	0	1	0
All	All	12437	0	11861	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:302[A]:COA:H61	5:E:302[A]:COA:O9P	1.80	0.81
5:A:301[A]:COA:H61	5:A:301[A]:COA:O9P	1.82	0.77
3:D:264:TYR:CD1	1:F:111:CYS:HB3	2.30	0.67
1:F:286:ASN:HB2	8:F:473:HOH:O	2.01	0.60
5:A:301[A]:COA:O9P	5:A:301[A]:COA:C6P	2.51	0.55
2:B:61:LEU:HB3	2:B:66:ILE:HD11	1.88	0.55
5:E:302[A]:COA:O9P	5:E:302[A]:COA:C6P	2.53	0.54
1:F:129:PRO:HG2	1:F:229:ILE:HG21	1.88	0.54
2:B:286:ASN:HB2	8:B:481:HOH:O	2.07	0.54
1:A:129:PRO:HG2	1:A:229:ILE:HG21	1.91	0.51
2:C:242:GLU:HG2	4:E:261:LYS:HE2	1.93	0.51
2:B:129:PRO:HG2	2:B:229:ILE:HG21	1.93	0.50
2:C:261:LYS:HD3	4:E:262:LEU:HD21	1.94	0.50
2:B:153:TYR:OH	2:B:225[B]:CSO:SG	2.60	0.50
3:D:210:SER:HG	1:F:186:SER:HG	1.59	0.50
3:D:123:ILE:HD11	3:D:130:VAL:HG11	1.93	0.49
2:C:82:VAL:O	2:C:128:LYS:NZ	2.46	0.48
1:A:52:LEU:HD22	1:A:65:LEU:HD21	1.97	0.47

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:129:PRO:HG2	2:C:229:ILE:HG21	1.98	0.46
1:F:153:TYR:OH	1:F:225[B]:CSO:SG	2.63	0.46
5:A:301[A]:COA:O8A	2:B:282:LYS:NZ	2.50	0.45
4:E:153:TYR:CD1	4:E:211:LYS:HB2	2.52	0.44
2:C:262:LEU:HD21	4:E:261:LYS:HD3	2.00	0.44
4:E:123:ILE:HD11	4:E:130:VAL:HG11	2.00	0.44
1:A:54:ARG:HG2	1:A:57:ALA:HB3	2.01	0.43
1:A:290:HIS:HB2	1:F:109:GLN:HG2	2.00	0.43
2:B:131:ILE:HD12	2:B:226:ALA:HB2	2.01	0.43
3:D:210:SER:HB3	1:F:190:GLU:OE1	2.19	0.43
3:D:154:ALA:O	3:D:212:ILE:HA	2.19	0.42
1:F:154:ALA:O	1:F:212:ILE:HA	2.19	0.42
4:E:56:LYS:O	5:E:302[A]:COA:H4B	2.19	0.42
1:A:264:TYR:CD1	2:C:111:CYS:HB3	2.54	0.42
1:A:65:LEU:C	1:A:65:LEU:HD23	2.45	0.41
2:C:242:GLU:HG2	4:E:261:LYS:CE	2.50	0.41
4:E:144:GLU:O	4:E:148[B]:MET:HG3	2.20	0.41
2:C:123:ILE:HD11	2:C:130:VAL:HG11	2.02	0.41
3:D:260:LYS:HE3	3:D:264:TYR:OH	2.21	0.41
2:C:224:GLN:O	2:C:227:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	250/290 (86%)	245 (98%)	5 (2%)	0	100	100
1	F	248/290 (86%)	244 (98%)	4 (2%)	0	100	100
2	B	249/290 (86%)	244 (98%)	5 (2%)	0	100	100
2	C	250/290 (86%)	248 (99%)	2 (1%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	D	250/290 (86%)	247 (99%)	3 (1%)	0	100	100
4	E	254/290 (88%)	251 (99%)	3 (1%)	0	100	100
All	All	1501/1740 (86%)	1479 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/227 (87%)	198 (100%)	0	100	100
1	F	198/227 (87%)	196 (99%)	2 (1%)	68	58
2	B	197/228 (86%)	196 (100%)	1 (0%)	81	76
2	C	198/228 (87%)	197 (100%)	1 (0%)	81	76
3	D	198/228 (87%)	198 (100%)	0	100	100
4	E	201/228 (88%)	198 (98%)	3 (2%)	57	43
All	All	1190/1366 (87%)	1183 (99%)	7 (1%)	78	72

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	260	LYS
2	C	216	GLU
4	E	41	LYS
4	E	228	LYS
4	E	231	ASN
1	F	123	ILE
1	F	216	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	71	GLN
2	B	159	GLN
2	B	162	GLN
2	C	44	ASN
3	D	34	GLN
3	D	44	ASN
4	E	122	HIS
1	F	122	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

13 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	CSO	F	225[A]	1	3,6,7	0.73	0	0,6,8	-	-
2	CSO	C	225[B]	2	3,6,7	0.85	0	0,6,8	-	-
1	CSO	A	225[B]	1	3,6,7	0.77	0	0,6,8	-	-
1	CSO	F	62	1	3,6,7	0.75	0	0,6,8	-	-
2	CSO	B	225[B]	-	3,6,7	0.76	0	0,6,8	-	-
1	CSO	A	62[B]	1	3,6,7	0.78	0	0,6,8	-	-
2	CSO	C	225[A]	2	3,6,7	0.71	0	0,6,8	-	-
4	CSO	E	62	4	3,6,7	0.78	0	0,6,8	-	-
1	CSO	A	225[A]	1	3,6,7	0.76	0	0,6,8	-	-
3	CSD	D	225	3	3,7,8	0.72	0	1,8,10	0.40	0
1	CSO	F	225[B]	1	3,6,7	0.69	0	0,6,8	-	-
2	CSO	B	225[A]	-	3,6,7	0.71	0	0,6,8	-	-
1	CSO	A	62[A]	1	3,6,7	0.73	0	0,6,8	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.  
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	F	225[A]	1	-	0/1/5/7	-
2	CSO	C	225[B]	2	-	0/1/5/7	-
1	CSO	A	225[B]	1	-	1/1/5/7	-
1	CSO	F	62	1	-	0/1/5/7	-
2	CSO	B	225[B]	-	-	0/1/5/7	-
1	CSO	A	62[B]	1	-	0/1/5/7	-
2	CSO	C	225[A]	2	-	0/1/5/7	-
4	CSO	E	62	4	-	0/1/5/7	-
1	CSO	A	225[A]	1	-	0/1/5/7	-
3	CSD	D	225	3	-	1/2/6/8	-
1	CSO	F	225[B]	1	-	0/1/5/7	-
2	CSO	B	225[A]	-	-	0/1/5/7	-
1	CSO	A	62[A]	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	225	CSD	CA-CB-SG-OD1
1	A	225[B]	CSO	N-CA-CB-SG

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	225[B]	CSO	1	0
1	F	225[B]	CSO	1	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	A1JF6	B	301	-	22,25,25	0.16	0	27,32,32	0.37	0
6	A1JF6	E	301[B]	-	22,25,25	0.14	0	27,32,32	0.23	0
7	A3P	F	302	-	29,29,29	1.37	4 (13%)	44,45,45	1.96	11 (25%)
6	A1JF6	F	301	-	22,25,25	0.18	0	27,32,32	0.33	0
5	COA	E	302[A]	-	44,50,50	0.45	0	65,75,75	0.51	0
5	COA	A	301[A]	-	44,50,50	0.44	0	65,75,75	0.51	0
7	A3P	E	303[B]	-	29,29,29	1.32	4 (13%)	44,45,45	1.84	9 (20%)
6	A1JF6	A	302[B]	-	22,25,25	0.15	0	27,32,32	0.23	0
7	A3P	B	302	-	29,29,29	1.40	3 (10%)	44,45,45	1.88	9 (20%)
7	A3P	A	303[B]	-	29,29,29	1.35	4 (13%)	44,45,45	1.87	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	A1JF6	B	301	-	-	8/33/33/33	-
6	A1JF6	E	301[B]	-	-	0/33/33/33	-
7	A3P	F	302	-	-	4/15/31/31	0/3/3/3
6	A1JF6	F	301	-	-	6/33/33/33	-
5	COA	E	302[A]	-	-	15/48/64/64	0/3/3/3
5	COA	A	301[A]	-	-	17/48/64/64	0/3/3/3
7	A3P	E	303[B]	-	-	3/15/31/31	0/3/3/3
6	A1JF6	A	302[B]	-	-	5/33/33/33	-
7	A3P	B	302	-	-	5/15/31/31	0/3/3/3
7	A3P	A	303[B]	-	-	2/15/31/31	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	302	A3P	C5-C4	4.72	1.47	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	F	302	A3P	C5-C4	4.68	1.47	1.39
7	A	303[B]	A3P	C5-C4	4.45	1.47	1.39
7	E	303[B]	A3P	C5-C4	4.35	1.47	1.39
7	B	302	A3P	C5-C6	2.90	1.49	1.41
7	F	302	A3P	C5-C6	2.75	1.48	1.41
7	E	303[B]	A3P	C5-C6	2.67	1.48	1.41
7	A	303[B]	A3P	C5-C6	2.60	1.48	1.41
7	A	303[B]	A3P	C8-N7	2.57	1.36	1.31
7	B	302	A3P	C8-N7	2.53	1.36	1.31
7	F	302	A3P	C8-N7	2.38	1.36	1.31
7	E	303[B]	A3P	C5-N7	-2.31	1.34	1.39
7	F	302	A3P	C5-N7	-2.27	1.34	1.39
7	A	303[B]	A3P	C5-N7	-2.25	1.34	1.39
7	E	303[B]	A3P	C8-N7	2.23	1.35	1.31

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	F	302	A3P	C5-C4-N3	-6.04	118.87	126.75
7	A	303[B]	A3P	C5-C4-N3	-6.04	118.87	126.75
7	E	303[B]	A3P	C5-C4-N3	-6.01	118.91	126.75
7	B	302	A3P	C5-C4-N3	-5.80	119.19	126.75
7	F	302	A3P	N3-C4-N9	4.88	135.12	127.08
7	E	303[B]	A3P	N3-C4-N9	4.81	135.00	127.08
7	A	303[B]	A3P	N3-C4-N9	4.78	134.96	127.08
7	B	302	A3P	N3-C4-N9	4.72	134.85	127.08
7	F	302	A3P	C2-N3-C4	3.92	121.02	111.75
7	B	302	A3P	C2-N3-C4	3.88	120.91	111.75
7	A	303[B]	A3P	C2-N3-C4	3.78	120.68	111.75
7	E	303[B]	A3P	C2-N3-C4	3.76	120.64	111.75
7	F	302	A3P	N3-C2-N1	-3.47	123.17	128.60
7	B	302	A3P	N3-C2-N1	-3.40	123.29	128.60
7	F	302	A3P	C4-C5-N7	-3.38	106.50	110.62
7	E	303[B]	A3P	C4-C5-N7	-3.23	106.68	110.62
7	F	302	A3P	C5-N7-C8	3.22	108.08	103.51
7	B	302	A3P	C4-C5-N7	-3.22	106.70	110.62
7	A	303[B]	A3P	C4-C5-N7	-3.21	106.70	110.62
7	A	303[B]	A3P	N3-C2-N1	-3.17	123.64	128.60
7	B	302	A3P	C4-N9-C8	3.16	109.16	105.73
7	E	303[B]	A3P	N3-C2-N1	-3.16	123.66	128.60
7	F	302	A3P	C4-N9-C8	2.96	108.94	105.73
7	E	303[B]	A3P	C5-N7-C8	2.94	107.68	103.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	302	A3P	C5-N7-C8	2.90	107.63	103.51
7	A	303[B]	A3P	C5-N7-C8	2.89	107.61	103.51
7	E	303[B]	A3P	C4-N9-C8	2.84	108.80	105.73
7	A	303[B]	A3P	C4-N9-C8	2.81	108.77	105.73
7	F	302	A3P	N9-C8-N7	-2.52	110.47	113.91
7	B	302	A3P	C6-C5-N7	2.51	136.69	132.02
7	B	302	A3P	N9-C8-N7	-2.45	110.56	113.91
7	E	303[B]	A3P	N9-C8-N7	-2.32	110.74	113.91
7	A	303[B]	A3P	N9-C8-N7	-2.32	110.75	113.91
7	F	302	A3P	C6-C5-N7	2.30	136.30	132.02
7	F	302	A3P	O4'-C1'-N9	2.21	112.41	108.06
7	E	303[B]	A3P	C6-C5-N7	2.15	136.03	132.02
7	A	303[B]	A3P	C6-C5-N7	2.12	135.96	132.02
7	A	303[B]	A3P	O4'-C1'-N9	2.10	112.19	108.06
7	F	302	A3P	P2-O5'-C5'	2.01	123.84	118.30

There are no chirality outliers.

All (65) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	301[A]	COA	C5B-O5B-P1A-O1A
5	A	301[A]	COA	C5B-O5B-P1A-O2A
5	A	301[A]	COA	CCP-O6A-P2A-O3A
5	A	301[A]	COA	CCP-O6A-P2A-O4A
5	A	301[A]	COA	OAP-CAP-CBP-CCP
5	A	301[A]	COA	C9P-CAP-CBP-CCP
5	A	301[A]	COA	OAP-CAP-CBP-CDP
5	A	301[A]	COA	C9P-CAP-CBP-CDP
5	A	301[A]	COA	OAP-CAP-CBP-CEP
5	A	301[A]	COA	C9P-CAP-CBP-CEP
5	E	302[A]	COA	C5B-O5B-P1A-O1A
5	E	302[A]	COA	C5B-O5B-P1A-O2A
5	E	302[A]	COA	OAP-CAP-CBP-CCP
5	E	302[A]	COA	C9P-CAP-CBP-CCP
5	E	302[A]	COA	OAP-CAP-CBP-CDP
5	E	302[A]	COA	C9P-CAP-CBP-CDP
5	E	302[A]	COA	OAP-CAP-CBP-CEP
5	E	302[A]	COA	C9P-CAP-CBP-CEP
6	A	302[B]	A1JF6	C13-C14-C15-O6
6	A	302[B]	A1JF6	C16-C14-C15-O6
6	A	302[B]	A1JF6	C17-C14-C15-O6
6	B	301	A1JF6	O5-C13-C14-C15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	B	301	A1JF6	O5-C13-C14-C16
6	F	301	A1JF6	C2-C3-C4-C5
6	F	301	A1JF6	O2-C3-C4-C5
7	A	303[B]	A3P	C3'-O3'-P1-O2P
7	B	302	A3P	C5'-O5'-P2-O5P
7	B	302	A3P	C5'-O5'-P2-O6P
7	E	303[B]	A3P	C3'-O3'-P1-O1P
7	F	302	A3P	C5'-O5'-P2-O5P
5	A	301[A]	COA	C6P-C7P-N8P-C9P
5	E	302[A]	COA	C6P-C7P-N8P-C9P
7	B	302	A3P	C5'-O5'-P2-O4P
7	E	303[B]	A3P	C5'-O5'-P2-O4P
6	B	301	A1JF6	O5-C13-C14-C17
7	F	302	A3P	C5'-O5'-P2-O6P
7	B	302	A3P	C3'-O3'-P1-O3P
7	E	303[B]	A3P	C3'-O3'-P1-O2P
5	A	301[A]	COA	P1A-O3A-P2A-O5A
5	E	302[A]	COA	P1A-O3A-P2A-O4A
5	A	301[A]	COA	CCP-O6A-P2A-O5A
6	A	302[B]	A1JF6	C2-C3-C4-C5
5	A	301[A]	COA	CDP-CBP-CCP-O6A
5	A	301[A]	COA	CEP-CBP-CCP-O6A
7	F	302	A3P	C5'-O5'-P2-O4P
5	E	302[A]	COA	P1A-O3A-P2A-O5A
6	A	302[B]	A1JF6	O2-C3-C4-C5
6	B	301	A1JF6	O4-C12-C13-C14
6	F	301	A1JF6	O4-C12-C13-C14
5	E	302[A]	COA	CEP-CBP-CCP-O6A
6	B	301	A1JF6	N2-C12-C13-C14
6	F	301	A1JF6	N2-C12-C13-C14
6	B	301	A1JF6	O2-C3-C4-C5
7	A	303[B]	A3P	C3'-O3'-P1-O1P
6	B	301	A1JF6	C1-C2-C3-O2
6	F	301	A1JF6	C1-C2-C3-O2
5	A	301[A]	COA	C5B-O5B-P1A-O3A
5	E	302[A]	COA	C5B-O5B-P1A-O3A
5	E	302[A]	COA	CCP-O6A-P2A-O3A
7	F	302	A3P	C3'-O3'-P1-O3P
7	B	302	A3P	O4'-C4'-C5'-O5'
5	A	301[A]	COA	P1A-O3A-P2A-O4A
5	E	302[A]	COA	CCP-O6A-P2A-O4A
6	B	301	A1JF6	C1-C2-C3-C4

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
6	F	301	A1JF6	C1-C2-C3-C4

There are no ring outliers.


2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	302[A]	COA	3	0
5	A	301[A]	COA	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## Ligand A3P F 302



## Ligand A1JF6 F 301












## Ligand A3P E 303 (B)



## Ligand A1JF6 A 302 (B)




## Ligand A3P B 302




Bond lengths




Bond angles



Torsions



Rings



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å <sup>2</sup> )	Q < 0.9
1	A	253/290 (87%)	0.65	17 (6%)	24 26	18, 33, 56, 79	1 (0%)
1	F	251/290 (86%)	0.54	15 (5%)	27 30	15, 29, 59, 81	1 (0%)
2	B	253/290 (87%)	0.56	21 (8%)	17 18	19, 29, 57, 77	0
2	C	253/290 (87%)	0.69	20 (7%)	18 20	14, 31, 64, 93	1 (0%)
3	D	253/290 (87%)	0.91	30 (11%)	9 8	19, 34, 63, 90	1 (0%)
4	E	255/290 (87%)	0.66	22 (8%)	16 17	15, 31, 52, 87	3 (1%)
All	All	1518/1740 (87%)	0.67	125 (8%)	17 19	14, 31, 60, 93	7 (0%)

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	E	120	TRP	7.8
2	B	120	TRP	6.5
2	C	120	TRP	6.4
4	E	31	ALA	6.3
2	C	112	TYR	6.3
1	A	120	TRP	6.2
1	A	31	ALA	6.0
1	F	112	TYR	5.5
2	B	119	HIS	4.9
1	F	120	TRP	4.9
3	D	112	TYR	4.8
2	C	111	CYS	4.7
1	A	119	HIS	4.6
3	D	119	HIS	4.5
2	C	119	HIS	4.3
2	B	32	ASN	4.1
4	E	119	HIS	4.0
2	C	108	PHE	3.6
3	D	58	LEU	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	D	31	ALA	3.5
1	F	32	ASN	3.5
3	D	100	ILE	3.5
1	A	280	VAL	3.5
3	D	107	THR	3.4
2	C	123	ILE	3.4
2	C	279	PHE	3.4
2	C	100	ILE	3.3
1	F	108	PHE	3.3
2	B	108	PHE	3.3
4	E	114	GLY	3.3
1	F	119	HIS	3.2
4	E	122	HIS	3.2
2	B	107	THR	3.2
1	F	122	HIS	3.2
2	C	32	ASN	3.2
1	F	111	CYS	3.2
1	F	63	ASN	3.1
1	F	100	ILE	3.1
3	D	120	TRP	3.1
2	B	109	GLN	3.0
1	F	109	GLN	3.0
2	B	112	TYR	3.0
2	B	111	CYS	3.0
2	B	123	ILE	2.9
3	D	74	GLU	2.9
2	C	106	ARG	2.9
2	C	273	ARG	2.9
3	D	103	MET	2.8
3	D	123	ILE	2.8
3	D	122	HIS	2.8
1	A	35	TYR	2.8
1	A	112	TYR	2.8
2	B	58	LEU	2.8
1	A	279	PHE	2.7
1	A	123	ILE	2.7
3	D	36	ILE	2.7
1	F	107	THR	2.7
1	A	44	ASN	2.7
1	F	104	GLN	2.6
2	B	201	GLN	2.6
4	E	125	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	D	280	VAL	2.6
4	E	290	HIS	2.6
2	C	278	ALA	2.6
3	D	102	GLU	2.6
3	D	35	TYR	2.6
2	C	34	GLN	2.5
3	D	67	GLU	2.5
2	C	285	ALA	2.5
3	D	57	ALA	2.5
4	E	36	ILE	2.5
2	B	122	HIS	2.5
3	D	43	LYS	2.5
2	C	103	MET	2.5
4	E	67	GLU	2.5
2	C	107	THR	2.5
1	F	110	ASP	2.4
1	A	33	PHE	2.4
1	A	43	LYS	2.4
2	B	96	ALA	2.4
4	E	57	ALA	2.4
1	A	32	ASN	2.4
2	B	113	SER	2.4
3	D	290	HIS	2.4
4	E	55	PRO	2.4
4	E	279	PHE	2.4
3	D	101	LYS	2.4
3	D	33	PHE	2.3
4	E	33	PHE	2.3
3	D	37	ILE	2.3
1	A	276	MET	2.3
2	C	109	GLN	2.3
2	B	100	ILE	2.3
3	D	278	ALA	2.2
3	D	63	ASN	2.2
2	B	56	LYS	2.2
2	C	33	PHE	2.2
3	D	108	PHE	2.2
4	E	64	GLY	2.2
4	E	123	ILE	2.2
3	D	53	ASN	2.2
4	E	56	LYS	2.2
2	B	106	ARG	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	64	GLY	2.2
3	D	286	ASN	2.2
4	E	124	THR	2.2
1	A	63	ASN	2.1
4	E	286	ASN	2.1
1	A	34	GLN	2.1
2	B	102	GLU	2.1
3	D	137	TYR	2.1
4	E	34	GLN	2.1
4	E	112	TYR	2.1
3	D	285	ALA	2.1
1	A	122	HIS	2.1
1	F	105	ASN	2.1
2	C	104	GLN	2.1
3	D	273	ARG	2.1
2	B	35	TYR	2.1
2	C	280	VAL	2.1
1	F	78	GLU	2.1
4	E	35	TYR	2.1
2	B	93	ALA	2.0
4	E	273	ARG	2.0
2	B	33	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CSO	C	225[A]	7/8	0.67	0.14	30,31,32,32	7
2	CSO	C	225[B]	7/8	0.67	0.14	31,33,38,39	7
1	CSO	A	225[A]	7/8	0.74	0.13	34,35,37,37	7
1	CSO	A	225[B]	7/8	0.74	0.13	34,35,36,37	7
1	CSO	A	62[A]	7/8	0.75	0.13	38,39,39,40	7
1	CSO	A	62[B]	7/8	0.75	0.13	35,37,39,39	7
3	CSD	D	225	8/9	0.81	0.15	34,36,47,51	0
1	CSO	F	225[A]	7/8	0.88	0.15	27,28,28,31	7
1	CSO	F	225[B]	7/8	0.88	0.15	28,29,32,36	7
1	CSO	F	62	7/8	0.89	0.11	42,43,47,51	0
4	CSO	E	62	7/8	0.92	0.10	35,37,40,46	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CSO	B	225[B]	7/8	0.96	0.09	26,28,31,35	4
2	CSO	B	225[A]	7/8	0.96	0.09	26,27,28,29	4

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	A1JF6	A	302[B]	26/26	0.70	0.18	27,30,31,32	26
6	A1JF6	E	301[B]	26/26	0.73	0.18	27,31,33,33	26
7	A3P	B	302	27/27	0.78	0.12	41,50,62,65	0
5	COA	E	302[A]	48/48	0.79	0.18	53,60,73,84	48
5	COA	A	301[A]	48/48	0.83	0.17	52,58,67,77	48
7	A3P	F	302	27/27	0.84	0.11	44,53,59,62	0
6	A1JF6	B	301	26/26	0.87	0.14	38,46,61,64	0
6	A1JF6	F	301	26/26	0.87	0.14	35,46,64,67	0
7	A3P	E	303[B]	27/27	0.90	0.08	26,31,35,36	27
7	A3P	A	303[B]	27/27	0.90	0.08	25,29,37,38	27

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around A1JF6 A 302 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around A1JF6 E 301 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A3P B 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around COA E 302 (A):**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around COA A 301 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A3P F 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1JF6 B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around A1JF6 F 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around A3P E 303 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around A3P A 303 (B):**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers ⓘ

There are no such residues in this entry.