



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 14, 2023 – 05:56 AM EDT

PDB ID : 4RRW
Title : Crystal Structure of Apo Murine Cyclooxygenase-2
Authors : Xu, S.; Blobaum, A.L.; Banerjee, S.; Marnett, L.J.
Deposited on : 2014-11-06
Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1279 (2.58-2.54)
Clashscore	141614	1327 (2.58-2.54)
Ramachandran outliers	138981	1312 (2.58-2.54)
Sidechain outliers	138945	1312 (2.58-2.54)
RSRZ outliers	127900	1269 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	 2% 86% 7% 6%
1	B	587	 4% 88% 5% 6%
1	C	587	 3% 87% 7% 6%
1	D	587	 3% 88% 6% 6%
2	E	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 100%
2	G	2	 100%
2	H	2	 100%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 18756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin G/H synthase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	552	4478	2890	749	814	25	0	0	0
1	B	552	4478	2890	749	814	25	0	0	0
1	C	552	4478	2890	749	814	25	0	0	0
1	D	552	4478	2890	749	814	25	0	0	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	E	2	28	16	2	10	0	0	0
2	F	2	28	16	2	10	0	0	0
2	G	2	28	16	2	10	0	0	0
2	H	2	28	16	2	10	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is {2-[(2-chloro-6-fluorophenyl)amino]-5-methylphenyl}acetic acid (three-letter code: LUR) (formula: C₁₅H₁₃ClFNO₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Cl	F	N			O
4	A	1	Total 20	C 15	Cl 1	F 1	N 1	O 2	0	0
4	B	1	Total 20	C 15	Cl 1	F 1	N 1	O 2	0	0
4	C	1	Total 20	C 15	Cl 1	F 1	N 1	O 2	0	0
4	D	1	Total 20	C 15	Cl 1	F 1	N 1	O 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	149	Total 149	O 149	0	0
5	B	115	Total 115	O 115	0	0
5	C	133	Total 133	O 133	0	0
5	D	143	Total 143	O 143	0	0

SER
ARG
LEU
ASP
ASP
ILE
ASN
PRO
THR
VAL
LEU
ILE
LYS
ARG
ARG
SER
THR
GLU
LEU

- Molecule 1: Prostaglandin G/H synthase 2

Chain D:  3% 88% 6% • 6%



ARG
LEU
ASP
ASP
ILE
ASN
PRO
THR
VAL
LEU
ILE
LYS
ARG
ARG
SER
THR
GLU
LEU

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

NAG1
NAG2

4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	215.71Å 121.05Å 135.11Å 90.00° 123.20° 90.00°	Depositor
Resolution (Å)	45.12 – 2.57 45.12 – 2.57	Depositor EDS
% Data completeness (in resolution range)	98.6 (45.12-2.57) 94.0 (45.12-2.57)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.58Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.184 , 0.216 0.188 , 0.218	Depositor DCC
R_{free} test set	2748 reflections (3.01%)	wwPDB-VP
Wilson B-factor (Å ²)	41.8	Xtrriage
Anisotropy	0.171	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.016 for $1/2^*h-3/2^*k,-1/2^*h-1/2^*k,-1/2^*h+1/2^*k-1$ 0.018 for $1/2^*h+3/2^*k,1/2^*h-1/2^*k,-1/2^*h-1/2^*k-1$	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18756	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, LUR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/4606	0.40	0/6247
1	B	0.25	0/4606	0.40	0/6247
1	C	0.24	0/4606	0.40	0/6247
1	D	0.24	0/4606	0.40	0/6247
All	All	0.25	0/18424	0.40	0/24988

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4478	0	4376	22	0
1	B	4478	0	4376	17	0
1	C	4478	0	4376	21	0
1	D	4478	0	4376	20	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
2	H	28	0	25	0	0
3	A	28	0	26	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	28	0	26	0	0
3	C	28	0	26	0	0
3	D	28	0	26	0	0
4	A	20	0	12	0	0
4	B	20	0	12	0	0
4	C	20	0	12	0	0
4	D	20	0	12	0	0
5	A	149	0	0	2	0
5	B	115	0	0	0	0
5	C	133	0	0	1	0
5	D	143	0	0	1	0
All	All	18756	0	17756	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:ASN:O	1:B:105:ASN:ND2	2.31	0.64
1:D:101:ASN:O	1:D:105:ASN:ND2	2.31	0.63
1:A:44:ARG:NH2	1:A:125:ASP:OD1	2.34	0.60
1:B:44:ARG:NH2	1:B:125:ASP:OD1	2.34	0.59
1:A:101:ASN:O	1:A:105:ASN:ND2	2.36	0.59
1:C:101:ASN:O	1:C:105:ASN:ND2	2.35	0.59
1:B:274:ILE:HD12	1:B:291:VAL:HG12	1.86	0.57
1:D:44:ARG:NH2	1:D:125:ASP:OD1	2.39	0.56
1:C:138:SER:HB2	1:D:330:GLN:HB3	1.88	0.55
1:D:384:LEU:HD12	1:D:507:LEU:HD11	1.88	0.55
1:C:44:ARG:NH2	1:C:125:ASP:OD1	2.41	0.53
1:A:274:ILE:HD12	1:A:291:VAL:HG12	1.90	0.52
1:B:380:GLU:HG2	1:B:466:TYR:CE1	2.46	0.51
1:A:180:LYS:HD3	1:A:490:GLU:OE2	2.11	0.50
1:C:180:LYS:HD3	1:C:490:GLU:OE2	2.12	0.50
1:D:230:LEU:HA	1:D:232:HIS:CE1	2.48	0.49
1:C:330:GLN:HB3	1:D:138:SER:HB2	1.95	0.49
1:C:230:LEU:HA	1:C:232:HIS:CE1	2.47	0.49
1:C:198:PHE:HZ	1:C:352:LEU:HD23	1.77	0.48
1:C:274:ILE:HD12	1:C:291:VAL:HG12	1.95	0.48
1:D:384:LEU:HD21	1:D:525:LEU:HB3	1.96	0.48
1:C:344:VAL:HA	1:C:348:TYR:HB3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:GLN:HB3	1:B:138:SER:HB2	1.95	0.47
1:D:380:GLU:HG2	1:D:466:TYR:CE1	2.50	0.46
1:B:300:MET:HG3	1:B:419:LEU:HD22	1.98	0.46
1:B:384:LEU:HD23	1:B:507:LEU:HD11	1.98	0.46
1:A:230:LEU:HA	1:A:232:HIS:CE1	2.50	0.46
1:C:198:PHE:CZ	1:C:352:LEU:HD23	2.51	0.46
1:C:61:ARG:NH2	1:D:542:PRO:O	2.38	0.46
1:C:380:GLU:HG2	1:C:466:TYR:CE1	2.52	0.45
1:C:209:PHE:HB2	1:C:377:ILE:HG13	1.99	0.45
1:A:380:GLU:HG2	1:A:466:TYR:CE1	2.52	0.45
1:D:269:THR:OG1	1:D:271:VAL:HG13	2.17	0.45
1:A:181:VAL:HG21	1:A:491:LEU:HD21	1.99	0.45
1:B:414:LEU:HD11	1:B:419:LEU:HD23	1.98	0.45
1:D:274:ILE:HD12	1:D:291:VAL:HG12	1.99	0.45
1:B:389:PRO:HB2	1:B:434:VAL:HA	1.99	0.44
1:A:120:ARG:HG3	1:A:531:LEU:HD12	2.00	0.44
1:A:209:PHE:HB2	1:A:377:ILE:HG13	2.00	0.44
1:C:282:ASN:HB3	5:C:921:HOH:O	2.17	0.44
1:D:360:LYS:HE2	1:D:362:ASP:HB2	1.98	0.44
1:A:384:LEU:HD23	1:A:507:LEU:HD11	1.99	0.44
1:A:388:HIS:HD1	1:A:504:TYR:HH	1.66	0.44
1:A:375:ASN:O	5:A:823:HOH:O	2.20	0.44
1:A:389:PRO:HB2	1:A:434:VAL:HA	1.99	0.43
1:C:389:PRO:HB2	1:C:434:VAL:HA	2.00	0.43
1:B:206:THR:HG21	1:B:385:TYR:CE1	2.53	0.43
1:C:384:LEU:HD23	1:C:507:LEU:HD11	2.00	0.43
1:A:235:GLY:O	5:A:872:HOH:O	2.21	0.43
1:A:138:SER:HB2	1:B:330:GLN:HB3	2.01	0.42
1:A:198:PHE:HZ	1:A:352:LEU:HD23	1.84	0.42
1:B:360:LYS:HE2	1:B:362:ASP:HB2	2.02	0.42
1:D:389:PRO:HB3	1:D:439:ASN:HB3	2.01	0.42
1:B:189:PRO:HB2	1:B:430:ILE:HD13	2.02	0.42
1:A:148:TYR:CZ	1:A:221:THR:HB	2.55	0.42
1:A:414:LEU:HD11	1:A:419:LEU:HD23	2.01	0.42
1:D:189:PRO:HB2	1:D:430:ILE:HD13	2.02	0.42
1:B:230:LEU:HA	1:B:232:HIS:CE1	2.54	0.41
1:D:295:VAL:HA	1:D:296:PRO:HD3	1.92	0.41
1:A:34:ASN:HB3	1:A:37:CYS:SG	2.61	0.41
1:C:34:ASN:HB3	1:C:37:CYS:SG	2.59	0.41
1:A:389:PRO:HB3	1:A:439:ASN:HB3	2.03	0.41
1:D:34:ASN:HB3	1:D:37:CYS:SG	2.61	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:294:LEU:HA	1:D:409:TYR:CE1	2.56	0.41
1:B:230:LEU:HD13	1:B:337:ILE:HG12	2.03	0.41
1:C:539:ILE:HA	1:C:544:TYR:HB3	2.03	0.41
1:D:453:ASP:OD2	5:D:916:HOH:O	2.21	0.41
1:A:410:ASN:OD1	1:A:412:SER:HB3	2.21	0.41
1:B:198:PHE:HZ	1:B:352:LEU:HD23	1.85	0.40
1:C:410:ASN:OD1	1:C:412:SER:HB3	2.21	0.40
1:C:360:LYS:HE2	1:C:362:ASP:HB2	2.04	0.40
1:C:399:ASP:OD1	1:C:399:ASP:N	2.43	0.40
1:D:230:LEU:HD13	1:D:337:ILE:HG12	2.02	0.40
1:D:181:VAL:HG21	1:D:491:LEU:HD21	2.04	0.40
1:B:473:LYS:HB3	1:B:473:LYS:HE2	1.81	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	550/587 (94%)	539 (98%)	11 (2%)	0	100	100
1	B	550/587 (94%)	536 (98%)	14 (2%)	0	100	100
1	C	550/587 (94%)	537 (98%)	13 (2%)	0	100	100
1	D	550/587 (94%)	536 (98%)	14 (2%)	0	100	100
All	All	2200/2348 (94%)	2148 (98%)	52 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	493/525 (94%)	485 (98%)	8 (2%)	62	76
1	B	493/525 (94%)	485 (98%)	8 (2%)	62	76
1	C	493/525 (94%)	485 (98%)	8 (2%)	62	76
1	D	493/525 (94%)	485 (98%)	8 (2%)	62	76
All	All	1972/2100 (94%)	1940 (98%)	32 (2%)	62	76

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	81	LEU
1	A	232	HIS
1	A	271	VAL
1	A	295	VAL
1	A	352	LEU
1	A	385	TYR
1	A	422	PHE
1	A	484	GLU
1	B	81	LEU
1	B	232	HIS
1	B	271	VAL
1	B	295	VAL
1	B	352	LEU
1	B	385	TYR
1	B	422	PHE
1	B	484	GLU
1	C	81	LEU
1	C	232	HIS
1	C	271	VAL
1	C	295	VAL
1	C	352	LEU
1	C	385	TYR
1	C	422	PHE
1	C	484	GLU
1	D	81	LEU
1	D	232	HIS
1	D	271	VAL
1	D	295	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	352	LEU
1	D	384	LEU
1	D	385	TYR
1	D	484	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	2,1	14,14,15	0.35	0	17,19,21	0.46	0
2	NAG	E	2	2	14,14,15	0.27	0	17,19,21	0.44	0
2	NAG	F	1	2,1	14,14,15	0.32	0	17,19,21	0.50	0
2	NAG	F	2	2	14,14,15	0.33	0	17,19,21	0.45	0
2	NAG	G	1	2,1	14,14,15	0.31	0	17,19,21	0.46	0
2	NAG	G	2	2	14,14,15	0.29	0	17,19,21	0.48	0
2	NAG	H	1	2,1	14,14,15	0.29	0	17,19,21	0.45	0
2	NAG	H	2	2	14,14,15	0.31	0	17,19,21	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	E	2	NAG	C4-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
2	H	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	B	701	1	14,14,15	0.86	1 (7%)	17,19,21	0.71	0
4	LUR	D	705	-	21,21,21	2.90	4 (19%)	28,29,29	1.40	2 (7%)
3	NAG	C	701	1	14,14,15	0.28	0	17,19,21	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	704	1	14,14,15	0.26	0	17,19,21	0.38	0
4	LUR	A	705	-	21,21,21	2.84	4 (19%)	28,29,29	1.45	2 (7%)
3	NAG	C	704	1	14,14,15	0.33	0	17,19,21	0.54	0
4	LUR	C	705	-	21,21,21	2.86	4 (19%)	28,29,29	1.49	3 (10%)
3	NAG	A	704	1	14,14,15	0.31	0	17,19,21	0.44	0
4	LUR	B	705	-	21,21,21	2.88	4 (19%)	28,29,29	1.39	2 (7%)
3	NAG	D	701	1	14,14,15	0.21	0	17,19,21	0.54	0
3	NAG	A	701	1	14,14,15	0.29	0	17,19,21	0.46	0
3	NAG	D	704	1	14,14,15	0.23	0	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	701	1	-	4/6/23/26	0/1/1/1
4	LUR	D	705	-	-	0/8/8/8	0/2/2/2
3	NAG	C	701	1	-	4/6/23/26	0/1/1/1
3	NAG	B	704	1	-	2/6/23/26	0/1/1/1
4	LUR	A	705	-	-	0/8/8/8	0/2/2/2
3	NAG	C	704	1	-	1/6/23/26	0/1/1/1
4	LUR	C	705	-	-	0/8/8/8	0/2/2/2
3	NAG	A	704	1	-	0/6/23/26	0/1/1/1
4	LUR	B	705	-	-	0/8/8/8	0/2/2/2
3	NAG	D	701	1	-	4/6/23/26	0/1/1/1
3	NAG	A	701	1	-	4/6/23/26	0/1/1/1
3	NAG	D	704	1	-	2/6/23/26	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	705	LUR	CAT-CAP	9.12	1.48	1.38
4	D	705	LUR	CAT-CAP	9.12	1.48	1.38
4	A	705	LUR	CAT-CAP	8.98	1.48	1.38
4	C	705	LUR	CAT-CAP	8.96	1.48	1.38
4	D	705	LUR	CAS-CAR	7.06	1.49	1.40
4	C	705	LUR	CAS-CAR	6.92	1.48	1.40
4	B	705	LUR	CAS-CAR	6.86	1.48	1.40
4	A	705	LUR	CAS-CAR	6.76	1.48	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	705	LUR	CAT-CAQ	5.53	1.48	1.40
4	C	705	LUR	CAT-CAQ	5.49	1.48	1.40
4	B	705	LUR	CAT-CAQ	5.49	1.48	1.40
4	A	705	LUR	CAT-CAQ	5.41	1.48	1.40
3	B	701	NAG	O5-C1	2.69	1.48	1.43
4	B	705	LUR	CAQ-CLE	2.58	1.79	1.73
4	C	705	LUR	CAQ-CLE	2.55	1.79	1.73
4	A	705	LUR	CAQ-CLE	2.52	1.79	1.73
4	D	705	LUR	CAQ-CLE	2.38	1.79	1.73

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	705	LUR	CAG-CAP-CAT	-3.55	118.88	122.88
4	C	705	LUR	CAG-CAP-CAT	-3.54	118.89	122.88
4	A	705	LUR	FAD-CAP-CAT	3.51	120.73	117.70
4	D	705	LUR	CAG-CAP-CAT	-3.48	118.95	122.88
4	B	705	LUR	CAG-CAP-CAT	-3.40	119.05	122.88
4	C	705	LUR	FAD-CAP-CAT	3.37	120.61	117.70
4	D	705	LUR	FAD-CAP-CAT	3.32	120.56	117.70
4	B	705	LUR	FAD-CAP-CAT	3.30	120.55	117.70
4	C	705	LUR	CAR-CAK-CAO	-2.13	119.58	122.04

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	701	NAG	O5-C5-C6-O6
3	A	701	NAG	O5-C5-C6-O6
3	B	701	NAG	O5-C5-C6-O6
3	A	701	NAG	C4-C5-C6-O6
3	B	701	NAG	C4-C5-C6-O6
3	C	701	NAG	O5-C5-C6-O6
3	A	701	NAG	C8-C7-N2-C2
3	A	701	NAG	O7-C7-N2-C2
3	B	701	NAG	C8-C7-N2-C2
3	B	701	NAG	O7-C7-N2-C2
3	C	701	NAG	C8-C7-N2-C2
3	C	701	NAG	O7-C7-N2-C2
3	D	701	NAG	C8-C7-N2-C2
3	D	701	NAG	O7-C7-N2-C2
3	D	701	NAG	C4-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	701	NAG	C4-C5-C6-O6
3	B	704	NAG	C4-C5-C6-O6
3	D	704	NAG	C4-C5-C6-O6
3	B	704	NAG	O5-C5-C6-O6
3	D	704	NAG	O5-C5-C6-O6
3	C	704	NAG	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	552/587 (94%)	-0.08	9 (1%) 72 78	25, 42, 72, 105	0
1	B	552/587 (94%)	0.05	24 (4%) 35 44	26, 51, 86, 124	0
1	C	552/587 (94%)	0.06	16 (2%) 51 61	27, 48, 79, 109	0
1	D	552/587 (94%)	-0.00	20 (3%) 42 51	27, 45, 77, 110	0
All	All	2208/2348 (94%)	0.01	69 (3%) 49 58	25, 47, 80, 124	0

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	122	TYR	5.3
1	A	74	PHE	5.3
1	D	583	GLN	5.1
1	D	74	PHE	4.5
1	B	583	GLN	4.2
1	A	122	TYR	4.0
1	B	122	TYR	4.0
1	C	279	ILE	4.0
1	B	74	PHE	3.9
1	C	74	PHE	3.7
1	A	80	LEU	3.7
1	B	81	LEU	3.7
1	C	81	LEU	3.5
1	B	82	LEU	3.5
1	B	70	THR	3.3
1	D	88	THR	3.3
1	D	81	LEU	3.2
1	D	82	LEU	3.2
1	C	80	LEU	3.2
1	B	80	LEU	3.1
1	D	122	TYR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	165	VAL	3.1
1	B	268	ASP	3.0
1	C	99	VAL	3.0
1	B	83	LYS	3.0
1	D	107	PHE	2.9
1	D	215	LYS	2.9
1	A	82	LEU	2.8
1	B	107	PHE	2.8
1	D	96	PHE	2.8
1	B	96	PHE	2.8
1	A	78	ILE	2.7
1	B	77	ARG	2.7
1	C	409	TYR	2.7
1	D	65	TYR	2.7
1	D	55	TYR	2.7
1	D	33	ALA	2.6
1	A	81	LEU	2.6
1	B	409	TYR	2.6
1	D	80	LEU	2.6
1	C	280	PRO	2.6
1	A	124	ILE	2.6
1	B	214	HIS	2.6
1	B	64	PHE	2.5
1	B	428	ARG	2.5
1	C	53	ASP	2.5
1	C	278	HIS	2.5
1	B	72	PRO	2.5
1	D	75	LEU	2.4
1	D	409	TYR	2.4
1	C	496	SER	2.4
1	A	165	VAL	2.3
1	B	111	LEU	2.3
1	C	82	LEU	2.3
1	C	102	ILE	2.3
1	B	63	GLY	2.3
1	A	83	LYS	2.3
1	B	215	LYS	2.3
1	D	83	LYS	2.2
1	D	115	TYR	2.2
1	C	98	GLY	2.2
1	B	165	VAL	2.2
1	D	111	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	574	GLY	2.1
1	B	55	TYR	2.1
1	B	65	TYR	2.1
1	C	33	ALA	2.1
1	D	77	ARG	2.1
1	D	398	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	F	2	14/15	0.84	0.19	55,61,67,68	0
2	NAG	H	2	14/15	0.91	0.19	59,63,67,69	0
2	NAG	G	2	14/15	0.93	0.12	55,60,64,68	0
2	NAG	E	1	14/15	0.94	0.13	31,40,46,55	0
2	NAG	E	2	14/15	0.94	0.13	56,58,64,67	0
2	NAG	F	1	14/15	0.94	0.14	35,40,45,47	0
2	NAG	G	1	14/15	0.95	0.12	26,38,46,51	0
2	NAG	H	1	14/15	0.96	0.10	30,39,45,53	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	B	701	14/15	0.79	0.30	61,72,77,78	0
3	NAG	C	704	14/15	0.82	0.22	60,70,72,74	0
3	NAG	D	701	14/15	0.85	0.23	57,70,74,75	0
3	NAG	C	701	14/15	0.86	0.29	64,71,78,83	0
3	NAG	A	701	14/15	0.89	0.21	58,72,75,76	0
3	NAG	B	704	14/15	0.90	0.28	62,70,75,77	0
3	NAG	D	704	14/15	0.90	0.28	61,68,75,76	0
3	NAG	A	704	14/15	0.93	0.17	49,56,62,63	0
4	LUR	C	705	20/20	0.93	0.17	32,40,46,81	0
4	LUR	D	705	20/20	0.94	0.15	30,35,47,71	0
4	LUR	A	705	20/20	0.95	0.18	33,37,42,71	0
4	LUR	B	705	20/20	0.95	0.17	39,43,50,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers




as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LUR A 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.