



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2023 – 12:11 PM EDT

PDB ID : 7S1U
Title : Structure of human POT1C
Authors : Aramburu, T.; Skordalakes, E.
Deposited on : 2021-09-02
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1284 (2.56-2.52)
Clashscore	141614	1332 (2.56-2.52)
Ramachandran outliers	138981	1315 (2.56-2.52)
Sidechain outliers	138945	1315 (2.56-2.52)
RSRZ outliers	127900	1272 (2.56-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	304	
1	B	304	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4912 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protection of telomeres protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	302	2393	1528	398	451	16	0	0	0
1	B	302	2393	1528	398	451	16	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	66	Total	O	0	0
			66	66		
3	B	58	Total	O	0	0
			58	58		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protection of telomeres protein 1



- Molecule 1: Protection of telomeres protein 1



4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.88Å 162.88Å 63.62Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.00 – 2.55 29.00 – 2.55	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.00-2.55) 99.8 (29.00-2.55)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 2.54Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.185 , 0.213 0.192 , 0.216	Depositor DCC
R_{free} test set	1580 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	57.2	Xtrriage
Anisotropy	0.262	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.37$, $\langle L^2 \rangle = 0.20$	Xtrriage
Estimated twinning fraction	0.448 for -h,-k,l	Xtrriage
Reported twinning fraction	0.480 for -h,-k,l	Depositor
Outliers	0 of 31601 reflections	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4912	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2443	0.52	0/3314
1	B	0.51	0/2443	0.61	3/3314 (0.1%)
All	All	0.42	0/4886	0.56	3/6628 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	564	LYS	N-CA-C	6.16	127.62	111.00
1	B	417	SER	N-CA-C	-5.64	95.78	111.00
1	B	416	THR	N-CA-C	-5.33	96.62	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2393	0	2404	53	0
1	B	2393	0	2404	79	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	66	0	0	3	0
3	B	58	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4912	0	4808	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:362:ILE:HD11	1:A:605:CYS:SG	1.64	1.37
1:B:411:VAL:CG1	1:B:413:LEU:HD12	1.67	1.24
1:B:371:PRO:CB	1:B:376:GLN:HE21	1.62	1.12
1:B:411:VAL:HG12	1:B:413:LEU:CD1	1.85	1.04
1:B:371:PRO:HB2	1:B:376:GLN:HE21	1.19	1.04
1:A:362:ILE:CD1	1:A:605:CYS:SG	2.46	1.03
1:B:411:VAL:HG12	1:B:413:LEU:HD12	1.00	1.00
1:B:411:VAL:CG1	1:B:413:LEU:CD1	2.40	1.00
1:B:371:PRO:CB	1:B:376:GLN:NE2	2.31	0.93
1:B:475:PRO:O	1:B:485:LEU:HD12	1.73	0.88
1:B:371:PRO:HB2	1:B:376:GLN:NE2	1.91	0.85
1:A:437:HIS:HB2	1:A:454:LEU:HB2	1.61	0.80
1:A:592:PRO:HG2	1:A:595:ILE:HD11	1.64	0.79
1:B:371:PRO:HB3	1:B:376:GLN:NE2	1.97	0.79
1:A:362:ILE:CG1	1:A:605:CYS:SG	2.75	0.75
1:A:393:HIS:HB3	3:A:808:HOH:O	1.89	0.72
1:B:371:PRO:HB2	1:B:376:GLN:HG3	1.72	0.72
1:B:340:HIS:HB3	1:B:343:LEU:HD23	1.72	0.71
1:A:362:ILE:HD11	1:A:605:CYS:HG	1.55	0.70
1:B:416:THR:HB	1:B:418:LEU:HD23	1.73	0.68
1:B:436:VAL:HA	1:B:455:ILE:HG22	1.75	0.68
1:B:411:VAL:HG11	1:B:413:LEU:CD1	2.21	0.67
1:B:418:LEU:O	1:B:439:VAL:HA	1.94	0.66
1:B:524:TRP:HB2	3:B:811:HOH:O	1.96	0.66
1:A:394:GLU:HB2	1:A:460:LEU:HD22	1.78	0.65
1:B:483:LEU:HB2	1:B:512:ILE:HG21	1.79	0.65
1:A:474:ILE:HG22	1:A:493:LEU:HA	1.80	0.64
1:B:449:ASN:O	1:B:471:ASN:HB2	1.98	0.64
1:A:371:PRO:HB2	1:A:376:GLN:HE21	1.63	0.64
1:B:371:PRO:HB2	1:B:376:GLN:CG	2.28	0.64
1:B:437:HIS:HB2	1:B:454:LEU:HB2	1.79	0.64
1:B:371:PRO:CB	1:B:376:GLN:HG3	2.27	0.64
1:B:632:ASP:HA	3:B:827:HOH:O	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:567:GLN:NE2	1:B:628:THR:OG1	2.32	0.63
1:A:616:THR:O	1:A:616:THR:HG22	1.99	0.62
1:A:373:ARG:NH2	3:A:803:HOH:O	2.32	0.61
1:A:374:LEU:HD13	1:A:583:VAL:HG12	1.83	0.61
1:A:441:ASN:HD22	1:A:446:PRO:HB3	1.64	0.61
1:A:448:SER:HA	1:A:451:CYS:HB2	1.83	0.61
1:B:415:ASN:HB2	1:B:418:LEU:HB2	1.83	0.60
1:B:519:VAL:HG23	1:B:520:ASP:H	1.66	0.60
1:B:419:TYR:HB2	1:B:437:HIS:HB3	1.84	0.59
1:B:365:LYS:NZ	1:B:600:TYR:O	2.29	0.58
1:B:408:THR:O	1:B:408:THR:HG22	2.01	0.58
1:A:413:LEU:HD21	1:A:423:ILE:HG23	1.85	0.58
1:B:477:ARG:HD3	1:B:486:LEU:HD23	1.86	0.57
1:B:477:ARG:N	1:B:484:GLU:O	2.37	0.57
1:A:507:SER:HB3	1:A:535:ILE:HA	1.89	0.55
1:A:388:LEU:HD21	1:A:543:VAL:HG21	1.88	0.55
1:B:495:GLN:NE2	1:B:524:TRP:O	2.40	0.55
1:B:415:ASN:O	1:B:416:THR:C	2.45	0.54
1:A:563:ASP:OD1	1:A:564:LYS:HD3	2.08	0.54
1:A:376:GLN:O	1:A:379:LYS:NZ	2.41	0.54
1:B:419:TYR:CB	1:B:437:HIS:HB3	2.38	0.53
1:B:441:ASN:HB2	1:B:521:LYS:HB3	1.90	0.53
1:B:519:VAL:HG23	1:B:520:ASP:N	2.23	0.53
1:B:419:TYR:HA	1:B:438:PHE:O	2.09	0.53
1:B:472:SER:HB3	1:B:493:LEU:HD11	1.90	0.53
1:B:614:ASN:HD21	1:B:617:ASP:HB2	1.74	0.53
1:A:612:VAL:O	1:A:619:GLN:N	2.38	0.53
1:B:407:LYS:HE3	1:B:433:LYS:HE2	1.91	0.53
1:B:413:LEU:HD12	1:B:413:LEU:N	2.24	0.53
1:B:428:ASN:OD1	1:B:429:GLN:N	2.41	0.53
1:A:473:VAL:HG13	1:A:494:ILE:HB	1.90	0.53
1:A:472:SER:HB3	1:A:495:GLN:HG3	1.90	0.52
1:B:429:GLN:HG3	1:B:432:ARG:HE	1.75	0.52
1:B:452:LEU:HD21	1:B:474:ILE:HD12	1.92	0.51
1:A:493:LEU:HB3	1:A:500:HIS:HB2	1.92	0.51
1:B:475:PRO:HB2	1:B:486:LEU:HD12	1.91	0.51
1:B:411:VAL:CG1	1:B:413:LEU:HD11	2.37	0.50
1:B:451:CYS:SG	1:B:452:LEU:N	2.84	0.50
1:A:562:SER:H	1:A:564:LYS:HE2	1.77	0.50
1:B:408:THR:N	1:B:409:PRO:HD3	2.26	0.50
1:A:503:CYS:HB3	1:A:506:CYS:HB2	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:439:VAL:HG22	1:B:452:LEU:O	2.11	0.49
1:B:487:ASP:OD1	1:B:489:SER:OG	2.20	0.49
1:B:367:ARG:NH2	3:B:804:HOH:O	2.34	0.48
1:A:373:ARG:O	1:A:376:GLN:HG2	2.14	0.48
1:B:488:LEU:HD21	1:B:509:LEU:HD21	1.95	0.48
1:B:421:SER:OG	1:B:437:HIS:ND1	2.45	0.48
1:A:450:GLU:C	1:A:524:TRP:HZ3	2.16	0.48
1:B:411:VAL:HG11	1:B:413:LEU:HD12	1.73	0.47
1:B:415:ASN:O	1:B:416:THR:O	2.31	0.47
1:B:413:LEU:CD1	1:B:413:LEU:N	2.78	0.47
1:A:424:TRP:HB2	1:A:434:VAL:HG22	1.95	0.47
1:A:614:ASN:OD1	1:A:615:GLY:N	2.43	0.47
1:B:568:ILE:HG23	1:B:579:LEU:HD22	1.97	0.47
1:B:388:LEU:HD21	1:B:543:VAL:HG21	1.96	0.47
1:A:542:PHE:CZ	1:A:573:VAL:HG21	2.49	0.46
1:A:412:LYS:HE2	1:A:483:LEU:HG	1.96	0.46
1:B:495:GLN:NE2	3:B:811:HOH:O	2.45	0.46
1:B:411:VAL:CG1	1:B:412:LYS:N	2.78	0.46
1:B:592:PRO:HB2	1:B:595:ILE:HG13	1.98	0.46
1:A:485:LEU:HD11	1:A:533:LEU:HD13	1.98	0.46
1:A:426:THR:HB	1:A:432:ARG:N	2.31	0.46
1:B:439:VAL:HG21	1:B:452:LEU:HB3	1.98	0.46
1:A:414:GLN:HG3	1:A:421:SER:O	2.17	0.45
1:B:358:GLN:HB2	1:B:360:TYR:CE1	2.52	0.45
1:B:412:LYS:HA	1:B:412:LYS:HD3	1.55	0.45
1:B:511:SER:OG	1:B:513:GLN:HG2	2.16	0.45
1:A:476:VAL:HG12	1:A:485:LEU:HD23	1.99	0.44
1:B:388:LEU:HD21	1:B:543:VAL:HG11	1.99	0.44
1:A:542:PHE:HZ	1:A:573:VAL:HG21	1.83	0.44
1:A:362:ILE:HG13	1:A:605:CYS:SG	2.58	0.44
1:B:428:ASN:OD1	1:B:429:GLN:HG2	2.18	0.43
1:A:576:ASP:HB3	1:A:579:LEU:HB2	2.00	0.43
1:A:456:GLU:OE1	1:A:477:ARG:HA	2.19	0.43
1:B:546:PHE:O	1:B:556:GLU:HA	2.19	0.43
1:A:521:LYS:HD3	1:A:521:LYS:HA	1.86	0.43
1:B:441:ASN:HB2	1:B:521:LYS:CB	2.49	0.43
1:A:405:ALA:HB1	1:A:457:GLY:HA2	2.01	0.43
1:A:426:THR:HB	1:A:432:ARG:H	1.84	0.42
1:A:524:TRP:N	3:A:818:HOH:O	2.51	0.42
1:A:384:LYS:HB2	1:B:342:TYR:CE2	2.54	0.42
1:A:491:PRO:HG3	1:A:501:TYR:CZ	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:GLU:HB3	1:A:522:THR:O	2.19	0.42
1:A:374:LEU:HD11	1:A:587:MET:HG3	2.02	0.42
1:B:455:ILE:HD11	1:B:463:ILE:HD11	2.02	0.42
1:B:614:ASN:ND2	1:B:617:ASP:HB2	2.36	0.41
1:A:441:ASN:OD1	1:A:521:LYS:HG3	2.20	0.41
1:B:380:LEU:HD22	1:B:538:LEU:HB3	2.02	0.41
1:A:385:CYS:SG	1:A:387:LEU:HD23	2.60	0.41
1:A:510:ARG:NH2	1:A:531:GLU:O	2.54	0.41
1:A:469:LYS:HB3	1:A:469:LYS:HE3	1.80	0.41
1:B:411:VAL:HG12	1:B:412:LYS:N	2.36	0.41
1:B:416:THR:HB	1:B:418:LEU:CD2	2.47	0.41
1:B:596:LYS:HE3	1:B:598:ASP:OD1	2.21	0.41
1:A:441:ASN:HA	1:A:521:LYS:HG3	2.04	0.40
1:B:461:SER:O	1:B:465:LYS:HG2	2.21	0.40
1:B:358:GLN:HB2	1:B:360:TYR:CZ	2.56	0.40
1:B:413:LEU:CD1	1:B:413:LEU:H	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/304 (99%)	268 (89%)	31 (10%)	1 (0%)	41	51
1	B	300/304 (99%)	266 (89%)	29 (10%)	5 (2%)	9	11
All	All	600/608 (99%)	534 (89%)	60 (10%)	6 (1%)	15	22

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	409	PRO
1	A	447	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	416	THR
1	B	427	LYS
1	B	486	LEU
1	B	357	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/277 (99%)	268 (98%)	7 (2%)	47	62
1	B	275/277 (99%)	273 (99%)	2 (1%)	84	90
All	All	550/554 (99%)	541 (98%)	9 (2%)	62	77

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	385	CYS
1	A	449	ASN
1	A	564	LYS
1	A	573	VAL
1	A	575	MET
1	A	588	ASP
1	A	617	ASP
1	B	406	THR
1	B	503	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	376	GLN
1	B	340	HIS
1	B	376	GLN
1	B	567	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	302/304 (99%)	0.39	18 (5%) 21 25	27, 51, 112, 142	0
1	B	302/304 (99%)	0.52	31 (10%) 6 8	26, 64, 121, 157	0
All	All	604/608 (99%)	0.45	49 (8%) 12 15	26, 57, 115, 157	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	429	GLN	7.4
1	A	445	LEU	7.1
1	A	443	GLY	6.1
1	B	414	GLN	5.4
1	A	433	LYS	5.0
1	A	430	LYS	5.0
1	A	423	ILE	4.7
1	B	432	ARG	4.6
1	B	481	GLU	4.0
1	B	447	LEU	3.9
1	B	438	PHE	3.8
1	B	416	THR	3.7
1	A	428	ASN	3.7
1	A	444	ILE	3.6
1	B	431	GLY	3.6
1	A	411	VAL	3.6
1	B	407	LYS	3.5
1	B	443	GLY	3.4
1	A	442	ASN	3.3
1	A	446	PRO	3.2
1	B	408	THR	3.2
1	B	402	GLN	3.1
1	B	522	THR	3.1
1	B	424	TRP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	434	VAL	3.0
1	B	524	TRP	2.9
1	B	428	ASN	2.8
1	A	431	GLY	2.7
1	A	424	TRP	2.6
1	A	410	ASP	2.6
1	B	448	SER	2.6
1	A	434	VAL	2.5
1	B	433	LYS	2.5
1	B	406	THR	2.4
1	A	524	TRP	2.4
1	B	430	LYS	2.4
1	B	465	LYS	2.4
1	A	481	GLU	2.2
1	B	413	LEU	2.2
1	B	519	VAL	2.2
1	A	595	ILE	2.2
1	B	449	ASN	2.2
1	B	436	VAL	2.1
1	B	453	LEU	2.1
1	B	618	ASN	2.1
1	B	422	LYS	2.1
1	B	423	ILE	2.0
1	A	520	ASP	2.0
1	B	446	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ZN	B	700	1/1	0.71	0.16	73,73,73,73	0
2	ZN	A	700	1/1	0.96	0.17	61,61,61,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.