

Full wwPDB X-ray Structure Validation Report (i)

Sep 4, 2023 – 10:19 PM EDT

PDB ID	:	3S5L
Title	:	Crystal structure of CD4 mutant bound to HLA-DR1
Authors	:	Li, Y.
Deposited on	:	2011-05-23
Resolution	:	2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution $(//Fntrieg, resolution, renge(\&))$
	(#Entries)	(#Entries, resolution range(A))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	182	% 8 2%		13%	•••
1	D	182	^{2%} 79%		18%	••
2	В	193	5%		20%	• • •
2	Е	193	7%		27%	
3	С	13	54%	38%		8%



Mol	Chain	Length	Quality of chai	n	
3	F	13	62%	23%	15%
4	G	191	<u>8%</u> 60%	28%	•• 8%
4	Н	191	61%	29%	• 7%



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 9272 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called HLA class II histocompatibility antigen, DR alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	178	Total	С	Ν	0	S	0	0	0
	I A	170	1464	949	237	273	5	0		
1	П	170	Total	С	Ν	0	S	0	0	0
		119	1467	950	238	274	5	0	0	U

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	177	GLN	HIS	conflict	UNP P01903
D	177	GLN	HIS	conflict	UNP P01903

• Molecule 2 is a protein called HLA class II histocompatibility antigen DR beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	В	191	Total 1533	C 961	N 275	O 290	${f S}7$	0	0	0
2	Е	191	Total 1545	C 971	N 276	0 291	${f S}$ 7	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	0	MET	-	initiating methionine	UNP D7RIG0
Е	0	MET	-	initiating methionine	UNP D7RIG0

• Molecule 3 is a protein called HA peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3 C	13	Total	С	Ν	0	0	0	0	
	U	10	106	69	18	19	0	0	0
2	3 F	12	Total	С	Ν	0	0	0	0
3		61	106	69	18	19		U	



• Molecule 4 is a protein called T-cell surface glycoprotein CD4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	С	175	Total	С	Ν	0	S	0	0	0
4	4 G	175	1369	860	244	261	4			
4	ц	177	Total	С	Ν	0	S	0	0	0
4	11	111	1354	851	241	258	4	0	0	0

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	-3	ASP	-	expression tag	UNP P01730
G	-2	LEU	-	expression tag	UNP P01730
G	-1	GLY	-	expression tag	UNP P01730
G	0	SER	-	expression tag	UNP P01730
G	40	TYR	GLN	engineered mutation	UNP P01730
G	45	TRP	THR	engineered mutation	UNP P01730
G	60	ARG	SER	engineered mutation	UNP P01730
G	63	ARG	ASP	engineered mutation	UNP P01730
G	179	ALA	-	expression tag	UNP P01730
G	180	ALA	-	expression tag	UNP P01730
G	181	ALA	-	expression tag	UNP P01730
G	182	HIS	-	expression tag	UNP P01730
G	183	HIS	-	expression tag	UNP P01730
G	184	HIS	-	expression tag	UNP P01730
G	185	HIS	-	expression tag	UNP P01730
G	186	HIS	-	expression tag	UNP P01730
G	187	HIS	-	expression tag	UNP P01730
Н	-3	ASP	-	expression tag	UNP P01730
Н	-2	LEU	-	expression tag	UNP P01730
Н	-1	GLY	-	expression tag	UNP P01730
Н	0	SER	-	expression tag	UNP P01730
Н	40	TYR	GLN	engineered mutation	UNP P01730
Н	45	TRP	THR	engineered mutation	UNP P01730
Н	60	ARG	SER	engineered mutation	UNP P01730
Н	63	ARG	ASP	engineered mutation	UNP P01730
Н	179	ALA	-	expression tag	UNP P01730
Н	180	ALA	-	expression tag	UNP P01730
Н	181	ALA	-	expression tag	UNP P01730
Н	182	HIS	-	expression tag	UNP P01730
Н	183	HIS	-	expression tag	UNP P01730
Н	184	HIS	-	expression tag	UNP P01730
Н	185	HIS	-	expression tag	UNP P01730
Н	186	HIS	-	expression tag	UNP P01730
H	187	HIS	_	expression tag	UNP P01730



• Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	Ε	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	Н	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	87	Total O 87 87	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	61	Total O 61 61	0	0
6	В	57	$\begin{array}{cc} \text{Total} & \text{O} \\ 57 & 57 \end{array}$	0	0
6	Е	30	Total O 30 30	0	0
6	С	5	Total O 5 5	0	0
6	F	1	Total O 1 1	0	0
6	G	16	Total O 16 16	0	0
6	Н	11	Total O 11 11	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: HLA class II histocompatibility antigen, DR alpha chain









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	94.20Å 119.70Å 137.40Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	50.00 - 2.10	Depositor
Resolution (A)	47.41 - 2.10	EDS
% Data completeness	99.9 (50.00-2.10)	Depositor
(in resolution range)	99.8 (47.41-2.10)	EDS
R_{merge}	0.07	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.80 (at 2.10 \text{\AA})$	Xtriage
Refinement program	CNS	Depositor
P. P.	0.234 , 0.268	Depositor
n, n_{free}	0.224 , 0.259	DCC
R_{free} test set	4566 reflections (5.01%)	wwPDB-VP
Wilson B-factor $(Å^2)$	28.4	Xtriage
Anisotropy	0.793	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 49.1	EDS
L-test for twinning ²	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9272	wwPDB-VP
Average B, all atoms $(Å^2)$	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 43.21 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8222e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

Model quality (i) 5

Standard geometry (i) 5.1

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bo	ond angles
WIOI		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.56	0/1508	0.75	2/2056~(0.1%)
1	D	0.50	0/1511	0.73	1/2060~(0.0%)
2	В	0.52	0/1571	0.72	0/2130
2	Е	0.46	0/1584	0.68	0/2150
3	С	0.49	0/107	0.82	0/141
3	F	0.39	0/107	0.83	0/141
4	G	0.38	0/1390	0.67	2/1873~(0.1%)
4	Н	0.41	0/1374	0.68	0/1854
All	All	0.47	0/9152	0.71	5/12405~(0.0%)

There are no bond length outliers.

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o}$
4	G	37	LEU	CA-CB-CG	5.87	128.81	115.30
4	G	41	GLY	N-CA-C	-5.64	98.99	113.10
1	D	163	CYS	N-CA-C	-5.42	96.37	111.00
1	А	88	GLU	N-CA-C	-5.22	96.90	111.00
1	А	163	CYS	N-CA-C	-5.03	97.43	111.00

All (5) bond angle outliers are listed below:

There are no chirality outliers.

There are no planarity outliers.

5.2Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1464	0	1404	24	0
1	D	1467	0	1403	27	0
2	В	1533	0	1442	36	0
2	Е	1545	0	1466	43	0
3	С	106	0	119	12	0
3	F	106	0	119	5	0
4	G	1369	0	1385	50	0
4	Н	1354	0	1339	54	0
5	А	6	0	8	0	0
5	В	12	0	16	0	0
5	D	6	0	8	0	0
5	Е	18	0	24	1	0
5	G	12	0	16	3	0
5	Н	6	0	8	3	0
6	А	87	0	0	1	0
6	В	57	0	0	0	0
6	С	5	0	0	0	0
6	D	61	0	0	0	0
6	Е	30	0	0	1	0
6	F	1	0	0	0	0
6	G	16	0	0	0	0
6	Н	11	0	0	0	0
All	All	9272	0	8757	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:50:LYS:H	4:H:50:LYS:HD2	1.07	1.13
4:G:50:LYS:HE3	4:G:50:LYS:H	1.12	1.04
4:H:177:LEU:HD22	4:H:177:LEU:H	1.23	1.01
4:G:138:ILE:HG22	4:G:139:GLN:H	1.28	0.99
2:E:82:ASN:HD21	3:F:6:VAL:H	1.08	0.93
1:A:55:GLU:H	3:C:4:LYS:HE3	1.31	0.93
4:H:50:LYS:HD2	4:H:50:LYS:N	1.85	0.91
4:G:50:LYS:HE3	4:G:50:LYS:N	1.91	0.86
1:D:147:LYS:HE3	1:D:149:HIS:HE1	1.40	0.85
1:A:55:GLU:N	3:C:4:LYS:HE3	1.91	0.84
2:B:150:ASN:HD22	2:B:154:THR:CG2	1.91	0.83
4:H:27:HIS:NE2	4:H:29:LYS:HE3	1.95	0.82



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:E:85:VAL:HG13	3:F:3:PRO:HB2	1.62	0.81
1:D:4:GLU:HB3	2:E:17:PHE:O	1.80	0.81
4:H:115:THR:HG23	4:H:116:LEU:H	1.44	0.81
4:H:60:ARG:HH21	5:H:964:GOL:H32	1.46	0.79
2:B:82:ASN:HD21	3:C:6:VAL:H	1.28	0.78
4:H:102:ALA:HA	4:H:116:LEU:HA	1.67	0.77
4:G:60:ARG:NH2	5:G:965:GOL:H2	1.99	0.76
1:A:54:PHE:HA	3:C:4:LYS:CE	2.16	0.75
2:E:47:TYR:H	2:E:62:ASN:HD21	1.33	0.75
4:H:50:LYS:H	4:H:50:LYS:CD	1.90	0.74
4:G:50:LYS:H	4:G:50:LYS:CE	1.96	0.74
2:B:150:ASN:HD22	2:B:154:THR:HG23	1.49	0.74
4:G:138:ILE:HG22	4:G:139:GLN:N	2.02	0.73
2:B:113:ASN:ND2	2:B:114:LEU:H	1.88	0.72
4:H:177:LEU:HD22	4:H:177:LEU:N	2.02	0.72
4:G:37:LEU:HG	4:G:44:LEU:HD11	1.73	0.71
4:H:115:THR:HG23	4:H:116:LEU:N	2.07	0.70
4:G:132:SER:OG	4:G:136:LYS:HG2	1.92	0.69
4:H:132:SER:HA	4:H:157:TRP:NE1	2.08	0.68
1:A:66:ASP:OD1	3:C:10:THR:HG21	1.93	0.68
2:B:11:LEU:CD2	3:C:10:THR:HG23	2.23	0.68
4:H:58:ARG:HG3	4:H:70:ILE:CD1	2.24	0.68
2:B:13:PHE:CE2	2:B:28:GLU:HG3	2.29	0.67
4:H:60:ARG:NH2	5:H:964:GOL:H32	2.11	0.65
2:E:18:PHE:HB2	2:E:23:ARG:HB3	1.79	0.64
4:H:132:SER:HA	4:H:157:TRP:CD1	2.34	0.63
4:H:158:THR:HG22	4:H:171:LYS:HG2	1.79	0.63
2:E:98:LYS:HD2	2:E:98:LYS:N	2.12	0.62
2:B:163:THR:HG23	2:B:165:PRO:HD3	1.81	0.62
2:B:70:GLN:NE2	2:B:71:ARG:HH21	1.96	0.62
1:A:54:PHE:HA	3:C:4:LYS:HE3	1.82	0.61
4:H:177:LEU:H	4:H:177:LEU:CD2	2.04	0.61
4:H:106:THR:HA	4:H:177:LEU:HD21	1.81	0.61
2:B:112:HIS:O	2:B:113:ASN:HB2	2.02	0.60
2:B:134:ASN:ND2	2:B:170:VAL:H	2.00	0.60
2:E:88:SER:HA	2:E:92:GLN:NE2	2.17	0.60
4:G:138:ILE:CG2	4:G:139:GLN:H	2.09	0.59
4:H:157:TRP:HZ3	4:H:174:ILE:HB	1.67	0.59
4:G:99:GLY:O	4:G:118:LEU:HD12	2.02	0.58
4:G:27:HIS:NE2	4:G:29:LYS:HE3	2.17	0.58
1:A:54:PHE:HA	3:C:4:LYS:HE2	1.85	0.58



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:94:ASN:HD22	1:D:94:ASN:N	2.01	0.58
2:E:70:GLN:HE22	2:E:71:ARG:HD2	1.67	0.58
2:B:150:ASN:HB2	2:B:154:THR:HG22	1.86	0.58
2:B:70:GLN:HE22	2:B:71:ARG:HH21	1.51	0.57
4:G:114:LEU:HB2	4:G:149:LEU:HD21	1.85	0.57
4:G:114:LEU:HD22	4:G:115:THR:N	2.20	0.57
1:D:94:ASN:HD22	1:D:94:ASN:H	1.53	0.57
4:H:110:GLN:O	4:H:149:LEU:HB2	2.05	0.56
2:B:27:LEU:HG	2:B:29:ARG:HD2	1.88	0.56
2:E:134:ASN:ND2	2:E:170:VAL:H	2.04	0.56
1:A:110:ASP:OD2	1:A:146:ARG:HG2	2.06	0.56
1:D:87:PRO:HB3	1:D:112:PHE:HB3	1.86	0.56
1:D:118:ASN:HD22	2:E:0:MET:HG2	1.71	0.55
4:G:58:ARG:HD2	5:G:965:GOL:O2	2.05	0.55
4:H:115:THR:CG2	4:H:116:LEU:H	2.16	0.55
4:G:60:ARG:HH21	5:G:965:GOL:H2	1.70	0.55
3:C:4:LYS:HE2	3:C:5:TYR:O	2.07	0.55
4:G:113:SER:OG	4:G:147:SER:HA	2.07	0.55
2:E:65:LYS:NZ	2:E:65:LYS:HB2	2.22	0.55
2:E:11:LEU:N	2:E:11:LEU:HD22	2.22	0.54
2:E:74:ALA:O	2:E:78:TYR:HB3	2.07	0.54
1:D:143:HIS:HD2	2:E:12:LYS:NZ	2.06	0.54
2:B:113:ASN:HD22	2:B:114:LEU:H	1.54	0.54
4:H:157:TRP:CZ3	4:H:174:ILE:HB	2.43	0.54
2:B:9:TRP:CH2	2:B:30:CYS:HB3	2.42	0.54
1:A:90:THR:HG23	6:A:187:HOH:O	2.07	0.53
4:G:100:LEU:HD21	4:G:116:LEU:HB3	1.89	0.53
2:E:81:HIS:O	2:E:85:VAL:HG23	2.09	0.53
2:E:163:THR:HG23	2:E:165:PRO:HD3	1.91	0.53
2:E:40:PHE:HB2	2:E:47:TYR:CE1	2.44	0.52
4:G:87:GLU:O	4:G:87:GLU:HG3	2.09	0.52
2:B:133:ARG:NH2	2:B:169:GLU:OE1	2.40	0.52
4:G:61:LEU:HB3	4:G:66:ASN:HB2	1.92	0.52
4:G:162:LEU:C	4:G:162:LEU:HD13	2.31	0.52
1:A:88:GLU:HG3	4:G:60:ARG:HG3	1.92	0.51
2:E:130:ARG:NH1	2:E:176:GLU:OE1	2.42	0.51
4:G:83:ILE:HG13	4:G:92:GLU:HG2	1.92	0.51
4:G:147:SER:C	4:G:148:GLN:HG2	2.31	0.51
2:B:152:ASP:OD1	2:B:154:THR:HG22	2.10	0.51
1:A:72:ILE:HD13	3:C:15:THR:HG22	1.91	0.51
1:D:66:ASP:OD1	3:F:10:THR:HG21	2.11	0.51



	A	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:G:21:LYS:HG2	4:G:64:GLN:O	2.11	0.51
4:G:7:LYS:CG	4:G:168:VAL:HG21	2.41	0.51
4:H:114:LEU:N	4:H:146:VAL:O	2.43	0.51
4:H:175:VAL:HG23	4:H:175:VAL:O	2.10	0.50
1:D:11:GLU:HG3	2:E:11:LEU:HB2	1.93	0.50
2:E:70:GLN:NE2	2:E:71:ARG:HD2	2.26	0.50
2:B:11:LEU:HD22	3:C:10:THR:HG23	1.92	0.50
4:G:156:THR:HG23	4:G:156:THR:O	2.11	0.50
2:B:24:VAL:CG1	2:B:75:VAL:HG23	2.42	0.50
4:H:86:VAL:O	4:H:89:GLN:HB3	2.12	0.49
2:E:134:ASN:HD21	2:E:169:GLU:HA	1.78	0.49
4:H:139:GLN:HE21	4:H:140:GLY:H	1.61	0.49
2:E:108:PRO:HG2	2:E:109:LEU:H	1.76	0.49
4:H:60:ARG:HH22	5:H:964:GOL:H12	1.77	0.49
4:G:162:LEU:HD13	4:G:163:GLN:N	2.28	0.49
4:H:161:VAL:HB	4:H:168:VAL:CG1	2.42	0.49
2:E:19:ASN:C	2:E:19:ASN:HD22	2.17	0.48
1:D:118:ASN:ND2	2:E:0:MET:HG2	2.28	0.48
4:G:175:VAL:O	4:G:175:VAL:HG13	2.13	0.48
4:H:83:ILE:HD12	4:H:83:ILE:N	2.29	0.48
1:A:73:MET:HG3	2:B:9:TRP:CZ3	2.49	0.48
1:D:123:ARG:HH21	1:D:123:ARG:HG2	1.79	0.48
2:E:26:LEU:HD13	2:E:79:CYS:SG	2.54	0.48
2:B:40:PHE:HB2	2:B:47:TYR:CE1	2.48	0.47
2:E:133:ARG:NH1	2:E:169:GLU:OE1	2.47	0.47
1:D:12:PHE:CD1	1:D:12:PHE:C	2.87	0.47
1:D:129:THR:O	1:D:132:VAL:HG22	2.14	0.47
1:D:147:LYS:HE3	1:D:149:HIS:CE1	2.32	0.47
2:B:14:GLU:OE1	2:B:29:ARG:NH1	2.46	0.47
4:H:2:LYS:NZ	4:H:3:VAL:H	2.12	0.47
2:B:24:VAL:HB	2:B:75:VAL:CG2	2.44	0.47
2:B:70:GLN:HE22	2:B:71:ARG:HD2	1.79	0.47
1:A:123:ARG:HG3	1:A:161:TYR:CE2	2.50	0.47
4:G:24:ILE:HD11	4:G:86:VAL:HG22	1.97	0.47
1:A:75:LYS:HB2	1:A:75:LYS:HE3	1.66	0.46
2:E:170:VAL:HG22	2:E:189:ARG:HE	1.80	0.46
4:H:16:CYS:HB2	4:H:28:TRP:CZ2	2.50	0.46
1:A:54:PHE:CA	3:C:4:LYS:HE3	2.45	0.46
1:D:143:HIS:HD2	2:E:12:LYS:HZ2	1.62	0.46
2:B:97:PRO:HB3	2:B:122:PHE:HB3	1.97	0.46
1:D:99:LEU:HD13	1:D:180:PHE:CE2	2.51	0.46



	A L C	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:13:PHE:CE2	2:E:28:GLU:HG3	2.51	0.46
2:E:93:ARG:HD3	2:E:123:TYR:CD1	2.51	0.46
4:G:177:LEU:N	4:G:177:LEU:HD22	2.31	0.46
2:B:113:ASN:ND2	2:B:114:LEU:N	2.62	0.45
4:H:143:THR:O	4:H:144:LEU:C	2.54	0.45
4:H:100:LEU:C	4:H:100:LEU:HD23	2.36	0.45
1:A:94:ASN:HB3	1:A:106:ILE:HD11	1.98	0.45
4:H:86:VAL:HG22	4:H:87:GLU:HG3	1.97	0.45
2:B:18:PHE:HB2	2:B:23:ARG:HB3	1.98	0.45
4:G:32:ASN:O	4:G:33:GLN:HB2	2.16	0.45
4:G:54:ARG:HA	4:G:72:LYS:HE2	1.98	0.45
4:H:93:VAL:HG13	4:H:93:VAL:O	2.15	0.45
4:G:38:GLY:O	4:G:44:LEU:HD12	2.17	0.45
4:H:61:LEU:HB3	4:H:66:ASN:HB2	1.99	0.45
4:H:157:TRP:CZ3	4:H:174:ILE:HD12	2.51	0.44
4:G:144:LEU:C	4:G:144:LEU:HD23	2.38	0.44
2:E:81:HIS:CD2	3:F:6:VAL:HG23	2.53	0.44
4:G:107:HIS:ND1	4:G:107:HIS:N	2.65	0.44
1:D:122:LEU:HB2	1:D:162:ASP:HB2	2.00	0.44
1:D:143:HIS:HE1	6:E:195:HOH:O	2.00	0.44
4:H:130:CYS:HA	4:H:159:CYS:HA	1.99	0.44
1:D:62:ASN:OD1	3:F:7:LYS:HE2	2.18	0.44
4:G:148:GLN:HE21	4:G:148:GLN:HB3	1.52	0.44
1:A:176:LYS:HD2	1:A:176:LYS:HA	1.77	0.43
2:E:157:THR:C	2:E:158:LEU:HD12	2.38	0.43
2:E:107:GLN:HE21	2:E:107:GLN:HA	1.82	0.43
4:G:27:HIS:CD2	4:G:29:LYS:HE3	2.53	0.43
4:H:51:LEU:O	4:H:52:ASN:C	2.57	0.43
1:D:88:GLU:HG3	4:H:60:ARG:HG3	2.00	0.43
4:G:24:ILE:HD11	4:G:86:VAL:CG2	2.48	0.43
4:G:58:ARG:NH2	4:G:61:LEU:HD11	2.33	0.43
4:H:103:ASN:O	4:H:104:SER:CB	2.66	0.43
2:B:68:LEU:HD12	2:B:68:LEU:HA	1.85	0.43
4:G:130:CYS:HA	4:G:159:CYS:HA	2.01	0.43
4:H:2:LYS:HZ2	4:H:3:VAL:H	1.66	0.43
1:A:67:LYS:O	1:A:71:GLU:HG2	2.19	0.43
1:A:11:GLU:HG3	2:B:11:LEU:HB3	2.01	0.43
1:D:39:LYS:HD3	1:D:60:LEU:HD21	1.99	0.43
2:E:129:VAL:HB	2:E:159:VAL:HG21	2.01	0.43
4:H:115:THR:CG2	4:H:116:LEU:N	2.76	0.43
4:H:157:TRP:O	4:H:171:LYS:HA	2.18	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:122:LEU:HB2	1:A:162:ASP:HB2	2.00	0.43
2:E:107:GLN:HA	2:E:107:GLN:NE2	2.33	0.42
2:E:128:GLU:HG3	5:E:960:GOL:H12	2.00	0.42
2:E:104:SER:O	2:E:107:GLN:HG2	2.19	0.42
4:H:128:VAL:HG12	4:H:141:GLY:HA2	2.01	0.42
4:H:138:ILE:HG23	4:H:138:ILE:O	2.19	0.42
1:A:8:ILE:HB	1:A:25:ASP:OD2	2.20	0.42
1:A:143:HIS:HD2	2:B:12:LYS:HZ2	1.65	0.42
4:H:58:ARG:HG3	4:H:70:ILE:HD11	2.01	0.42
4:G:51:LEU:O	4:G:52:ASN:C	2.58	0.42
2:E:97:PRO:HB3	2:E:122:PHE:HB3	2.02	0.42
1:D:99:LEU:HA	1:D:99:LEU:HD12	1.69	0.42
4:H:100:LEU:C	4:H:100:LEU:CD2	2.88	0.42
4:H:141:GLY:O	4:H:142:LYS:CB	2.68	0.42
4:G:150:GLU:O	4:G:153:ASP:HB2	2.20	0.42
1:D:9:GLN:HB3	2:E:13:PHE:HB2	2.00	0.42
2:E:110:GLN:C	2:E:112:HIS:H	2.23	0.42
1:A:99:LEU:O	1:A:100:ARG:HG2	2.19	0.42
2:B:55:ARG:N	2:B:56:PRO:CD	2.83	0.41
1:A:8:ILE:O	1:A:24:PHE:HA	2.20	0.41
2:E:177:HIS:CD2	2:E:178:PRO:HD2	2.55	0.41
1:D:77:SER:O	1:D:78:ASN:HB2	2.21	0.41
2:B:129:VAL:HB	2:B:159:VAL:HG21	2.03	0.41
1:D:95:SER:HB2	1:D:96:PRO:HD2	2.02	0.41
4:G:110:GLN:HB2	4:G:177:LEU:O	2.20	0.41
2:B:28:GLU:HB3	2:B:40:PHE:HB3	2.02	0.41
2:B:49:ALA:HB2	2:B:55:ARG:HA	2.02	0.41
2:E:152:ASP:O	2:E:153:TRP:HB2	2.21	0.41
4:G:83:ILE:N	4:G:83:ILE:HD12	2.36	0.41
4:G:111:GLY:O	4:G:148:GLN:HA	2.20	0.41
4:H:32:ASN:O	4:H:33:GLN:HB2	2.21	0.41
4:H:157:TRP:CE3	4:H:174:ILE:HD12	2.56	0.41
1:A:143:HIS:HD2	2:B:12:LYS:NZ	2.19	0.41
4:G:132:SER:HB3	4:G:157:TRP:CH2	2.56	0.41
4:G:93:VAL:O	4:G:93:VAL:HG13	2.20	0.40
4:H:100:LEU:HD23	4:H:101:THR:N	2.36	0.40
4:H:100:LEU:HD21	4:H:116:LEU:HG	2.04	0.40
4:H:134:ARG:HD3	4:H:152:GLN:HB3	2.04	0.40
2:B:152:ASP:O	2:B:153:TRP:HB2	2.21	0.40
2:E:9:TRP:CH2	2:E:30:CYS:HB3	2.56	0.40
4:G:7:LYS:HG2	4:G:168:VAL:HG21	2.03	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:43:TRP:HZ2	1:D:53:SER:HA	1.86	0.40
1:D:46:GLU:OE2	1:D:50:ARG:HD3	2.22	0.40
4:G:16:CYS:HB2	4:G:28:TRP:CZ2	2.57	0.40
4:G:136:LYS:O	4:G:136:LYS:HG3	2.22	0.40
4:H:153:ASP:HB3	4:H:157:TRP:CH2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	176/182~(97%)	172 (98%)	4 (2%)	0	100	100
1	D	177/182~(97%)	170 (96%)	6 (3%)	1 (1%)	25	21
2	В	189/193~(98%)	178 (94%)	9 (5%)	2 (1%)	14	9
2	Е	189/193~(98%)	176 (93%)	12 (6%)	1 (0%)	29	26
3	С	11/13~(85%)	11 (100%)	0	0	100	100
3	F	11/13~(85%)	11 (100%)	0	0	100	100
4	G	171/191~(90%)	158 (92%)	10 (6%)	3 (2%)	8	4
4	Н	173/191~(91%)	151 (87%)	18 (10%)	4 (2%)	6	2
All	All	1097/1158~(95%)	1027 (94%)	59 (5%)	11 (1%)	15	11

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	Н	104	SER
4	G	148	GLN
4	Н	113	SER
4	Н	138	ILE
4	Н	148	GLN



Continued from previous page...

Mol	Chain	Res	Type
2	В	110	GLN
4	G	88	ASP
1	D	4	GLU
4	G	107	HIS
2	В	113	ASN
2	Е	108	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	163/166~(98%)	159~(98%)	4 (2%)	47 52
1	D	163/166~(98%)	158 (97%)	5(3%)	40 43
2	В	165/174~(95%)	159~(96%)	6 (4%)	35 36
2	Е	168/174~(97%)	164 (98%)	4 (2%)	49 53
3	С	12/12~(100%)	10~(83%)	2(17%)	2 1
3	F	12/12~(100%)	9~(75%)	3~(25%)	0
4	G	155/170~(91%)	146~(94%)	9~(6%)	20 17
4	Н	146/170~(86%)	139~(95%)	7 (5%)	25 24
All	All	984/1044 ($94%$)	944 (96%)	40 (4%)	30 31

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	92	LEU
1	А	94	ASN
1	А	100	ARG
1	А	176	LYS
1	D	94	ASN
1	D	99	LEU
1	D	157	THR
1	D	158	GLU
1	D	176	LYS



Mol	Chain	Res	Type
2	В	19	ASN
2	В	29	ARG
2	В	68	LEU
2	В	113	ASN
2	В	154	THR
2	В	158	LEU
2	Е	0	MET
2	Е	19	ASN
2	Е	70	GLN
2	Е	166	ARG
3	С	7	LYS
3	С	10	THR
3	F	7	LYS
3	F	10	THR
3	F	11	LEU
4	G	49	SER
4	G	50	LYS
4	G	100	LEU
4	G	107	HIS
4	G	114	LEU
4	G	148	GLN
4	G	149	LEU
4	G	152	GLN
4	G	167	LYS
4	Н	17	THR
4	Н	49	SER
4	Н	150	GLU
4	Н	152	GLN
4	Н	157	TRP
4	Н	167	LYS
4	Н	177	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	57	GLN
1	А	94	ASN
1	А	143	HIS
1	А	149	HIS
1	D	15	ASN
1	D	94	ASN
1	D	118	ASN



Mol	Chain	Res	Type
1	D	143	HIS
1	D	149	HIS
2	В	19	ASN
2	В	70	GLN
2	В	82	ASN
2	В	113	ASN
2	В	134	ASN
2	В	136	GLN
2	В	150	ASN
2	В	156	GLN
2	Е	19	ASN
2	Е	62	ASN
2	Е	64	GLN
2	Е	70	GLN
2	Е	82	ASN
2	Е	92	GLN
2	Е	107	GLN
2	Е	134	ASN
4	G	33	GLN
4	G	103	ASN
4	G	112	GLN
4	G	139	GLN
4	G	148	GLN
4	Н	89	GLN
4	Н	110	GLN
4	Н	139	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dec	Tink	B	Bond lengths		E	Bond ang	gles
INIOI	туре	pe Chain r	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
5	GOL	В	969	-	$5,\!5,\!5$	0.29	0	$5,\!5,\!5$	0.25	0
5	GOL	В	966	-	$5,\!5,\!5$	0.37	0	$5,\!5,\!5$	0.41	0
5	GOL	E	962	-	$5,\!5,\!5$	0.16	0	$5,\!5,\!5$	0.28	0
5	GOL	А	968	-	$5,\!5,\!5$	0.29	0	$5,\!5,\!5$	0.36	0
5	GOL	E	960	-	$5,\!5,\!5$	0.24	0	$5,\!5,\!5$	0.35	0
5	GOL	G	965	-	$5,\!5,\!5$	0.17	0	$5,\!5,\!5$	0.30	0
5	GOL	E	963	-	$5,\!5,\!5$	0.36	0	$5,\!5,\!5$	0.29	0
5	GOL	D	961	-	$5,\!5,\!5$	0.24	0	$5,\!5,\!5$	0.31	0
5	GOL	H	964	-	5,5,5	0.23	0	$5,\!5,\!5$	0.27	0
5	GOL	G	967	-	$5,\!5,\!5$	0.27	0	$5,\!5,\!5$	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	В	969	-	-	0/4/4/4	-
5	GOL	В	966	-	-	0/4/4/4	-
5	GOL	Е	962	-	-	0/4/4/4	-
5	GOL	А	968	-	-	0/4/4/4	-
5	GOL	Е	960	-	-	0/4/4/4	-
5	GOL	G	965	-	-	0/4/4/4	-
5	GOL	Е	963	-	-	0/4/4/4	-
5	GOL	D	961	-	-	0/4/4/4	-
5	GOL	Н	964	-	-	0/4/4/4	-
5	GOL	G	967	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	Е	960	GOL	1	0
5	G	965	GOL	3	0
5	Н	964	GOL	3	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	178/182~(97%)	0.07	1 (0%) 89 91	15, 25, 44, 61	0
1	D	179/182~(98%)	0.13	4 (2%) 62 66	16, 30, 57, 68	0
2	В	191/193~(98%)	0.02	9 (4%) 31 37	16, 29, 51, 95	0
2	E	191/193~(98%)	0.44	14 (7%) 15 19	19, 36, 63, 94	0
3	С	13/13~(100%)	0.07	0 100 100	26, 32, 39, 44	0
3	F	13/13~(100%)	0.47	1 (7%) 13 17	35, 43, 57, 58	0
4	G	175/191~(91%)	0.51	16 (9%) 9 12	25, 49, 74, 81	0
4	Н	177/191~(92%)	0.60	30 (16%) 1 2	23, 45, 77, 85	0
All	All	1117/1158~(96%)	0.29	75 (6%) 17 22	15, 34, 72, 95	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Е	111	HIS	10.8
2	Е	110	GLN	8.4
2	Е	107	GLN	8.0
2	Е	108	PRO	7.8
2	В	112	HIS	5.0
4	Н	115	THR	5.0
4	Н	138	ILE	4.9
2	Е	109	LEU	4.8
2	В	109	LEU	4.4
4	Н	174	ILE	4.4
2	В	107	GLN	4.4
4	Н	130	CYS	4.1
4	Н	144	LEU	3.9
1	D	180	PHE	3.9
1	A	100	ARG	3.8
4	Н	114	LEU	3.8



Mol	Chain	Res	Type	RSRZ
4	Н	132	SER	3.5
2	В	105	LYS	3.4
4	G	146	VAL	3.4
2	В	108	PRO	3.4
2	В	110	GLN	3.4
4	Н	157	TRP	3.2
2	Е	112	HIS	3.2
4	G	88	ASP	3.2
4	G	131	ARG	3.1
4	Н	145	SER	3.1
4	G	110	GLN	3.0
4	G	177	LEU	2.9
2	Е	166	ARG	2.9
4	Н	137	ASN	2.9
4	G	156	THR	2.9
4	Н	147	SER	2.8
4	Н	158	THR	2.8
4	G	175	VAL	2.8
4	Н	131	ARG	2.8
4	Н	112	GLN	2.8
2	В	111	HIS	2.7
2	Е	164	VAL	2.7
1	D	100	ARG	2.7
1	D	51	PHE	2.7
4	G	148	GLN	2.7
4	Н	113	SER	2.7
2	Е	167	SER	2.7
4	Н	165	GLN	2.6
4	Н	19	SER	2.6
4	Н	149	LEU	2.5
4	G	174	ILE	2.5
4	H	103	ASN	2.5
4	G	103	ASN	2.4
4	H	134	ARG	2.4
3	F	15	THR	2.4
4	H	20	GLN	2.4
2	E	66	ASP	2.4
4	G	21	LYS	2.3
2	E	106	THR	2.3
4	Н	88	ASP	2.3
4	H	116	LEU	2.3
4	G	168	VAL	2.3



Mol	Chain	Res	Type	RSRZ
2	Е	65	LYS	2.2
4	G	165	GLN	2.2
4	G	114	LEU	2.2
4	Н	172	ILE	2.1
2	Е	40	PHE	2.1
4	G	154	SER	2.1
2	В	106	THR	2.1
1	D	158	GLU	2.1
2	Е	190	ALA	2.1
4	Н	152	GLN	2.1
4	Н	159	CYS	2.1
4	Н	102	ALA	2.0
2	В	11	LEU	2.0
4	Н	175	VAL	2.0
4	Н	104	SER	2.0
4	G	130	CYS	2.0
4	Н	153	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
5	GOL	В	969	6/6	0.77	0.22	63,64,64,64	0
5	GOL	G	965	6/6	0.81	0.23	54,54,56,56	0
5	GOL	Е	960	6/6	0.83	0.18	61,62,62,63	0
5	GOL	В	966	6/6	0.85	0.20	34,37,41,46	0
5	GOL	Е	963	6/6	0.86	0.19	37,41,43,44	0
5	GOL	Н	964	6/6	0.86	0.23	55,55,56,60	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
5	GOL	А	968	6/6	0.87	0.15	$34,\!41,\!44,\!48$	0
5	GOL	D	961	6/6	0.87	0.19	$51,\!56,\!57,\!59$	0
5	GOL	G	967	6/6	0.91	0.23	55, 56, 58, 58	0
5	GOL	Е	962	6/6	0.91	0.19	$50,\!51,\!51,\!52$	0

Continued from previous page...

6.5 Other polymers (i)

There are no such residues in this entry.

