



Full wwPDB EM Validation Report ⓘ

Dec 11, 2022 – 02:27 pm GMT

PDB ID : 6SKL
EMDB ID : EMD-10227
Title : Cryo-EM structure of the CMG Fork Protection Complex at a replication fork
- Conformation 1
Authors : Yeeles, J.; Baretic, D.; Jenkyn-Bedford, M.
Deposited on : 2019-08-16
Resolution : 3.70 Å (reported)
Based on initial models : 5MQI, 4C8H, 5U8S

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore | 158937 | 4297 |
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | 2 | 868 | |
| 2 | 3 | 971 | |
| 3 | 4 | 933 | |
| 4 | 5 | 775 | |
| 5 | 6 | 1017 | |
| 6 | 7 | 845 | |
| 7 | A | 208 | |
| 8 | B | 213 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 9 | C | 217 | |
| 10 | D | 294 | |
| 11 | E | 650 | |
| 12 | F | 927 | |
| 12 | G | 927 | |
| 12 | H | 927 | |
| 13 | I | 85 | |
| 14 | J | 61 | |
| 15 | X | 1238 | |
| 16 | Y | 317 | |

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 118220 atoms, of which 59036 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA replication licensing factor MCM2.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 1 | 2 | 669 | 10572 | 3310 | 5301 | 948 | 995 | 18 | 0 | 0 |

- Molecule 2 is a protein called DNA replication licensing factor MCM3.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 2 | 3 | 616 | 9707 | 3041 | 4886 | 862 | 905 | 13 | 0 | 0 |

- Molecule 3 is a protein called DNA replication licensing factor MCM4.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|------|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 3 | 4 | 679 | 10882 | 3389 | 5484 | 939 | 1039 | 31 | 0 | 0 |

- Molecule 4 is a protein called Minichromosome maintenance protein 5.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 4 | 5 | 611 | 9676 | 3018 | 4874 | 826 | 934 | 24 | 0 | 0 |

- Molecule 5 is a protein called DNA replication licensing factor MCM6.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 5 | 6 | 637 | 10044 | 3162 | 5031 | 881 | 945 | 25 | 0 | 0 |

- Molecule 6 is a protein called DNA replication licensing factor MCM7.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 6 | 7 | 635 | 9980 | 3142 | 5018 | 861 | 933 | 26 | 0 | 0 |

- Molecule 7 is a protein called DNA replication complex GINS protein PSF1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 7 | A | 197 | 3227 | 1012 | 1616 | 277 | 313 | 9 | 0 | 0 |

- Molecule 8 is a protein called DNA replication complex GINS protein PSF2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 8 | B | 193 | 3292 | 1039 | 1675 | 286 | 287 | 5 | 0 | 0 |

- Molecule 9 is a protein called DNA replication complex GINS protein PSF3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 9 | C | 177 | 2858 | 924 | 1436 | 230 | 260 | 8 | 0 | 0 |

There are 23 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------------------|------------|
| C | -22 | MET | - | initiating methionine | UNP Q12146 |
| C | -21 | GLY | - | expression tag | UNP Q12146 |
| C | -20 | SER | - | expression tag | UNP Q12146 |
| C | -19 | SER | - | expression tag | UNP Q12146 |
| C | -18 | HIS | - | expression tag | UNP Q12146 |
| C | -17 | HIS | - | expression tag | UNP Q12146 |
| C | -16 | HIS | - | expression tag | UNP Q12146 |
| C | -15 | HIS | - | expression tag | UNP Q12146 |
| C | -14 | HIS | - | expression tag | UNP Q12146 |
| C | -13 | HIS | - | expression tag | UNP Q12146 |
| C | -12 | SER | - | expression tag | UNP Q12146 |
| C | -11 | SER | - | expression tag | UNP Q12146 |
| C | -10 | GLY | - | expression tag | UNP Q12146 |
| C | -9 | LEU | - | expression tag | UNP Q12146 |
| C | -8 | VAL | - | expression tag | UNP Q12146 |
| C | -7 | PRO | - | expression tag | UNP Q12146 |
| C | -6 | ARG | - | expression tag | UNP Q12146 |
| C | -5 | GLY | - | expression tag | UNP Q12146 |
| C | -4 | SER | - | expression tag | UNP Q12146 |
| C | -3 | HIS | - | expression tag | UNP Q12146 |
| C | -2 | MET | - | expression tag | UNP Q12146 |
| C | -1 | ALA | - | expression tag | UNP Q12146 |
| C | 0 | SER | - | expression tag | UNP Q12146 |

- Molecule 10 is a protein called DNA replication complex GINS protein SLD5.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 10 | D | 243 | 4008 | 1276 | 2004 | 327 | 389 | 12 | 0 | 0 |

- Molecule 11 is a protein called Cell division control protein 45.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 11 | E | 564 | 9129 | 2916 | 4560 | 772 | 867 | 14 | 0 | 0 |

- Molecule 12 is a protein called DNA polymerase alpha-binding protein.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 12 | F | 424 | 6759 | 2188 | 3355 | 564 | 637 | 15 | 0 | 0 |
| 12 | G | 422 | 6693 | 2172 | 3313 | 557 | 636 | 15 | 0 | 0 |
| 12 | H | 425 | 6769 | 2193 | 3358 | 565 | 638 | 15 | 0 | 0 |

- Molecule 13 is a DNA chain called DNA fork, leading-strand template.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | P | | |
| 13 | I | 37 | 1192 | 370 | 430 | 116 | 239 | 37 | 0 | 0 |

- Molecule 14 is a DNA chain called DNA fork, lagging-strand template.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|-----|----|---------|-------|
| | | | Total | C | H | N | O | P | | |
| 14 | J | 22 | 686 | 211 | 248 | 74 | 131 | 22 | 0 | 0 |

- Molecule 15 is a protein called Topoisomerase 1-associated factor 1.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 15 | X | 665 | 10990 | 3505 | 5580 | 912 | 974 | 19 | 0 | 0 |


- Molecule 16 is a protein called Chromosome segregation in meiosis protein 3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 16 | Y | 94 | 1616 | 507 | 828 | 144 | 133 | 4 | 0 | 0 |

- Molecule 17 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 17 | 2 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 17 | 4 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 17 | 5 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 17 | 6 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 17 | 7 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |

- Molecule 18 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃) (labeled as "Ligand of Interest" by depositor).




- Molecule 19 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).



| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|------------|---------|---------|
| 19 | 2 | 1 | Total 1 | Mg 1 | 0 |
| 19 | 3 | 1 | Total 1 | Mg 1 | 0 |
| 19 | 5 | 1 | Total 1 | Mg 1 | 0 |

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA replication licensing factor MCM2









• Molecule 8: DNA replication complex GINS protein PSF2





• Molecule 9: DNA replication complex GINS protein PSF3




• Molecule 10: DNA replication complex GINS protein SLD5





• Molecule 11: Cell division control protein 45







• Molecule 12: DNA polymerase alpha-binding protein






• Molecule 12: DNA polymerase alpha-binding protein





● Molecule 16: Chromosome segregation in meiosis protein 3



ILE
VAL
ALA
LEU
ASP
SER
PHE
ALA
GLN
ASP
LYS
ARG
ASN
VAL
ASN
ASN
VAL
ASP
ASP
TYR
TYR
SER
SER
TYR
ARG
ASN
ARG
ARG
GLY
ARG
VAL
ARG
GLY
ASN
ASN
THR
THR
VAL
LEU
LEU
ASN
ASN
VAL
VAL
PRO
PRO
LYS
GLU
ASP

ALA
LEU
LYS
THR
PHE
ARG
VAL
GLN
GLY
PRO
VAL
GLY
LEU
GLU
GLN
VAL
ASN
ASP
GLU
GLY
LYS
LYS
LEU
LEU
LEU
GLY
TRP
LEU
ASP
ALA
HIS
ARG
SER
LYS
MET
GLU
LYS
SER
GLY
MET
THR
GLU
ASP
VAL
GLN
LEU
ILE
GLN
SER
LEU
GLU
GLU
TRP
GLU
MET
ASN
PRO
ASP
ILE
LYS
GLU
GLY
GLN
HIS

THR
HIS
TYR
ASP
LEU
LEU
PRO
GLY
ASP
GLU
PHE
GLY
VAL
ASP
GLN
GLN
ASP
GLU
LEU
ASP
ALA
MET
LYS
GLU
MET
GLY
PHE

4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 35000 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 37 | Depositor |
| Minimum defocus (nm) | 500 | Depositor |
| Maximum defocus (nm) | 3000 | Depositor |
| Magnification | 130000 | Depositor |
| Image detector | GATAN K2 QUANTUM (4k x 4k) | Depositor |
| Maximum map value | 0.068 | Depositor |
| Minimum map value | -0.033 | Depositor |
| Average map value | 0.000 | Depositor |
| Map value standard deviation | 0.003 | Depositor |
| Recommended contour level | 0.018 | Depositor |
| Map size (Å) | 377.64, 377.64, 377.64 | wwPDB |
| Map dimensions | 360, 360, 360 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 1.049, 1.049, 1.049 | Depositor |

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|----------------|-------------|------------------|
| | | RMSZ | # $ Z > 5$ | RMSZ | # $ Z > 5$ |
| 1 | 2 | 0.69 | 0/5361 | 1.13 | 43/7244 (0.6%) |
| 2 | 3 | 0.65 | 0/4907 | 1.07 | 36/6655 (0.5%) |
| 3 | 4 | 0.65 | 0/5468 | 1.08 | 32/7376 (0.4%) |
| 4 | 5 | 0.64 | 0/4869 | 1.08 | 30/6581 (0.5%) |
| 5 | 6 | 0.67 | 0/5095 | 1.10 | 33/6875 (0.5%) |
| 6 | 7 | 0.65 | 0/5037 | 1.04 | 27/6814 (0.4%) |
| 7 | A | 0.67 | 0/1631 | 1.10 | 9/2194 (0.4%) |
| 8 | B | 0.69 | 0/1650 | 1.09 | 10/2231 (0.4%) |
| 9 | C | 0.63 | 0/1456 | 0.99 | 2/1966 (0.1%) |
| 10 | D | 0.67 | 0/2040 | 1.03 | 8/2755 (0.3%) |
| 11 | E | 0.68 | 1/4653 (0.0%) | 1.08 | 21/6297 (0.3%) |
| 12 | F | 0.70 | 0/3489 | 1.04 | 13/4724 (0.3%) |
| 12 | G | 0.68 | 0/3465 | 1.06 | 10/4696 (0.2%) |
| 12 | H | 0.68 | 0/3496 | 1.05 | 16/4735 (0.3%) |
| 13 | I | 1.59 | 2/849 (0.2%) | 2.52 | 81/1312 (6.2%) |
| 14 | J | 1.66 | 0/488 | 2.51 | 50/747 (6.7%) |
| 15 | X | 0.64 | 0/5512 | 1.05 | 24/7426 (0.3%) |
| 16 | Y | 0.68 | 0/804 | 1.06 | 7/1074 (0.7%) |
| All | All | 0.70 | 3/60270 (0.0%) | 1.13 | 452/81702 (0.6%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | 2 | 0 | 3 |
| 2 | 3 | 0 | 3 |
| 3 | 4 | 0 | 1 |
| 4 | 5 | 0 | 3 |
| 5 | 6 | 0 | 3 |

Continued on next page...

Continued from previous page...

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 7 | A | 0 | 1 |
| 8 | B | 0 | 3 |
| 11 | E | 0 | 6 |
| 12 | F | 0 | 3 |
| 13 | I | 0 | 8 |
| 14 | J | 0 | 5 |
| 15 | X | 0 | 5 |
| 16 | Y | 0 | 1 |
| All | All | 0 | 45 |

All (3) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 11 | E | 461 | ASN | N-CA | -5.74 | 1.34 | 1.46 |
| 13 | I | 43 | DG | C2-N2 | -5.23 | 1.29 | 1.34 |
| 13 | I | 39 | DG | C2-N2 | -5.08 | 1.29 | 1.34 |

All (452) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|--------|-------------|----------|
| 13 | I | 50 | DT | O4'-C1'-N1 | 12.73 | 116.91 | 108.00 |
| 7 | A | 20 | TYR | CB-CG-CD1 | -12.13 | 113.72 | 121.00 |
| 12 | G | 653 | ARG | NE-CZ-NH1 | 10.69 | 125.64 | 120.30 |
| 5 | 6 | 176 | ARG | NE-CZ-NH2 | 10.41 | 125.51 | 120.30 |
| 8 | B | 152 | ARG | NE-CZ-NH1 | 10.15 | 125.37 | 120.30 |
| 4 | 5 | 149 | ARG | NE-CZ-NH1 | 9.73 | 125.16 | 120.30 |
| 13 | I | 40 | DA | N1-C6-N6 | -9.71 | 112.78 | 118.60 |
| 14 | J | 20 | DA | N1-C6-N6 | -9.42 | 112.95 | 118.60 |
| 1 | 2 | 459 | ARG | NE-CZ-NH2 | 9.24 | 124.92 | 120.30 |
| 6 | 7 | 303 | ARG | NE-CZ-NH1 | 9.15 | 124.88 | 120.30 |
| 13 | I | 50 | DT | N3-C2-O2 | -9.07 | 116.86 | 122.30 |
| 15 | X | 356 | ARG | NE-CZ-NH1 | 9.04 | 124.82 | 120.30 |
| 5 | 6 | 360 | ARG | NE-CZ-NH2 | 8.99 | 124.79 | 120.30 |
| 4 | 5 | 613 | ARG | NE-CZ-NH1 | 8.96 | 124.78 | 120.30 |
| 4 | 5 | 682 | ARG | NE-CZ-NH1 | 8.85 | 124.72 | 120.30 |
| 6 | 7 | 668 | ARG | NE-CZ-NH1 | 8.68 | 124.64 | 120.30 |
| 4 | 5 | 601 | ARG | NE-CZ-NH1 | 8.64 | 124.62 | 120.30 |
| 14 | J | 27 | DA | C5-C6-N1 | 8.53 | 121.97 | 117.70 |
| 2 | 3 | 483 | ARG | NE-CZ-NH2 | 8.53 | 124.56 | 120.30 |
| 1 | 2 | 581 | ARG | NE-CZ-NH2 | 8.52 | 124.56 | 120.30 |
| 14 | J | 16 | DA | C5-C6-N1 | 8.52 | 121.96 | 117.70 |
| 3 | 4 | 559 | ARG | NE-CZ-NH2 | 8.50 | 124.55 | 120.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 9 | C | 189 | ARG | NE-CZ-NH1 | 8.40 | 124.50 | 120.30 |
| 13 | I | 30 | DA | N1-C6-N6 | -8.38 | 113.57 | 118.60 |
| 4 | 5 | 643 | ARG | NE-CZ-NH1 | 8.34 | 124.47 | 120.30 |
| 1 | 2 | 808 | ARG | NE-CZ-NH2 | 8.34 | 124.47 | 120.30 |
| 14 | J | 35 | DA | C5-C6-N1 | 8.29 | 121.84 | 117.70 |
| 14 | J | 15 | DC | N3-C2-O2 | -8.28 | 116.11 | 121.90 |
| 12 | H | 522 | ARG | NE-CZ-NH1 | 8.26 | 124.43 | 120.30 |
| 1 | 2 | 404 | ARG | NE-CZ-NH1 | 8.24 | 124.42 | 120.30 |
| 12 | H | 868 | ARG | NE-CZ-NH1 | 8.11 | 124.36 | 120.30 |
| 3 | 4 | 440 | ARG | NE-CZ-NH1 | 8.08 | 124.34 | 120.30 |
| 5 | 6 | 275 | ARG | NE-CZ-NH2 | 8.06 | 124.33 | 120.30 |
| 15 | X | 489 | ARG | NE-CZ-NH1 | 8.02 | 124.31 | 120.30 |
| 6 | 7 | 560 | ARG | NE-CZ-NH1 | 7.97 | 124.29 | 120.30 |
| 13 | I | 61 | DT | O4'-C1'-N1 | 7.96 | 113.57 | 108.00 |
| 4 | 5 | 161 | ARG | NE-CZ-NH1 | 7.94 | 124.27 | 120.30 |
| 3 | 4 | 373 | ARG | NE-CZ-NH2 | 7.92 | 124.26 | 120.30 |
| 12 | G | 598 | ARG | NE-CZ-NH1 | 7.92 | 124.26 | 120.30 |
| 14 | J | 19 | DC | N3-C2-O2 | -7.86 | 116.40 | 121.90 |
| 13 | I | 57 | DT | O4'-C1'-N1 | 7.80 | 113.46 | 108.00 |
| 3 | 4 | 796 | ARG | NE-CZ-NH1 | 7.80 | 124.20 | 120.30 |
| 14 | J | 28 | DA | N1-C6-N6 | -7.79 | 113.92 | 118.60 |
| 4 | 5 | 607 | ARG | NE-CZ-NH1 | 7.78 | 124.19 | 120.30 |
| 14 | J | 23 | DC | N3-C2-O2 | -7.74 | 116.48 | 121.90 |
| 2 | 3 | 570 | ARG | NE-CZ-NH1 | 7.73 | 124.16 | 120.30 |
| 3 | 4 | 206 | ARG | NE-CZ-NH1 | 7.72 | 124.16 | 120.30 |
| 13 | I | 52 | DT | C6-C5-C7 | -7.72 | 118.27 | 122.90 |
| 11 | E | 634 | ARG | NE-CZ-NH2 | 7.69 | 124.14 | 120.30 |
| 13 | I | 38 | DA | N1-C6-N6 | -7.67 | 114.00 | 118.60 |
| 2 | 3 | 542 | ARG | NE-CZ-NH1 | 7.67 | 124.13 | 120.30 |
| 3 | 4 | 924 | ARG | NE-CZ-NH1 | 7.65 | 124.13 | 120.30 |
| 10 | D | 287 | ARG | NE-CZ-NH1 | 7.64 | 124.12 | 120.30 |
| 12 | F | 653 | ARG | NE-CZ-NH1 | 7.64 | 124.12 | 120.30 |
| 13 | I | 28 | DA | C5-C6-N1 | 7.63 | 121.52 | 117.70 |
| 13 | I | 33 | DA | C5-C6-N1 | 7.62 | 121.51 | 117.70 |
| 14 | J | 18 | DA | C5-C6-N1 | 7.61 | 121.50 | 117.70 |
| 13 | I | 32 | DA | C5-C6-N1 | 7.61 | 121.50 | 117.70 |
| 5 | 6 | 301 | ARG | NE-CZ-NH1 | 7.59 | 124.10 | 120.30 |
| 14 | J | 18 | DA | N1-C6-N6 | -7.59 | 114.04 | 118.60 |
| 5 | 6 | 752 | ARG | NE-CZ-NH1 | 7.58 | 124.09 | 120.30 |
| 3 | 4 | 909 | ARG | NE-CZ-NH1 | 7.57 | 124.09 | 120.30 |
| 14 | J | 28 | DA | C5-C6-N1 | 7.56 | 121.48 | 117.70 |
| 4 | 5 | 407 | ARG | NE-CZ-NH2 | 7.55 | 124.07 | 120.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 14 | J | 35 | DA | N1-C6-N6 | -7.54 | 114.07 | 118.60 |
| 3 | 4 | 315 | ARG | NE-CZ-NH1 | 7.53 | 124.07 | 120.30 |
| 2 | 3 | 583 | ARG | NE-CZ-NH1 | 7.53 | 124.06 | 120.30 |
| 13 | I | 29 | DG | O4'-C1'-N9 | 7.53 | 113.27 | 108.00 |
| 3 | 4 | 178 | ARG | NE-CZ-NH2 | 7.52 | 124.06 | 120.30 |
| 3 | 4 | 362 | ARG | NE-CZ-NH1 | 7.48 | 124.04 | 120.30 |
| 11 | E | 547 | ARG | NE-CZ-NH2 | 7.47 | 124.04 | 120.30 |
| 13 | I | 39 | DG | O4'-C1'-N9 | 7.47 | 113.23 | 108.00 |
| 5 | 6 | 531 | ARG | NE-CZ-NH2 | 7.45 | 124.02 | 120.30 |
| 14 | J | 31 | DC | N3-C2-O2 | -7.45 | 116.69 | 121.90 |
| 6 | 7 | 573 | ARG | NE-CZ-NH2 | 7.44 | 124.02 | 120.30 |
| 13 | I | 28 | DA | O4'-C1'-N9 | 7.44 | 113.21 | 108.00 |
| 1 | 2 | 694 | ARG | NE-CZ-NH1 | 7.42 | 124.01 | 120.30 |
| 12 | G | 475 | ARG | NE-CZ-NH1 | 7.40 | 124.00 | 120.30 |
| 14 | J | 21 | DC | N3-C2-O2 | -7.38 | 116.74 | 121.90 |
| 12 | H | 624 | ARG | NE-CZ-NH1 | 7.37 | 123.99 | 120.30 |
| 15 | X | 197 | ARG | NE-CZ-NH2 | 7.37 | 123.98 | 120.30 |
| 5 | 6 | 190 | ARG | NE-CZ-NH2 | 7.34 | 123.97 | 120.30 |
| 14 | J | 20 | DA | C5-C6-N1 | 7.32 | 121.36 | 117.70 |
| 14 | J | 36 | DA | N1-C6-N6 | -7.32 | 114.21 | 118.60 |
| 7 | A | 20 | TYR | CB-CG-CD2 | 7.31 | 125.38 | 121.00 |
| 13 | I | 40 | DA | C5-C6-N1 | 7.29 | 121.35 | 117.70 |
| 4 | 5 | 549 | ARG | NE-CZ-NH1 | 7.25 | 123.92 | 120.30 |
| 2 | 3 | 272 | ARG | NE-CZ-NH1 | 7.24 | 123.92 | 120.30 |
| 6 | 7 | 666 | ARG | NE-CZ-NH2 | 7.19 | 123.89 | 120.30 |
| 2 | 3 | 456 | ARG | NE-CZ-NH1 | 7.19 | 123.89 | 120.30 |
| 12 | F | 904 | ARG | NE-CZ-NH1 | 7.18 | 123.89 | 120.30 |
| 15 | X | 752 | ARG | NE-CZ-NH1 | 7.15 | 123.88 | 120.30 |
| 13 | I | 30 | DA | C5-C6-N1 | 7.14 | 121.27 | 117.70 |
| 8 | B | 111 | ARG | NE-CZ-NH1 | 7.13 | 123.87 | 120.30 |
| 6 | 7 | 606 | ARG | NE-CZ-NH1 | 7.10 | 123.85 | 120.30 |
| 6 | 7 | 673 | ARG | NE-CZ-NH2 | 7.09 | 123.85 | 120.30 |
| 13 | I | 38 | DA | C5-C6-N1 | 7.08 | 121.24 | 117.70 |
| 12 | G | 777 | ARG | NE-CZ-NH1 | 7.06 | 123.83 | 120.30 |
| 5 | 6 | 696 | ARG | NE-CZ-NH2 | 7.06 | 123.83 | 120.30 |
| 6 | 7 | 451 | ARG | NE-CZ-NH2 | 7.02 | 123.81 | 120.30 |
| 13 | I | 42 | DT | C6-C5-C7 | -7.02 | 118.69 | 122.90 |
| 7 | A | 192 | ARG | NE-CZ-NH1 | 7.01 | 123.81 | 120.30 |
| 13 | I | 28 | DA | N1-C6-N6 | -6.99 | 114.41 | 118.60 |
| 2 | 3 | 666 | ARG | NE-CZ-NH1 | 6.99 | 123.79 | 120.30 |
| 4 | 5 | 184 | ARG | NE-CZ-NH1 | 6.99 | 123.79 | 120.30 |
| 14 | J | 35 | DA | C4-C5-C6 | -6.98 | 113.51 | 117.00 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 15 | X | 545 | ARG | NE-CZ-NH1 | 6.97 | 123.79 | 120.30 |
| 12 | H | 777 | ARG | NE-CZ-NH1 | 6.96 | 123.78 | 120.30 |
| 3 | 4 | 234 | ARG | NE-CZ-NH2 | 6.96 | 123.78 | 120.30 |
| 4 | 5 | 529 | ARG | NE-CZ-NH1 | 6.96 | 123.78 | 120.30 |
| 16 | Y | 77 | ARG | NE-CZ-NH1 | 6.95 | 123.78 | 120.30 |
| 3 | 4 | 334 | ARG | NE-CZ-NH1 | 6.95 | 123.77 | 120.30 |
| 4 | 5 | 460 | ARG | NE-CZ-NH2 | 6.94 | 123.77 | 120.30 |
| 12 | H | 649 | ARG | NE-CZ-NH2 | 6.94 | 123.77 | 120.30 |
| 16 | Y | 129 | ARG | NE-CZ-NH1 | 6.94 | 123.77 | 120.30 |
| 13 | I | 48 | DT | N3-C2-O2 | -6.94 | 118.14 | 122.30 |
| 10 | D | 147 | ARG | NE-CZ-NH1 | 6.93 | 123.76 | 120.30 |
| 14 | J | 36 | DA | C5-C6-N1 | 6.92 | 121.16 | 117.70 |
| 4 | 5 | 47 | ARG | NE-CZ-NH1 | 6.92 | 123.76 | 120.30 |
| 14 | J | 33 | DC | N3-C2-O2 | -6.91 | 117.06 | 121.90 |
| 13 | I | 53 | DT | N3-C2-O2 | -6.90 | 118.16 | 122.30 |
| 12 | H | 598 | ARG | NE-CZ-NH1 | 6.88 | 123.74 | 120.30 |
| 14 | J | 18 | DA | C4-C5-C6 | -6.86 | 113.57 | 117.00 |
| 2 | 3 | 169 | ARG | NE-CZ-NH1 | 6.84 | 123.72 | 120.30 |
| 14 | J | 22 | DT | C6-C5-C7 | -6.84 | 118.79 | 122.90 |
| 16 | Y | 49 | ARG | NE-CZ-NH1 | 6.84 | 123.72 | 120.30 |
| 2 | 3 | 27 | ARG | NE-CZ-NH1 | 6.84 | 123.72 | 120.30 |
| 5 | 6 | 277 | ARG | NE-CZ-NH2 | 6.83 | 123.72 | 120.30 |
| 5 | 6 | 280 | ARG | NE-CZ-NH2 | 6.83 | 123.71 | 120.30 |
| 1 | 2 | 705 | ARG | NE-CZ-NH2 | 6.82 | 123.71 | 120.30 |
| 6 | 7 | 694 | ARG | NE-CZ-NH2 | 6.79 | 123.70 | 120.30 |
| 11 | E | 365 | ARG | NE-CZ-NH1 | 6.78 | 123.69 | 120.30 |
| 16 | Y | 126 | ARG | NE-CZ-NH1 | 6.77 | 123.69 | 120.30 |
| 1 | 2 | 795 | ARG | NE-CZ-NH1 | 6.76 | 123.68 | 120.30 |
| 1 | 2 | 307 | ARG | NE-CZ-NH1 | 6.76 | 123.68 | 120.30 |
| 15 | X | 181 | ARG | NE-CZ-NH1 | 6.75 | 123.67 | 120.30 |
| 16 | Y | 46 | ARG | NE-CZ-NH2 | 6.74 | 123.67 | 120.30 |
| 1 | 2 | 562 | ARG | NE-CZ-NH1 | 6.73 | 123.66 | 120.30 |
| 7 | A | 38 | ARG | NE-CZ-NH1 | 6.73 | 123.66 | 120.30 |
| 11 | E | 470 | ARG | NE-CZ-NH1 | 6.73 | 123.66 | 120.30 |
| 5 | 6 | 352 | ARG | NE-CZ-NH1 | 6.72 | 123.66 | 120.30 |
| 13 | I | 32 | DA | C4-C5-C6 | -6.72 | 113.64 | 117.00 |
| 14 | J | 16 | DA | C4-C5-C6 | -6.72 | 113.64 | 117.00 |
| 6 | 7 | 721 | ARG | NE-CZ-NH1 | 6.71 | 123.66 | 120.30 |
| 15 | X | 194 | ARG | NE-CZ-NH1 | 6.71 | 123.66 | 120.30 |
| 1 | 2 | 383 | ARG | NE-CZ-NH1 | 6.71 | 123.65 | 120.30 |
| 5 | 6 | 161 | ARG | NE-CZ-NH1 | 6.70 | 123.65 | 120.30 |
| 4 | 5 | 209 | ARG | NE-CZ-NH1 | 6.67 | 123.64 | 120.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 5 | 6 | 832 | ARG | NE-CZ-NH1 | 6.65 | 123.62 | 120.30 |
| 13 | I | 58 | DT | N3-C2-O2 | -6.64 | 118.31 | 122.30 |
| 2 | 3 | 208 | ARG | NE-CZ-NH2 | 6.63 | 123.62 | 120.30 |
| 12 | G | 711 | ARG | NE-CZ-NH1 | 6.61 | 123.61 | 120.30 |
| 2 | 3 | 557 | ARG | NE-CZ-NH1 | 6.61 | 123.61 | 120.30 |
| 5 | 6 | 446 | ARG | NE-CZ-NH2 | 6.61 | 123.61 | 120.30 |
| 3 | 4 | 642 | ARG | NE-CZ-NH1 | 6.60 | 123.60 | 120.30 |
| 7 | A | 198 | ARG | NE-CZ-NH1 | 6.59 | 123.60 | 120.30 |
| 3 | 4 | 428 | ARG | NE-CZ-NH1 | 6.58 | 123.59 | 120.30 |
| 13 | I | 33 | DA | N1-C6-N6 | -6.58 | 114.65 | 118.60 |
| 13 | I | 61 | DT | N3-C2-O2 | -6.57 | 118.36 | 122.30 |
| 10 | D | 145 | ARG | NE-CZ-NH1 | 6.56 | 123.58 | 120.30 |
| 13 | I | 35 | DT | N3-C2-O2 | -6.56 | 118.36 | 122.30 |
| 8 | B | 67 | ARG | NE-CZ-NH2 | 6.56 | 123.58 | 120.30 |
| 5 | 6 | 394 | ARG | NE-CZ-NH1 | 6.55 | 123.57 | 120.30 |
| 1 | 2 | 617 | ARG | NE-CZ-NH1 | 6.54 | 123.57 | 120.30 |
| 8 | B | 49 | ARG | NE-CZ-NH2 | 6.54 | 123.57 | 120.30 |
| 14 | J | 29 | DT | C6-C5-C7 | -6.53 | 118.98 | 122.90 |
| 11 | E | 290 | ARG | NE-CZ-NH1 | 6.52 | 123.56 | 120.30 |
| 13 | I | 46 | DT | C6-C5-C7 | -6.52 | 118.99 | 122.90 |
| 1 | 2 | 587 | LYS | CB-CA-C | 6.51 | 123.42 | 110.40 |
| 14 | J | 25 | DC | N3-C2-O2 | -6.50 | 117.35 | 121.90 |
| 6 | 7 | 119 | ARG | NE-CZ-NH1 | 6.50 | 123.55 | 120.30 |
| 13 | I | 57 | DT | N3-C2-O2 | -6.50 | 118.40 | 122.30 |
| 13 | I | 44 | DT | C6-C5-C7 | -6.49 | 119.00 | 122.90 |
| 11 | E | 301 | ARG | NE-CZ-NH1 | 6.49 | 123.55 | 120.30 |
| 12 | F | 587 | ARG | NE-CZ-NH1 | 6.49 | 123.54 | 120.30 |
| 15 | X | 21 | ARG | NE-CZ-NH1 | 6.48 | 123.54 | 120.30 |
| 5 | 6 | 594 | ARG | NE-CZ-NH1 | 6.48 | 123.54 | 120.30 |
| 14 | J | 30 | DT | C6-C5-C7 | -6.48 | 119.01 | 122.90 |
| 14 | J | 26 | DC | N3-C2-O2 | -6.47 | 117.37 | 121.90 |
| 13 | I | 37 | DG | O4'-C1'-N9 | 6.45 | 112.52 | 108.00 |
| 14 | J | 24 | DT | C6-C5-C7 | -6.45 | 119.03 | 122.90 |
| 13 | I | 61 | DT | C6-C5-C7 | -6.44 | 119.03 | 122.90 |
| 12 | H | 653 | ARG | NE-CZ-NH1 | 6.44 | 123.52 | 120.30 |
| 10 | D | 71 | ARG | NE-CZ-NH1 | 6.43 | 123.52 | 120.30 |
| 13 | I | 28 | DA | C4-C5-C6 | -6.43 | 113.78 | 117.00 |
| 12 | G | 491 | ARG | NE-CZ-NH1 | 6.43 | 123.52 | 120.30 |
| 14 | J | 27 | DA | C4-C5-C6 | -6.42 | 113.79 | 117.00 |
| 15 | X | 735 | ARG | NE-CZ-NH1 | 6.41 | 123.50 | 120.30 |
| 12 | H | 893 | ARG | NE-CZ-NH2 | 6.40 | 123.50 | 120.30 |
| 14 | J | 36 | DA | C4-C5-C6 | -6.40 | 113.80 | 117.00 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 2 | 3 | 400 | ARG | NE-CZ-NH1 | 6.40 | 123.50 | 120.30 |
| 13 | I | 55 | DT | C6-C5-C7 | -6.39 | 119.07 | 122.90 |
| 13 | I | 59 | DT | C6-C5-C7 | -6.38 | 119.07 | 122.90 |
| 6 | 7 | 718 | ARG | NE-CZ-NH2 | 6.38 | 123.49 | 120.30 |
| 5 | 6 | 837 | ARG | NE-CZ-NH1 | 6.38 | 123.49 | 120.30 |
| 14 | J | 20 | DA | C4-C5-C6 | -6.37 | 113.81 | 117.00 |
| 6 | 7 | 687 | ARG | NE-CZ-NH1 | 6.37 | 123.48 | 120.30 |
| 12 | H | 577 | ARG | NE-CZ-NH1 | 6.36 | 123.48 | 120.30 |
| 13 | I | 40 | DA | C4-C5-C6 | -6.36 | 113.82 | 117.00 |
| 16 | Y | 134 | ARG | NE-CZ-NH1 | 6.36 | 123.48 | 120.30 |
| 5 | 6 | 691 | ARG | NE-CZ-NH2 | 6.35 | 123.48 | 120.30 |
| 12 | G | 557 | ARG | NE-CZ-NH1 | 6.35 | 123.47 | 120.30 |
| 10 | D | 283 | ARG | NE-CZ-NH2 | 6.33 | 123.46 | 120.30 |
| 12 | H | 711 | ARG | NE-CZ-NH1 | 6.32 | 123.46 | 120.30 |
| 2 | 3 | 527 | ARG | NE-CZ-NH1 | 6.32 | 123.46 | 120.30 |
| 13 | I | 59 | DT | N3-C2-O2 | -6.32 | 118.51 | 122.30 |
| 6 | 7 | 329 | ARG | NE-CZ-NH1 | 6.30 | 123.45 | 120.30 |
| 6 | 7 | 147 | ARG | NE-CZ-NH1 | 6.30 | 123.45 | 120.30 |
| 6 | 7 | 198 | ARG | NE-CZ-NH1 | 6.30 | 123.45 | 120.30 |
| 4 | 5 | 455 | ARG | NE-CZ-NH1 | 6.29 | 123.45 | 120.30 |
| 4 | 5 | 51 | ARG | NE-CZ-NH1 | 6.29 | 123.45 | 120.30 |
| 12 | F | 893 | ARG | NE-CZ-NH1 | 6.29 | 123.44 | 120.30 |
| 12 | H | 491 | ARG | NE-CZ-NH1 | 6.29 | 123.44 | 120.30 |
| 2 | 3 | 435 | ARG | NE-CZ-NH2 | 6.28 | 123.44 | 120.30 |
| 4 | 5 | 39 | ARG | NE-CZ-NH1 | 6.28 | 123.44 | 120.30 |
| 13 | I | 56 | DT | P-O3'-C3' | 6.27 | 127.22 | 119.70 |
| 12 | F | 711 | ARG | NE-CZ-NH1 | 6.26 | 123.43 | 120.30 |
| 2 | 3 | 687 | ARG | NE-CZ-NH1 | 6.26 | 123.43 | 120.30 |
| 8 | B | 100 | ARG | NE-CZ-NH2 | 6.25 | 123.43 | 120.30 |
| 12 | F | 918 | ARG | NE-CZ-NH1 | 6.24 | 123.42 | 120.30 |
| 4 | 5 | 516 | ARG | NE-CZ-NH1 | 6.23 | 123.41 | 120.30 |
| 1 | 2 | 247 | ARG | NE-CZ-NH2 | 6.22 | 123.41 | 120.30 |
| 13 | I | 55 | DT | N3-C2-O2 | -6.22 | 118.56 | 122.30 |
| 14 | J | 29 | DT | N3-C2-O2 | -6.22 | 118.57 | 122.30 |
| 6 | 7 | 303 | ARG | NE-CZ-NH2 | -6.21 | 117.19 | 120.30 |
| 5 | 6 | 708 | ARG | NE-CZ-NH2 | 6.21 | 123.40 | 120.30 |
| 14 | J | 17 | DC | N3-C2-O2 | -6.20 | 117.56 | 121.90 |
| 13 | I | 27 | DT | N3-C2-O2 | -6.19 | 118.58 | 122.30 |
| 13 | I | 55 | DT | O4'-C1'-N1 | 6.19 | 112.33 | 108.00 |
| 13 | I | 26 | DT | C6-C5-C7 | -6.18 | 119.19 | 122.90 |
| 2 | 3 | 150 | ARG | NE-CZ-NH1 | 6.18 | 123.39 | 120.30 |
| 13 | I | 33 | DA | C4-C5-C6 | -6.18 | 113.91 | 117.00 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 4 | 5 | 658 | ARG | NE-CZ-NH1 | 6.18 | 123.39 | 120.30 |
| 15 | X | 563 | ARG | NE-CZ-NH2 | 6.18 | 123.39 | 120.30 |
| 15 | X | 466 | ARG | NE-CZ-NH2 | 6.16 | 123.38 | 120.30 |
| 9 | C | 36 | ARG | NE-CZ-NH2 | 6.16 | 123.38 | 120.30 |
| 1 | 2 | 859 | ARG | NE-CZ-NH1 | 6.13 | 123.36 | 120.30 |
| 12 | G | 829 | ARG | NE-CZ-NH1 | 6.11 | 123.35 | 120.30 |
| 11 | E | 411 | ARG | NE-CZ-NH2 | 6.10 | 123.35 | 120.30 |
| 13 | I | 38 | DA | C4-C5-C6 | -6.10 | 113.95 | 117.00 |
| 2 | 3 | 26 | ARG | NE-CZ-NH2 | 6.09 | 123.35 | 120.30 |
| 15 | X | 699 | ARG | NE-CZ-NH1 | 6.09 | 123.35 | 120.30 |
| 2 | 3 | 193 | ARG | NE-CZ-NH1 | 6.09 | 123.34 | 120.30 |
| 8 | B | 193 | ARG | NE-CZ-NH1 | 6.09 | 123.34 | 120.30 |
| 13 | I | 54 | DT | N3-C2-O2 | -6.09 | 118.65 | 122.30 |
| 3 | 4 | 607 | ARG | NE-CZ-NH1 | 6.08 | 123.34 | 120.30 |
| 13 | I | 62 | DT | C6-C5-C7 | -6.08 | 119.25 | 122.90 |
| 4 | 5 | 630 | ARG | NE-CZ-NH1 | 6.08 | 123.34 | 120.30 |
| 3 | 4 | 557 | ARG | NE-CZ-NH2 | 6.07 | 123.34 | 120.30 |
| 1 | 2 | 178 | ARG | NE-CZ-NH1 | 6.06 | 123.33 | 120.30 |
| 11 | E | 621 | ARG | NE-CZ-NH1 | 6.06 | 123.33 | 120.30 |
| 1 | 2 | 824 | ARG | NE-CZ-NH2 | 6.06 | 123.33 | 120.30 |
| 14 | J | 23 | DC | N1-C2-O2 | 6.06 | 122.53 | 118.90 |
| 15 | X | 683 | ARG | NE-CZ-NH1 | 6.05 | 123.32 | 120.30 |
| 13 | I | 47 | DT | N3-C2-O2 | -6.04 | 118.68 | 122.30 |
| 13 | I | 48 | DT | C6-C5-C7 | -6.04 | 119.28 | 122.90 |
| 3 | 4 | 304 | ARG | NE-CZ-NH1 | 6.03 | 123.32 | 120.30 |
| 12 | F | 777 | ARG | NE-CZ-NH1 | 6.03 | 123.32 | 120.30 |
| 13 | I | 34 | DT | C6-C5-C7 | -6.02 | 119.29 | 122.90 |
| 6 | 7 | 534 | ARG | NE-CZ-NH1 | 6.01 | 123.31 | 120.30 |
| 7 | A | 166 | ARG | NE-CZ-NH2 | 6.01 | 123.31 | 120.30 |
| 6 | 7 | 649 | ARG | NE-CZ-NH1 | 6.00 | 123.30 | 120.30 |
| 6 | 7 | 382 | ARG | NE-CZ-NH1 | 6.00 | 123.30 | 120.30 |
| 11 | E | 117 | ARG | NE-CZ-NH2 | 6.00 | 123.30 | 120.30 |
| 1 | 2 | 749 | ARG | NE-CZ-NH2 | 5.99 | 123.30 | 120.30 |
| 12 | H | 918 | ARG | NE-CZ-NH1 | 5.99 | 123.30 | 120.30 |
| 14 | J | 17 | DC | N3-C4-C5 | 5.99 | 124.30 | 121.90 |
| 14 | J | 28 | DA | C4-C5-C6 | -5.98 | 114.01 | 117.00 |
| 13 | I | 51 | DT | C6-C5-C7 | -5.97 | 119.32 | 122.90 |
| 4 | 5 | 175 | ARG | NE-CZ-NH1 | 5.97 | 123.28 | 120.30 |
| 13 | I | 53 | DT | C6-C5-C7 | -5.96 | 119.32 | 122.90 |
| 12 | G | 868 | ARG | NE-CZ-NH1 | 5.96 | 123.28 | 120.30 |
| 13 | I | 26 | DT | N3-C2-O2 | -5.96 | 118.72 | 122.30 |
| 13 | I | 49 | DT | P-O3'-C3' | 5.96 | 126.85 | 119.70 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 14 | J | 15 | DC | N1-C2-O2 | 5.95 | 122.47 | 118.90 |
| 13 | I | 58 | DT | C6-C5-C7 | -5.93 | 119.34 | 122.90 |
| 1 | 2 | 656 | ARG | NE-CZ-NH2 | 5.92 | 123.26 | 120.30 |
| 4 | 5 | 362 | ARG | NE-CZ-NH1 | 5.92 | 123.26 | 120.30 |
| 11 | E | 118 | ARG | NE-CZ-NH1 | 5.92 | 123.26 | 120.30 |
| 3 | 4 | 515 | ARG | NE-CZ-NH1 | 5.90 | 123.25 | 120.30 |
| 13 | I | 56 | DT | C6-C5-C7 | -5.89 | 119.36 | 122.90 |
| 1 | 2 | 230 | ARG | NE-CZ-NH1 | 5.89 | 123.25 | 120.30 |
| 13 | I | 58 | DT | O4'-C1'-N1 | 5.88 | 112.12 | 108.00 |
| 13 | I | 60 | DT | N3-C2-O2 | -5.88 | 118.77 | 122.30 |
| 15 | X | 518 | ARG | NE-CZ-NH1 | 5.88 | 123.24 | 120.30 |
| 13 | I | 42 | DT | N3-C2-O2 | -5.86 | 118.79 | 122.30 |
| 1 | 2 | 509 | ARG | NE-CZ-NH2 | 5.86 | 123.23 | 120.30 |
| 12 | F | 624 | ARG | NE-CZ-NH1 | 5.85 | 123.23 | 120.30 |
| 14 | J | 28 | DA | O4'-C1'-N9 | 5.85 | 112.10 | 108.00 |
| 15 | X | 373 | ARG | NE-CZ-NH1 | 5.85 | 123.22 | 120.30 |
| 13 | I | 31 | DG | O4'-C1'-N9 | 5.84 | 112.09 | 108.00 |
| 13 | I | 39 | DG | N1-C6-O6 | -5.83 | 116.40 | 119.90 |
| 1 | 2 | 387 | ARG | NE-CZ-NH1 | 5.83 | 123.22 | 120.30 |
| 4 | 5 | 405 | ARG | NE-CZ-NH1 | 5.83 | 123.22 | 120.30 |
| 11 | E | 127 | ARG | NE-CZ-NH1 | 5.83 | 123.21 | 120.30 |
| 5 | 6 | 261 | ARG | NE-CZ-NH1 | 5.81 | 123.21 | 120.30 |
| 5 | 6 | 350 | ARG | NE-CZ-NH1 | 5.81 | 123.21 | 120.30 |
| 13 | I | 50 | DT | C6-C5-C7 | -5.79 | 119.42 | 122.90 |
| 5 | 6 | 753 | ARG | NE-CZ-NH1 | 5.79 | 123.20 | 120.30 |
| 2 | 3 | 707 | ARG | NE-CZ-NH1 | 5.79 | 123.20 | 120.30 |
| 1 | 2 | 676 | ARG | NE-CZ-NH2 | 5.78 | 123.19 | 120.30 |
| 2 | 3 | 169 | ARG | NE-CZ-NH2 | -5.78 | 117.41 | 120.30 |
| 15 | X | 23 | ARG | NE-CZ-NH1 | 5.78 | 123.19 | 120.30 |
| 3 | 4 | 681 | ARG | NE-CZ-NH2 | 5.77 | 123.19 | 120.30 |
| 12 | F | 524 | ARG | NE-CZ-NH1 | 5.77 | 123.18 | 120.30 |
| 2 | 3 | 348 | ARG | NE-CZ-NH1 | 5.76 | 123.18 | 120.30 |
| 4 | 5 | 564 | ARG | NE-CZ-NH1 | 5.76 | 123.18 | 120.30 |
| 14 | J | 31 | DC | N1-C2-O2 | 5.76 | 122.36 | 118.90 |
| 1 | 2 | 744 | ARG | NE-CZ-NH2 | 5.76 | 123.18 | 120.30 |
| 14 | J | 33 | DC | N1-C2-O2 | 5.75 | 122.35 | 118.90 |
| 11 | E | 416 | ARG | NE-CZ-NH1 | 5.75 | 123.17 | 120.30 |
| 5 | 6 | 315 | ARG | NE-CZ-NH1 | 5.74 | 123.17 | 120.30 |
| 7 | A | 81 | ARG | NE-CZ-NH2 | 5.74 | 123.17 | 120.30 |
| 1 | 2 | 855 | ARG | NE-CZ-NH1 | 5.73 | 123.17 | 120.30 |
| 14 | J | 34 | DT | C6-C5-C7 | -5.73 | 119.46 | 122.90 |
| 12 | F | 598 | ARG | NE-CZ-NH1 | 5.73 | 123.17 | 120.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 2 | 3 | 339 | ARG | NE-CZ-NH1 | 5.73 | 123.17 | 120.30 |
| 13 | I | 30 | DA | C4-C5-C6 | -5.72 | 114.14 | 117.00 |
| 11 | E | 358 | ARG | NE-CZ-NH1 | 5.72 | 123.16 | 120.30 |
| 15 | X | 730 | ARG | NE-CZ-NH1 | 5.72 | 123.16 | 120.30 |
| 13 | I | 54 | DT | C6-C5-C7 | -5.71 | 119.47 | 122.90 |
| 1 | 2 | 224 | ARG | NE-CZ-NH1 | 5.70 | 123.15 | 120.30 |
| 15 | X | 401 | ARG | NE-CZ-NH1 | 5.70 | 123.15 | 120.30 |
| 16 | Y | 48 | ARG | NE-CZ-NH1 | 5.70 | 123.15 | 120.30 |
| 5 | 6 | 798 | ARG | NE-CZ-NH1 | 5.69 | 123.15 | 120.30 |
| 1 | 2 | 643 | ARG | NE-CZ-NH1 | 5.69 | 123.14 | 120.30 |
| 11 | E | 223 | ARG | NE-CZ-NH2 | 5.69 | 123.14 | 120.30 |
| 13 | I | 52 | DT | N3-C2-O2 | -5.68 | 118.89 | 122.30 |
| 1 | 2 | 788 | ARG | NE-CZ-NH2 | 5.68 | 123.14 | 120.30 |
| 12 | H | 904 | ARG | NE-CZ-NH2 | 5.68 | 123.14 | 120.30 |
| 13 | I | 60 | DT | C6-C5-C7 | -5.67 | 119.50 | 122.90 |
| 2 | 3 | 291 | ARG | NE-CZ-NH2 | 5.67 | 123.14 | 120.30 |
| 3 | 4 | 772 | ARG | NE-CZ-NH1 | 5.67 | 123.13 | 120.30 |
| 1 | 2 | 360 | ARG | NE-CZ-NH2 | 5.66 | 123.13 | 120.30 |
| 14 | J | 21 | DC | N1-C2-O2 | 5.66 | 122.30 | 118.90 |
| 10 | D | 90 | ARG | NE-CZ-NH1 | 5.66 | 123.13 | 120.30 |
| 2 | 3 | 39 | ARG | NE-CZ-NH2 | 5.66 | 123.13 | 120.30 |
| 4 | 5 | 407 | ARG | NE-CZ-NH1 | -5.64 | 117.48 | 120.30 |
| 11 | E | 330 | ARG | NE-CZ-NH1 | 5.64 | 123.12 | 120.30 |
| 14 | J | 25 | DC | N3-C4-C5 | 5.64 | 124.16 | 121.90 |
| 1 | 2 | 205 | ARG | NE-CZ-NH1 | 5.63 | 123.12 | 120.30 |
| 2 | 3 | 700 | ARG | NE-CZ-NH2 | 5.63 | 123.11 | 120.30 |
| 4 | 5 | 486 | ARG | NE-CZ-NH1 | 5.63 | 123.11 | 120.30 |
| 1 | 2 | 485 | ARG | NE-CZ-NH1 | 5.62 | 123.11 | 120.30 |
| 2 | 3 | 559 | ARG | NE-CZ-NH1 | 5.62 | 123.11 | 120.30 |
| 1 | 2 | 747 | ARG | NE-CZ-NH2 | 5.62 | 123.11 | 120.30 |
| 15 | X | 121 | TYR | CB-CG-CD2 | -5.62 | 117.63 | 121.00 |
| 3 | 4 | 370 | ARG | NE-CZ-NH2 | 5.62 | 123.11 | 120.30 |
| 10 | D | 86 | ARG | NE-CZ-NH1 | 5.61 | 123.10 | 120.30 |
| 6 | 7 | 157 | ARG | NE-CZ-NH1 | 5.59 | 123.09 | 120.30 |
| 8 | B | 152 | ARG | NH1-CZ-NH2 | -5.59 | 113.25 | 119.40 |
| 12 | F | 492 | ARG | NE-CZ-NH1 | 5.58 | 123.09 | 120.30 |
| 15 | X | 569 | ARG | NE-CZ-NH1 | 5.58 | 123.09 | 120.30 |
| 5 | 6 | 112 | ARG | NE-CZ-NH1 | 5.58 | 123.09 | 120.30 |
| 2 | 3 | 224 | ARG | NE-CZ-NH2 | 5.57 | 123.08 | 120.30 |
| 3 | 4 | 449 | ARG | NE-CZ-NH2 | 5.56 | 123.08 | 120.30 |
| 11 | E | 633 | ARG | NE-CZ-NH2 | 5.56 | 123.08 | 120.30 |
| 3 | 4 | 432 | ARG | NE-CZ-NH2 | 5.55 | 123.08 | 120.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 13 | I | 36 | DG | N1-C6-O6 | -5.54 | 116.58 | 119.90 |
| 4 | 5 | 272 | ARG | NE-CZ-NH1 | 5.53 | 123.07 | 120.30 |
| 5 | 6 | 790 | ARG | NE-CZ-NH1 | 5.53 | 123.07 | 120.30 |
| 1 | 2 | 232 | ARG | NE-CZ-NH1 | 5.52 | 123.06 | 120.30 |
| 8 | B | 149 | ARG | NE-CZ-NH1 | 5.50 | 123.05 | 120.30 |
| 1 | 2 | 406 | ARG | NE-CZ-NH1 | 5.50 | 123.05 | 120.30 |
| 5 | 6 | 781 | ARG | NE-CZ-NH2 | 5.50 | 123.05 | 120.30 |
| 3 | 4 | 803 | ARG | NE-CZ-NH1 | 5.49 | 123.05 | 120.30 |
| 13 | I | 32 | DA | N1-C6-N6 | -5.49 | 115.31 | 118.60 |
| 14 | J | 32 | DT | C6-C5-C7 | -5.49 | 119.61 | 122.90 |
| 6 | 7 | 341 | ARG | NE-CZ-NH1 | 5.48 | 123.04 | 120.30 |
| 5 | 6 | 441 | ARG | NE-CZ-NH1 | 5.48 | 123.04 | 120.30 |
| 13 | I | 49 | DT | C4-C5-C6 | 5.48 | 121.29 | 118.00 |
| 1 | 2 | 319 | ARG | NE-CZ-NH2 | 5.46 | 123.03 | 120.30 |
| 13 | I | 43 | DG | N1-C6-O6 | -5.46 | 116.62 | 119.90 |
| 13 | I | 27 | DT | C6-C5-C7 | -5.46 | 119.62 | 122.90 |
| 5 | 6 | 341 | ARG | NE-CZ-NH1 | 5.45 | 123.03 | 120.30 |
| 5 | 6 | 805 | ARG | NE-CZ-NH2 | -5.44 | 117.58 | 120.30 |
| 13 | I | 57 | DT | C6-C5-C7 | -5.44 | 119.64 | 122.90 |
| 13 | I | 47 | DT | O4'-C1'-N1 | 5.43 | 111.80 | 108.00 |
| 14 | J | 21 | DC | O4'-C1'-N1 | 5.43 | 111.80 | 108.00 |
| 8 | B | 34 | ARG | NE-CZ-NH2 | 5.43 | 123.01 | 120.30 |
| 11 | E | 487 | ARG | NE-CZ-NH1 | 5.43 | 123.01 | 120.30 |
| 8 | B | 124 | ARG | NE-CZ-NH1 | 5.42 | 123.01 | 120.30 |
| 13 | I | 47 | DT | C6-C5-C7 | -5.42 | 119.65 | 122.90 |
| 11 | E | 398 | ARG | NE-CZ-NH2 | 5.41 | 123.00 | 120.30 |
| 13 | I | 49 | DT | C6-C5-C7 | -5.41 | 119.65 | 122.90 |
| 11 | E | 472 | ARG | NE-CZ-NH2 | 5.41 | 123.00 | 120.30 |
| 10 | D | 141 | ARG | NE-CZ-NH1 | 5.41 | 123.00 | 120.30 |
| 2 | 3 | 687 | ARG | NE-CZ-NH2 | -5.40 | 117.60 | 120.30 |
| 1 | 2 | 741 | ARG | NE-CZ-NH2 | 5.39 | 123.00 | 120.30 |
| 2 | 3 | 450 | ARG | NE-CZ-NH2 | 5.39 | 123.00 | 120.30 |
| 6 | 7 | 400 | ARG | NE-CZ-NH2 | 5.38 | 122.99 | 120.30 |
| 5 | 6 | 805 | ARG | NE-CZ-NH1 | 5.38 | 122.99 | 120.30 |
| 12 | G | 587 | ARG | NE-CZ-NH1 | 5.38 | 122.99 | 120.30 |
| 12 | H | 587 | ARG | NE-CZ-NH1 | 5.38 | 122.99 | 120.30 |
| 3 | 4 | 925 | ARG | NE-CZ-NH1 | 5.37 | 122.99 | 120.30 |
| 6 | 7 | 443 | ARG | NE-CZ-NH1 | 5.37 | 122.98 | 120.30 |
| 7 | A | 22 | ARG | NE-CZ-NH2 | 5.36 | 122.98 | 120.30 |
| 5 | 6 | 499 | ARG | NE-CZ-NH1 | 5.35 | 122.97 | 120.30 |
| 3 | 4 | 457 | TYR | CB-CG-CD2 | -5.34 | 117.79 | 121.00 |
| 3 | 4 | 510 | ARG | NE-CZ-NH1 | 5.33 | 122.97 | 120.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 13 | I | 35 | DT | C6-C5-C7 | -5.33 | 119.70 | 122.90 |
| 13 | I | 42 | DT | O4'-C4'-C3' | 5.33 | 109.20 | 106.00 |
| 12 | F | 557 | ARG | NE-CZ-NH1 | 5.32 | 122.96 | 120.30 |
| 3 | 4 | 445 | ARG | NE-CZ-NH1 | 5.31 | 122.95 | 120.30 |
| 2 | 3 | 716 | ARG | NE-CZ-NH1 | 5.30 | 122.95 | 120.30 |
| 12 | H | 475 | ARG | NE-CZ-NH1 | 5.30 | 122.95 | 120.30 |
| 1 | 2 | 836 | ARG | NE-CZ-NH1 | 5.30 | 122.95 | 120.30 |
| 11 | E | 523 | ARG | NE-CZ-NH1 | 5.30 | 122.95 | 120.30 |
| 15 | X | 71 | ARG | NE-CZ-NH1 | 5.30 | 122.95 | 120.30 |
| 5 | 6 | 812 | ARG | NE-CZ-NH1 | 5.30 | 122.95 | 120.30 |
| 2 | 3 | 108 | ARG | NE-CZ-NH2 | 5.29 | 122.94 | 120.30 |
| 15 | X | 177 | ARG | NE-CZ-NH1 | 5.29 | 122.94 | 120.30 |
| 3 | 4 | 451 | ARG | NE-CZ-NH2 | 5.29 | 122.94 | 120.30 |
| 14 | J | 34 | DT | O4'-C4'-C3' | 5.29 | 109.17 | 106.00 |
| 2 | 3 | 420 | ARG | NE-CZ-NH2 | 5.27 | 122.93 | 120.30 |
| 2 | 3 | 734 | ARG | NE-CZ-NH2 | 5.26 | 122.93 | 120.30 |
| 4 | 5 | 100 | ARG | NE-CZ-NH1 | 5.26 | 122.93 | 120.30 |
| 3 | 4 | 778 | ARG | NE-CZ-NH1 | 5.25 | 122.93 | 120.30 |
| 2 | 3 | 212 | ARG | NE-CZ-NH1 | 5.25 | 122.92 | 120.30 |
| 1 | 2 | 326 | ARG | NE-CZ-NH1 | 5.24 | 122.92 | 120.30 |
| 15 | X | 292 | TYR | CB-CG-CD2 | -5.24 | 117.86 | 121.00 |
| 13 | I | 34 | DT | N3-C2-O2 | -5.23 | 119.16 | 122.30 |
| 3 | 4 | 212 | ARG | NE-CZ-NH1 | 5.23 | 122.91 | 120.30 |
| 13 | I | 56 | DT | O4'-C1'-N1 | 5.22 | 111.66 | 108.00 |
| 1 | 2 | 401 | ARG | NE-CZ-NH1 | 5.22 | 122.91 | 120.30 |
| 14 | J | 30 | DT | N3-C2-O2 | -5.19 | 119.19 | 122.30 |
| 4 | 5 | 651 | ARG | NE-CZ-NH1 | 5.16 | 122.88 | 120.30 |
| 7 | A | 48 | ARG | NE-CZ-NH1 | 5.14 | 122.87 | 120.30 |
| 15 | X | 720 | ARG | NE-CZ-NH1 | 5.14 | 122.87 | 120.30 |
| 12 | F | 522 | ARG | NE-CZ-NH1 | 5.14 | 122.87 | 120.30 |
| 1 | 2 | 771 | ARG | NE-CZ-NH1 | 5.13 | 122.86 | 120.30 |
| 2 | 3 | 43 | ARG | NE-CZ-NH1 | 5.13 | 122.86 | 120.30 |
| 13 | I | 46 | DT | P-O3'-C3' | 5.12 | 125.85 | 119.70 |
| 12 | H | 921 | ARG | NE-CZ-NH1 | 5.12 | 122.86 | 120.30 |
| 14 | J | 21 | DC | C1'-O4'-C4' | -5.12 | 104.98 | 110.10 |
| 1 | 2 | 310 | ARG | NE-CZ-NH1 | 5.10 | 122.85 | 120.30 |
| 1 | 2 | 854 | ARG | NE-CZ-NH2 | 5.08 | 122.84 | 120.30 |
| 6 | 7 | 152 | ARG | NE-CZ-NH1 | 5.08 | 122.84 | 120.30 |
| 6 | 7 | 199 | ARG | NE-CZ-NH2 | 5.07 | 122.83 | 120.30 |
| 14 | J | 23 | DC | O4'-C4'-C3' | 5.06 | 109.03 | 106.00 |
| 6 | 7 | 413 | ARG | NE-CZ-NH1 | 5.05 | 122.83 | 120.30 |
| 13 | I | 31 | DG | N1-C6-O6 | -5.05 | 116.87 | 119.90 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 13 | I | 44 | DT | N3-C2-O2 | -5.05 | 119.27 | 122.30 |
| 14 | J | 27 | DA | N1-C6-N6 | -5.05 | 115.57 | 118.60 |
| 11 | E | 69 | ARG | NE-CZ-NH2 | 5.05 | 122.82 | 120.30 |
| 14 | J | 22 | DT | N3-C2-O2 | -5.05 | 119.27 | 122.30 |
| 2 | 3 | 24 | ARG | NE-CZ-NH1 | 5.04 | 122.82 | 120.30 |
| 3 | 4 | 279 | CYS | CA-CB-SG | -5.04 | 104.93 | 114.00 |
| 4 | 5 | 187 | ARG | NE-CZ-NH1 | 5.02 | 122.81 | 120.30 |
| 1 | 2 | 209 | ARG | NE-CZ-NH1 | 5.02 | 122.81 | 120.30 |
| 13 | I | 61 | DT | N1-C2-N3 | 5.02 | 117.61 | 114.60 |
| 1 | 2 | 808 | ARG | NH1-CZ-NH2 | -5.00 | 113.90 | 119.40 |

There are no chirality outliers.

All (45) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 1 | 2 | 247 | ARG | Sidechain |
| 1 | 2 | 327 | ARG | Sidechain |
| 1 | 2 | 336 | TYR | Sidechain |
| 2 | 3 | 247 | TYR | Sidechain |
| 2 | 3 | 400 | ARG | Sidechain |
| 2 | 3 | 687 | ARG | Sidechain |
| 3 | 4 | 778 | ARG | Sidechain |
| 4 | 5 | 46 | TYR | Sidechain |
| 4 | 5 | 643 | ARG | Sidechain |
| 4 | 5 | 682 | ARG | Sidechain |
| 5 | 6 | 176 | ARG | Sidechain |
| 5 | 6 | 499 | ARG | Sidechain |
| 5 | 6 | 566 | ARG | Sidechain |
| 7 | A | 15 | ARG | Sidechain |
| 8 | B | 111 | ARG | Sidechain |
| 8 | B | 124 | ARG | Sidechain |
| 8 | B | 67 | ARG | Sidechain |
| 11 | E | 117 | ARG | Sidechain |
| 11 | E | 2 | TYR | Sidechain |
| 11 | E | 233 | TYR | Sidechain |
| 11 | E | 411 | ARG | Sidechain |
| 11 | E | 416 | ARG | Sidechain |
| 11 | E | 526 | ARG | Sidechain |
| 12 | F | 676 | TYR | Sidechain |
| 12 | F | 777 | ARG | Sidechain |
| 12 | F | 904 | ARG | Sidechain |
| 13 | I | 29 | DG | Sidechain |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 13 | I | 36 | DG | Sidechain |
| 13 | I | 41 | DG | Sidechain |
| 13 | I | 43 | DG | Sidechain |
| 13 | I | 44 | DT | Sidechain |
| 13 | I | 55 | DT | Sidechain |
| 13 | I | 58 | DT | Sidechain |
| 13 | I | 59 | DT | Sidechain |
| 14 | J | 17 | DC | Sidechain |
| 14 | J | 20 | DA | Sidechain |
| 14 | J | 23 | DC | Sidechain |
| 14 | J | 25 | DC | Sidechain |
| 14 | J | 36 | DA | Sidechain |
| 15 | X | 194 | ARG | Sidechain |
| 15 | X | 712 | ARG | Sidechain |
| 15 | X | 720 | ARG | Sidechain |
| 15 | X | 744 | TYR | Sidechain |
| 15 | X | 81 | TYR | Sidechain |
| 16 | Y | 49 | ARG | Sidechain |

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | 2 | 5271 | 5301 | 5294 | 5 | 0 |
| 2 | 3 | 4821 | 4886 | 4882 | 6 | 0 |
| 3 | 4 | 5398 | 5484 | 5472 | 5 | 0 |
| 4 | 5 | 4802 | 4874 | 4865 | 3 | 0 |
| 5 | 6 | 5013 | 5031 | 5022 | 2 | 0 |
| 6 | 7 | 4962 | 5018 | 5006 | 6 | 0 |
| 7 | A | 1611 | 1616 | 1615 | 2 | 0 |
| 8 | B | 1617 | 1675 | 1674 | 1 | 0 |
| 9 | C | 1422 | 1436 | 1436 | 1 | 0 |
| 10 | D | 2004 | 2004 | 2001 | 2 | 0 |
| 11 | E | 4569 | 4560 | 4556 | 1 | 0 |
| 12 | F | 3404 | 3355 | 3352 | 0 | 0 |
| 12 | G | 3380 | 3313 | 3310 | 0 | 0 |
| 12 | H | 3411 | 3358 | 3355 | 1 | 0 |
| 13 | I | 762 | 430 | 427 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 14 | J | 438 | 248 | 248 | 1 | 0 |
| 15 | X | 5410 | 5580 | 5573 | 0 | 0 |
| 16 | Y | 788 | 828 | 827 | 0 | 0 |
| 17 | 2 | 1 | 0 | 0 | 0 | 0 |
| 17 | 4 | 1 | 0 | 0 | 0 | 0 |
| 17 | 5 | 1 | 0 | 0 | 0 | 0 |
| 17 | 6 | 1 | 0 | 0 | 0 | 0 |
| 17 | 7 | 1 | 0 | 0 | 0 | 0 |
| 18 | 2 | 31 | 13 | 13 | 3 | 0 |
| 18 | 3 | 31 | 13 | 13 | 2 | 0 |
| 18 | 5 | 31 | 13 | 13 | 2 | 0 |
| 19 | 2 | 1 | 0 | 0 | 0 | 0 |
| 19 | 3 | 1 | 0 | 0 | 0 | 0 |
| 19 | 5 | 1 | 0 | 0 | 0 | 0 |
| All | All | 59184 | 59036 | 58954 | 30 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|--------------------|--------------------------|-------------------|
| 2:3:412:SER:H | 18:3:1500:ANP:HNB1 | 1.15 | 0.92 |
| 1:2:546:GLY:H | 18:2:902:ANP:HNB1 | 1.20 | 0.84 |
| 2:3:412:SER:N | 18:3:1500:ANP:HNB1 | 1.90 | 0.67 |
| 6:7:206:PRO:HD3 | 6:7:352:THR:HG21 | 1.76 | 0.66 |
| 4:5:419:GLY:H | 18:5:801:ANP:HNB1 | 1.42 | 0.66 |
| 6:7:106:ILE:HG22 | 6:7:113:PHE:CG | 2.34 | 0.63 |
| 4:5:419:GLY:N | 18:5:801:ANP:HNB1 | 1.99 | 0.61 |
| 1:2:546:GLY:N | 18:2:902:ANP:HNB1 | 1.99 | 0.55 |
| 2:3:501:GLY:CA | 6:7:502:VAL:HG22 | 2.39 | 0.53 |
| 2:3:501:GLY:HA2 | 6:7:502:VAL:HG22 | 1.91 | 0.52 |
| 14:J:27:DA:H1' | 14:J:28:DA:C8 | 2.46 | 0.50 |
| 6:7:206:PRO:CD | 6:7:352:THR:HG21 | 2.44 | 0.48 |
| 10:D:260:ILE:HG22 | 10:D:281:VAL:HG21 | 1.96 | 0.47 |
| 11:E:1:MET:CB | 11:E:148:VAL:HG11 | 2.44 | 0.47 |
| 1:2:246:TYR:CD2 | 1:2:301:PRO:HD3 | 2.50 | 0.47 |
| 18:2:902:ANP:PG | 5:6:798:ARG:HH22 | 2.38 | 0.47 |
| 3:4:873:LEU:HD13 | 3:4:879:ASP:HB3 | 1.96 | 0.46 |
| 12:H:765:GLU:HG2 | 12:H:766:PHE:H | 1.82 | 0.45 |
| 5:6:571:ILE:HD12 | 5:6:711:LEU:HD11 | 1.98 | 0.45 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 2:3:561:ILE:HG22 | 4:5:650:ILE:CD1 | 2.47 | 0.45 |
| 7:A:70:CYS:SG | 9:C:71:PHE:CE1 | 3.08 | 0.45 |
| 7:A:137:LEU:HD13 | 10:D:185:THR:CG2 | 2.47 | 0.45 |
| 3:4:550:LYS:HE3 | 3:4:552:PHE:CE2 | 2.53 | 0.44 |
| 1:2:810:LEU:C | 1:2:810:LEU:HD23 | 2.40 | 0.42 |
| 2:3:676:ILE:HD12 | 6:7:617:THR:HB | 2.00 | 0.42 |
| 3:4:569:ASP:H | 3:4:709:LEU:HD21 | 1.85 | 0.41 |
| 3:4:336:THR:CG2 | 3:4:396:VAL:H | 2.34 | 0.41 |
| 3:4:695:PRO:HA | 3:4:696:PRO:HD3 | 1.97 | 0.41 |
| 1:2:235:GLY:HA3 | 1:2:283:TYR:CE2 | 2.56 | 0.40 |
| 8:B:85:CYS:SG | 8:B:86:SER:N | 2.94 | 0.40 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|----------------|-----------|---------|----------|-------------|-----|
| 1 | 2 | 665/868 (77%) | 642 (96%) | 23 (4%) | 0 | 100 | 100 |
| 2 | 3 | 606/971 (62%) | 591 (98%) | 15 (2%) | 0 | 100 | 100 |
| 3 | 4 | 663/933 (71%) | 631 (95%) | 32 (5%) | 0 | 100 | 100 |
| 4 | 5 | 601/775 (78%) | 580 (96%) | 21 (4%) | 0 | 100 | 100 |
| 5 | 6 | 625/1017 (62%) | 601 (96%) | 24 (4%) | 0 | 100 | 100 |
| 6 | 7 | 619/845 (73%) | 593 (96%) | 26 (4%) | 0 | 100 | 100 |
| 7 | A | 193/208 (93%) | 189 (98%) | 4 (2%) | 0 | 100 | 100 |
| 8 | B | 189/213 (89%) | 185 (98%) | 4 (2%) | 0 | 100 | 100 |
| 9 | C | 171/217 (79%) | 170 (99%) | 1 (1%) | 0 | 100 | 100 |
| 10 | D | 237/294 (81%) | 231 (98%) | 6 (2%) | 0 | 100 | 100 |
| 11 | E | 554/650 (85%) | 544 (98%) | 10 (2%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|------------------|------------|----------|----------|-------------|-----|
| 12 | F | 418/927 (45%) | 395 (94%) | 23 (6%) | 0 | 100 | 100 |
| 12 | G | 416/927 (45%) | 406 (98%) | 10 (2%) | 0 | 100 | 100 |
| 12 | H | 419/927 (45%) | 403 (96%) | 16 (4%) | 0 | 100 | 100 |
| 15 | X | 649/1238 (52%) | 630 (97%) | 19 (3%) | 0 | 100 | 100 |
| 16 | Y | 92/317 (29%) | 92 (100%) | 0 | 0 | 100 | 100 |
| All | All | 7117/11327 (63%) | 6883 (97%) | 234 (3%) | 0 | 100 | 100 |

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 1 | 2 | 577/770 (75%) | 577 (100%) | 0 | 100 | 100 |
| 2 | 3 | 530/835 (64%) | 530 (100%) | 0 | 100 | 100 |
| 3 | 4 | 614/848 (72%) | 614 (100%) | 0 | 100 | 100 |
| 4 | 5 | 548/688 (80%) | 548 (100%) | 0 | 100 | 100 |
| 5 | 6 | 550/886 (62%) | 550 (100%) | 0 | 100 | 100 |
| 6 | 7 | 547/753 (73%) | 547 (100%) | 0 | 100 | 100 |
| 7 | A | 182/193 (94%) | 182 (100%) | 0 | 100 | 100 |
| 8 | B | 183/198 (92%) | 183 (100%) | 0 | 100 | 100 |
| 9 | C | 159/192 (83%) | 159 (100%) | 0 | 100 | 100 |
| 10 | D | 234/279 (84%) | 234 (100%) | 0 | 100 | 100 |
| 11 | E | 507/586 (86%) | 506 (100%) | 1 (0%) | 93 | 97 |
| 12 | F | 375/825 (46%) | 375 (100%) | 0 | 100 | 100 |
| 12 | G | 372/825 (45%) | 372 (100%) | 0 | 100 | 100 |
| 12 | H | 375/825 (46%) | 375 (100%) | 0 | 100 | 100 |
| 15 | X | 607/1125 (54%) | 606 (100%) | 1 (0%) | 93 | 97 |
| 16 | Y | 87/285 (30%) | 87 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles |
|-----|-------|------------------|-------------|----------|-------------|
| All | All | 6447/10113 (64%) | 6445 (100%) | 2 (0%) | 100 100 |

All (2) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 11 | E | 2 | TYR |
| 15 | X | 713 | PHE |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | 4 | 400 | GLN |
| 6 | 7 | 124 | ASN |

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 8 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 18 | ANP | 3 | 1500 | 19 | 29,33,33 | 1.64 | 9 (31%) | 31,52,52 | 1.75 | 4 (12%) |
| 18 | ANP | 5 | 801 | 19 | 29,33,33 | 1.53 | 8 (27%) | 31,52,52 | 1.67 | 6 (19%) |
| 18 | ANP | 2 | 902 | 19 | 29,33,33 | 1.62 | 8 (27%) | 31,52,52 | 1.70 | 9 (29%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|------------|---------|
| 18 | ANP | 3 | 1500 | 19 | - | 2/14/38/38 | 0/3/3/3 |
| 18 | ANP | 5 | 801 | 19 | - | 4/14/38/38 | 0/3/3/3 |
| 18 | ANP | 2 | 902 | 19 | - | 4/14/38/38 | 0/3/3/3 |

All (25) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|---------|-------|-------------|----------|
| 18 | 3 | 1500 | ANP | PB-O3A | -4.13 | 1.53 | 1.59 |
| 18 | 5 | 801 | ANP | PB-O1B | 3.60 | 1.51 | 1.46 |
| 18 | 2 | 902 | ANP | PB-O3A | -3.51 | 1.54 | 1.59 |
| 18 | 2 | 902 | ANP | PG-O1G | 3.36 | 1.51 | 1.46 |
| 18 | 3 | 1500 | ANP | PG-O1G | 3.28 | 1.51 | 1.46 |
| 18 | 5 | 801 | ANP | PG-O1G | 3.01 | 1.50 | 1.46 |
| 18 | 2 | 902 | ANP | PB-O1B | 2.82 | 1.50 | 1.46 |
| 18 | 2 | 902 | ANP | O4'-C1' | 2.60 | 1.44 | 1.41 |
| 18 | 2 | 902 | ANP | PB-O2B | -2.55 | 1.49 | 1.56 |
| 18 | 5 | 801 | ANP | PG-O3G | -2.49 | 1.50 | 1.56 |
| 18 | 3 | 1500 | ANP | PG-O3G | -2.47 | 1.50 | 1.56 |
| 18 | 3 | 1500 | ANP | PB-O1B | 2.47 | 1.50 | 1.46 |
| 18 | 2 | 902 | ANP | PG-O3G | -2.43 | 1.50 | 1.56 |
| 18 | 3 | 1500 | ANP | PG-O2G | -2.38 | 1.50 | 1.56 |
| 18 | 5 | 801 | ANP | O4'-C1' | 2.37 | 1.44 | 1.41 |
| 18 | 3 | 1500 | ANP | PB-O2B | -2.37 | 1.50 | 1.56 |
| 18 | 2 | 902 | ANP | PG-O2G | -2.23 | 1.50 | 1.56 |
| 18 | 5 | 801 | ANP | C5-C4 | -2.22 | 1.35 | 1.40 |
| 18 | 3 | 1500 | ANP | O4'-C1' | 2.21 | 1.44 | 1.41 |
| 18 | 2 | 902 | ANP | C5-C4 | -2.15 | 1.35 | 1.40 |
| 18 | 5 | 801 | ANP | PG-O2G | -2.14 | 1.51 | 1.56 |
| 18 | 5 | 801 | ANP | PB-O2B | -2.14 | 1.51 | 1.56 |
| 18 | 5 | 801 | ANP | PG-N3B | -2.13 | 1.57 | 1.63 |
| 18 | 3 | 1500 | ANP | PB-N3B | -2.12 | 1.57 | 1.63 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|-------|-------------|----------|
| 18 | 3 | 1500 | ANP | C5-C4 | -2.07 | 1.35 | 1.40 |

All (19) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|-------|-------------|----------|
| 18 | 3 | 1500 | ANP | O3A-PB-N3B | -4.76 | 93.38 | 106.59 |
| 18 | 5 | 801 | ANP | C4-C5-N7 | 4.68 | 114.28 | 109.40 |
| 18 | 3 | 1500 | ANP | PB-O3A-PA | -4.30 | 117.46 | 132.62 |
| 18 | 3 | 1500 | ANP | C4-C5-N7 | 4.29 | 113.87 | 109.40 |
| 18 | 2 | 902 | ANP | C4-C5-N7 | 4.07 | 113.64 | 109.40 |
| 18 | 2 | 902 | ANP | PB-O3A-PA | -3.80 | 119.25 | 132.62 |
| 18 | 2 | 902 | ANP | O3A-PB-N3B | -3.44 | 97.04 | 106.59 |
| 18 | 5 | 801 | ANP | O3A-PB-N3B | -3.39 | 97.19 | 106.59 |
| 18 | 5 | 801 | ANP | PB-O3A-PA | -3.18 | 121.41 | 132.62 |
| 18 | 5 | 801 | ANP | O1B-PB-N3B | 3.06 | 116.27 | 111.77 |
| 18 | 5 | 801 | ANP | O3G-PG-O1G | -3.00 | 105.90 | 113.45 |
| 18 | 2 | 902 | ANP | C3'-C2'-C1' | 2.82 | 105.22 | 100.98 |
| 18 | 5 | 801 | ANP | C3'-C2'-C1' | 2.69 | 105.03 | 100.98 |
| 18 | 2 | 902 | ANP | O3G-PG-O1G | -2.53 | 107.08 | 113.45 |
| 18 | 3 | 1500 | ANP | O3G-PG-O1G | -2.37 | 107.48 | 113.45 |
| 18 | 2 | 902 | ANP | O2G-PG-O3G | -2.23 | 101.70 | 107.64 |
| 18 | 2 | 902 | ANP | O1G-PG-N3B | 2.19 | 115.00 | 111.77 |
| 18 | 2 | 902 | ANP | N6-C6-N1 | -2.12 | 114.17 | 118.57 |
| 18 | 2 | 902 | ANP | C2-N1-C6 | -2.04 | 115.27 | 118.75 |

There are no chirality outliers.

All (10) torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|-----------------|
| 18 | 2 | 902 | ANP | PB-N3B-PG-O1G |
| 18 | 3 | 1500 | ANP | PB-N3B-PG-O1G |
| 18 | 5 | 801 | ANP | PB-N3B-PG-O1G |
| 18 | 5 | 801 | ANP | PA-O3A-PB-O1B |
| 18 | 5 | 801 | ANP | PA-O3A-PB-O2B |
| 18 | 2 | 902 | ANP | C3'-C4'-C5'-O5' |
| 18 | 2 | 902 | ANP | O4'-C4'-C5'-O5' |
| 18 | 2 | 902 | ANP | PA-O3A-PB-O2B |
| 18 | 3 | 1500 | ANP | PA-O3A-PB-O2B |
| 18 | 5 | 801 | ANP | O4'-C4'-C5'-O5' |


There are no ring outliers.


3 monomers are involved in 7 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 18 | 3 | 1500 | ANP | 2 | 0 |
| 18 | 5 | 801 | ANP | 2 | 0 |
| 18 | 2 | 902 | ANP | 3 | 0 |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10227. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 180



Y Index: 148




Z Index: 166


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.018. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 222 nm³; this corresponds to an approximate mass of 201 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 3.70 | - | - |
| Author-provided FSC curve | 3.64 | 4.31 | 3.73 |
| Unmasked-calculated* | - | - | - |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-10227 and PDB model 6SKL. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.018 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.018).







































9.4 Atom inclusion [i](#)



At the recommended contour level, 45% of all backbone atoms, 45% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.018) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.4497 |  0.3520 |
| 2 |  0.4772 |  0.3730 |
| 3 |  0.5654 |  0.4100 |
| 4 |  0.2948 |  0.2520 |
| 5 |  0.5549 |  0.4200 |
| 6 |  0.4764 |  0.3570 |
| 7 |  0.4338 |  0.3250 |
| A |  0.5095 |  0.3620 |
| B |  0.6427 |  0.4560 |
| C |  0.5794 |  0.4180 |
| D |  0.5832 |  0.3980 |
| E |  0.5378 |  0.3970 |
| F |  0.4960 |  0.3800 |
| G |  0.2434 |  0.2560 |
| H |  0.2694 |  0.2680 |
| I |  0.5512 |  0.3190 |
| J |  0.6370 |  0.3460 |
| X |  0.4204 |  0.3340 |
| Y |  0.4654 |  0.3070 |

