



wwPDB EM Validation Summary Report ⓘ

Jun 9, 2026 – 07:29 pm BST

PDB ID : 9SMP / pdb_00009smp
EMDB ID : EMD-55039
Title : BRCA1-A complex bound to K63-polyUbATA - open form double State P
Authors : Murachelli, A.G.; Sixma, T.K.
Deposited on : 2025-09-08
Resolution : 3.00 Å(reported)
Based on initial models : 1ubq, 6gvw

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	409	
1	F	409	
2	B	316	
2	G	316	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	383	 61% 39% .
3	H	383	 56% 43% .
4	D	349	 42% 26% . 32%
4	I	349	 36% 31% . 32%
5	E	171	 23% 9% . 66%
5	J	171	 15% 18% . 66%
6	K	76	 45% 46% 5% .
6	M	76	 46% 47% . 5%
7	L	76	 49% 49% .
8	N	76	 55% 42% .
9	S	76	 8% 68% 32%
9	T	76	 30% 68% 28% .
9	U	76	 45% 47% 45% . 5%
9	V	76	 53% 50% 42% . 5%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 24573 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BRCA1-A complex subunit Abraxas 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	309	Total	C	N	O	S	0	0
			2473	1561	433	466	13		
1	F	300	Total	C	N	O	S	0	0
			2404	1519	419	453	13		

- Molecule 2 is a protein called Lys-63-specific deubiquitinase BRCC36.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	259	Total	C	N	O	S	0	0
			2079	1301	369	395	14		
2	G	257	Total	C	N	O	S	0	0
			2062	1292	367	389	14		

- Molecule 3 is a protein called BRISC and BRCA1-A complex member 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	382	Total	C	N	O	S	0	0
			3069	1987	503	565	14		
3	H	382	Total	C	N	O	S	0	0
			3070	1988	503	566	13		

- Molecule 4 is a protein called BRISC and BRCA1-A complex member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	237	Total	C	N	O	S	0	0
			1889	1206	306	359	18		
4	I	239	Total	C	N	O	S	0	0
			1901	1214	308	361	18		

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	MET	-	initiating methionine	UNP Q9NWV8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-18	ALA	-	expression tag	UNP Q9NWX8
D	-17	HIS	-	expression tag	UNP Q9NWX8
D	-16	HIS	-	expression tag	UNP Q9NWX8
D	-15	HIS	-	expression tag	UNP Q9NWX8
D	-14	HIS	-	expression tag	UNP Q9NWX8
D	-13	HIS	-	expression tag	UNP Q9NWX8
D	-12	HIS	-	expression tag	UNP Q9NWX8
D	-11	SER	-	expression tag	UNP Q9NWX8
D	-10	ALA	-	expression tag	UNP Q9NWX8
D	-9	ALA	-	expression tag	UNP Q9NWX8
D	-8	LEU	-	expression tag	UNP Q9NWX8
D	-7	GLU	-	expression tag	UNP Q9NWX8
D	-6	VAL	-	expression tag	UNP Q9NWX8
D	-5	LEU	-	expression tag	UNP Q9NWX8
D	-4	PHE	-	expression tag	UNP Q9NWX8
D	-3	GLN	-	expression tag	UNP Q9NWX8
D	-2	GLY	-	expression tag	UNP Q9NWX8
D	-1	PRO	-	expression tag	UNP Q9NWX8
D	0	GLY	-	expression tag	UNP Q9NWX8
I	-19	MET	-	initiating methionine	UNP Q9NWX8
I	-18	ALA	-	expression tag	UNP Q9NWX8
I	-17	HIS	-	expression tag	UNP Q9NWX8
I	-16	HIS	-	expression tag	UNP Q9NWX8
I	-15	HIS	-	expression tag	UNP Q9NWX8
I	-14	HIS	-	expression tag	UNP Q9NWX8
I	-13	HIS	-	expression tag	UNP Q9NWX8
I	-12	HIS	-	expression tag	UNP Q9NWX8
I	-11	SER	-	expression tag	UNP Q9NWX8
I	-10	ALA	-	expression tag	UNP Q9NWX8
I	-9	ALA	-	expression tag	UNP Q9NWX8
I	-8	LEU	-	expression tag	UNP Q9NWX8
I	-7	GLU	-	expression tag	UNP Q9NWX8
I	-6	VAL	-	expression tag	UNP Q9NWX8
I	-5	LEU	-	expression tag	UNP Q9NWX8
I	-4	PHE	-	expression tag	UNP Q9NWX8
I	-3	GLN	-	expression tag	UNP Q9NWX8
I	-2	GLY	-	expression tag	UNP Q9NWX8
I	-1	PRO	-	expression tag	UNP Q9NWX8
I	0	GLY	-	expression tag	UNP Q9NWX8

- Molecule 5 is a protein called BRCA1-A complex subunit RAP80.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	58	Total 466	C 305	N 78	O 80	S 3	0	0
5	J	58	Total 466	C 305	N 78	O 80	S 3	0	0

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	243	MET	-	initiating methionine	UNP Q96RL1
E	244	ALA	-	expression tag	UNP Q96RL1
E	245	SER	-	expression tag	UNP Q96RL1
E	246	TRP	-	expression tag	UNP Q96RL1
E	247	SER	-	expression tag	UNP Q96RL1
E	248	HIS	-	expression tag	UNP Q96RL1
E	249	PRO	-	expression tag	UNP Q96RL1
E	250	GLN	-	expression tag	UNP Q96RL1
E	251	PHE	-	expression tag	UNP Q96RL1
E	252	GLU	-	expression tag	UNP Q96RL1
E	253	LYS	-	expression tag	UNP Q96RL1
E	254	GLY	-	expression tag	UNP Q96RL1
E	255	ALA	-	expression tag	UNP Q96RL1
E	256	LEU	-	expression tag	UNP Q96RL1
E	257	GLU	-	expression tag	UNP Q96RL1
E	258	VAL	-	expression tag	UNP Q96RL1
E	259	LEU	-	expression tag	UNP Q96RL1
E	260	PHE	-	expression tag	UNP Q96RL1
E	261	GLN	-	expression tag	UNP Q96RL1
E	262	GLY	-	expression tag	UNP Q96RL1
E	263	PRO	-	expression tag	UNP Q96RL1
E	264	GLY	-	expression tag	UNP Q96RL1
J	243	MET	-	initiating methionine	UNP Q96RL1
J	244	ALA	-	expression tag	UNP Q96RL1
J	245	SER	-	expression tag	UNP Q96RL1
J	246	TRP	-	expression tag	UNP Q96RL1
J	247	SER	-	expression tag	UNP Q96RL1
J	248	HIS	-	expression tag	UNP Q96RL1
J	249	PRO	-	expression tag	UNP Q96RL1
J	250	GLN	-	expression tag	UNP Q96RL1
J	251	PHE	-	expression tag	UNP Q96RL1
J	252	GLU	-	expression tag	UNP Q96RL1
J	253	LYS	-	expression tag	UNP Q96RL1
J	254	GLY	-	expression tag	UNP Q96RL1
J	255	ALA	-	expression tag	UNP Q96RL1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	256	LEU	-	expression tag	UNP Q96RL1
J	257	GLU	-	expression tag	UNP Q96RL1
J	258	VAL	-	expression tag	UNP Q96RL1
J	259	LEU	-	expression tag	UNP Q96RL1
J	260	PHE	-	expression tag	UNP Q96RL1
J	261	GLN	-	expression tag	UNP Q96RL1
J	262	GLY	-	expression tag	UNP Q96RL1
J	263	PRO	-	expression tag	UNP Q96RL1
J	264	GLY	-	expression tag	UNP Q96RL1

- Molecule 6 is a protein called Polyubiquitin-C.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	K	73	Total	C	N	O	S	0	0
			580	366	99	114	1		
6	M	72	Total	C	N	O	S	0	0
			572	360	98	113	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	63A	DAB	LYS	engineered mutation	UNP P0CG48
M	63A	DAB	LYS	engineered mutation	UNP P0CG48

- Molecule 7 is a protein called Polyubiquitin-C.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	L	76	Total	C	N	O	S	0	0
			604	380	105	117	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	76	A1JPL	GLY	engineered mutation	UNP P0CG48

- Molecule 8 is a protein called Polyubiquitin-C.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	N	76	Total	C	N	O	S	0	0
			604	380	105	117	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	76	A1JPT	GLY	engineered mutation	UNP P0CG48

- Molecule 9 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	S	76	Total	C	N	O	S	0	0
			602	378	105	118	1		
9	T	73	Total	C	N	O	S	0	0
			582	368	99	114	1		
9	U	72	Total	C	N	O	S	0	0
			574	362	98	113	1		
9	V	72	Total	C	N	O	S	0	0
			574	362	98	113	1		


- Molecule 10 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
10	B	1	Total	Zn	0
			1	1	
10	G	1	Total	Zn	0
			1	1	


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BRCA1-A complex subunit Abraxas 1




• Molecule 1: BRCA1-A complex subunit Abraxas 1






• Molecule 3: BRISC and BRCA1-A complex member 2




• Molecule 4: BRISC and BRCA1-A complex member 1




• Molecule 4: BRISC and BRCA1-A complex member 1






• Molecule 5: BRCA1-A complex subunit RAP80

Chain E: 23% 9% 66%



• Molecule 5: BRCA1-A complex subunit RAP80

Chain J: 15% 18% 66%



• Molecule 6: Polyubiquitin-C

Chain K: 45% 46% 5%




• Molecule 6: Polyubiquitin-C

Chain M: 46% 47% 5%




- Molecule 7: Polyubiquitin-C

Chain L: 49% 49%



- Molecule 8: Polyubiquitin-C

Chain N: 55% 42%




- Molecule 9: Ubiquitin

Chain S: 8% 68% 32%




- Molecule 9: Ubiquitin

Chain T: 30% 68% 28%



- Molecule 9: Ubiquitin


Chain U: 45% 47% 45% 5%



- Molecule 9: Ubiquitin

Chain V: 53% 50% 42% 5%





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	134940	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1250	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.837	Depositor
Minimum map value	-0.291	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.03	Depositor
Map size (Å)	419.328, 419.328, 419.328	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.092, 1.092, 1.092	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1JPT, DAB, ZN, A1JPL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.97	0/2514	1.11	2/3376 (0.1%)
1	F	0.97	0/2444	1.17	5/3281 (0.2%)
2	B	1.07	1/2115 (0.0%)	1.21	6/2857 (0.2%)
2	G	1.01	2/2098 (0.1%)	1.23	11/2834 (0.4%)
3	C	0.97	0/3160	1.06	1/4299 (0.0%)
3	H	0.91	0/3161	1.14	3/4300 (0.1%)
4	D	0.94	0/1934	1.11	3/2623 (0.1%)
4	I	1.00	0/1947	1.24	4/2642 (0.2%)
5	E	0.96	0/480	1.09	0/652
5	J	0.90	0/480	1.01	0/652
6	K	0.93	0/578	1.07	1/778 (0.1%)
6	M	0.63	1/570 (0.2%)	0.91	2/767 (0.3%)
7	L	1.00	0/603	1.14	0/811
8	N	0.99	0/603	1.26	0/811
9	S	0.71	1/608 (0.2%)	0.85	1/816 (0.1%)
9	T	0.74	0/588	0.87	0/792
9	U	0.98	0/580	1.16	0/781
9	V	0.98	0/580	1.16	0/781
All	All	0.96	5/25043 (0.0%)	1.13	39/33853 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	F	0	3
2	B	0	2
2	G	0	4
3	C	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
3	H	0	4
4	D	0	2
4	I	0	1
5	E	0	1
5	J	0	1
6	K	0	1
7	L	0	3
9	U	0	1
9	V	0	1
All	All	0	27

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	136	VAL	CA-CB	-8.78	1.44	1.54
2	G	122	HIS	CA-CB	-6.54	1.42	1.53
6	M	61	ILE	C-N	6.34	1.42	1.33
9	S	36	ILE	N-CA	5.86	1.50	1.45
2	G	136	VAL	CA-CB	-5.51	1.48	1.54

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	120	TRP	O-C-N	-13.18	107.98	123.27
3	H	125	HIS	N-CA-C	-11.10	99.74	113.28
4	I	234	LYS	CB-CA-C	-9.62	95.78	110.88
2	G	125	PRO	N-CD-CG	-8.00	91.19	103.20
3	H	124	TYR	N-CA-C	-7.56	104.08	113.38

There are no chirality outliers.

5 of 27 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	103	ARG	Sidechain
1	A	104	ARG	Sidechain
2	B	211	ARG	Sidechain
2	B	290	ARG	Sidechain
3	C	55	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2473	0	2480	102	0
1	F	2404	0	2403	131	0
2	B	2079	0	2062	100	0
2	G	2062	0	2052	138	0
3	C	3069	0	2990	135	0
3	H	3070	0	2989	143	0
4	D	1889	0	1871	88	0
4	I	1901	0	1883	119	0
5	E	466	0	472	27	0
5	J	466	0	472	44	0
6	K	580	0	602	42	0
6	M	572	0	591	29	0
7	L	604	0	626	41	0
8	N	604	0	626	38	0
9	S	602	0	629	18	0
9	T	582	0	610	18	0
9	U	574	0	599	29	0
9	V	574	0	599	32	0
10	B	1	0	0	0	0
10	G	1	0	0	0	0
All	All	24573	0	24556	1104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

The worst 5 of 1104 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:K:2:GLN:H	6:K:2:GLN:NE2	1.56	1.02
6:K:70:VAL:HG12	6:K:71:LEU:H	1.20	1.01
7:L:17:VAL:HG11	7:L:26:VAL:HG22	1.50	0.94
7:L:2:GLN:HA	7:L:16:GLU:HA	1.53	0.91
3:C:42:SER:HA	3:C:53:CYS:HA	1.55	0.87

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/409 (74%)	283 (93%)	20 (7%)	0	100	100
1	F	292/409 (71%)	276 (94%)	16 (6%)	0	100	100
2	B	253/316 (80%)	240 (95%)	13 (5%)	0	100	100
2	G	251/316 (79%)	241 (96%)	10 (4%)	0	100	100
3	C	380/383 (99%)	348 (92%)	32 (8%)	0	100	100
3	H	380/383 (99%)	356 (94%)	24 (6%)	0	100	100
4	D	235/349 (67%)	220 (94%)	14 (6%)	1 (0%)	30	65
4	I	237/349 (68%)	217 (92%)	20 (8%)	0	100	100
5	E	56/171 (33%)	56 (100%)	0	0	100	100
5	J	56/171 (33%)	55 (98%)	1 (2%)	0	100	100
6	K	70/76 (92%)	59 (84%)	11 (16%)	0	100	100
6	M	69/76 (91%)	63 (91%)	6 (9%)	0	100	100
7	L	74/76 (97%)	69 (93%)	5 (7%)	0	100	100
8	N	74/76 (97%)	69 (93%)	5 (7%)	0	100	100
9	S	74/76 (97%)	72 (97%)	2 (3%)	0	100	100
9	T	71/76 (93%)	70 (99%)	1 (1%)	0	100	100
9	U	70/76 (92%)	68 (97%)	2 (3%)	0	100	100
9	V	70/76 (92%)	68 (97%)	2 (3%)	0	100	100
All	All	3015/3864 (78%)	2830 (94%)	184 (6%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	220	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/373 (75%)	278 (99%)	3 (1%)	65	83
1	F	274/373 (74%)	272 (99%)	2 (1%)	76	86
2	B	235/286 (82%)	234 (100%)	1 (0%)	84	90
2	G	233/286 (82%)	230 (99%)	3 (1%)	61	81
3	C	336/337 (100%)	336 (100%)	0	100	100
3	H	336/337 (100%)	335 (100%)	1 (0%)	86	91
4	D	219/305 (72%)	219 (100%)	0	100	100
4	I	220/305 (72%)	219 (100%)	1 (0%)	81	89
5	E	52/150 (35%)	51 (98%)	1 (2%)	50	76
5	J	52/150 (35%)	52 (100%)	0	100	100
6	K	66/67 (98%)	64 (97%)	2 (3%)	36	69
6	M	65/67 (97%)	65 (100%)	0	100	100
7	L	68/68 (100%)	67 (98%)	1 (2%)	57	80
8	N	68/68 (100%)	66 (97%)	2 (3%)	37	70
9	S	68/68 (100%)	68 (100%)	0	100	100
9	T	67/68 (98%)	67 (100%)	0	100	100
9	U	66/68 (97%)	64 (97%)	2 (3%)	36	69
9	V	66/68 (97%)	64 (97%)	2 (3%)	36	69
All	All	2772/3444 (80%)	2751 (99%)	21 (1%)	70	86

5 of 21 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	L	63	LYS
9	U	30	ILE
9	V	61	ILE
9	U	61	ILE
8	N	44	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
3	H	101	ASN
4	I	83	GLN
9	T	41	GLN
3	H	342	GLN
4	I	136	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	A1JPT	N	76	8,10,6	5,6,7	0.75	0	1,6,8	2.08	1 (100%)
6	DAB	K	63(A)	6,7	5,6,7	0.54	0	1,6,8	0.17	0
7	A1JPL	L	76	10,6,7	5,6,7	0.80	0	1,6,8	1.00	0
6	DAB	M	63(A)	8,6	5,6,7	0.82	0	1,6,8	0.03	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	A1JPT	N	76	8,10,6	-	0/2/5/6	-
6	DAB	K	63(A)	6,7	-	4/4/5/7	-
7	A1JPL	L	76	10,6,7	-	1/2/5/6	-
6	DAB	M	63(A)	8,6	-	2/4/5/7	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	N	76	A1JPT	O-C-C2	-2.08	119.37	125.43

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	K	63(A)	DAB	O-C-CA-CB
6	K	63(A)	DAB	N-CA-CB-CG
6	K	63(A)	DAB	C-CA-CB-CG
6	M	63(A)	DAB	N-CA-CB-CG
6	M	63(A)	DAB	CA-CB-CG-ND

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	N	76	A1JPT	2	0
7	L	76	A1JPL	2	0
6	M	63(A)	DAB	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55039. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192




Y Index: 192



Z Index: 192


6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 201




Y Index: 210




Z Index: 229


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_55039_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 860 nm^3 ; this corresponds to an approximate mass of 777 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	3.10	3.52	3.13
Unmasked-calculated*	4.33	8.14	6.04

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.33 differs from the reported value 3.0 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-55039 and PDB model 9SMP. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.03 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div>0.9560</div>	<div><div></div>0.3430</div>
A	<div><div></div>0.9970</div>	<div><div></div>0.4240</div>
B	<div><div></div>0.9970</div>	<div><div></div>0.4560</div>
C	<div><div></div>0.9980</div>	<div><div></div>0.4300</div>
D	<div><div></div>0.9960</div>	<div><div></div>0.3230</div>
E	<div><div></div>0.9960</div>	<div><div></div>0.4050</div>
F	<div><div></div>0.9980</div>	<div><div></div>0.3870</div>
G	<div><div></div>0.9980</div>	<div><div></div>0.4490</div>
H	<div><div></div>0.9960</div>	<div><div></div>0.3220</div>
I	<div><div></div>0.9930</div>	<div><div></div>0.1940</div>
J	<div><div></div>0.9930</div>	<div><div></div>0.3080</div>
K	<div><div></div>0.9970</div>	<div><div></div>0.2620</div>
L	<div><div></div>0.9980</div>	<div><div></div>0.4050</div>
M	<div><div></div>0.9680</div>	<div><div></div>0.2290</div>
N	<div><div></div>0.9930</div>	<div><div></div>0.3680</div>
S	<div><div></div>0.8470</div>	<div><div></div>0.1510</div>
T	<div><div></div>0.5560</div>	<div><div></div>0.0690</div>
U	<div><div></div>0.4660</div>	<div><div></div>0.0920</div>
V	<div><div></div>0.4200</div>	<div><div></div>0.0590</div>

1.0

0.0

<0.0