



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 9, 2021 – 02:03 AM EST

PDB ID : 7SP5
Title : Crystal Structure of a Eukaryotic Phosphate Transporter
Authors : Stroud, R.M.; Pedersen, B.P.; Kumar, H.; Waight, A.B.; Risenmay, A.J.; Roetzur, Z.; Chau, B.H.; Schlessinger, A.; Bonomi, M.; Harries, W.; Sali, A.; Johri, A.K.; Finer-Moore, J.
Deposited on : 2021-11-02
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	530	 2% 67% 14% 18%
1	B	530	 6% 70% 11% 19%

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 6757 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphate transporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	433	3328	2196	547	569	16	0	0	0
1	B	428	3314	2188	546	564	16	0	0	0

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP A8N031
A	0	PRO	-	expression tag	UNP A8N031
A	523	GLY	-	expression tag	UNP A8N031
A	524	GLY	-	expression tag	UNP A8N031
A	525	LEU	-	expression tag	UNP A8N031
A	526	VAL	-	expression tag	UNP A8N031
A	527	PRO	-	expression tag	UNP A8N031
A	528	ARG	-	expression tag	UNP A8N031
B	-1	GLY	-	expression tag	UNP A8N031
B	0	PRO	-	expression tag	UNP A8N031
B	523	GLY	-	expression tag	UNP A8N031
B	524	GLY	-	expression tag	UNP A8N031
B	525	LEU	-	expression tag	UNP A8N031
B	526	VAL	-	expression tag	UNP A8N031
B	527	PRO	-	expression tag	UNP A8N031
B	528	ARG	-	expression tag	UNP A8N031

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O P 5 4 1	0	0
2	B	1	Total O P 5 4 1	0	0

- Molecule 3 is nonyl beta-D-glucopyranoside (three-letter code: BNG) (formula: $C_{15}H_{30}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 21 15 6	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			21	15	6		
3	A	1	Total	C	O	0	0
			21	15	6		
3	B	1	Total	C	O	0	0
			21	15	6		
3	B	1	Total	C	O	0	0
			21	15	6		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphate transporter



- Molecule 1: Phosphate transporter



RESIDUE
GLY
GLU
ILE
PRO
GLY
GLY
LEU
VAL
PRO
ARG

4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	174.51Å 174.51Å 173.41Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	69.27 – 2.90 75.21 – 2.90	Depositor EDS
% Data completeness (in resolution range)	93.6 (69.27-2.90) 93.6 (75.21-2.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.97 (at 2.91Å)	Xtrriage
Refinement program	PHENIX 1.18.2	Depositor
R, R_{free}	0.234 , 0.255 0.234 , 0.255	Depositor DCC
R_{free} test set	1982 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	81.0	Xtrriage
Anisotropy	0.056	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 77.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.043 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6757	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, BNG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/3411	0.62	7/4624 (0.2%)
1	B	0.29	0/3397	0.56	3/4602 (0.1%)
All	All	0.33	0/6808	0.59	10/9226 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	516	ARG	CB-CA-C	-8.07	94.26	110.40
1	A	446	ILE	CA-CB-CG1	-6.96	97.78	111.00
1	A	226	LEU	CB-CG-CD2	6.29	121.69	111.00
1	A	516	ARG	CD-NE-CZ	-5.96	115.25	123.60
1	A	103	PHE	CB-CA-C	-5.57	99.27	110.40
1	B	120	MET	CB-CG-SD	-5.47	95.99	112.40
1	B	416	LEU	CB-CG-CD2	5.31	120.03	111.00
1	A	340	GLN	CA-CB-CG	5.01	124.43	113.40
1	B	370	LEU	CB-CG-CD2	5.01	119.51	111.00
1	A	516	ARG	NE-CZ-NH1	-5.00	117.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	103	PHE	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3328	0	3338	67	0
1	B	3314	0	3346	39	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	63	0	90	5	0
3	B	42	0	60	0	0
All	All	6757	0	6834	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:CYS:SG	1:A:459:LYS:NZ	2.48	0.86
1:A:347:THR:O	1:A:353:LYS:NZ	2.12	0.80
1:A:303:TYR:HE2	1:A:309:HIS:HD1	1.30	0.79
1:A:513:GLU:OE1	1:A:516:ARG:NH2	2.19	0.74
1:A:103:PHE:O	1:A:103:PHE:HD2	1.71	0.74
1:A:303:TYR:HE2	1:A:309:HIS:ND1	1.88	0.72
1:A:311:ARG:HH21	3:A:602:BNG:H5	1.55	0.71
1:A:224:GLY:O	1:A:228:GLN:HG2	1.92	0.70
1:B:64:PHE:HA	1:B:66:LYS:NZ	2.07	0.69
1:B:513:GLU:OE2	1:B:516:ARG:NE	2.27	0.68
1:A:513:GLU:HA	1:A:516:ARG:HG2	1.75	0.68
1:B:123:PRO:HG2	1:B:126:TRP:CE2	2.30	0.67
1:B:123:PRO:HG2	1:B:126:TRP:CD2	2.33	0.64
1:B:468:VAL:HG22	1:B:472:LEU:HG	1.80	0.64
1:A:62:VAL:HG22	1:A:207:VAL:HG13	1.78	0.64
1:A:513:GLU:OE1	1:A:516:ARG:NE	2.31	0.64
1:A:227:TYR:HD1	1:A:228:GLN:HE22	1.47	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:PHE:HB2	1:A:103:PHE:HD1	1.67	0.60
1:B:105:TYR:CE2	1:B:229:ARG:HD3	2.38	0.59
1:A:443:PRO:HG2	1:A:446:ILE:HD11	1.85	0.59
1:A:513:GLU:OE1	1:A:516:ARG:CZ	2.50	0.59
1:B:166:ARG:HH21	1:B:440:GLU:HB3	1.66	0.58
1:B:70:PRO:HG2	1:B:73:ARG:HD2	1.84	0.58
1:A:77:MET:HA	1:A:136:THR:HG22	1.85	0.57
1:A:303:TYR:CE2	1:A:309:HIS:ND1	2.69	0.57
1:A:497:PHE:O	3:A:602:BNG:O2	2.22	0.57
1:B:365:THR:HA	1:B:369:PHE:HB3	1.88	0.56
1:B:445:ARG:HH12	1:B:515:ARG:HD2	1.70	0.56
1:A:306:THR:HB	1:A:309:HIS:CD2	2.41	0.56
1:A:349:ASP:O	1:A:353:LYS:HG2	2.06	0.56
1:A:459:LYS:O	1:A:463:ILE:HG12	2.06	0.56
1:A:103:PHE:O	1:A:103:PHE:CD2	2.58	0.55
1:B:346:LYS:HB2	1:B:356:GLN:HE22	1.72	0.55
1:B:464:LEU:O	1:B:468:VAL:HG12	2.06	0.55
1:A:303:TYR:CD1	1:A:446:ILE:HD13	2.42	0.54
1:A:103:PHE:O	1:A:107:LYS:NZ	2.40	0.54
1:B:143:GLY:O	1:B:147:GLY:N	2.35	0.54
1:A:311:ARG:NH2	3:A:602:BNG:H5	2.23	0.54
1:A:343:PHE:O	1:A:356:GLN:NE2	2.41	0.54
1:A:32:ILE:HG22	1:A:36:LEU:HD11	1.89	0.53
1:A:149:ASP:HA	1:A:152:MET:HE3	1.91	0.53
1:A:514:GLU:O	1:A:518:ARG:NH1	2.42	0.53
1:A:32:ILE:O	1:A:35:VAL:HG22	2.11	0.51
1:A:375:PHE:O	1:A:379:LEU:HD12	2.10	0.51
1:B:120:MET:CE	1:B:216:GLY:HA2	2.40	0.51
1:A:308:ASN:HA	1:A:311:ARG:CD	2.41	0.51
1:A:58:MET:O	1:A:62:VAL:HG23	2.10	0.51
1:A:506:ASP:OD2	1:A:509:GLU:N	2.39	0.51
1:B:449:SER:O	1:B:453:ILE:HG12	2.10	0.51
1:A:42:PHE:HE1	1:A:153:SER:HG	1.59	0.51
1:B:64:PHE:HA	1:B:66:LYS:HZ2	1.74	0.50
1:A:410:ILE:HD12	1:A:414:PRO:HB2	1.94	0.50
1:A:30:PRO:HB2	1:A:32:ILE:HD12	1.93	0.50
1:B:77:MET:HA	1:B:136:THR:HG22	1.94	0.49
1:B:341:ILE:HG22	1:B:342:GLY:H	1.78	0.49
1:A:99:PHE:HB2	1:A:103:PHE:CD1	2.47	0.49
1:A:449:SER:O	1:A:453:ILE:HG13	2.12	0.49
1:A:111:LEU:HD12	3:A:603:BNG:H9'1	1.92	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:ASN:HA	1:A:311:ARG:HD2	1.94	0.49
1:A:303:TYR:CE1	1:A:446:ILE:CD1	2.96	0.49
1:A:376:THR:OG1	1:A:428:PHE:HA	2.13	0.49
1:B:132:LEU:O	1:B:136:THR:HG23	2.14	0.47
1:A:341:ILE:HG22	1:A:342:GLY:H	1.78	0.47
1:B:32:ILE:HG22	1:B:36:LEU:CD1	2.45	0.46
1:A:516:ARG:HG3	1:A:517:ALA:N	2.29	0.46
1:A:42:PHE:HE1	1:A:153:SER:OG	1.98	0.46
1:A:103:PHE:O	1:A:107:LYS:HD2	2.15	0.46
1:B:156:VAL:HG23	1:B:157:VAL:HG13	1.97	0.46
1:A:132:LEU:O	1:A:136:THR:HG23	2.15	0.46
1:B:325:ILE:HG23	1:B:465:SER:HB3	1.98	0.45
1:A:119:GLN:HG3	1:A:135:ILE:HG23	1.98	0.45
1:B:32:ILE:O	1:B:35:VAL:HG22	2.16	0.45
1:B:376:THR:OG1	1:B:428:PHE:HA	2.16	0.45
1:A:365:THR:HA	1:A:369:PHE:HB3	1.99	0.45
1:A:161:ALA:HB1	1:A:163:ILE:HG22	1.99	0.45
1:A:306:THR:HB	1:A:309:HIS:HD2	1.82	0.44
1:B:455:ALA:O	1:B:459:LYS:HG3	2.18	0.44
1:B:220:ILE:HB	1:B:221:PRO:HD3	1.99	0.44
1:A:32:ILE:HG22	1:A:36:LEU:CD1	2.48	0.44
1:A:196:LYS:HG3	1:A:351:TYR:CZ	2.53	0.43
1:B:346:LYS:CB	1:B:356:GLN:HE22	2.31	0.43
1:B:120:MET:HE1	1:B:216:GLY:HA2	2.00	0.43
1:A:166:ARG:HH12	1:A:507:PRO:HD3	1.82	0.43
1:A:516:ARG:HH11	1:A:516:ARG:HD2	1.43	0.43
1:A:441:LEU:HD11	1:A:499:ILE:HD12	2.00	0.43
1:A:169:LEU:O	1:A:173:ILE:HG13	2.18	0.42
1:A:36:LEU:H	1:A:36:LEU:HD12	1.84	0.42
1:B:169:LEU:HD12	1:B:169:LEU:HA	1.86	0.42
1:A:303:TYR:CE1	1:A:446:ILE:HD13	2.54	0.42
1:B:66:LYS:H	1:B:66:LYS:HG2	1.40	0.41
1:B:410:ILE:HD12	1:B:414:PRO:HB2	2.02	0.41
1:B:112:ILE:HG22	1:B:142:LEU:HD12	2.02	0.41
1:A:156:VAL:HG23	1:A:157:VAL:HG13	2.03	0.41
1:B:187:VAL:HG12	1:B:214:LEU:HD22	2.02	0.41
1:A:444:THR:HG23	1:A:508:ASP:OD2	2.21	0.41
1:B:52:ILE:HD12	1:B:52:ILE:HA	1.85	0.41
1:A:77:MET:CA	1:A:136:THR:HG22	2.50	0.41
1:A:137:ILE:HG21	3:A:603:BNG:H2'2	2.02	0.41
1:A:227:TYR:CD1	1:A:228:GLN:NE2	2.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:MET:HE2	1:B:216:GLY:HA2	2.02	0.41
1:A:99:PHE:CB	1:A:103:PHE:HD1	2.32	0.41
1:A:502:THR:O	1:A:505:VAL:HG22	2.21	0.41
1:B:112:ILE:HG23	1:B:145:GLY:HA3	2.03	0.40
1:B:166:ARG:NH2	1:B:440:GLU:HB3	2.34	0.40
1:B:432:THR:HG22	1:B:436:ILE:HD12	2.04	0.40
1:B:352:ASP:O	1:B:356:GLN:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	429/530 (81%)	418 (97%)	9 (2%)	2 (0%)	29	61
1	B	424/530 (80%)	412 (97%)	12 (3%)	0	100	100
All	All	853/1060 (80%)	830 (97%)	21 (2%)	2 (0%)	47	78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	148	GLY
1	A	348	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/433 (78%)	336 (99%)	3 (1%)	78	93
1	B	341/433 (79%)	341 (100%)	0	100	100
All	All	680/866 (78%)	677 (100%)	3 (0%)	91	97

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	311	ARG
1	A	412	LYS
1	A	516	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	356	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BNG	A	602	-	21,21,21	1.12	1 (4%)	26,26,26	1.00	1 (3%)
2	PO4	B	601	-	4,4,4	0.91	0	6,6,6	0.44	0
3	BNG	B	603	-	21,21,21	1.25	3 (14%)	26,26,26	1.19	3 (11%)
3	BNG	B	602	-	21,21,21	1.11	2 (9%)	26,26,26	0.98	1 (3%)
2	PO4	A	601	-	4,4,4	0.90	0	6,6,6	0.43	0
3	BNG	A	603	-	21,21,21	1.13	2 (9%)	26,26,26	1.35	3 (11%)
3	BNG	A	604	-	21,21,21	1.08	2 (9%)	26,26,26	1.07	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BNG	A	602	-	-	8/12/32/32	0/1/1/1
3	BNG	B	603	-	-	7/12/32/32	0/1/1/1
3	BNG	B	602	-	-	6/12/32/32	0/1/1/1
3	BNG	A	603	-	-	7/12/32/32	0/1/1/1
3	BNG	A	604	-	-	3/12/32/32	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	603	BNG	O5-C1	3.79	1.51	1.41
3	A	603	BNG	O5-C1	3.63	1.51	1.41
3	A	602	BNG	O5-C1	3.53	1.50	1.41
3	B	602	BNG	O5-C1	3.53	1.50	1.41
3	A	604	BNG	O5-C1	3.31	1.50	1.41
3	B	603	BNG	O1-C1	-2.16	1.36	1.40
3	B	603	BNG	O5-C5	2.08	1.49	1.44
3	B	602	BNG	O1-C1	-2.08	1.36	1.40
3	A	604	BNG	O1-C1	-2.04	1.36	1.40
3	A	603	BNG	O1-C1	-2.03	1.36	1.40

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	603	BNG	C3-C4-C5	3.27	116.08	110.24
3	B	603	BNG	C1-C2-C3	-3.00	103.75	110.00
3	A	603	BNG	C4-C3-C2	2.75	115.62	110.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	603	BNG	O5-C1-C2	2.73	116.13	110.35
3	B	603	BNG	C4-C3-C2	-2.27	106.86	110.82
3	B	603	BNG	O5-C5-C4	2.25	113.79	109.69
3	A	602	BNG	C5'-C4'-C3'	-2.23	103.13	114.42
3	A	604	BNG	C3-C4-C5	2.14	114.06	110.24
3	A	604	BNG	C1-O5-C5	-2.14	109.49	113.69
3	B	602	BNG	C6'-C5'-C4'	-2.13	103.64	114.42

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	BNG	C2-C1-O1-C1'
3	A	602	BNG	O5-C1-O1-C1'
3	A	603	BNG	C2'-C1'-O1-C1
3	B	603	BNG	C2'-C1'-O1-C1
3	A	603	BNG	O5-C5-C6-O6
3	B	603	BNG	O5-C5-C6-O6
3	B	602	BNG	O5-C1-O1-C1'
3	A	603	BNG	O1-C1'-C2'-C3'
3	B	603	BNG	O1-C1'-C2'-C3'
3	A	603	BNG	C4-C5-C6-O6
3	B	602	BNG	C2'-C3'-C4'-C5'
3	B	602	BNG	C2-C1-O1-C1'
3	A	602	BNG	C2'-C1'-O1-C1
3	A	602	BNG	C2'-C3'-C4'-C5'
3	B	603	BNG	C1'-C2'-C3'-C4'
3	A	604	BNG	C2-C1-O1-C1'
3	A	602	BNG	C3'-C4'-C5'-C6'
3	B	602	BNG	C5'-C6'-C7'-C8'
3	A	603	BNG	C1'-C2'-C3'-C4'
3	B	602	BNG	C2'-C1'-O1-C1
3	A	602	BNG	C5'-C6'-C7'-C8'
3	B	602	BNG	O1-C1'-C2'-C3'
3	A	604	BNG	O5-C1-O1-C1'
3	B	603	BNG	C4'-C5'-C6'-C7'
3	A	602	BNG	O1-C1'-C2'-C3'
3	A	603	BNG	C4'-C5'-C6'-C7'
3	B	603	BNG	C4-C5-C6-O6
3	A	603	BNG	C3'-C4'-C5'-C6'
3	A	602	BNG	C6'-C7'-C8'-C9'
3	A	604	BNG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	603	BNG	C3'-C4'-C5'-C6'


There are no ring outliers.



2 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	BNG	3	0
3	A	603	BNG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	433/530 (81%)	0.38	13 (3%)	50 45	53, 80, 167, 258	0
1	B	428/530 (80%)	0.56	33 (7%)	13 10	54, 84, 195, 250	0
All	All	861/1060 (81%)	0.47	46 (5%)	26 22	53, 82, 178, 258	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	102	LYS	8.3
1	B	159	ASP	7.5
1	B	103	PHE	7.3
1	A	153	SER	7.0
1	B	105	TYR	6.1
1	B	153	SER	5.7
1	B	104	VAL	5.7
1	B	154	ALA	5.3
1	B	155	THR	5.1
1	B	157	VAL	4.8
1	B	101	ARG	4.8
1	B	107	LYS	4.6
1	B	160	ARG	4.5
1	B	156	VAL	3.6
1	A	156	VAL	3.3
1	B	150	TYR	3.2
1	B	34	LEU	3.1
1	A	151	PRO	3.0
1	B	31	GLN	3.0
1	B	32	ILE	2.9
1	B	110	ILE	2.9
1	A	105	TYR	2.8
1	B	151	PRO	2.8
1	B	512	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	387	LYS	2.7
1	A	387	LYS	2.7
1	B	162	ASN	2.6
1	A	291	ALA	2.6
1	B	30	PRO	2.6
1	B	152	MET	2.5
1	B	149	ASP	2.5
1	A	62	VAL	2.5
1	A	379	LEU	2.4
1	B	35	VAL	2.4
1	B	435	PHE	2.4
1	B	108	GLU	2.3
1	A	154	ALA	2.3
1	B	164	HIS	2.3
1	B	380	ILE	2.3
1	A	207	VAL	2.2
1	A	34	LEU	2.2
1	B	394	ILE	2.1
1	A	394	ILE	2.1
1	B	37	LEU	2.1
1	A	380	ILE	2.0
1	B	169	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BNG	A	602	21/21	0.84	0.45	64,93,114,116	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	BNG	A	604	21/21	0.84	0.19	71,97,113,118	0
3	BNG	B	602	21/21	0.85	0.51	68,90,111,115	0
3	BNG	A	603	21/21	0.86	0.18	75,102,120,121	0
3	BNG	B	603	21/21	0.87	0.46	66,90,101,111	0
2	PO4	A	601	5/5	0.89	0.24	103,103,137,138	0
2	PO4	B	601	5/5	0.91	0.20	80,94,119,125	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around BNG A 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BNG B 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BNG A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BNG B 603:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PO4 A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.