



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 3, 2023 – 11:12 PM EDT

PDB ID : 3T8X  
Title : Crystal structure of human CD1b in complex with synthetic antigenic diacyl  
ulfoglycolipid SGL12 and endogenous spacer  
Authors : Garcia-Alles, L.F.; Maveyraud, L.; Mourey, L.; Julien, S.  
Deposited on : 2011-08-02  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	 3% 77% 13% • 9%
1	C	301	 3% 80% 11% • 8%
2	B	99	 2% 92% 7% •
2	D	99	 3% 91% 8% •
3	E	2	 100%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	G	2	 100%
4	F	5	 60%  40%
5	H	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FUC	E	2	X	-	-	-
3	FUC	G	2	X	-	-	-
8	T8X	A	304	-	-	X	-

## 2 Entry composition i

There are 11 unique types of molecules in this entry. The entry contains 6803 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-cell surface glycoprotein CD1b.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	275	2147	1379	365	393	10	0	1	0
1	C	277	2138	1376	357	395	10	0	3	0

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	281	ILE	-	expression tag	UNP P29016
A	282	ASP	-	expression tag	UNP P29016
A	283	LYS	-	expression tag	UNP P29016
A	284	LEU	-	expression tag	UNP P29016
A	285	GLY	-	expression tag	UNP P29016
A	286	GLY	-	expression tag	UNP P29016
A	287	GLY	-	expression tag	UNP P29016
A	288	LEU	-	expression tag	UNP P29016
A	289	ASN	-	expression tag	UNP P29016
A	290	ASP	-	expression tag	UNP P29016
A	291	ILE	-	expression tag	UNP P29016
A	292	PHE	-	expression tag	UNP P29016
A	293	GLU	-	expression tag	UNP P29016
A	294	ALA	-	expression tag	UNP P29016
A	295	GLN	-	expression tag	UNP P29016
A	296	LYS	-	expression tag	UNP P29016
A	297	ILE	-	expression tag	UNP P29016
A	298	GLU	-	expression tag	UNP P29016
A	299	TRP	-	expression tag	UNP P29016
A	300	HIS	-	expression tag	UNP P29016
A	301	GLU	-	expression tag	UNP P29016
C	281	ILE	-	expression tag	UNP P29016
C	282	ASP	-	expression tag	UNP P29016
C	283	LYS	-	expression tag	UNP P29016
C	284	LEU	-	expression tag	UNP P29016

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	285	GLY	-	expression tag	UNP P29016
C	286	GLY	-	expression tag	UNP P29016
C	287	GLY	-	expression tag	UNP P29016
C	288	LEU	-	expression tag	UNP P29016
C	289	ASN	-	expression tag	UNP P29016
C	290	ASP	-	expression tag	UNP P29016
C	291	ILE	-	expression tag	UNP P29016
C	292	PHE	-	expression tag	UNP P29016
C	293	GLU	-	expression tag	UNP P29016
C	294	ALA	-	expression tag	UNP P29016
C	295	GLN	-	expression tag	UNP P29016
C	296	LYS	-	expression tag	UNP P29016
C	297	ILE	-	expression tag	UNP P29016
C	298	GLU	-	expression tag	UNP P29016
C	299	TRP	-	expression tag	UNP P29016
C	300	HIS	-	expression tag	UNP P29016
C	301	GLU	-	expression tag	UNP P29016

- Molecule 2 is a protein called Beta-2-microglobulin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	99	Total 810	C 518	N 135	O 154	S 3	0	0	0
2	D	99	Total 807	C 515	N 137	O 152	S 3	0	0	0

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	E	2	Total 24	C 14	N 1	O 9	0	0	0
3	G	2	Total 24	C 14	N 1	O 9	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
4	F	5	60	34	2	24	0	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
5	H	3	38	22	2	14	0	0	0

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			O	S		
6	A	1	5	1	0	0
6	C	1	5	1	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is 2-O-sulfo-alpha-D-glucopyranosyl 2-O-hexadecanoyl-3-O-[(2E,4S,6S,8S)-2,4,6,8-tetramethyltetracos-2-enoyl]-alpha-D-glucopyranoside (three-letter code: T8X) (formula: C<sub>56</sub>H<sub>104</sub>O<sub>16</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O S 73 56 16 1	0	0
8	C	1	Total C 31 31	0	0


- Molecule 9 is tetracontane (three-letter code: ULI) (formula:  $C_{40}H_{82}$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C 40 40	0	0
9	C	1	Total C 39 39	0	0



- Molecule 10 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	1	Total	C O	0	0
			6	3 3		
10	B	1	Total	C O	0	0
			6	3 3		
10	D	1	Total	C O	0	0
			6	3 3		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	194	Total	O	0	0
			194	194		
11	B	97	Total	O	0	0
			97	97		
11	C	162	Total	O	0	0
			162	162		
11	D	72	Total	O	0	0
			72	72		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: T-cell surface glycoprotein CD1b




- Molecule 1: T-cell surface glycoprotein CD1b




- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1  
FUC2

- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1  
FUC2

- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  60% 40%

MAG1  
MAG2  
MAG3  
MAG4  
FUC5

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1  
MAG2  
FUC3

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	203.25Å 67.58Å 88.19Å 90.00° 112.26° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	92.5 (20.00-1.90) 92.6 (20.00-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.62 (at 1.90Å)	Xtrriage
Refinement program	REFMAC 5.5.0072	Depositor
R, $R_{free}$	0.165 , 0.211 0.173 , 0.220	Depositor DCC
$R_{free}$ test set	4044 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.5	Xtrriage
Anisotropy	0.025	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 60.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6803	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.65% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, SO4, ULI, T8X, ACT, NAG, FUC, GOL, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.27	6/2207 (0.3%)	1.06	11/2998 (0.4%)
1	C	1.17	6/2198 (0.3%)	1.01	7/2992 (0.2%)
2	B	1.22	1/833 (0.1%)	1.00	1/1131 (0.1%)
2	D	1.03	1/830 (0.1%)	0.93	1/1127 (0.1%)
All	All	1.20	14/6068 (0.2%)	1.02	20/8248 (0.2%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	243	TRP	CD2-CE2	6.79	1.49	1.41
2	B	60	TRP	CD2-CE2	6.06	1.48	1.41
1	A	53	TRP	CD2-CE2	6.00	1.48	1.41
1	C	241	TRP	CD2-CE2	5.93	1.48	1.41
2	D	95	TRP	CD2-CE2	5.86	1.48	1.41
1	C	23	TRP	CD2-CE2	5.72	1.48	1.41
1	C	53	TRP	CD2-CE2	5.65	1.48	1.41
1	A	241	TRP	CD2-CE2	5.51	1.48	1.41
1	A	67	GLU	CD-OE1	5.24	1.31	1.25
1	A	277	TRP	CD2-CE2	5.24	1.47	1.41
1	A	220	TRP	CD2-CE2	5.15	1.47	1.41
1	C	243	TRP	CG-CD1	5.14	1.44	1.36
1	C	23	TRP	CG-CD1	5.10	1.43	1.36
1	C	190	TRP	CG-CD2	5.05	1.52	1.43

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	79	ARG	NE-CZ-NH2	-8.02	116.29	120.30
2	D	59	ASP	CB-CG-OD1	7.55	125.09	118.30
1	A	34	ASP	CB-CG-OD1	-7.51	111.54	118.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	83	ASP	CB-CG-OD2	7.49	125.05	118.30
1	A	272	ASP	CB-CG-OD2	6.73	124.36	118.30
1	C	168	ARG	NE-CZ-NH1	6.59	123.59	120.30
1	C	219	MET	CG-SD-CE	-6.57	89.69	100.20
1	A	71	ARG	NE-CZ-NH2	6.18	123.39	120.30
1	C	272	ASP	CB-CG-OD1	-5.97	112.92	118.30
2	B	81	ARG	NE-CZ-NH1	5.83	123.22	120.30
1	A	168	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	C	71	ARG	NE-CZ-NH1	-5.68	117.46	120.30
1	A	272	ASP	CB-CG-OD1	-5.63	113.23	118.30
1	C	33	ASP	CB-CG-OD1	5.59	123.33	118.30
1	C	33	ASP	CB-CG-OD2	-5.54	113.31	118.30
1	C	253	ASP	CB-CG-OD1	5.54	123.29	118.30
1	A	80	GLU	CA-CB-CG	5.29	125.03	113.40
1	A	33	ASP	CB-CG-OD1	5.26	123.03	118.30
1	A	122	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	34	ASP	CB-CA-C	-5.00	100.39	110.40

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2147	0	2051	27	0
1	C	2138	0	2014	22	0
2	B	810	0	749	5	0
2	D	807	0	753	7	0
3	E	24	0	22	0	0
3	G	24	0	22	0	0
4	F	60	0	52	2	0
5	H	38	0	34	0	0
6	A	5	0	0	0	0
6	C	10	0	0	0	0
6	D	10	0	0	0	0
7	A	4	0	3	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	A	73	0	103	33	0
8	C	31	0	61	4	0
9	A	40	0	82	16	0
9	C	39	0	77	8	0
10	B	12	0	16	4	0
10	D	6	0	8	0	0
11	A	194	0	0	1	1
11	B	97	0	0	1	0
11	C	162	0	0	10	1
11	D	72	0	0	3	0
All	All	6803	0	6047	91	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:304:T8X:C56	9:A:305:ULI:HAA	1.47	1.41
8:A:304:T8X:C56	9:A:305:ULI:CAA	2.11	1.28
1:C:22[A]:THR:HG22	11:C:311:HOH:O	1.03	1.21
1:C:219:MET:HE1	11:C:472:HOH:O	1.04	1.20
8:A:304:T8X:HCTA	9:A:305:ULI:HAA	1.31	1.12
8:A:304:T8X:HCU	9:A:305:ULI:CAA	1.75	1.11
8:A:304:T8X:O3	8:A:304:T8X:HAYA	1.47	1.11
8:A:304:T8X:HCH	8:A:304:T8X:HCR	1.15	1.10
8:A:304:T8X:HCR	8:A:304:T8X:C47	1.82	1.09
8:A:304:T8X:HCH	8:A:304:T8X:C53	1.93	0.99
8:C:304:T8X:HCT	9:C:305:ULI:HAAA	1.48	0.95
8:A:304:T8X:HCU	9:A:305:ULI:HAAA	1.51	0.93
8:C:304:T8X:C56	9:C:305:ULI:HAAA	2.03	0.88
8:A:304:T8X:HCT	9:A:305:ULI:CAA	2.06	0.85
8:A:304:T8X:C56	9:A:305:ULI:HAAA	2.03	0.82
9:A:305:ULI:HAAB	9:A:305:ULI:HAEA	1.62	0.80
8:A:304:T8X:HAS	9:A:305:ULI:H80	1.68	0.74
8:A:304:T8X:HCGA	8:A:304:T8X:HBPA	1.70	0.73
1:A:240:ASN:H	1:A:240:ASN:HD22	1.37	0.72
1:A:148:ILE:HD11	8:A:304:T8X:HAP	1.73	0.70
1:C:149:ILE:HG21	11:C:400:HOH:O	1.93	0.68
8:A:304:T8X:HAYA	8:A:304:T8X:C40	2.24	0.67
1:A:81:VAL:HA	9:A:305:ULI:HBCA	1.78	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:GLY:HA2	10:B:100:GOL:H2	1.79	0.64
1:C:127:LYS:CG	11:C:527:HOH:O	2.47	0.62
1:A:151:TYR:CZ	9:A:305:ULI:H81	2.34	0.62
8:A:304:T8X:C47	8:A:304:T8X:HBPA	2.30	0.61
11:A:473:HOH:O	4:F:4:MAN:O3	2.17	0.60
2:D:1:ILE:CG2	11:D:349:HOH:O	2.50	0.60
1:C:12:VAL:HG23	9:C:305:ULI:HAN	1.82	0.60
1:A:148:ILE:CD1	8:A:304:T8X:H104	2.32	0.59
1:C:240:ASN:HD22	1:C:240:ASN:H	1.48	0.59
8:A:304:T8X:C47	8:A:304:T8X:C53	2.64	0.59
2:D:1:ILE:HG23	11:D:349:HOH:O	2.02	0.59
8:A:304:T8X:HCH	8:A:304:T8X:C35	2.33	0.58
1:A:171:LEU:HD12	4:F:2:NAG:H82	1.86	0.57
1:A:69:ILE:HG23	8:A:304:T8X:HBM	1.89	0.55
1:C:90:MET:CE	9:C:305:ULI:HBH	2.37	0.55
1:C:207:HIS:HE1	2:D:99:MET:O	1.90	0.54
1:C:89:GLN:NE2	11:C:377:HOH:O	2.40	0.54
8:A:304:T8X:C47	8:A:304:T8X:C36	2.85	0.54
8:A:304:T8X:HAVA	8:A:304:T8X:C21	2.39	0.53
9:A:305:ULI:CAA	9:A:305:ULI:HAEA	2.34	0.53
1:A:129:ALA:HB1	1:A:159[B]:ARG:NE	2.23	0.53
1:A:234:ASP:H	10:B:100:GOL:H32	1.74	0.51
1:A:73:TYR:HB2	8:A:304:T8X:HCRB	1.92	0.51
1:A:228:GLN:HA	1:A:228:GLN:HE21	1.76	0.51
1:C:203:GLN:HG3	11:C:328:HOH:O	2.11	0.50
2:B:8:GLN:OE1	10:B:100:GOL:H31	2.12	0.50
1:C:14:GLN:HB2	9:C:305:ULI:HAMA	1.94	0.49
8:A:304:T8X:HCT	9:A:305:ULI:HAA	1.63	0.49
1:A:256:ALA:HB1	1:A:277:TRP:CD1	2.48	0.49
2:B:41:LYS:NZ	10:B:101:GOL:H32	2.28	0.48
1:C:156:GLU:OE2	1:C:159:ARG:NH2	2.43	0.48
1:A:151:TYR:CB	1:A:154:ILE:HD12	2.42	0.48
1:C:98:GLY:HA3	9:C:305:ULI:HAQ	1.95	0.48
1:C:224:GLU:CB	11:C:438:HOH:O	2.62	0.48
1:A:188:GLU:OE1	2:B:13:HIS:ND1	2.39	0.47
8:A:304:T8X:C14	9:A:305:ULI:H80	2.41	0.47
1:C:76:GLY:HA3	8:C:304:T8X:HAV	1.96	0.47
1:A:240:ASN:H	1:A:240:ASN:ND2	2.10	0.47
1:C:128:ASN:ND2	11:C:405:HOH:O	2.28	0.46
1:A:169:TYR:CE2	9:A:305:ULI:HABA	2.50	0.46
8:A:304:T8X:HBNA	8:A:304:T8X:HBQ	1.24	0.46

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:6:LYS:NZ	11:B:486:HOH:O	2.38	0.46
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.51	0.46
1:A:151:TYR:HB2	1:A:154:ILE:HD12	1.98	0.46
8:C:304:T8X:HCU	9:C:305:ULI:HAAA	1.91	0.46
8:A:304:T8X:HBNA	8:A:304:T8X:C38	2.27	0.46
1:C:282:ASP:C	11:C:503:HOH:O	2.56	0.45
1:A:129:ALA:HB1	1:A:159[B]:ARG:HE	1.81	0.45
8:A:304:T8X:HCD	8:A:304:T8X:HAXA	1.99	0.44
1:C:251:VAL:HG22	1:C:255:GLU:HB2	1.99	0.44
2:D:22:PHE:CE1	2:D:69:GLU:HG2	2.52	0.44
1:C:190:TRP:CZ3	2:D:14:PRO:HD3	2.53	0.44
1:A:129:ALA:HB1	1:A:159[B]:ARG:CD	2.48	0.43
2:D:74:GLU:CB	11:D:457:HOH:O	2.65	0.43
1:C:66:LEU:HD23	1:C:66:LEU:HA	1.78	0.43
8:A:304:T8X:HCRB	8:A:304:T8X:HBK	1.54	0.43
9:A:305:ULI:HBE	9:A:305:ULI:HBBA	1.29	0.43
8:A:304:T8X:HCH	8:A:304:T8X:C34	2.49	0.43
8:A:304:T8X:HBQ	8:A:304:T8X:HBL	2.01	0.43
1:A:251:VAL:HG21	1:A:259:LEU:HD11	2.01	0.42
1:C:190:TRP:CE3	2:D:14:PRO:HD3	2.54	0.42
1:A:88:PHE:HD1	1:A:140:ARG:HG3	1.84	0.42
1:A:194:GLY:HA3	1:A:203:GLN:HE21	1.84	0.42
9:C:305:ULI:HBK	9:C:305:ULI:HAWA	1.57	0.42
1:A:123:PHE:CZ	1:A:141:ALA:HA	2.55	0.41
1:A:154:ILE:HD13	8:A:304:T8X:HASA	2.03	0.41
1:C:262:ARG:NH1	11:C:324:HOH:O	2.38	0.41
1:A:153:GLY:HA3	8:A:304:T8X:C48	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:A:490:HOH:O	11:C:479:HOH:O[4_546]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/301 (91%)	272 (99%)	2 (1%)	0	100	100
1	C	278/301 (92%)	274 (99%)	4 (1%)	0	100	100
2	B	97/99 (98%)	97 (100%)	0	0	100	100
2	D	97/99 (98%)	95 (98%)	2 (2%)	0	100	100
All	All	746/800 (93%)	738 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/247 (90%)	217 (98%)	4 (2%)	59	55
1	C	216/247 (87%)	210 (97%)	6 (3%)	43	36
2	B	87/94 (93%)	85 (98%)	2 (2%)	50	45
2	D	88/94 (94%)	86 (98%)	2 (2%)	50	45
All	All	612/682 (90%)	598 (98%)	14 (2%)	50	45

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	SER
1	A	87	ASP
1	A	240	ASN
1	A	251	VAL
2	B	70	PHE
2	B	89	GLN
1	C	143	LYS
1	C	155	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	168	ARG
1	C	213	PRO
1	C	240	ASN
1	C	281	ILE
2	D	69	GLU
2	D	70	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	14	GLN
1	A	27	GLN
1	A	128	ASN
1	A	142	GLN
1	A	184	GLN
1	A	203	GLN
1	A	228	GLN
1	A	240	ASN
2	B	51	HIS
2	B	89	GLN
1	C	14	GLN
1	C	89	GLN
1	C	182	GLN
1	C	184	GLN
1	C	203	GLN
1	C	225	GLN
1	C	227	GLN
1	C	240	ASN
2	D	51	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates i

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	E	1	1,3	14,14,15	1.11	1 (7%)	17,19,21	2.18	7 (41%)
3	FUC	E	2	3	10,10,11	1.52	2 (20%)	14,14,16	2.61	8 (57%)
4	NAG	F	1	1,4	14,14,15	0.75	0	17,19,21	1.81	5 (29%)
4	NAG	F	2	4	14,14,15	0.77	0	17,19,21	2.04	5 (29%)
4	BMA	F	3	4	11,11,12	0.83	0	15,15,17	1.95	5 (33%)
4	MAN	F	4	4	11,11,12	0.84	0	15,15,17	2.35	4 (26%)
4	FUC	F	5	4	10,10,11	1.97	1 (10%)	14,14,16	2.39	4 (28%)
3	NAG	G	1	1,3	14,14,15	0.75	0	17,19,21	2.38	6 (35%)
3	FUC	G	2	3	10,10,11	1.33	1 (10%)	14,14,16	3.12	6 (42%)
5	NAG	H	1	1,5	14,14,15	0.99	1 (7%)	17,19,21	1.61	4 (23%)
5	NAG	H	2	5	14,14,15	0.92	0	17,19,21	1.87	5 (29%)
5	FUC	H	3	5	10,10,11	1.66	1 (10%)	14,14,16	3.28	7 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	1,3	-	0/6/23/26	0/1/1/1
3	FUC	E	2	3	1/1/4/5	-	0/1/1/1
4	NAG	F	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	F	2	4	-	0/6/23/26	0/1/1/1
4	BMA	F	3	4	-	2/2/19/22	0/1/1/1
4	MAN	F	4	4	-	2/2/19/22	0/1/1/1
4	FUC	F	5	4	-	-	0/1/1/1
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	FUC	G	2	3	1/1/4/5	-	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	H	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	H	2	5	-	0/6/23/26	0/1/1/1
5	FUC	H	3	5	-	-	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	5	FUC	O5-C1	-5.28	1.35	1.43
5	H	3	FUC	O5-C1	-4.19	1.37	1.43
3	E	2	FUC	O5-C1	-3.70	1.37	1.43
3	G	2	FUC	O5-C1	-3.26	1.38	1.43
3	E	1	NAG	C1-C2	3.10	1.57	1.52
5	H	1	NAG	O3-C3	-2.55	1.37	1.43
3	E	2	FUC	C1-C2	2.03	1.56	1.52

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	3	FUC	C1-C2-C3	-8.03	99.80	109.67
3	G	2	FUC	C1-C2-C3	-7.93	99.92	109.67
4	F	5	FUC	C1-C2-C3	-7.05	101.00	109.67
4	F	4	MAN	C1-C2-C3	6.77	117.98	109.67
5	H	3	FUC	C3-C4-C5	5.52	118.37	109.77
3	G	1	NAG	C1-O5-C5	5.15	119.17	112.19
3	E	2	FUC	C1-C2-C3	-4.82	103.74	109.67
4	F	2	NAG	C1-C2-N2	4.66	118.44	110.49
3	G	2	FUC	C3-C4-C5	4.63	116.99	109.77
4	F	3	BMA	C3-C4-C5	4.44	118.16	110.24
3	G	2	FUC	O5-C1-C2	4.35	117.49	110.77
4	F	1	NAG	O3-C3-C2	4.35	118.47	109.47
4	F	2	NAG	O5-C1-C2	4.35	118.15	111.29
3	E	2	FUC	C3-C4-C5	4.28	116.43	109.77
5	H	3	FUC	C1-O5-C5	-4.23	103.19	112.78
3	E	2	FUC	O5-C1-C2	4.07	117.05	110.77
3	G	1	NAG	O5-C5-C6	4.06	113.57	107.20
3	G	2	FUC	C1-O5-C5	-4.05	103.59	112.78
3	G	1	NAG	C1-C2-N2	-3.97	103.71	110.49
3	E	1	NAG	C1-C2-N2	3.94	117.23	110.49
3	E	1	NAG	O5-C1-C2	3.92	117.47	111.29
5	H	3	FUC	O5-C1-C2	3.71	116.50	110.77
4	F	3	BMA	C1-O5-C5	3.69	117.19	112.19
5	H	2	NAG	C8-C7-N2	3.66	122.30	116.10

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	2	NAG	O7-C7-C8	-3.46	115.64	122.06
3	E	2	FUC	O5-C5-C4	3.32	115.47	109.52
4	F	3	BMA	O5-C5-C4	3.30	118.86	110.83
4	F	2	NAG	O5-C5-C6	-3.29	102.05	107.20
4	F	4	MAN	O5-C1-C2	3.24	115.77	110.77
3	E	1	NAG	C8-C7-N2	3.17	121.47	116.10
4	F	5	FUC	C1-O5-C5	-3.13	105.68	112.78
4	F	1	NAG	C2-N2-C7	3.00	127.18	122.90
5	H	1	NAG	C2-N2-C7	2.96	127.12	122.90
3	E	1	NAG	O7-C7-C8	-2.95	116.57	122.06
5	H	1	NAG	C3-C4-C5	-2.92	105.02	110.24
5	H	1	NAG	C6-C5-C4	-2.92	106.17	113.00
4	F	1	NAG	O6-C6-C5	-2.91	101.30	111.29
5	H	3	FUC	O4-C4-C5	-2.88	103.29	109.67
4	F	4	MAN	O5-C5-C6	2.87	111.70	107.20
5	H	1	NAG	O3-C3-C4	-2.82	103.83	110.35
3	E	2	FUC	O5-C5-C6	2.76	113.26	107.33
4	F	5	FUC	C3-C4-C5	2.72	114.02	109.77
5	H	2	NAG	C1-O5-C5	2.70	115.85	112.19
3	G	1	NAG	C3-C4-C5	-2.68	105.46	110.24
5	H	2	NAG	C1-C2-N2	2.67	115.05	110.49
3	G	1	NAG	O3-C3-C4	-2.60	104.33	110.35
3	E	2	FUC	O2-C2-C1	2.53	114.33	109.15
3	E	1	NAG	C2-N2-C7	2.52	126.49	122.90
4	F	2	NAG	C8-C7-N2	-2.46	111.94	116.10
4	F	4	MAN	C2-C3-C4	2.40	115.04	110.89
4	F	1	NAG	O4-C4-C5	-2.32	103.54	109.30
3	E	2	FUC	C6-C5-C4	-2.31	108.81	113.07
3	G	2	FUC	O2-C2-C1	2.29	113.84	109.15
3	G	1	NAG	O5-C1-C2	-2.25	107.73	111.29
4	F	5	FUC	O2-C2-C1	2.25	113.76	109.15
5	H	3	FUC	O2-C2-C3	-2.20	105.73	110.14
3	E	1	NAG	C1-O5-C5	2.15	115.11	112.19
3	E	2	FUC	O2-C2-C3	-2.11	105.92	110.14
3	G	2	FUC	O5-C5-C6	2.10	111.85	107.33
3	E	1	NAG	C3-C4-C5	-2.09	106.52	110.24
4	F	2	NAG	O4-C4-C3	-2.07	105.57	110.35
5	H	3	FUC	O2-C2-C1	2.02	113.29	109.15
4	F	3	BMA	O3-C3-C4	2.02	115.01	110.35
4	F	1	NAG	C6-C5-C4	-2.01	108.29	113.00
5	H	2	NAG	O3-C3-C4	-2.00	105.71	110.35
4	F	3	BMA	O4-C4-C5	-2.00	104.33	109.30

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	E	2	FUC	C1
3	G	2	FUC	C1

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	F	3	BMA	O5-C5-C6-O6
4	F	4	MAN	O5-C5-C6-O6
4	F	3	BMA	C4-C5-C6-O6
4	F	1	NAG	C3-C2-N2-C7
5	H	1	NAG	C3-C2-N2-C7
4	F	4	MAN	C4-C5-C6-O6



There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	2	NAG	1	0
4	F	4	MAN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## 5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
7	ACT	A	303	-	3,3,3	0.79	0	3,3,3	1.67	1 (33%)
10	GOL	B	100	-	5,5,5	0.44	0	5,5,5	0.77	0
6	SO4	C	302	-	4,4,4	0.14	0	6,6,6	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	SO4	C	303	-	4,4,4	0.53	0	6,6,6	0.25	0
10	GOL	B	101	-	5,5,5	0.81	0	5,5,5	1.57	2 (40%)
6	SO4	D	100	-	4,4,4	0.80	0	6,6,6	0.61	0
9	ULI	A	305	-	39,39,39	0.61	1 (2%)	38,38,38	1.15	2 (5%)
9	ULI	C	305	-	38,38,39	0.55	0	37,37,38	1.07	3 (8%)
6	SO4	D	101	-	4,4,4	0.40	0	6,6,6	0.78	0
6	SO4	A	302	-	4,4,4	0.54	0	6,6,6	0.55	0
10	GOL	D	102	-	5,5,5	0.70	0	5,5,5	1.63	2 (40%)
8	T8X	C	304	-	29,29,74	0.56	0	27,27,94	0.56	0
8	T8X	A	304	-	74,74,74	1.69	9 (12%)	88,94,94	1.83	15 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GOL	B	101	-	-	2/4/4/4	-
9	ULI	C	305	-	-	18/36/36/37	-
9	ULI	A	305	-	-	17/37/37/37	-
8	T8X	A	304	-	-	43/68/108/108	0/2/2/2
10	GOL	D	102	-	-	3/4/4/4	-
8	T8X	C	304	-	-	12/25/25/108	-
10	GOL	B	100	-	-	1/4/4/4	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	304	T8X	O8-C40	6.95	1.36	1.21
8	A	304	T8X	C38-C39	6.21	1.41	1.33
8	A	304	T8X	O3-C3	-3.71	1.39	1.44
8	A	304	T8X	O9-S1	-3.70	1.46	1.57
8	A	304	T8X	C40-C39	-3.58	1.38	1.50
8	A	304	T8X	O1-C1	3.48	1.51	1.41
8	A	304	T8X	O5-C1	2.93	1.49	1.41
8	A	304	T8X	O10-C43	2.73	1.49	1.43
8	A	304	T8X	O1-C41	2.35	1.48	1.41
9	A	305	ULI	CAZ-CAY	-2.15	1.39	1.51

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	304	T8X	C1-C2-C3	-6.43	97.90	110.75
8	A	304	T8X	C41-O1-C1	6.04	125.20	114.42
8	A	304	T8X	O2-C2-C3	4.72	117.70	108.25
8	A	304	T8X	O1-C1-O5	4.15	122.27	110.67
8	A	304	T8X	O5-C5-C6	4.03	116.44	106.44
8	A	304	T8X	O2-C22-C21	4.00	120.11	111.50
8	A	304	T8X	O5-C1-C2	-3.98	101.62	109.51
8	A	304	T8X	C42-O9-S1	-3.80	111.54	118.88
8	A	304	T8X	C41-C42-C43	3.12	115.74	110.38
8	A	304	T8X	O3-C40-C39	3.05	119.17	111.52
8	A	304	T8X	C3-O3-C40	-3.02	111.84	117.68
10	B	101	GOL	O3-C3-C2	-2.80	96.79	110.20
8	A	304	T8X	C6-C5-C4	-2.67	106.75	113.00
8	A	304	T8X	O1-C1-C2	-2.56	103.92	109.10
9	C	305	ULI	CBL-CBM-CAW	-2.35	102.52	114.42
9	C	305	ULI	CAV-CAU-CAT	-2.33	102.57	114.42
10	D	102	GOL	O2-C2-C1	-2.31	98.94	109.12
9	A	305	ULI	CBM-CBL-CBK	-2.30	102.72	114.42
7	A	303	ACT	OXT-C-CH3	2.30	124.69	115.18
8	A	304	T8X	O6-C6-C5	-2.25	103.56	111.29
9	C	305	ULI	CAU-CAT-CAS	-2.08	103.84	114.42
8	A	304	T8X	O2-C22-O7	-2.08	118.68	123.70
10	B	101	GOL	O2-C2-C3	-2.08	99.98	109.12
9	A	305	ULI	CAG-CAF-CAE	-2.07	103.89	114.42
10	D	102	GOL	O1-C1-C2	-2.01	100.58	110.20

There are no chirality outliers.

All (96) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	304	T8X	C21-C22-O2-C2
8	A	304	T8X	C4-C3-O3-C40
8	A	304	T8X	C32-C33-C34-C35
8	A	304	T8X	C34-C35-C36-C37
8	A	304	T8X	C35-C36-C37-C48
8	A	304	T8X	C36-C37-C38-C39
10	D	102	GOL	O1-C1-C2-C3
8	A	304	T8X	O7-C22-O2-C2
9	C	305	ULI	CAU-CAV-CAW-CBM
8	A	304	T8X	C49-C23-C24-C25
9	C	305	ULI	CBK-CBL-CBM-CAW
9	A	305	ULI	CBB-CBC-CBD-CBE
8	A	304	T8X	C31-C32-C33-C54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	C	304	T8X	C24-C25-C26-C27
8	A	304	T8X	C19-C20-C21-C22
8	A	304	T8X	C30-C31-C32-C33
8	A	304	T8X	C39-C40-O3-C3
8	A	304	T8X	C1-C2-O2-C22
8	A	304	T8X	O5-C5-C6-O6
8	A	304	T8X	C10-C11-C12-C13
8	C	304	T8X	C30-C31-C32-C33
9	C	305	ULI	CAM-CAN-CAO-CAP
8	A	304	T8X	C14-C15-C16-C17
9	A	305	ULI	CAV-CAW-CBM-CBL
9	C	305	ULI	CBE-CBF-CBG-CBH
10	B	100	GOL	O1-C1-C2-C3
10	B	101	GOL	C1-C2-C3-O3
8	A	304	T8X	C3-C2-O2-C22
9	C	305	ULI	CAH-CAI-CAJ-CAK
8	A	304	T8X	C54-C33-C34-C35
8	A	304	T8X	C53-C35-C36-C37
8	A	304	T8X	C29-C30-C31-C32
9	C	305	ULI	CAK-CAL-CAM-CAN
9	A	305	ULI	CAS-CAT-CAU-CAV
8	A	304	T8X	C23-C49-C50-C51
8	A	304	T8X	C49-C50-C51-C52
8	C	304	T8X	C13-C14-C15-C16
9	A	305	ULI	CAR-CAS-CAT-CAU
9	A	305	ULI	CAZ-CBA-CBB-CBC
9	A	305	ULI	CBC-CBD-CBE-CBF
10	B	101	GOL	O2-C2-C3-O3
9	A	305	ULI	CAA-CAB-CAC-CAD
8	C	304	T8X	C15-C16-C17-C18
9	A	305	ULI	CBJ-CBK-CBL-CBM
9	C	305	ULI	CAO-CAP-CAQ-CAR
8	A	304	T8X	C28-C29-C30-C31
9	A	305	ULI	CAE-CAF-CAG-CAH
8	A	304	T8X	C11-C12-C13-C14
9	C	305	ULI	CAQ-CAR-CAS-CAT
8	A	304	T8X	O5-C1-O1-C41
10	D	102	GOL	O1-C1-C2-O2
9	C	305	ULI	CBH-CBI-CBJ-CBK
8	A	304	T8X	O8-C40-O3-C3
8	A	304	T8X	C25-C26-C27-C28
9	C	305	ULI	CAY-CAZ-CBA-CBB

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
8	C	304	T8X	C31-C32-C33-C54
9	A	305	ULI	CAK-CAL-CAM-CAN
8	A	304	T8X	C33-C34-C35-C53
9	A	305	ULI	CBF-CBG-CBH-CBI
9	C	305	ULI	CAS-CAT-CAU-CAV
8	A	304	T8X	C33-C34-C35-C36
9	A	305	ULI	CAP-CAQ-CAR-CAS
8	C	304	T8X	C11-C10-C9-C8
8	A	304	T8X	C2-C1-O1-C41
8	A	304	T8X	C9-C10-C11-C12
8	C	304	T8X	C49-C50-C51-C52
9	C	305	ULI	CBF-CBG-CBH-CBI
8	A	304	T8X	C26-C27-C28-C29
8	A	304	T8X	C18-C19-C20-C21
8	C	304	T8X	C7-C8-C9-C10
8	A	304	T8X	C41-C42-O9-S1
8	A	304	T8X	C35-C36-C37-C38
9	C	305	ULI	CAA-CAB-CAC-CAD
9	A	305	ULI	CAQ-CAR-CAS-CAT
8	C	304	T8X	C11-C12-C13-C14
8	C	304	T8X	C26-C27-C28-C29
8	A	304	T8X	C31-C32-C33-C34
8	A	304	T8X	C24-C25-C26-C27
8	A	304	T8X	C42-O9-S1-O16
9	C	305	ULI	CAI-CAJ-CAK-CAL
9	C	305	ULI	CAP-CAQ-CAR-CAS
9	C	305	ULI	CAE-CAF-CAG-CAH
9	A	305	ULI	CAF-CAG-CAH-CAI
10	D	102	GOL	O2-C2-C3-O3
8	A	304	T8X	C20-C21-C22-O2
9	A	305	ULI	CAM-CAN-CAO-CAP
8	A	304	T8X	C42-O9-S1-O14
8	A	304	T8X	C42-O9-S1-O15
9	C	305	ULI	CBD-CBE-CBF-CBG
8	A	304	T8X	C11-C10-C9-C8
9	A	305	ULI	CAG-CAH-CAI-CAJ
8	C	304	T8X	C14-C15-C16-C17
9	A	305	ULI	CAX-CAY-CAZ-CBA
8	C	304	T8X	C23-C49-C50-C51
9	C	305	ULI	CAF-CAG-CAH-CAI
8	A	304	T8X	C20-C21-C22-O7


There are no ring outliers.

6 monomers are involved in 52 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	B	100	GOL	3	0
10	B	101	GOL	1	0
9	A	305	ULI	16	0
9	C	305	ULI	8	0
8	C	304	T8X	4	0
8	A	304	T8X	33	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	275/301 (91%)	-0.19	9 (3%) 46 49	19, 32, 56, 77	0
1	C	277/301 (92%)	-0.18	9 (3%) 47 50	25, 36, 56, 74	0
2	B	99/99 (100%)	-0.27	2 (2%) 65 68	19, 32, 53, 62	0
2	D	99/99 (100%)	-0.08	3 (3%) 50 53	26, 41, 61, 72	0
All	All	750/800 (93%)	-0.18	23 (3%) 49 51	19, 35, 57, 77	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	106	SER	4.4
1	C	195	PRO	4.2
1	C	198	GLY	3.8
1	C	281	ILE	3.3
1	A	257	ALA	3.2
1	A	254	GLY	3.2
1	C	199	PRO	3.0
1	C	279	ASN	2.9
1	A	4	PHE	2.8
1	C	280	PRO	2.6
1	A	199	PRO	2.4
1	C	194	GLY	2.4
2	B	74	GLU	2.4
1	C	150	GLN	2.4
1	A	107	GLY	2.3
1	C	151	TYR	2.3
1	A	128	ASN	2.3
1	A	228	GLN	2.2
1	A	278	ARG	2.2
2	B	23	LEU	2.2
2	D	88	SER	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	48	LYS	2.1
2	D	23	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	MAN	F	4	11/12	0.78	0.36	73,90,95,96	0
4	BMA	F	3	11/12	0.82	0.34	62,75,95,97	0
3	NAG	G	1	14/15	0.86	0.24	57,69,75,84	0
4	NAG	F	2	14/15	0.86	0.16	40,45,52,56	0
5	FUC	H	3	10/11	0.88	0.24	45,56,61,74	0
5	NAG	H	2	14/15	0.89	0.25	44,54,67,75	0
3	NAG	E	1	14/15	0.90	0.16	58,64,74,77	0
3	FUC	E	2	10/11	0.90	0.30	60,69,74,75	0
4	FUC	F	5	10/11	0.93	0.18	46,49,52,59	0
3	FUC	G	2	10/11	0.94	0.28	68,72,76,83	0
4	NAG	F	1	14/15	0.98	0.05	30,36,42,45	0
5	NAG	H	1	14/15	0.98	0.11	39,44,50,53	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain G:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	ACT	A	303	4/4	0.42	0.29	68,71,76,76	0
10	GOL	B	100	6/6	0.71	0.23	49,63,65,65	0
6	SO4	A	302	5/5	0.73	0.27	84,88,106,107	0
8	T8X	A	304	73/73	0.74	0.22	40,72,112,116	0
8	T8X	C	304	31/73	0.80	0.21	41,58,66,68	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
9	ULI	C	305	39/40	0.85	0.27	45,57,68,78	0
10	GOL	D	102	6/6	0.88	0.14	52,57,70,77	0
6	SO4	C	303	5/5	0.89	0.20	77,78,104,104	0
10	GOL	B	101	6/6	0.90	0.18	45,53,63,69	0
9	ULI	A	305	40/40	0.93	0.21	31,47,62,78	0
6	SO4	D	101	5/5	0.95	0.10	66,76,84,86	0
6	SO4	D	100	5/5	0.99	0.06	42,46,48,50	0
6	SO4	C	302	5/5	0.99	0.07	43,52,57,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around T8X C 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ULI C 305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.