



wwPDB EM Validation Summary Report ⓘ

Jul 14, 2026 – 03:10 pm BST

PDB ID : 9TI5 / pdb_00009ti5
EMDB ID : EMD-55944
Title : Staphylococcus aureus 70S ribosome with p/E tRNA and RRF oriented towards the SSU (postTC-RRF-SSU)
Authors : Gonzalez-Lopez, A.; Selmer, M.
Deposited on : 2025-12-05
Resolution : 2.20 Å(reported)
Based on initial model : 9GHG

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY



The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	3184 (1.71 - 2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	62	 95%
2	2	69	 88% 6% 6%
3	3	59	 97%

















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	4	84	
5	5	57	
6	6	49	
7	7	45	
8	8	66	
9	9	37	
10	A	2923	
11	B	115	
12	C	186	
13	D	93	
14	G	277	
15	H	220	
16	I	207	
17	J	179	
18	K	178	
19	M	145	
20	N	122	
21	O	146	
22	P	144	
23	Q	122	
24	R	119	
25	S	116	
26	T	118	
27	U	102	
28	V	117	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	W	91	
30	X	105	
31	Y	217	
32	Z	94	
33	a	1555	
34	b	24	
35	c	255	
36	d	217	
37	e	200	
38	f	166	
39	g	98	
40	h	156	
41	i	132	
42	j	132	
43	k	102	
44	l	129	
45	m	137	
46	n	121	
47	o	61	
48	p	89	
49	q	91	
50	r	87	
51	s	80	
52	t	92	
53	u	83	

2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 140211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	61	Total	C	N	O	S	0	0
			482	298	104	79	1		

- Molecule 2 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	65	Total	C	N	O	S	0	0
			535	329	100	105	1		

- Molecule 3 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	3	57	Total	C	N	O	0	0
			446	277	84	85		

- Molecule 4 is a protein called 50S ribosomal protein L31 type B.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	59	Total	C	N	O	S	0	0
			485	310	76	96	3		

- Molecule 5 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	53	Total	C	N	O	S	0	0
			422	256	86	75	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
5	?	-	ARG	deletion	UNP Q2FZF1

- Molecule 6 is a protein called Large ribosomal subunit protein bL33A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	48	Total	C	N	O	S	0	0
			402	245	79	73	5		

- Molecule 7 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	7	44	Total	C	N	O	S	0	0
			373	228	90	54	1		

- Molecule 8 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	8	65	Total	C	N	O	S	0	0
			531	330	115	84	2		

- Molecule 9 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	9	37	Total	C	N	O	S	0	0
			297	186	60	46	5		

- Molecule 10 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	A	2748	Total	C	N	O	P	0	0
			58937	26319	10794	19076	2748		

- Molecule 11 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	B	113	Total	C	N	O	P	0	0
			2408	1076	431	788	113		

- Molecule 12 is a protein called Ribosome-recycling factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	C	185	Total	C	N	O	S	0	0
			1433	874	257	297	5		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP Q2FZ21
C	-1	HIS	-	expression tag	UNP Q2FZ21

- Molecule 13 is a RNA chain called tRNA(Ser3).

Mol	Chain	Residues	Atoms						AltConf	Trace
13	D	93	Total	C	N	O	P	S	0	0
			2000	893	365	648	92	2		

- Molecule 14 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	G	273	Total	C	N	O	S	0	0
			2085	1297	413	370	5		

- Molecule 15 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	H	215	Total	C	N	O	S	0	0
			1628	1018	299	306	5		

- Molecule 16 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	I	205	Total	C	N	O	S	0	0
			1569	983	287	297	2		

- Molecule 17 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	J	177	Total	C	N	O	S	0	0
			1403	891	242	263	7		

- Molecule 18 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	K	174	Total	C	N	O	S	0	0
			1361	846	249	263	3		

- Molecule 19 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M	145	Total	C	N	O	S	0	0
			1151	717	211	220	3		

- Molecule 20 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N	122	Total	C	N	O	S	0	0
			920	572	174	170	4		

- Molecule 21 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	146	Total	C	N	O	S	0	0
			1099	680	215	203	1		

- Molecule 22 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	136	Total	C	N	O	S	0	0
			1089	698	206	181	4		

- Molecule 23 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	120	Total	C	N	O	S	0	0
			952	584	182	185	1		

- Molecule 24 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R	119	Total	C	N	O	S	0	0
			922	574	174	173	1		

- Molecule 25 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S	114	Total	C	N	O		0	0
			922	580	185	157			

- Molecule 26 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	117	Total	C	N	O	S	0	0
			953	599	191	159	4		

- Molecule 27 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	102	Total	C	N	O	S	0	0
			799	506	142	150	1		

- Molecule 28 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	V	111	Total	C	N	O	S	0	0
			853	532	163	155	3		

- Molecule 29 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	W	90	Total	C	N	O	S	0	0
			734	461	132	137	4		

- Molecule 30 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	102	Total	C	N	O	S	0	0
			787	497	144	144	2		

- Molecule 31 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Y	94	Total	C	N	O	S	0	0
			738	471	131	134	2		

- Molecule 32 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	Z	76	Total	C	N	O	0	0
			585	361	114	110		

- Molecule 33 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	a	1501	Total	C	N	O	P	0	0
			32172	14369	5877	10425	1501		

- Molecule 34 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	b	18	Total	C	N	O	P	0	0
			396	177	82	119	18		

- Molecule 35 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	c	221	Total	C	N	O	S	0	0
			1781	1136	310	328	7		

- Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	d	204	Total	C	N	O	S	0	0
			1609	1012	302	293	2		

- Molecule 37 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	e	199	Total	C	N	O	S	0	0
			1617	1020	302	293	2		

- Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	f	157	Total	C	N	O	S	0	0
			1169	735	214	218	2		

- Molecule 39 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	g	94	Total	C	N	O	S	0	0
			781	494	137	147	3		

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	h	146	Total	C	N	O	S	0	0
			1165	727	222	212	4		

- Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	i	131	Total	C	N	O	S	0	0
			1032	652	183	193	4		

- Molecule 42 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	j	128	Total	C	N	O	S	0	0
			1017	629	203	184	1		

- Molecule 43 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	k	98	Total	C	N	O	S	0	0
			783	494	143	145	1		

- Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	l	118	Total	C	N	O	S	0	0
			877	542	166	166	3		

- Molecule 45 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	m	135	Total	C	N	O	S	0	0
			1058	658	214	184	2		

- Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	n	114	Total	C	N	O	S	0	0
			909	559	180	169	1		

- Molecule 47 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	o	60	Total	C	N	O	S	0	0
			502	317	100	80	5		

- Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	p	86	Total	C	N	O	S	0	0
			721	445	148	127	1		

- Molecule 49 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	q	90	Total	C	N	O	S	0	0
			712	448	132	131	1		

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	r	81	Total	C	N	O	S	0	0
			671	424	121	125	1		

- Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	s	64	Total	C	N	O	S	0	0
			525	335	97	90	3		

- Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	t	83	Total	C	N	O	S	0	0
			672	432	122	116	2		

- Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	u	81	Total	C	N	O	S	0	0
			611	370	120	119	2		

- Molecule 54 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
54	5	1	Total 1	Zn 1	0
54	9	1	Total 1	Zn 1	0
54	o	1	Total 1	Zn 1	0


- Molecule 55 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
55	A	103	Total 103	Mg 103	0
55	G	1	Total 1	Mg 1	0
55	H	1	Total 1	Mg 1	0
55	a	22	Total 22	Mg 22	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L28

Chain 1:  95%





- Molecule 2: 50S ribosomal protein L29

Chain 2:  88% 6% 6%




- Molecule 3: 50S ribosomal protein L30

Chain 3:  97%





- Molecule 4: 50S ribosomal protein L31 type B

Chain 4:  48% 60% 10% 30%



- Molecule 5: Large ribosomal subunit protein bL32

Chain 5:  93% 7%



- Molecule 6: Large ribosomal subunit protein bL33A

Chain 6: 88% 10%



- Molecule 7: 50S ribosomal protein L34

Chain 7: 96%



- Molecule 8: 50S ribosomal protein L35

Chain 8: 94% 5%





- Molecule 9: 50S ribosomal protein L36

Chain 9: 100%


There are no outlier residues recorded for this chain.

- Molecule 10: 23S rRNA

Chain A: 74% 18% 6%




U2429	G2298	G1957	A1795	G1591	G1465	G1294	C1039	C910	A768
G2432	A2305	U1958	A1800	A1592	A1471	U1299	A1040	A911	U769
C2433	G	G1959	G	G1593	C1472	G	C1051	A920	G770
G2436	G	C1960	U1805	C1606	A1481	G1304	A1052	G921	G771
G2439	G	G1962	U1806	A1616	G	G1309	A1053	G922	G774
A2439	C	A1963	A1807	G	G1490	A1310	U1056	G923	A775
G2440	G	A1964	U1808	U1625	G1494	A1311	A1057	G924	U787
G2440	C	U1966	A1809	G	G1495	A1312	G	G	A788
G2446	U	G	A1810	U1629	A1496	G1318	G1066	G	U792
U2450	G	U1982	A1812	A1630	A1497	U1325	A1070	C	U792
C2451	G	C1994	C1817	G1631	U1498	U1337	A1071	C	A801
U2318	U	A1997	A1818	A1634	U1504	A1337	A1072	C	A806
U2319	G	U1998	C1827	G1648	U1538	U1338	U1077	C	A809
U2332	G	G1999	U1828	G1649	U1510	U1339	G1083	C	A810
U2333	U	A	A1829	G1650	C1511	G	C	C	G820
U2334	A	C	A1830	C1651	U1512	A1345	C1088	G	A826
U2335	C	A	U1843	G1652	U1513	G1346	G1151	G	A827
U2339	U	G	G1849	A1653	A1514	G1347	C1089	U	A827
A2347	C	C2026	A1856	G1663	G1526	G1357	G1154	A	A828
G2348	C	G2037	A1874	A1533	A1533	C1364	C1096	C942	U829
A2349	U	U2038	A1875	G1534	G1534	U1365	U1097	C943	U830
G2350	A	G2039	G1876	U1535	G1535	U1366	A	C944	C831
G2351	G	A2040	A1877	C1536	U1536	C1367	G	A945	G837
G2358	C	A2041	A1880	A1537	U1537	G1382	G	A946	A838
U2361	U	A2060	A1881	G1560	U1560	A1391	G	A955	A847
A2362	G	G2056	U1897	U1568	C1541	G1392	A	A956	G850
U2370	G	A2057	C1898	G1549	G1549	A1402	U	C960	G854
U2371	U	C2058	U1899	U1552	U1552	G1405	U	G961	U855
A2372	U	G2059	C1898	A1553	U1553	G1406	G	A962	U856
A2373	U	A2060	A1903	U1560	A1560	C1407	C	A963	C857
C2374	U	U2061	A1904	U1568	U1568	A1415	U	U970	G863
G2375	G	G2062	C1909	G1569	U1569	U1416	A	A977	U872
G2376	A	C2070	G1933	G1572	G1572	A1421	A	A985	U873
G2377	A	C2077	G1934	A1573	G1573	C1422	A	C988	G877
G2378	C	G	A1939	G1574	G1574	A1424	C	A989	U884
A2379	G	C2082	A1940	U1578	C1578	A1449	A	G1005	U892
A2393	U	G2083	C1941	A	U	U1455	A	G1016	A902
A2396	U	A2087	3TD1942	U	U	U1456	U	A1017	G903
U2400	C	G2088	A1943	U	U	U1457	C	A1018	G904
G2406	C	A2089	U1944	U	U	U1458	A	A1027	A906
A2407	U	G2094	A1945	U	U	U1459	U	G1028	G907
C2408	C	U2095	C1947	U	U	G1385	U	C1029	A908
G2409	G	G2096	G1948	U	U	U1588	A	C1038	G909
G2410	C	G2097	G1949	G1385	U1588	A1463	A		
A2411	U	A2098	U1950	C1590	C1590	U1464	A		
C2412	U	G	G1951						
G2418	C	A2109	G1956						
U2429	G								
G2432	U								
C2433	G								
G2436	G								
A2439	A								
G2440	G								
U2446	C								
U2450	U								
C2451	C								
A2452	G								
G2455	G								
G2456	U								
A2457	C								
U2458	A								
A2462	C								
C2468	C								
G2472	U								
G2473	A								
G2474	G								
A2475	C								
U2476	U								
A2477	C								
A2496	C								
U2501	U								
C2502	G								
A2515	C								
C2526	U								
U2527	G								
C2528	C								
G2529	A								
A2530	U								
U2531	C								
G2532	G								
A2545	C								
G2556	U								
U2557	C								
C2558	G								
G2559	U								
U2560	C								
C2561	U								
G2575	C								
U2582	A								




- Molecule 11: 5S rRNA

Chain B: 78% 19% ..




- Molecule 12: Ribosome-recycling factor

Chain C: 41% 89% 10% ..



- Molecule 13: tRNA(Ser3)

Chain D: 76% 18% 5%




- Molecule 14: 50S ribosomal protein L2

Chain G: 95% ..





- Molecule 15: 50S ribosomal protein L3

Chain H: 94% ..




- Molecule 16: 50S ribosomal protein L4

Chain I:  96% ..




- Molecule 17: 50S ribosomal protein L5

Chain J:  32% 90% 8% ..




- Molecule 18: Large ribosomal subunit protein uL6

Chain K:  13% 88% 10% .



- Molecule 19: 50S ribosomal protein L13

Chain M:  95% 5%




- Molecule 20: 50S ribosomal protein L14

Chain N:  91% 9%




- Molecule 21: 50S ribosomal protein L15

Chain O:  95% 5%



- Molecule 22: 50S ribosomal protein L16

Chain P:  91% • 6%




- Molecule 23: 50S ribosomal protein L17

Chain Q:  89% 10% •




- Molecule 24: 50S ribosomal protein L18

Chain R:  8% 99% •



- Molecule 25: 50S ribosomal protein L19

Chain S:  94% • •




- Molecule 26: 50S ribosomal protein L20

Chain T:  91% 8% •



- Molecule 27: 50S ribosomal protein L21

Chain U:  95% 5%




- Molecule 28: 50S ribosomal protein L22

Chain V:  91% • 5%




-
- A horizontal bar chart showing the distribution of 5000 items across 50 categories. The categories are labeled A336, C336, G340, G345, U351, G354, G355, C360, A361, G362, C363, A364, U375, C380, A381, G384, A390, A391, G392, C411, G414, A419, U420, G421, U429, G432, C435, G436, U437, U447, A456, A459, A460, C461, G492, G493, A505, and G513. The bars are colored in a repeating pattern of yellow, orange, and green. A red diamond marker is placed above the G414 bar.




• Molecule 34: mRNA




• Molecule 35: 30S ribosomal protein S2




• Molecule 36: 30S ribosomal protein S3




- Molecule 37: 30S ribosomal protein S4




- Molecule 38: 30S ribosomal protein S5




- Molecule 39: 30S ribosomal protein S6




- Molecule 40: 30S ribosomal protein S7




- Molecule 41: 30S ribosomal protein S8




- Molecule 42: 30S ribosomal protein S9




- Molecule 43: Small ribosomal subunit protein uS10







- Molecule 44: 30S ribosomal protein S11




- Molecule 45: 30S ribosomal protein S12




- Molecule 46: 30S ribosomal protein S13




- Molecule 47: 30S ribosomal protein S14 type Z





- Molecule 48: 30S ribosomal protein S15




- Molecule 49: 30S ribosomal protein S16





- Molecule 50: 30S ribosomal protein S17




- Molecule 51: 30S ribosomal protein S18



- Molecule 52: 30S ribosomal protein S19



- Molecule 53: 30S ribosomal protein S20



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	123631	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1000	Depositor
Magnification	165000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	39.487	Depositor
Minimum map value	-24.435	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.956	Depositor
Recommended contour level	2.2	Depositor
Map size (Å)	403.19998, 403.19998, 403.19998	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.672, 0.672, 0.672	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: G7M, PSU, 2MG, RSP, 4OC, H2U, MG, 4SU, 5MC, 2MA, UR3, ZN, 3TD, OMG, MA6, 5MU, T6A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	1	0.49	0/488	0.82	0/649
2	2	0.44	0/536	1.04	0/713
3	3	0.49	0/448	0.97	0/601
4	4	0.51	0/499	0.95	1/674 (0.1%)
5	5	0.51	0/429	0.84	0/571
6	6	0.46	0/407	0.87	0/545
7	7	0.51	0/377	0.98	0/491
8	8	0.50	0/536	0.94	0/701
9	9	0.52	0/300	0.86	0/393
10	A	0.53	0/65779	0.82	30/102578 (0.0%)
11	B	0.56	0/2692	0.79	0/4193
12	C	0.48	0/1442	1.06	1/1940 (0.1%)
13	D	0.58	2/2088 (0.1%)	0.78	0/3255
14	G	0.51	0/2120	0.86	0/2847
15	H	0.49	0/1652	0.88	0/2216
16	I	0.48	0/1592	0.92	0/2148
17	J	0.47	0/1421	0.96	0/1907
18	K	0.50	0/1379	0.92	0/1855
19	M	0.48	0/1173	0.88	0/1578
20	N	0.49	0/927	0.89	0/1243
21	O	0.50	0/1113	0.89	0/1482
22	P	0.49	0/1113	0.90	0/1493
23	Q	0.46	0/956	0.94	0/1277
24	R	0.49	0/931	0.96	0/1244
25	S	0.50	0/934	0.85	0/1249
26	T	0.47	0/965	1.00	0/1276
27	U	0.48	0/809	0.80	0/1080
28	V	0.50	0/861	0.88	0/1159
29	W	0.47	0/742	0.91	0/989
30	X	0.50	0/796	0.89	0/1063
31	Y	0.48	0/746	0.90	0/1000

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	Z	0.50	0/591	0.91	0/785
33	a	0.54	1/35839 (0.0%)	0.79	10/55878 (0.0%)
34	b	0.56	0/446	0.75	0/695
35	c	0.48	0/1808	0.99	0/2426
36	d	0.48	0/1631	0.93	0/2190
37	e	0.48	0/1647	0.94	0/2211
38	f	0.50	0/1183	0.92	0/1595
39	g	0.46	0/792	0.91	0/1062
40	h	0.50	0/1181	1.01	0/1587
41	i	0.48	0/1044	0.91	0/1401
42	j	0.49	0/1033	0.92	0/1386
43	k	0.51	0/795	0.96	0/1071
44	l	0.53	0/892	0.93	0/1203
45	m	0.51	0/1075	0.87	0/1439
46	n	0.49	0/916	1.05	0/1228
47	o	0.48	0/512	0.91	0/678
48	p	0.47	0/730	1.00	0/975
49	q	0.50	0/723	0.95	0/971
50	r	0.46	0/679	0.89	0/907
51	s	0.48	0/534	0.96	0/716
52	t	0.51	0/690	0.94	0/926
53	u	0.47	0/611	1.08	0/817
All	All	0.52	3/151603 (0.0%)	0.84	42/226557 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
8	8	0	1
14	G	0	1
28	V	0	1
30	X	0	1
37	e	0	1
43	k	0	1
45	m	0	1
50	r	0	1
All	All	0	8

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	D	37	T6A	O3'-P	5.12	1.61	1.56
33	a	535	G7M	O3'-P	5.10	1.61	1.56
13	D	8	4SU	O3'-P	5.03	1.61	1.56

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	A	1275	A	O3'-P-O5'	-7.88	92.19	104.00
10	A	1962	G	O3'-P-O5'	-7.54	92.69	104.00
4	4	21	PHE	CA-CB-CG	7.41	121.21	113.80
10	A	2673	C	O3'-P-O5'	-7.36	92.96	104.00
10	A	1812	A	O3'-P-O5'	-7.15	93.27	104.00

There are no chirality outliers.

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
8	8	57	ARG	Sidechain
14	G	13	ARG	Sidechain
28	V	92	ARG	Sidechain
30	X	92	ARG	Sidechain
37	e	105	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	482	0	523	1	0
2	2	535	0	566	2	0
3	3	446	0	486	0	0
4	4	485	0	458	6	0
5	5	422	0	426	0	0
6	6	402	0	413	4	0
7	7	373	0	420	1	0
8	8	531	0	599	1	0
9	9	297	0	339	0	0
10	A	58937	0	29644	164	0
11	B	2408	0	1218	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	C	1433	0	1464	12	0
13	D	2000	0	1020	6	0
14	G	2085	0	2192	7	0
15	H	1628	0	1667	6	0
16	I	1569	0	1614	3	0
17	J	1403	0	1457	9	0
18	K	1361	0	1392	8	0
19	M	1151	0	1145	5	0
20	N	920	0	981	6	0
21	O	1099	0	1142	5	0
22	P	1089	0	1155	3	0
23	Q	952	0	999	7	0
24	R	922	0	968	1	0
25	S	922	0	994	3	0
26	T	953	0	1027	6	0
27	U	799	0	836	3	0
28	V	853	0	914	2	0
29	W	734	0	767	2	0
30	X	787	0	853	0	0
31	Y	738	0	787	10	0
32	Z	585	0	597	4	0
33	a	32172	0	16211	96	0
34	b	396	0	197	2	0
35	c	1781	0	1844	6	0
36	d	1609	0	1668	10	0
37	e	1617	0	1646	11	0
38	f	1169	0	1229	5	0
39	g	781	0	784	4	0
40	h	1165	0	1204	7	0
41	i	1032	0	1082	5	0
42	j	1017	0	1039	7	0
43	k	783	0	825	7	0
44	l	877	0	895	8	0
45	m	1058	0	1130	4	0
46	n	909	0	959	9	0
47	o	502	0	523	4	0
48	p	721	0	751	2	0
49	q	712	0	744	2	0
50	r	671	0	708	5	0
51	s	525	0	554	2	0
52	t	672	0	677	2	0
53	u	611	0	655	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	5	1	0	0	0	0
54	9	1	0	0	0	0
54	o	1	0	0	0	0
55	A	103	0	0	0	0
55	G	1	0	0	0	0
55	H	1	0	0	0	0
55	a	22	0	0	0	0
All	All	140211	0	94388	433	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 433 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:A:2056:G:O6	10:A:2059:G:H5''	1.78	0.83
33:a:726:A:H5'	44:l:119:ASN:HB2	1.62	0.82
31:Y:7:ILE:HD11	31:Y:65:VAL:HA	1.73	0.69
10:A:2715:G:OP1	10:A:2740:A:N6	2.26	0.68
10:A:1806:U:H5	10:A:1811:A:N7	1.92	0.68

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	59/62 (95%)	58 (98%)	1 (2%)	0	100	100
2	2	63/69 (91%)	63 (100%)	0	0	100	100
3	3	55/59 (93%)	53 (96%)	2 (4%)	0	100	100
4	4	57/84 (68%)	56 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	5	51/57 (90%)	49 (96%)	2 (4%)	0	100	100
6	6	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
7	7	42/45 (93%)	42 (100%)	0	0	100	100
8	8	63/66 (96%)	63 (100%)	0	0	100	100
9	9	35/37 (95%)	35 (100%)	0	0	100	100
12	C	183/186 (98%)	180 (98%)	3 (2%)	0	100	100
14	G	271/277 (98%)	264 (97%)	7 (3%)	0	100	100
15	H	213/220 (97%)	203 (95%)	10 (5%)	0	100	100
16	I	203/207 (98%)	199 (98%)	4 (2%)	0	100	100
17	J	175/179 (98%)	168 (96%)	7 (4%)	0	100	100
18	K	172/178 (97%)	168 (98%)	4 (2%)	0	100	100
19	M	143/145 (99%)	142 (99%)	1 (1%)	0	100	100
20	N	120/122 (98%)	114 (95%)	6 (5%)	0	100	100
21	O	144/146 (99%)	141 (98%)	3 (2%)	0	100	100
22	P	134/144 (93%)	131 (98%)	3 (2%)	0	100	100
23	Q	118/122 (97%)	114 (97%)	4 (3%)	0	100	100
24	R	117/119 (98%)	111 (95%)	6 (5%)	0	100	100
25	S	112/116 (97%)	110 (98%)	2 (2%)	0	100	100
26	T	115/118 (98%)	114 (99%)	1 (1%)	0	100	100
27	U	100/102 (98%)	100 (100%)	0	0	100	100
28	V	109/117 (93%)	109 (100%)	0	0	100	100
29	W	88/91 (97%)	88 (100%)	0	0	100	100
30	X	100/105 (95%)	100 (100%)	0	0	100	100
31	Y	92/217 (42%)	91 (99%)	1 (1%)	0	100	100
32	Z	74/94 (79%)	70 (95%)	4 (5%)	0	100	100
35	c	219/255 (86%)	213 (97%)	5 (2%)	1 (0%)	24	27
36	d	202/217 (93%)	197 (98%)	5 (2%)	0	100	100
37	e	197/200 (98%)	195 (99%)	2 (1%)	0	100	100
38	f	155/166 (93%)	151 (97%)	4 (3%)	0	100	100
39	g	92/98 (94%)	90 (98%)	2 (2%)	0	100	100
40	h	142/156 (91%)	140 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	i	129/132 (98%)	123 (95%)	6 (5%)	0	100	100
42	j	126/132 (96%)	120 (95%)	6 (5%)	0	100	100
43	k	96/102 (94%)	95 (99%)	0	1 (1%)	12	11
44	l	116/129 (90%)	109 (94%)	7 (6%)	0	100	100
45	m	133/137 (97%)	131 (98%)	2 (2%)	0	100	100
46	n	112/121 (93%)	105 (94%)	7 (6%)	0	100	100
47	o	58/61 (95%)	58 (100%)	0	0	100	100
48	p	84/89 (94%)	83 (99%)	1 (1%)	0	100	100
49	q	88/91 (97%)	86 (98%)	2 (2%)	0	100	100
50	r	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
51	s	62/80 (78%)	62 (100%)	0	0	100	100
52	t	81/92 (88%)	79 (98%)	2 (2%)	0	100	100
53	u	79/83 (95%)	78 (99%)	1 (1%)	0	100	100
All	All	5504/5961 (92%)	5371 (98%)	131 (2%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
43	k	57	LYS
35	c	71	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	51/52 (98%)	51 (100%)	0	100	100
2	2	59/62 (95%)	58 (98%)	1 (2%)	53	69
3	3	52/53 (98%)	52 (100%)	0	100	100
4	4	56/75 (75%)	56 (100%)	0	100	100
5	5	48/50 (96%)	48 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	6	46/47 (98%)	46 (100%)	0	100	100
7	7	39/40 (98%)	39 (100%)	0	100	100
8	8	56/57 (98%)	56 (100%)	0	100	100
9	9	35/35 (100%)	35 (100%)	0	100	100
12	C	162/162 (100%)	162 (100%)	0	100	100
14	G	220/224 (98%)	220 (100%)	0	100	100
15	H	173/177 (98%)	172 (99%)	1 (1%)	78	89
16	I	168/169 (99%)	167 (99%)	1 (1%)	78	89
17	J	156/158 (99%)	155 (99%)	1 (1%)	78	89
18	K	152/155 (98%)	150 (99%)	2 (1%)	61	76
19	M	123/123 (100%)	123 (100%)	0	100	100
20	N	100/100 (100%)	100 (100%)	0	100	100
21	O	112/112 (100%)	111 (99%)	1 (1%)	70	84
22	P	113/119 (95%)	113 (100%)	0	100	100
23	Q	101/102 (99%)	101 (100%)	0	100	100
24	R	95/95 (100%)	95 (100%)	0	100	100
25	S	100/102 (98%)	100 (100%)	0	100	100
26	T	97/98 (99%)	97 (100%)	0	100	100
27	U	86/86 (100%)	86 (100%)	0	100	100
28	V	90/94 (96%)	89 (99%)	1 (1%)	65	79
29	W	81/82 (99%)	81 (100%)	0	100	100
30	X	87/90 (97%)	85 (98%)	2 (2%)	44	59
31	Y	83/190 (44%)	82 (99%)	1 (1%)	63	78
32	Z	59/75 (79%)	59 (100%)	0	100	100
35	c	192/221 (87%)	191 (100%)	1 (0%)	81	90
36	d	165/175 (94%)	164 (99%)	1 (1%)	78	89
37	e	174/175 (99%)	174 (100%)	0	100	100
38	f	123/131 (94%)	123 (100%)	0	100	100
39	g	82/86 (95%)	82 (100%)	0	100	100
40	h	124/132 (94%)	124 (100%)	0	100	100
41	i	112/113 (99%)	110 (98%)	2 (2%)	51	68

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	j	106/109 (97%)	106 (100%)	0	100	100
43	k	88/91 (97%)	88 (100%)	0	100	100
44	l	94/104 (90%)	93 (99%)	1 (1%)	65	79
45	m	117/119 (98%)	117 (100%)	0	100	100
46	n	99/104 (95%)	98 (99%)	1 (1%)	68	81
47	o	52/53 (98%)	52 (100%)	0	100	100
48	p	79/81 (98%)	79 (100%)	0	100	100
49	q	76/77 (99%)	76 (100%)	0	100	100
50	r	76/82 (93%)	76 (100%)	0	100	100
51	s	57/68 (84%)	56 (98%)	1 (2%)	51	68
52	t	72/80 (90%)	72 (100%)	0	100	100
53	u	67/69 (97%)	67 (100%)	0	100	100
All	All	4755/5054 (94%)	4737 (100%)	18 (0%)	81	92

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
41	i	98	LEU
51	s	29	LYS
46	n	9	ILE
30	X	24	ILE
41	i	25	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 47 such sidechains are listed below:

Mol	Chain	Res	Type
36	d	88	ASN
39	g	77	GLN
36	d	118	ASN
37	e	40	GLN
40	h	153	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	A	2742/2923 (93%)	327 (11%)	57 (2%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
11	B	112/115 (97%)	15 (13%)	4 (3%)
13	D	92/93 (98%)	13 (14%)	2 (2%)
33	a	1496/1555 (96%)	189 (12%)	0
34	b	17/24 (70%)	1 (5%)	0
All	All	4459/4710 (94%)	545 (12%)	63 (1%)

5 of 545 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
10	A	34	U
10	A	64	A
10	A	71	A
10	A	75	G
10	A	90	A

5 of 63 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
10	A	1458	A
10	A	2816	C
10	A	1690	A
10	A	2805	A
11	B	64	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

22 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
33	4OC	a	1412	33,55	20,23,24	0.39	0	26,32,35	0.59	1 (3%)
33	G7M	a	535	33	23,26,27	0.69	1 (4%)	35,39,42	0.61	0
10	2MG	A	2472	10	23,26,27	0.32	0	32,38,41	0.43	0
10	OMG	A	2278	10	23,26,27	0.32	0	33,38,41	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
33	MA6	a	1529	33	23,26,27	0.25	0	34,38,41	0.73	1 (2%)
13	5MU	D	54	13	19,22,23	0.27	0	28,32,35	0.28	0
13	4SU	D	8	13	18,21,22	0.39	0	26,30,33	1.19	3 (11%)
10	3TD	A	1942	10	18,22,23	0.95	1 (5%)	22,32,35	0.94	1 (4%)
10	2MA	A	2530	10,55	22,25,26	0.26	0	33,37,40	0.68	1 (3%)
13	H2U	D	20(A)	13	18,21,22	0.66	1 (5%)	21,30,33	0.86	0
10	5MU	A	792	10	19,22,23	0.26	0	28,32,35	0.36	0
10	OMG	A	2580	10	23,26,27	0.33	0	33,38,41	0.39	0
13	T6A	D	37	13	31,34,35	0.48	0	44,49,52	0.66	1 (2%)
13	PSU	D	55	13	18,21,22	0.91	1 (5%)	22,30,33	0.56	0
10	G7M	A	2601	10,55	23,26,27	0.72	1 (4%)	35,39,42	0.57	0
13	RSP	D	32	13	17,21,22	0.39	0	22,30,33	0.61	0
33	2MG	a	975	33	23,26,27	0.38	0	32,38,41	0.36	0
10	5MU	A	1966	10	19,22,23	0.32	0	28,32,35	0.37	0
33	MA6	a	1530	33	23,26,27	0.24	0	34,38,41	0.71	1 (2%)
33	UR3	a	1509	33	19,22,23	0.30	0	26,32,35	0.67	0
10	H2U	A	2476	10	18,21,22	0.65	0	21,30,33	0.79	1 (4%)
33	5MC	a	976	33	18,22,23	0.32	0	26,32,35	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	4OC	a	1412	33,55	-	0/9/29/30	0/2/2/2
33	G7M	a	535	33	-	1/7/25/26	0/3/3/3
10	2MG	A	2472	10	-	1/9/27/28	0/3/3/3
10	OMG	A	2278	10	-	1/9/27/28	0/3/3/3
33	MA6	a	1529	33	-	0/11/29/30	0/3/3/3
13	5MU	D	54	13	-	0/7/25/26	0/2/2/2
13	4SU	D	8	13	-	0/7/25/26	0/2/2/2
10	3TD	A	1942	10	-	2/7/25/26	0/2/2/2
10	2MA	A	2530	10,55	-	1/7/25/26	0/3/3/3
13	H2U	D	20(A)	13	-	6/7/38/39	0/2/2/2
10	5MU	A	792	10	-	0/7/25/26	0/2/2/2
10	OMG	A	2580	10	-	0/9/27/28	0/3/3/3
13	T6A	D	37	13	-	0/23/41/42	0/3/3/3
13	PSU	D	55	13	-	0/7/25/26	0/2/2/2
10	G7M	A	2601	10,55	-	0/7/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	RSP	D	32	13	-	0/7/25/26	0/2/2/2
33	2MG	a	975	33	-	0/9/27/28	0/3/3/3
10	5MU	A	1966	10	-	0/7/25/26	0/2/2/2
33	MA6	a	1530	33	-	3/11/29/30	0/3/3/3
33	UR3	a	1509	33	-	0/7/25/26	0/2/2/2
10	H2U	A	2476	10	-	0/7/38/39	0/2/2/2
33	5MC	a	976	33	-	0/7/25/26	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	A	1942	3TD	C6-C5	3.60	1.39	1.35
13	D	55	PSU	C6-C5	3.58	1.39	1.35
10	A	2601	G7M	C8-N7	2.61	1.37	1.33
33	a	535	G7M	C8-N7	2.38	1.37	1.33
13	D	20(A)	H2U	C1'-N1	2.05	1.50	1.46

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	D	8	4SU	C4-N3-C2	-4.26	123.20	127.34
33	a	1530	MA6	C2-N1-C6	2.91	118.63	111.75
33	a	1529	MA6	C2-N1-C6	2.88	118.56	111.75
13	D	8	4SU	C5-C4-N3	2.67	117.16	114.69
10	A	1942	3TD	O3'-C3'-C2'	2.63	120.33	111.82

There are no chirality outliers.

5 of 15 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
33	a	1530	MA6	O4'-C4'-C5'-O5'
10	A	1942	3TD	C3'-C4'-C5'-O5'
10	A	1942	3TD	O4'-C4'-C5'-O5'
10	A	2278	OMG	C1'-C2'-O2'-CM2
33	a	1530	MA6	C3'-C4'-C5'-O5'

There are no ring outliers.

9 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	2472	2MG	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
33	a	1529	MA6	1	0
10	A	1942	3TD	1	0
10	A	792	5MU	1	0
13	D	37	T6A	1	0
10	A	2601	G7M	1	0
10	A	1966	5MU	1	0
33	a	1530	MA6	2	0
10	A	2476	H2U	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 130 ligands modelled in this entry, 130 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55944. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 289




Y Index: 328




Z Index: 244


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 244


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 2.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_55944_msk_1.map [i](#)



X




Y




Z


6.6.2 emd_55944_msk_2.map [i](#)



X




Y




Z


6.6.3 emd_55944_msk_3.map [i](#)



X




Y




Z


6.6.4 emd_55944_msk_4.map [i](#)



X




Y




Z


6.6.5 emd_55944_msk_5.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 852 nm³; this corresponds to an approximate mass of 770 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.455 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.455 $\text{\AA}^{-1}$

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.20	-	-
Author-provided FSC curve	2.20	2.69	2.27
Unmasked-calculated*	2.89	3.64	2.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.89 differs from the reported value 2.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-55944 and PDB model 9TI5. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.2).

9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (2.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8990	 0.6530
1	 0.8710	 0.6510
2	 0.8560	 0.6360
3	 0.9150	 0.6790
4	 0.3360	 0.3530
5	 0.9340	 0.7170
6	 0.8270	 0.6160
7	 0.9740	 0.7650
8	 0.9650	 0.7280
9	 0.9210	 0.6820
A	 0.9580	 0.6980
B	 0.8680	 0.5740
C	 0.5070	 0.4650
D	 0.7240	 0.5130
G	 0.9610	 0.7400
H	 0.9450	 0.7110
I	 0.9150	 0.6990
J	 0.4990	 0.4280
K	 0.6360	 0.4930
M	 0.9380	 0.6980
N	 0.9450	 0.7250
O	 0.9080	 0.6740
P	 0.9180	 0.6730
Q	 0.9350	 0.7090
R	 0.7320	 0.5230
S	 0.8950	 0.6680
T	 0.9620	 0.7260
U	 0.9220	 0.6820
V	 0.9530	 0.7350
W	 0.9060	 0.6820
X	 0.7960	 0.5940
Y	 0.7380	 0.5390
Z	 0.9220	 0.6670
a	 0.9220	 0.6400
b	 0.6820	 0.5360



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.7310	 0.5470
d	 0.7420	 0.5480
e	 0.8450	 0.6100
f	 0.9130	 0.6730
g	 0.7200	 0.5290
h	 0.6220	 0.4740
i	 0.9050	 0.6640
j	 0.7150	 0.5290
k	 0.6770	 0.5150
l	 0.7560	 0.5710
m	 0.8890	 0.6590
n	 0.6370	 0.4710
o	 0.8840	 0.6170
p	 0.8620	 0.6250
q	 0.8200	 0.6090
r	 0.7890	 0.5980
s	 0.8400	 0.6190
t	 0.6450	 0.4960
u	 0.8570	 0.6160