



wwPDB EM Validation Summary Report ⓘ

Oct 30, 2023 – 05:57 PM EDT

PDB ID : 8TKG
EMDB ID : EMD-41350
Title : Human Type 3 IP3 Receptor - Resting State (+IP3/ATP)
Authors : Paknejad, N.; Sapuru, V.; Hite, R.K.
Deposited on : 2023-07-25
Resolution : 2.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2671	
1	B	2671	
1	C	2671	
1	D	2671	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 146960 atoms, of which 73560 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Inositol 1,4,5-trisphosphate receptor type 3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	A	2210	35839	11398	17984	3057	3286	114	0	0
1	B	2210	35839	11398	17984	3057	3286	114	0	0
1	C	2210	35839	11398	17984	3057	3286	114	0	0
1	D	2210	35839	11398	17984	3057	3286	114	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
2	A	1	1	1	0
2	B	1	1	1	0
2	C	1	1	1	0
2	D	1	1	1	0

- Molecule 3 is D-MYO-INOSITOL-1,4,5-TRIPHOSPHATE (three-letter code: I3P) (formula: $C_6H_{15}O_{15}P_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf	
			Total	C	H	O		P
3	A	1	33	6	9	15	3	0
3	B	1	33	6	9	15	3	0
3	C	1	33	6	9	15	3	0
3	D	1	33	6	9	15	3	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
			Total	Ca	
4	A	2	2	2	0
4	B	2	2	2	0
4	C	2	2	2	0
4	D	2	2	2	0

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
5	A	1	Total	C	H	N	O	P	0
			43	10	12	5	13	3	
5	B	1	Total	C	H	N	O	P	0
			43	10	12	5	13	3	
5	C	1	Total	C	H	N	O	P	0
			43	10	12	5	13	3	
5	D	1	Total	C	H	N	O	P	0
			43	10	12	5	13	3	

- Molecule 6 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PCW) (formula: $C_{44}H_{85}NO_8P$).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O	P	
6	A	1	101	33	58	1	8	1	0
6	A	1	117	38	69	1	8	1	0
6	A	1	98	31	57	1	8	1	0
6	A	1	112	38	64	1	8	1	0
6	A	1	108	36	62	1	8	1	0
6	A	1	126	41	75	1	8	1	0
6	B	1	126	41	75	1	8	1	0
6	B	1	101	33	58	1	8	1	0
6	B	1	117	38	69	1	8	1	0
6	B	1	98	31	57	1	8	1	0
6	B	1	112	38	64	1	8	1	0
6	B	1	108	36	62	1	8	1	0
6	C	1	126	41	75	1	8	1	0
6	C	1	101	33	58	1	8	1	0
6	C	1	117	38	69	1	8	1	0
6	C	1	98	31	57	1	8	1	0
6	C	1	112	38	64	1	8	1	0
6	C	1	108	36	62	1	8	1	0
6	D	1	112	38	64	1	8	1	0
6	D	1	108	36	62	1	8	1	0
6	D	1	126	41	75	1	8	1	0
6	D	1	101	33	58	1	8	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	
6	D	1	Total	C	H	N	O	P	0
			117	38	69	1	8	1	
6	D	1	Total	C	H	N	O	P	0
			98	31	57	1	8	1	


- Molecule 7 is water.


Mol	Chain	Residues	Atoms		AltConf
7	A	160	Total	O	0
			160	160	
7	B	160	Total	O	0
			160	160	
7	C	160	Total	O	0
			160	160	
7	D	160	Total	O	0
			160	160	

3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Inositol 1,4,5-trisphosphate receptor type 3







• Molecule 1: Inositol 1,4,5-trisphosphate receptor type 3








● Molecule 1: Inositol 1,4,5-trisphosphate receptor type 3





GLY	LEU	ASN	VAL	PRO	THR	GLU	VAL	LEU	GLU	GLU	ASP	ARG	GLU	LEU	S2449	C2461	R2471	L2498	F2502	F2520	E2531	E2532	R2545	K2560	L2561	E2562	K2578	N2579	K2580	R2604	S2609	L2610	V2611	S2612	ASN	GLU	GLY	GLU	GLY	GLU	GLN	ASN	GLU	ILE	ARG	LEU	GLN	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LYS	LEU	ASN	SER	THR	MET	LYS	LEU	VAL	SER	HIS	LEU	THR	ALA	GLN	LEU	ASN	GLU	LEU	LYS	GLU	MET	THR	GLU	GLN	ARG	LYS	ARG	ARG	GLN	ARG	LEU	GLY	PHE	VAL	ASP	VAL	GLN	ASN	CYS	ILE	SER	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	3668312	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	66	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	4300	Depositor
Magnification	29000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	113.116	Depositor
Minimum map value	-57.161	Depositor
Average map value	0.146	Depositor
Map value standard deviation	1.901	Depositor
Recommended contour level	6.0	Depositor
Map size (\AA)	422.68802, 422.68802, 422.68802	wwPDB
Map dimensions	672, 672, 672	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.629, 0.629, 0.629	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, I3P, ZN, ATP, PCW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/18187	0.45	0/24569
1	B	0.24	0/18187	0.45	0/24569
1	C	0.24	0/18187	0.45	0/24569
1	D	0.24	0/18187	0.45	0/24569
All	All	0.24	0/72748	0.45	0/98276

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	17855	17984	17979	278	0
1	B	17855	17984	17978	280	0
1	C	17855	17984	17978	280	0
1	D	17855	17984	17978	280	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	24	9	9	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	24	9	9	1	0
3	C	24	9	9	1	0
3	D	24	9	9	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
5	A	31	12	12	2	0
5	B	31	12	12	2	0
5	C	31	12	12	2	0
5	D	31	12	12	2	0
6	A	277	385	388	5	0
6	B	277	385	388	5	0
6	C	277	385	388	7	0
6	D	277	385	388	4	0
7	A	160	0	0	14	0
7	B	160	0	0	14	0
7	C	160	0	0	14	0
7	D	160	0	0	14	0
All	All	73400	73560	73549	848	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 848 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1483:PRO:HA	1:D:214:ASN:ND2	1.17	1.48
1:A:1535:GLY:C	1:D:144:GLU:HG3	1.33	1.48
1:B:144:GLU:HG3	1:C:1535:GLY:C	1.32	1.44
1:C:214:ASN:ND2	1:D:1483:PRO:HA	1.18	1.43
1:A:144:GLU:HG3	1:B:1535:GLY:C	1.34	1.43

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	2180/2671 (82%)	2136 (98%)	44 (2%)	0	100	100
1	B	2180/2671 (82%)	2136 (98%)	44 (2%)	0	100	100
1	C	2180/2671 (82%)	2136 (98%)	44 (2%)	0	100	100
1	D	2180/2671 (82%)	2136 (98%)	44 (2%)	0	100	100
All	All	8720/10684 (82%)	8544 (98%)	176 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	2002/2385 (84%)	1964 (98%)	38 (2%)	57	80
1	B	2002/2385 (84%)	1964 (98%)	38 (2%)	57	80
1	C	2002/2385 (84%)	1964 (98%)	38 (2%)	57	80
1	D	2002/2385 (84%)	1964 (98%)	38 (2%)	57	80
All	All	8008/9540 (84%)	7856 (98%)	152 (2%)	59	80

5 of 152 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	580	MET
1	D	1977	ASP
1	D	817	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	1370	ASP
1	D	2520	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	214	ASN
1	D	146	ASN
1	D	2550	ASN
1	D	195	HIS
1	B	195	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 44 ligands modelled in this entry, 12 are monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ATP	C	2706	-	26,33,33	0.61	0	31,52,52	1.06	2 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ATP	D	2708	-	26,33,33	0.59	0	31,52,52	1.07	2 (6%)
3	I3P	B	2703	-	24,24,24	2.07	3 (12%)	36,39,39	0.89	0
6	PCW	D	2701	-	47,47,53	0.53	0	52,55,61	0.55	1 (1%)
5	ATP	A	3005	-	26,33,33	0.60	0	31,52,52	1.07	2 (6%)
6	PCW	B	2710	-	47,47,53	0.53	0	52,55,61	0.55	1 (1%)
6	PCW	B	2709	-	40,40,53	0.54	0	46,48,61	0.53	0
5	ATP	B	2706	-	26,33,33	0.61	0	31,52,52	1.06	2 (6%)
6	PCW	B	2707	-	42,42,53	0.53	0	48,50,61	0.50	0
3	I3P	C	2703	-	24,24,24	2.07	3 (12%)	36,39,39	0.89	0
6	PCW	A	3009	-	47,47,53	0.53	0	52,55,61	0.55	1 (1%)
6	PCW	B	2701	-	50,50,53	0.50	0	56,58,61	0.53	0
6	PCW	A	3010	-	45,45,53	0.52	0	50,53,61	0.48	0
6	PCW	A	3011	-	50,50,53	0.50	0	56,58,61	0.53	0
6	PCW	C	2709	-	40,40,53	0.54	0	46,48,61	0.53	0
3	I3P	D	2705	-	24,24,24	2.08	3 (12%)	36,39,39	0.89	0
6	PCW	B	2711	-	45,45,53	0.52	0	50,53,61	0.48	0
6	PCW	A	3006	-	42,42,53	0.53	0	48,50,61	0.50	0
6	PCW	D	2709	-	42,42,53	0.52	0	48,50,61	0.50	0
6	PCW	C	2701	-	50,50,53	0.50	0	56,58,61	0.53	0
6	PCW	A	3008	-	40,40,53	0.54	0	46,48,61	0.53	0
6	PCW	D	2703	-	50,50,53	0.50	0	56,58,61	0.53	0
6	PCW	C	2710	-	47,47,53	0.52	0	52,55,61	0.55	1 (1%)
6	PCW	C	2711	-	45,45,53	0.52	0	50,53,61	0.47	0
6	PCW	D	2711	-	40,40,53	0.55	0	46,48,61	0.53	0
6	PCW	C	2707	-	42,42,53	0.53	0	48,50,61	0.50	0
6	PCW	D	2710	-	47,47,53	0.51	0	52,55,61	0.48	0
6	PCW	A	3007	-	47,47,53	0.51	0	52,55,61	0.48	0
3	I3P	A	3002	-	24,24,24	2.07	3 (12%)	36,39,39	0.89	0
6	PCW	D	2702	-	45,45,53	0.52	0	50,53,61	0.48	0
6	PCW	C	2708	-	47,47,53	0.51	0	52,55,61	0.48	0
6	PCW	B	2708	-	47,47,53	0.51	0	52,55,61	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ATP	C	2706	-	-	11/18/38/38	0/3/3/3
5	ATP	D	2708	-	-	11/18/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	I3P	B	2703	-	-	2/15/39/39	0/1/1/1
6	PCW	D	2701	-	-	12/51/51/57	-
5	ATP	A	3005	-	-	11/18/38/38	0/3/3/3
6	PCW	B	2710	-	-	12/51/51/57	-
6	PCW	B	2709	-	-	10/44/44/57	-
5	ATP	B	2706	-	-	11/18/38/38	0/3/3/3
6	PCW	B	2707	-	-	11/46/46/57	-
3	I3P	C	2703	-	-	2/15/39/39	0/1/1/1
6	PCW	A	3009	-	-	12/51/51/57	-
6	PCW	B	2701	-	-	21/54/54/57	-
6	PCW	A	3010	-	-	13/49/49/57	-
6	PCW	A	3011	-	-	21/54/54/57	-
6	PCW	C	2709	-	-	10/44/44/57	-
3	I3P	D	2705	-	-	2/15/39/39	0/1/1/1
6	PCW	B	2711	-	-	13/49/49/57	-
6	PCW	A	3006	-	-	11/46/46/57	-
6	PCW	D	2709	-	-	11/46/46/57	-
6	PCW	C	2701	-	-	21/54/54/57	-
6	PCW	A	3008	-	-	10/44/44/57	-
6	PCW	D	2703	-	-	21/54/54/57	-
6	PCW	C	2710	-	-	12/51/51/57	-
6	PCW	C	2711	-	-	13/49/49/57	-
6	PCW	D	2711	-	-	10/44/44/57	-
6	PCW	C	2707	-	-	11/46/46/57	-
6	PCW	D	2710	-	-	16/51/51/57	-
6	PCW	A	3007	-	-	16/51/51/57	-
3	I3P	A	3002	-	-	2/15/39/39	0/1/1/1
6	PCW	D	2702	-	-	13/49/49/57	-
6	PCW	C	2708	-	-	16/51/51/57	-
6	PCW	B	2708	-	-	16/51/51/57	-

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	2705	I3P	P4-O4	5.69	1.70	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	3002	I3P	P4-O4	5.69	1.70	1.59
3	D	2705	I3P	P5-O5	5.68	1.70	1.59
3	B	2703	I3P	P4-O4	5.67	1.70	1.59
3	C	2703	I3P	P4-O4	5.67	1.70	1.59

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	2708	ATP	C5-C6-N6	2.33	123.89	120.35
5	A	3005	ATP	C5-C6-N6	2.32	123.88	120.35
5	B	2706	ATP	C5-C6-N6	2.30	123.85	120.35
5	C	2706	ATP	C5-C6-N6	2.30	123.85	120.35
6	A	3009	PCW	C3-C2-C1	2.15	116.88	111.79

There are no chirality outliers.

5 of 384 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	3002	I3P	C5-O5-P5-O51
3	B	2703	I3P	C5-O5-P5-O51
3	C	2703	I3P	C5-O5-P5-O51
3	D	2705	I3P	C5-O5-P5-O51
5	A	3005	ATP	PB-O3B-PG-O3G

There are no ring outliers.

16 monomers are involved in 32 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	2706	ATP	2	0
5	D	2708	ATP	2	0
3	B	2703	I3P	1	0
6	D	2701	PCW	3	0
5	A	3005	ATP	2	0
6	B	2710	PCW	3	0
5	B	2706	ATP	2	0
3	C	2703	I3P	1	0
6	A	3009	PCW	3	0
6	B	2701	PCW	2	0
6	A	3011	PCW	2	0
6	C	2701	PCW	2	0
6	D	2703	PCW	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	2710	PCW	4	0
6	C	2711	PCW	1	0
3	A	3002	I3P	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















































































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41350. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 336



Y Index: 336




Z Index: 336


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 322



Y Index: 351




Z Index: 331


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 6.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 428 nm³; this corresponds to an approximate mass of 387 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.400 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41350 and PDB model 8TKG. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 6.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (6.0).











9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (6.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7320	 0.4410
A	 0.7480	 0.4520
B	 0.7380	 0.4430
C	 0.7250	 0.4260
D	 0.7420	 0.4450

