

wwPDB X-ray Structure Validation Summary Report (i)

Jan 15, 2024 – 11:36 pm GMT

PDB ID	:	6TO7
Title	:	Crystal structure of the Orexin-1 receptor in complex with suvorexant at 2.29
		A resolution
Authors	:	Rappas, M.; Ali, A.; Bennett, K.A.; Brown, J.D.; Bucknell, S.J.; Congreve,
		M.; Cooke, R.M.; Cseke, G.; de Graaf, C.; Dore, A.S.; Errey, J.C.; Jazayeri,
		A.; Marshall, F.H.; Mason, J.S.; Mould, R.; Patel, J.C.; Tehan, B.G.; Weir,
		M.; Christopher, J.A.
Deposited on	:	2019-12-11
Resolution	:	2.26 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as 541 be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain		
1	А	336	82%	7%	11%
1	В	336	86%	5%	9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SOG	В	412	-	-	Х	-



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 5761 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	300	Total 2377	C 1576	N 397	0 387	S 17	0	0	0
1	D	207	Total		N	0	S	0	0	0
	В	307	2451	1631	404	399	17	0	U	U

• Molecule 1 is a protein called Orexin receptor type 1.

Chain	Residue	Modelled	Actual	Comment	Reference
А	25	ALA	-	expression tag	UNP O43613
А	26	ALA	-	expression tag	UNP O43613
А	27	SER	-	expression tag	UNP O43613
А	46	ALA	GLU	engineered mutation	UNP O43613
А	85	LEU	ILE	engineered mutation	UNP O43613
А	95	ALA	VAL	engineered mutation	UNP O43613
А	162	LEU	ARG	engineered mutation	UNP O43613
А	194	ALA	ASN	engineered mutation	UNP O43613
А	198	ALA	LEU	engineered mutation	UNP O43613
А	211	ALA	TYR	engineered mutation	UNP O43613
А	?	-	ALA	deletion	UNP O43613
А	?	-	LEU	deletion	UNP O43613
А	?	-	VAL	deletion	UNP O43613
А	?	-	ARG	deletion	UNP O43613
А	?	-	ASN	deletion	UNP O43613
А	?	-	TRP	deletion	UNP O43613
А	?	-	LYS	deletion	UNP O43613
А	?	-	ARG	deletion	UNP O43613
А	?	-	PRO	deletion	UNP O43613
А	?	-	SER	deletion	UNP O43613
А	?	-	ASP	deletion	UNP O43613
А	?	-	GLN	deletion	UNP O43613
А	?	-	LEU	deletion	UNP O43613
А	?	-	GLY	deletion	UNP O43613
А	?	-	ASP	deletion	UNP O43613

There are 116 discrepancies between the modelled and reference sequences:



Continueu from previous puge						
Chain	Residue	Modelled	Actual	Comment	Reference	
A	?	-	LEU	deletion	UNP 043613	
А	?	-	GLU	deletion	UNP 043613	
А	?	-	GLN	deletion	UNP O43613	
А	?	-	GLY	deletion	UNP 043613	
А	?	-	LEU	deletion	UNP O43613	
А	?	-	SER	deletion	UNP 043613	
А	?	-	GLY	deletion	UNP O43613	
А	?	-	GLU	deletion	UNP O43613	
А	?	-	PRO	deletion	UNP O43613	
А	?	-	GLN	deletion	UNP O43613	
А	?	-	PRO	deletion	UNP 043613	
А	?	-	ARG	deletion	UNP O43613	
А	?	-	ALA	deletion	UNP O43613	
А	?	-	ARG	deletion	UNP O43613	
А	?	-	ALA	deletion	UNP O43613	
А	?	-	PHE	deletion	UNP O43613	
А	?	-	LEU	deletion	UNP O43613	
А	304	VAL	LEU	engineered mutation	UNP 043613	
А	339	ALA	CYS	engineered mutation	UNP 043613	
А	375	TRP	CYS	engineered mutation	UNP 043613	
А	376	TRP	CYS	engineered mutation	UNP 043613	
А	381	ALA	-	expression tag	UNP 043613	
А	382	ALA	-	expression tag	UNP O43613	
А	383	ALA	-	expression tag	UNP 043613	
А	384	HIS	-	expression tag	UNP 043613	
А	385	HIS	-	expression tag	UNP 043613	
А	386	HIS	-	expression tag	UNP 043613	
А	387	HIS	_	expression tag	UNP 043613	
А	388	HIS	_	expression tag	UNP 043613	
А	389	HIS	_	expression tag	UNP 043613	
А	390	HIS	_	expression tag	UNP 043613	
A	391	HIS	_	expression tag	UNP 043613	
A	392	HIS	-	expression tag	UNP 043613	
B	25	ALA	-	expression tag	UNP 043613	
B	26	ALA	_	expression tag	UNP 043613	
B	27	SER	_	expression tag	UNP 043613	
B	46	ALA	GLU	engineered mutation	UNP 043613	
B	85	LEU	ILE	engineered mutation	UNP 043613	
B	95	ALA	VAL	engineered mutation	UNP 043613	
B	162	LEU	ARG	engineered mutation	UNP 043613	
B	102	ALA	ASN	engineered mutation	UNP 043613	
B	194	ALA	LEU	engineered mutation	UNP 043613	
U	100				0111 040010	

Continued from previous page...
Chain | Residue | Modelled | Actual |



Chain	Residue	Modelled	Actual	Comment	Reference
В	211	ALA	TYR	engineered mutation	UNP O43613
В	?	-	ALA	deletion	UNP O43613
В	?	-	LEU	deletion	UNP O43613
В	?	-	VAL	deletion	UNP O43613
В	?	-	ARG	deletion	UNP O43613
В	?	-	ASN	deletion	UNP O43613
В	?	-	TRP	deletion	UNP O43613
В	?	-	LYS	deletion	UNP O43613
В	?	-	ARG	deletion	UNP O43613
В	?	-	PRO	deletion	UNP O43613
В	?	-	SER	deletion	UNP O43613
В	?	-	ASP	deletion	UNP O43613
В	?	-	GLN	deletion	UNP O43613
В	?	-	LEU	deletion	UNP O43613
В	?	-	GLY	deletion	UNP O43613
В	?	-	ASP	deletion	UNP O43613
В	?	-	LEU	deletion	UNP O43613
В	?	-	GLU	deletion	UNP O43613
В	?	-	GLN	deletion	UNP O43613
В	?	-	GLY	deletion	UNP O43613
В	?	-	LEU	deletion	UNP O43613
В	?	-	SER	deletion	UNP O43613
В	?	-	GLY	deletion	UNP O43613
В	?	-	GLU	deletion	UNP O43613
В	?	-	PRO	deletion	UNP O43613
В	?	-	GLN	deletion	UNP O43613
В	?	-	PRO	deletion	UNP O43613
В	?	-	ARG	deletion	UNP O43613
В	?	-	ALA	deletion	UNP O43613
В	?	-	ARG	deletion	UNP O43613
В	?	-	ALA	deletion	UNP O43613
В	?	-	PHE	deletion	UNP O43613
В	?	-	LEU	deletion	UNP O43613
В	304	VAL	LEU	engineered mutation	UNP O43613
В	339	ALA	CYS	engineered mutation	UNP O43613
В	375	TRP	CYS	engineered mutation	UNP O43613
В	376	TRP	CYS	engineered mutation	UNP O43613
В	381	ALA	-	expression tag	UNP O43613
В	382	ALA	-	expression tag	UNP O43613
В	383	ALA	-	expression tag	UNP O43613
В	384	HIS	-	expression tag	UNP O43613
В	385	HIS	-	expression tag	UNP O43613


Continued from previous page...
Chain Residue Modelled Actual



Chain	Residue	Modelled	Actual	Comment	Reference
В	386	HIS	-	expression tag	UNP O43613
В	387	HIS	-	expression tag	UNP O43613
В	388	HIS	-	expression tag	UNP O43613
В	389	HIS	-	expression tag	UNP O43613
В	390	HIS	-	expression tag	UNP 043613
В	391	HIS	-	expression tag	UNP O43613
В	392	HIS	-	expression tag	UNP O43613

Continued from previous page...


• Molecule 2 is [(7R)-4-(5-chloro-1,3-benzoxazol-2-yl)-7-methyl-1,4-diazepan-1-yl][5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl]methanone (three-letter code: SUV) (formula: C₂₃H₂₃ClN₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	Δ	1	Total	С	Cl	Ν	Ο	0	0
	A	1	32	23	1	6	2	0	0
2	D	1	Total	С	Cl	Ν	0	0	0
	D	1	32	23	1	6	2	0	0


• Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total C O 13 8 5	0	0
3	В	1	Total C O 13 8 5	0	0
3	В	1	Total C O 13 8 5	0	0
3	В	1	Total C O 11 7 4	0	0


• Molecule 4 is CITRIC ACID (three-letter code: CIT) (formula: $C_6H_8O_7$).





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
4	А	1	Total 13	С 6	O 7	0	0

• Molecule 5 is octyl 1-thio-beta-D-glucopyranoside (three-letter code: SOG) (formula: $C_{14}H_{28}O_5S$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{cccc} \text{Total} & \text{C} & \text{O} & \text{S} \\ 20 & 14 & 5 & 1 \end{array}$	0	0
5	А	1	Total C O S 20 14 5 1	0	0
5	А	1	Total C O S 16 10 5 1	0	0
5	А	1	Total C O S 14 8 5 1	0	0
5	А	1	Total C O S 20 14 5 1	0	0
5	А	1	Total C O S 20 14 5 1	0	0
5	А	1	Total C O S 20 14 5 1	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{S} \\ 6 & 5 & 1 \end{array}$	0	0
5	А	1	Total C O S 16 10 5 1	0	0
5	А	1	Total C S 10 9 1	0	0



$\alpha \cdot \cdot \cdot \cdot$	C	•	
Continued	trom	nremons	naae
Continucu	110110	preduous	payen

Mol	-	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{S} \\ 9 & 8 & 1 \end{array}$	0	0
5	А	1	Total C S 8 7 1	0	0
5	А	1	Total C 5 5	0	0
5	А	1	Total C 8 8	0	0
5	А	1	Total C 5 5	0	0
5	А	1	Total C S 9 8 1	0	0
5	А	1	Total C O S 20 14 5 1	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{S} \\ 6 & 5 & 1 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{S} \\ 6 & 5 & 1 \end{array}$	0	0
5	А	1	Total C S 4 3 1	0	0
5	А	1	Total C S 4 3 1	0	0
5	А	1	Total C 4 4	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 16 10 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C S 9 8 1	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{S} \\ 6 & 5 & 1 \end{array}$	0	0
5	В	1	Total C S 4 3 1	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{S} \\ 6 & 5 & 1 \end{array}$	0	0
5	В	1	Total C O S 20 14 5 1	0	0
5	В	1	Total C 6 6	0	0
5	В	1	Total C 5 5	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{S} \\ 6 & 5 & 1 \end{array}$	0	0
5	В	1	Total C 6 6	0	0

Continued from previous page...

• Molecule 6 is (1R)-2-{[(S)-{[(2S)-2,3-dihydroxypropyl]oxy}(hydroxy)phosphoryl]oxy}-1-[(hexadecanoyloxy)methyl]ethyl (9Z)-octadec-9-enoate (three-letter code: PGW) (formula: $C_{40}H_{77}O_{10}P$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	Λ	1	Total	С	Ο	Р	0	0	
0	A	1	51	40	10	1	0	0	
6	В	1	Total	С	Ο	Р	0	0	
0	D	1	51	40	10	1	0	0	

• Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total Na 1 1	0	0
7	В	1	Total Na 1 1	0	0


• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	84	Total O 84 84	0	0
8	В	64	Total O 64 64	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



 \bullet Molecule 1: Or exin receptor type 1



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants	57.90Å 158.47Å 183.62Å	Depositor
a, b, c, α , β , γ	90.00° 95.31° 90.00°	Depositor
Resolution (Å)	44.38 - 2.26	Depositor
	44.38 - 2.25	EDS
% Data completeness	58.8(44.38-2.26)	Depositor
(in resolution range)	79.0(44.38-2.25)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$0.16 (at 2.24 \text{\AA})$	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.186 , 0.211	Depositor
II, II, <i>free</i>	0.224 , 0.249	DCC
R_{free} test set	3882 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	22.0	Xtriage
Anisotropy	0.243	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , 62.8	EDS
L-test for twinning ²	$ \langle L \rangle = 0.50, \langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	5761	wwPDB-VP
Average B, all atoms $(Å^2)$	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.65% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, SUV, PGW, PG4, CIT, SOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles	
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.50	0/2442	0.62	0/3330
1	В	0.52	0/2521	0.62	0/3436
All	All	0.51	0/4963	0.62	0/6766

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2377	0	2443	23	0
1	В	2451	0	2498	34	0
2	А	32	0	23	0	0
2	В	32	0	23	0	0
3	А	13	0	18	0	0
3	В	37	0	49	1	0
4	А	13	0	5	0	0
5	А	250	0	348	15	0
5	В	304	0	425	31	0
6	А	51	0	76	1	0
6	В	51	0	76	1	0



Mol	0	1	1 0	H(added)	Clashes	Symm-Clashes
7	А	1	0	0	0	0
7	В	1	0	0	0	0
8	А	84	0	0	2	0
8	В	64	0	0	0	0
All	All	5761	0	5984	64	0

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 64 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:205:ARG:NH2	5:B:412:SOG:H3'1	1.31	1.43
1:B:205:ARG:NH2	5:B:412:SOG:C3'	2.10	1.14
1:B:205:ARG:HH21	5:B:412:SOG:C3'	1.62	1.12
1:B:205:ARG:NE	5:B:412:SOG:H4'2	1.64	1.12
1:B:205:ARG:HE	5:B:412:SOG:H4'2	0.95	1.09

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles		
1	А	296/336~(88%)	292~(99%)	4 (1%)	0	100	100	
1	В	301/336~(90%)	293~(97%)	8 (3%)	0	100	100	
All	All	597/672~(89%)	585~(98%)	12 (2%)	0	100	100	

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	249/279~(89%)	248 (100%)	1 (0%)	91 94		
1	В	255/279~(91%)	255 (100%)	0	100 100		
All	All	504/558~(90%)	503 (100%)	1 (0%)	93 96		

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	210	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such side chains are listed below:

Mol	Chain	Res	Type
1	В	75	HIS
1	В	150	HIS
1	В	237	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 54 ligands modelled in this entry, 2 are monoatomic - leaving 52 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trune	Chain	Res	Link	Bo	ond leng	ths	В	ond ang	les
	Type	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
5	SOG	В	415	-	20,20,20	1.03	1 (5%)	$24,\!25,\!25$	1.55	<mark>5 (20%)</mark>
5	SOG	А	412	-	16,16,20	1.15	1 (6%)	20,21,25	1.43	2 (10%)
5	SOG	В	422	-	5,5,20	0.26	0	4,4,25	0.38	0
5	SOG	В	423	-	4,4,20	0.27	0	3,3,25	0.34	0
5	SOG	В	413	-	20,20,20	1.05	2 (10%)	$24,\!25,\!25$	1.53	3 (12%)
5	SOG	А	408	-	20,20,20	1.10	2 (10%)	24,25,25	1.73	5 (20%)
5	SOG	А	406	-	16,16,20	1.09	1 (6%)	20,21,25	1.35	3 (15%)
5	SOG	В	418	-	5,5,20	0.46	0	4,4,25	0.33	0
6	PGW	А	426	-	$50,\!50,\!50$	0.95	2(4%)	$53,\!56,\!56$	1.00	3(5%)
5	SOG	В	412	-	20,20,20	1.04	2 (10%)	24,25,25	1.37	3 (12%)
5	SOG	В	414	-	20,20,20	0.97	1 (5%)	24,25,25	0.86	0
3	PG4	А	402	-	12,12,12	0.52	0	11,11,11	0.24	0
5	SOG	А	413	-	9,9,20	0.38	0	8,8,25	0.43	0
5	SOG	А	417	-	7,7,20	0.31	0	$6,\!6,\!25$	0.43	0
2	SUV	В	401	-	31,36,36	0.95	1 (3%)	32,52,52	1.03	2 (6%)
5	SOG	А	410	-	20,20,20	0.94	1 (5%)	24,25,25	1.11	1 (4%)
5	SOG	А	422	-	5,5,20	0.56	0	4,4,25	0.40	0
5	SOG	В	409	-	20,20,20	1.00	1 (5%)	24,25,25	0.92	2 (8%)
5	SOG	А	407	-	14,14,20	0.92	1 (7%)	18,19,25	1.16	1 (5%)
5	SOG	А	404	-	20,20,20	1.03	2 (10%)	24,25,25	1.02	1 (4%)
5	SOG	А	420	-	20,20,20	1.04	2 (10%)	24,25,25	0.98	2 (8%)
5	SOG	А	414	-	8,8,20	0.18	0	7,7,25	0.36	0
5	SOG	В	410	-	20,20,20	0.92	2 (10%)	24,25,25	1.03	2 (8%)
5	SOG	В	424	-	$5,\!5,\!20$	0.55	0	4,4,25	0.78	0
5	SOG	А	423	-	3,3,20	0.66	0	2,2,25	2.31	1 (50%)
5	SOG	А	416	-	4,4,20	0.30	0	3,3,25	0.33	0
5	SOG	В	411	-	20,20,20	1.12	2 (10%)	24,25,25	0.95	1 (4%)
5	SOG	А	405	-	20,20,20	1.04	1 (5%)	24,25,25	1.64	<mark>6 (25%)</mark>



Mol	Turne	Chain	Res	Link	Bo	ond leng	ths	B	ond ang	les
INIOI	Type	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
5	SOG	В	419	-	3,3,20	0.26	0	2,2,25	0.07	0
5	SOG	А	409	-	20,20,20	1.28	2 (10%)	24,25,25	1.38	3 (12%)
5	SOG	А	421	-	5,5,20	0.56	0	4,4,25	0.48	0
5	SOG	А	411	-	5,5,20	0.60	0	4,4,25	0.80	0
2	SUV	А	401	-	31,36,36	0.92	1 (3%)	32,52,52	1.03	2 (6%)
5	SOG	А	415	-	7,7,20	0.47	0	6,6,25	0.63	0
5	SOG	В	421	-	20,20,20	0.99	1 (5%)	24,25,25	1.05	1 (4%)
5	SOG	В	425	-	5,5,20	0.22	0	4,4,25	0.54	0
4	CIT	А	403	-	12,12,12	1.07	0	17,17,17	1.32	2 (11%)
5	SOG	В	416	-	8,8,20	0.53	0	7,7,25	0.50	0
5	SOG	А	424	-	3,3,20	0.85	0	2,2,25	0.44	0
6	PGW	В	426	-	50,50,50	0.97	2 (4%)	53,56,56	0.96	3 (5%)
3	PG4	В	404	-	10,10,12	0.56	0	9,9,11	0.40	0
5	SOG	А	419	-	8,8,20	0.46	0	7,7,25	0.58	0
5	SOG	А	418	-	4,4,20	0.27	0	3, 3, 25	0.41	0
3	PG4	В	403	-	12,12,12	0.66	0	11,11,11	0.47	0
5	SOG	В	407	-	20,20,20	0.96	1 (5%)	24,25,25	0.91	2 (8%)
5	SOG	В	408	-	20,20,20	1.22	2 (10%)	24,25,25	1.30	2 (8%)
5	SOG	В	406	-	16,16,20	1.25	2 (12%)	20,21,25	1.01	0
5	SOG	В	405	-	20,20,20	0.98	1 (5%)	24,25,25	1.34	3 (12%)
5	SOG	А	425	-	3,3,20	0.33	0	2,2,25	0.69	0
5	SOG	В	417	-	20,20,20	1.10	2 (10%)	24,25,25	1.45	6 (25%)
5	SOG	В	420	-	$5,\!5,\!20$	0.60	0	4,4,25	0.97	0
3	PG4	В	402	-	12,12,12	0.61	0	11,11,11	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SOG	В	415	-	-	7/11/31/31	0/1/1/1
5	SOG	А	412	-	-	4/7/27/31	0/1/1/1
5	SOG	В	422	-	-	1/3/3/31	-
5	SOG	В	423	-	-	2/2/2/31	-
5	SOG	В	413	-	-	4/11/31/31	0/1/1/1
5	SOG	А	408	-	-	9/11/31/31	0/1/1/1
5	SOG	А	406	-	-	5/7/27/31	0/1/1/1
5	SOG	В	418	-	-	2/3/3/31	-



Conti Mol	nued from Type	m previou Chain	$rac{s page}{Res}$	 Link	Chirals	Torsions	Rings
6	PGW	A	426			29/55/55/55	Tillgs
5	SOG	В	412	-	-	$\frac{23}{33} \frac{33}{33} \frac{33}{33}$	-
				-	-		0/1/1/1
5	SOG	В	414	-	-	7/11/31/31	0/1/1/1
3	PG4	A	402	-	-	6/10/10/10	-
5	SOG	А	413	-	-	4/7/7/31	-
5	SOG	A	417	-	-	4/5/5/31	-
2	SUV	В	401	-	-	0/10/30/30	0/4/5/5
5	SOG	А	410	-	-	4/11/31/31	0/1/1/1
5	SOG	А	422	-	-	3/3/3/31	-
5	SOG	В	409	-	-	5/11/31/31	0/1/1/1
5	SOG	А	407	-	-	3/5/25/31	0/1/1/1
5	SOG	А	404	-	-	4/11/31/31	0/1/1/1
5	SOG	А	420	-	-	4/11/31/31	0/1/1/1
5	SOG	А	414	-	-	1/6/6/31	-
5	SOG	В	410	-	-	4/11/31/31	0/1/1/1
5	SOG	В	424	-	-	2/3/3/31	-
5	SOG	А	423	-	-	1/1/1/31	-
5	SOG	А	416	-	-	1/2/2/31	-
5	SOG	В	411	-	-	6/11/31/31	0/1/1/1
5	SOG	А	405	-	-	7/11/31/31	0/1/1/1
5	SOG	В	419	-	-	0/0/1/31	-
5	SOG	А	409	_	-	8/11/31/31	0/1/1/1
5	SOG	А	421	-	-	3/3/3/31	-
5	SOG	А	411	-	-	0/3/3/31	-
2	SUV	А	401	_	-	2/10/30/30	0/4/5/5
5	SOG	А	415	-	-	3/5/5/31	-
5	SOG	В	421	-	-	8/11/31/31	0/1/1/1
5	SOG	В	425	-	-	3/3/3/31	-
4	CIT	А	403	-	-	1/16/16/16	-
5	SOG	В	416	-	-	3/6/6/31	-
5	SOG	А	424	-	-	0/0/1/31	-
6	PGW	В	426	-	-	22/55/55/55	-
3	PG4	В	404	-	-	4/8/8/10	-
5	SOG	А	419	-	-	3/6/6/31	-
5	SOG	А	418	-	_	1/2/2/31	-
3	PG4	В	403	-	-	8/10/10/10	-

ntir d fa C



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SOG	В	407	-	-	6/11/31/31	0/1/1/1
5	SOG	В	408	-	-	4/11/31/31	0/1/1/1
5	SOG	В	406	-	-	3/7/27/31	0/1/1/1
5	SOG	В	405	-	-	1/11/31/31	0/1/1/1
5	SOG	А	425	-	-	0/1/1/31	-
5	SOG	В	417	-	-	9/11/31/31	0/1/1/1
5	SOG	В	420	-	-	2/3/3/31	-
3	PG4	В	402	-	-	3/10/10/10	-

Continued from previous page...

The worst 5 of 39 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
6	А	426	PGW	O03-C19	4.56	1.46	1.33
6	В	426	PGW	O03-C19	4.38	1.46	1.33
6	В	426	PGW	O01-C1	4.33	1.46	1.34
5	А	409	SOG	C1'-S1	-4.13	1.76	1.81
5	В	408	SOG	C1'-S1	-4.10	1.76	1.81

The worst 5 of 67 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
5	А	408	SOG	C1-O5-C5	6.20	124.02	112.58
5	В	405	SOG	C1'-S1-C1	4.43	108.38	100.09
5	В	413	SOG	C1-O5-C5	4.11	120.16	112.58
5	А	404	SOG	C1-O5-C5	4.02	119.99	112.58
5	А	409	SOG	C4-C3-C2	4.00	117.81	110.82

There are no chirality outliers.

5 of 232 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	401	SUV	C21-C20-N4-N6
5	А	405	SOG	C2-C1-S1-C1'
5	А	405	SOG	O5-C1-S1-C1'
5	А	405	SOG	C2'-C1'-S1-C1
5	А	408	SOG	O5-C1-S1-C1'

There are no ring outliers.

23 monomers are involved in 43 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	А	412	SOG	2	0
5	В	413	SOG	1	0
5	А	408	SOG	1	0
6	А	426	PGW	1	0
5	В	412	SOG	17	0
5	В	414	SOG	2	0
5	А	413	SOG	2	0
5	А	410	SOG	3	0
5	А	422	SOG	1	0
5	А	407	SOG	1	0
5	В	410	SOG	1	0
5	А	405	SOG	3	0
5	В	419	SOG	1	0
5	В	425	SOG	2	0
6	В	426	PGW	1	0
5	А	419	SOG	1	0
3	В	403	PG4	1	0
5	В	407	SOG	1	0
5	В	408	SOG	1	0
5	В	406	SOG	1	0
5	В	405	SOG	2	0
5	А	425	SOG	1	0
5	В	417	SOG	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates (i)


Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands (i)


Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




















































































































6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

