



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 10, 2024 – 10:03 AM EDT

PDB ID : 8TRV
Title : Structure of the EphA2 LBDCRD bound to FabS1C_C1
Authors : Singer, A.U.; Bruce, H.A.; Blazer, L.; Adams, J.J.; Sicheri, F.; Sidhu, S.S.
Deposited on : 2023-08-10
Resolution : 3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1191 (3.30-3.22)
Clashscore	141614	1251 (3.30-3.22)
Ramachandran outliers	138981	1229 (3.30-3.22)
Sidechain outliers	138945	1228 (3.30-3.22)
RSRZ outliers	127900	1154 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	
1	B	308	
2	C	223	
2	D	223	
3	E	215	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	215	 85% 14%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 10692 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ephrin type-A receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	294	Total 2167	C 1371	N 351	O 424	S 21	0	0	0
1	B	284	Total 2060	C 1304	N 340	O 398	S 18	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	327	LEU	-	expression tag	UNP P29317
A	328	VAL	-	expression tag	UNP P29317
A	329	PRO	-	expression tag	UNP P29317
A	330	ARG	-	expression tag	UNP P29317
B	327	LEU	-	expression tag	UNP P29317
B	328	VAL	-	expression tag	UNP P29317
B	329	PRO	-	expression tag	UNP P29317
B	330	ARG	-	expression tag	UNP P29317

- Molecule 2 is a protein called S1C variant of Fab_C1 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	217	Total 1602	C 1015	N 261	O 319	S 7	0	0	0
2	D	217	Total 1595	C 1009	N 261	O 318	S 7	0	0	0

- Molecule 3 is a protein called S1C variant of Fab_C1 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	G	215	Total 1621	C 1015	N 265	O 336	S 5	0	0	0
3	E	215	Total 1624	C 1017	N 266	O 335	S 6	0	0	0

- Molecule 4 is IODIDE ION (three-letter code: IOD) (formula: I) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total I 1 1	0	0
4	G	1	Total I 1 1	0	0
4	D	1	Total I 1 1	0	0
4	E	1	Total I 1 1	0	0
4	B	1	Total I 1 1	0	0


- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Cl 1 1	0	0
5	C	2	Total Cl 2 2	0	0
5	G	1	Total Cl 1 1	0	0
5	E	3	Total Cl 3 3	0	0
5	B	3	Total Cl 3 3	0	0

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	2	Total Na 2 2	0	0
6	C	1	Total Na 1 1	0	0
6	D	1	Total Na 1 1	0	0

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			4	2	2		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ephrin type-A receptor 2




- Molecule 1: Ephrin type-A receptor 2




- Molecule 2: S1C variant of Fab_C1 heavy chain




- Molecule 2: S1C variant of Fab_C1 heavy chain





- Molecule 3: S1C variant of Fab_C1 light chain

Chain G: 85% 14%



- Molecule 3: S1C variant of Fab_C1 light chain

Chain E: 89% 11%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	73.93Å 110.56Å 263.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	131.72 – 3.25 131.72 – 3.25	Depositor EDS
% Data completeness (in resolution range)	99.6 (131.72-3.25) 99.6 (131.72-3.25)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 3.26Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487, PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.217 , 0.272 0.218 , 0.275	Depositor DCC
R_{free} test set	1683 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	103.9	Xtrriage
Anisotropy	0.457	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 63.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10692	wwPDB-VP
Average B, all atoms (Å ²)	123.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CL, EDO, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2223	0.66	0/3036
1	B	0.42	0/2112	0.62	0/2887
2	C	0.56	0/1643	0.78	1/2246 (0.0%)
2	D	0.52	0/1635	0.71	0/2235
3	E	0.55	0/1660	0.67	0/2261
3	G	0.63	1/1657 (0.1%)	0.71	0/2259
All	All	0.53	1/10930 (0.0%)	0.69	1/14924 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	212	CYS	CB-SG	-5.56	1.72	1.81

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	12	LEU	CB-CG-CD2	-5.16	102.23	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	82	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2167	0	1925	43	0
1	B	2060	0	1792	33	0
2	C	1602	0	1528	14	0
2	D	1595	0	1521	22	0
3	E	1624	0	1538	15	0
3	G	1621	0	1523	22	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	1	0
5	A	1	0	0	0	0
5	B	3	0	0	1	0
5	C	2	0	0	1	0
5	E	3	0	0	0	0
5	G	1	0	0	1	0
6	A	2	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	D	4	0	6	2	0
All	All	10692	0	9833	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:ARG:HA	1:A:152:VAL:HB	1.57	0.86
3:G:28:SER:OG	4:G:301:IOD:I	2.67	0.83
3:G:154:LEU:HD22	3:G:193:LEU:HD22	1.65	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:245:MET:HE1	1:B:253:TRP:HB3	1.65	0.79
1:A:79:ASN:HB2	1:A:184:ASP:HB3	1.68	0.75
1:B:296:HIS:NE2	5:B:404:CL:CL	2.53	0.75
1:B:237:PRO:HG3	1:B:261:LEU:HD12	1.70	0.73
2:C:99:THR:HG23	2:C:134:THR:HA	1.73	0.71
1:B:124:ALA:HB3	1:B:179:TYR:HB2	1.74	0.69
1:B:88:ARG:HD2	1:B:173:LEU:HB3	1.74	0.69
3:E:43:GLN:HB2	3:E:53:LEU:HD11	1.77	0.66
1:B:92:GLU:HB3	1:B:218:SER:HB2	1.78	0.64
1:A:200:LYS:HG2	1:A:215:ILE:HA	1.79	0.63
3:G:161:GLU:N	3:G:161:GLU:OE1	2.31	0.63
2:D:150:PRO:HG3	2:D:162:LEU:HB3	1.81	0.62
1:B:223:LEU:HD12	1:B:224:ALA:N	2.14	0.62
2:C:224:HIS:CD2	2:C:226:PRO:HD2	2.34	0.62
1:A:294:PRO:O	1:A:297:THR:HG22	2.01	0.61
3:G:19:VAL:HG21	3:G:94:LEU:HD22	1.84	0.60
2:C:12:LEU:HD11	2:C:171:PRO:HG3	1.84	0.60
1:B:148:ASP:HB3	1:B:164:ASN:ND2	2.18	0.59
2:D:154:SER:O	2:D:156:SER:N	2.36	0.58
2:D:105:ALA:HB1	2:D:110:MET:HB3	1.85	0.58
3:E:184:GLN:HG3	3:E:191:TYR:CZ	2.38	0.57
1:B:125:GLU:OE2	1:B:173:LEU:HG	2.04	0.57
1:A:294:PRO:HD2	1:A:297:THR:HG21	1.86	0.57
1:B:211:PHE:CZ	1:B:245:MET:HG3	2.40	0.57
2:D:31:TYR:HA	2:D:58:SER:HB2	1.87	0.56
2:D:154:SER:HB3	2:D:160:ALA:HB1	1.87	0.56
1:A:267:GLU:HB3	1:A:290:CYS:SG	2.46	0.56
2:C:108:TYR:CD1	3:G:114(A):ILE:HD11	2.41	0.55
2:D:99:THR:HG23	2:D:134:THR:HA	1.87	0.55
3:G:43:GLN:HB2	3:G:53:LEU:HD11	1.88	0.55
3:G:105:GLN:HG2	3:G:106:GLN:N	2.22	0.55
1:A:245:MET:HB3	1:A:253:TRP:CE3	2.42	0.54
1:A:314:PHE:CD1	1:A:328:VAL:HG22	2.41	0.54
2:C:188:HIS:CD2	5:C:302:CL:CL	2.97	0.54
1:B:211:PHE:CE2	1:B:245:MET:HG3	2.42	0.54
3:G:105:GLN:HB2	3:G:116:PHE:CD1	2.42	0.54
2:D:12:LEU:HD21	2:D:170:PHE:HE1	1.71	0.54
1:A:125:GLU:OE2	1:A:174:THR:N	2.25	0.53
1:B:125:GLU:HB3	1:B:175:ARG:HG3	1.89	0.53
2:D:91:MET:HB3	2:D:94:LEU:HD21	1.90	0.53
1:B:93:ARG:HD2	1:B:249:VAL:HG21	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:108:TYR:HD1	3:G:114(A):ILE:HD11	1.74	0.53
2:C:152:SER:HB3	2:C:238:LYS:O	2.08	0.53
1:A:122:TYR:HD2	1:A:139:PHE:HB3	1.74	0.53
1:A:88:ARG:HD3	1:A:175:ARG:O	2.09	0.52
2:D:224:HIS:CD2	2:D:226:PRO:HD2	2.43	0.52
1:A:119:PHE:HE1	1:A:182:PHE:HB3	1.74	0.52
1:B:214:THR:HG21	1:B:226:VAL:HG21	1.92	0.52
1:A:99:LYS:HB2	1:A:193:SER:HB3	1.91	0.51
3:G:181:VAL:HG22	3:G:193:LEU:HD12	1.92	0.51
1:B:102:VAL:O	1:B:151:THR:HG22	2.11	0.51
1:B:267:GLU:HB3	1:B:290:CYS:SG	2.51	0.51
2:C:154:SER:O	2:C:155:THR:HG22	2.10	0.50
1:A:246:HIS:ND1	1:A:255:VAL:HG23	2.27	0.50
1:B:244:ARG:NH2	1:B:257:ILE:HG21	2.27	0.49
3:G:21:ILE:HG12	3:G:120:THR:HG21	1.92	0.49
2:D:101:VAL:HG23	2:D:132:LEU:HD13	1.94	0.49
2:D:168:ASP:OD1	2:D:195:GLN:NE2	2.46	0.49
1:B:97:GLU:OE1	1:B:195:ARG:HD3	2.12	0.49
2:C:106:ARG:O	2:C:107:TYR:HB2	2.13	0.48
2:D:147:PRO:HD3	2:D:233:LYS:HD3	1.94	0.48
1:A:99:LYS:HA	1:A:164:ASN:O	2.13	0.48
3:G:75:ARG:NH1	3:G:98:ASP:OD2	2.45	0.48
1:B:122:TYR:HB2	1:B:181:ALA:HB3	1.95	0.48
3:G:126:ARG:HG2	3:G:127:THR:N	2.29	0.48
2:D:77:THR:HB	2:D:90:GLN:HB3	1.96	0.48
3:E:105:GLN:HG2	3:E:106:GLN:N	2.28	0.47
1:B:86:VAL:HB	1:B:178:PHE:CD2	2.49	0.47
3:G:39:VAL:HG21	3:G:87:PHE:CE2	2.50	0.47
1:A:43:TRP:HB3	1:A:82:ARG:O	2.14	0.47
1:A:90:GLU:OE2	1:A:200:LYS:NZ	2.35	0.47
3:G:51:LYS:HE2	5:G:302:CL:CL	2.52	0.47
1:A:315:ARG:NH1	1:A:321:ALA:HA	2.30	0.46
2:D:151:SER:OG	2:D:152:SER:N	2.48	0.46
3:G:176:ASN:O	3:G:197:LEU:HD12	2.14	0.46
2:C:189:THR:HG23	2:C:204:SER:HB2	1.97	0.46
1:A:124:ALA:HB3	1:A:179:TYR:HB2	1.97	0.46
1:A:68:SER:HB2	1:A:190:ALA:HB2	1.97	0.46
1:A:122:TYR:CD2	1:A:139:PHE:HB3	2.51	0.45
1:A:102:VAL:HG23	1:A:151:THR:HA	1.98	0.45
1:B:43:TRP:HB3	1:B:82:ARG:O	2.16	0.45
3:G:39:VAL:HB	3:G:57:ALA:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:48:LYS:HD2	2:C:48:LYS:HA	1.59	0.45
3:G:75:ARG:HG3	3:G:91:ILE:HG23	1.98	0.45
1:B:72:VAL:HG22	1:B:187:ALA:HB1	1.97	0.45
1:B:123:TYR:HD2	1:B:142:ILE:HG12	1.80	0.45
1:A:119:PHE:HZ	1:A:182:PHE:HD2	1.64	0.45
2:C:12:LEU:HD12	2:C:12:LEU:H	1.81	0.45
2:D:125:ASP:OD1	2:D:126:TYR:N	2.49	0.45
3:E:176:ASN:OD1	3:E:176:ASN:N	2.40	0.45
3:G:182:THR:HG23	3:G:192:SER:O	2.18	0.44
2:D:216:GLN:OE1	7:D:301:EDO:H22	2.17	0.44
1:A:46:HIS:HB3	1:A:80:TRP:HB2	2.00	0.44
1:A:37:ALA:CB	1:A:41:LEU:HG	2.48	0.44
2:D:15:PRO:HD3	2:D:136:SER:C	2.38	0.44
1:A:310:GLU:HG2	1:A:311:GLU:H	1.82	0.44
3:E:184:GLN:HG3	3:E:191:TYR:CE1	2.53	0.44
1:B:316:ALA:HB3	1:B:319:ASP:HB2	1.99	0.43
3:E:152:CYS:HB2	3:E:166:TRP:CZ2	2.53	0.43
3:G:126:ARG:HG2	3:G:127:THR:H	1.83	0.43
3:E:154:LEU:HD22	3:E:193:LEU:HD22	1.99	0.43
1:B:309:CYS:HB3	1:B:313:PHE:O	2.18	0.43
3:E:126:ARG:HG2	3:E:127:THR:N	2.34	0.43
1:B:44:LEU:HD23	1:B:82:ARG:HD3	2.01	0.43
1:B:70:CYS:HA	1:B:188:CYS:H	1.84	0.43
1:A:121:LEU:HD11	1:A:180:LEU:HD21	1.99	0.43
2:C:20:ARG:HG3	2:C:90:GLN:HB2	2.01	0.43
2:D:110:MET:H	2:D:110:MET:HG3	1.69	0.42
2:D:183:LEU:HB2	7:D:301:EDO:O2	2.18	0.42
1:A:208:LEU:O	1:A:231:VAL:HG22	2.19	0.42
2:D:91:MET:HE2	2:D:94:LEU:HD21	2.01	0.42
3:E:6:GLN:NE2	3:E:102:TYR:O	2.39	0.42
1:B:283:PHE:HD2	1:B:284:GLU:OE2	2.02	0.42
1:A:219:ASP:O	1:A:249:VAL:HG11	2.19	0.42
3:G:75:ARG:HA	1:B:204:LEU:HD11	2.01	0.42
3:E:24:ARG:NH1	3:E:86:ASP:OD1	2.51	0.42
3:E:39:VAL:HB	3:E:57:ALA:HB2	2.01	0.42
1:A:150:ILE:HG22	1:A:151:THR:O	2.19	0.42
1:A:282:LYS:NZ	1:A:288:SER:O	2.52	0.42
1:A:165:VAL:O	1:A:165:VAL:HG23	2.19	0.42
1:B:200:LYS:HE2	1:B:213:GLU:OE1	2.19	0.42
2:C:233:LYS:HA	2:C:233:LYS:HD3	1.73	0.41
1:A:104:ASP:HB2	1:A:152:VAL:HG12	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:TYR:CZ	1:A:170:VAL:HG21	2.55	0.41
1:A:265:GLY:H	1:A:282:LYS:HB3	1.85	0.41
1:A:223:LEU:HA	1:A:223:LEU:HD23	1.79	0.41
1:A:261:LEU:HD23	1:A:261:LEU:HA	1.91	0.41
3:G:41:TRP:CD2	3:G:89:LEU:HB2	2.55	0.41
2:D:152:SER:HA	2:D:155:THR:OG1	2.21	0.41
2:D:154:SER:HB3	2:D:160:ALA:CB	2.50	0.41
1:A:72:VAL:HG21	1:A:108:PHE:HE2	1.86	0.41
1:A:70:CYS:HA	1:A:188:CYS:HA	2.01	0.41
1:A:119:PHE:CZ	1:A:182:PHE:HD2	2.39	0.41
3:E:105:GLN:HE21	3:E:114(A):ILE:HG23	1.85	0.41
1:A:79:ASN:O	1:A:184:ASP:N	2.45	0.40
1:A:309:CYS:HB3	1:A:313:PHE:O	2.21	0.40
1:B:122:TYR:HB3	1:B:139:PHE:HD2	1.86	0.40
3:E:126:ARG:HG2	3:E:127:THR:H	1.85	0.40
3:E:177:SER:HA	3:E:196:THR:O	2.21	0.40
1:B:300:SER:HB2	1:B:304:ALA:CB	2.51	0.40
3:E:212:CYS:O	3:E:224:THR:HA	2.21	0.40
1:B:72:VAL:HG13	1:B:115:CYS:SG	2.62	0.40
1:A:263:GLN:HA	1:A:285:ALA:HB1	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	284/308 (92%)	253 (89%)	31 (11%)	0	100 100
1	B	270/308 (88%)	244 (90%)	26 (10%)	0	100 100
2	C	215/223 (96%)	204 (95%)	11 (5%)	0	100 100
2	D	215/223 (96%)	203 (94%)	12 (6%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	E	213/215 (99%)	207 (97%)	6 (3%)	0	100	100
3	G	213/215 (99%)	205 (96%)	8 (4%)	0	100	100
All	All	1410/1492 (94%)	1316 (93%)	94 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/256 (86%)	210 (96%)	9 (4%)	30	60
1	B	199/256 (78%)	189 (95%)	10 (5%)	24	55
2	C	173/186 (93%)	173 (100%)	0	100	100
2	D	172/186 (92%)	169 (98%)	3 (2%)	60	78
3	E	181/187 (97%)	181 (100%)	0	100	100
3	G	179/187 (96%)	177 (99%)	2 (1%)	73	84
All	All	1123/1258 (89%)	1099 (98%)	24 (2%)	53	75

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	GLN
1	A	66	MET
1	A	70	CYS
1	A	73	MET
1	A	105	CYS
1	A	119	PHE
1	A	163	LEU
1	A	169	SER
1	A	309	CYS
3	G	126	ARG
3	G	159	PRO
2	D	83	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	201	SER
2	D	232	ASP
1	B	82	ARG
1	B	104	ASP
1	B	139	PHE
1	B	178	PHE
1	B	222	SER
1	B	232	ASP
1	B	262	CYS
1	B	286	SER
1	B	287	GLU
1	B	307	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 19 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	D	301	-	3,3,3	0.36	0	2,2,2	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	D	301	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	D	301	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	294/308 (95%)	0.06	9 (3%) 49 47	97, 139, 216, 240	0
1	B	284/308 (92%)	-0.00	8 (2%) 53 50	111, 152, 200, 218	0
2	C	217/223 (97%)	-0.08	0 100 100	81, 105, 133, 153	0
2	D	217/223 (97%)	-0.09	0 100 100	85, 106, 129, 147	0
3	E	215/215 (100%)	-0.13	0 100 100	91, 110, 140, 155	0
3	G	215/215 (100%)	-0.10	0 100 100	81, 99, 123, 140	0
All	All	1442/1492 (96%)	-0.05	17 (1%) 79 77	81, 116, 193, 240	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	75	GLY	4.7
1	B	81	LEU	4.3
1	B	118	THR	3.6
1	A	76	ASP	3.5
1	A	185	ILE	3.5
1	A	192	LEU	3.1
1	B	70	CYS	3.0
1	B	191	LEU	2.8
1	A	189	VAL	2.6
1	A	100	PHE	2.5
1	A	115	CYS	2.4
1	B	192	LEU	2.4
1	A	116	LYS	2.4
1	B	190	ALA	2.3
1	B	67	TYR	2.3
1	B	78	ASP	2.2
1	A	118	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	CL	B	404	1/1	0.73	0.12	126,126,126,126	0
5	CL	B	403	1/1	0.74	0.17	122,122,122,122	0
5	CL	A	402	1/1	0.77	0.17	111,111,111,111	0
5	CL	C	301	1/1	0.78	0.08	100,100,100,100	0
4	IOD	A	401	1/1	0.79	0.06	240,240,240,240	0
6	NA	D	303	1/1	0.80	0.17	86,86,86,86	0
6	NA	A	404	1/1	0.82	0.23	144,144,144,144	0
7	EDO	D	301	4/4	0.83	0.19	113,113,113,113	0
5	CL	G	302	1/1	0.84	0.13	111,111,111,111	0
5	CL	E	302	1/1	0.85	0.15	118,118,118,118	0
6	NA	A	403	1/1	0.86	0.14	156,156,156,156	0
5	CL	E	303	1/1	0.86	0.18	119,119,119,119	0
5	CL	C	302	1/1	0.88	0.21	97,97,97,97	0
6	NA	C	303	1/1	0.89	0.26	81,81,81,81	0
4	IOD	D	302	1/1	0.90	0.28	220,220,220,220	0
5	CL	B	402	1/1	0.92	0.29	127,127,127,127	0
5	CL	E	304	1/1	0.92	0.16	104,104,104,104	0
4	IOD	E	301	1/1	0.93	0.13	206,206,206,206	0
4	IOD	G	301	1/1	0.98	0.18	121,121,121,121	0
4	IOD	B	401	1/1	0.99	0.24	107,107,107,107	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CL B 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IOD A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA D 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EDO D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL E 302:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around NA A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)













Electron density around NA C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IOD D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL E 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IOD E 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around IOD G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.