



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 11:06 AM EDT

PDB ID : 2TSR
Title : THYMIDYLATE SYNTHASE FROM RAT IN TERNARY COMPLEX WITH DUMP AND TOMUDEX
Authors : Sotelo-Mundo, R.R.; Ciesla, J.; Dzik, J.M.; Rode, W.; Maley, F.; Maley, G.; Hardy, L.W.; Montfort, W.R.
Deposited on : 1998-06-19
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	 84% 7% 8%
1	B	307	 81% 10% 8%
1	C	307	 82% 9% 8%
1	D	307	 84% 7% 8%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9367 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THYMIDYLATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	281	Total 2271	C 1453	N 394	O 412	S 12	0	0	0
1	B	281	Total 2271	C 1453	N 394	O 412	S 12	0	0	0
1	C	281	Total 2271	C 1453	N 394	O 412	S 12	0	0	0
1	D	281	Total 2271	C 1453	N 394	O 412	S 12	0	0	0

- Molecule 2 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (three-letter code: UMP) (formula: C₉H₁₃N₂O₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 20	C 9	N 2	O 8	P 1	0	0
2	B	1	Total 20	C 9	N 2	O 8	P 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	D	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 3 is TOMUDEX (three-letter code: D16) (formula: C₂₁H₂₂N₄O₆S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
3	B	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
3	C	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
3	D	1	Total	C	N	O	S	0	0
			32	21	4	6	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	24	Total	O	0	0
			24	24		
4	B	26	Total	O	0	0
			26	26		
4	C	9	Total	O	0	0
			9	9		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	16	Total	O	0	0
			16	16		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: THYMIDYLATE SYNTHASE

Chain A: 





- Molecule 1: THYMIDYLATE SYNTHASE

Chain B: 




- Molecule 1: THYMIDYLATE SYNTHASE

Chain C: 



- Molecule 1: THYMIDYLATE SYNTHASE

Chain D: 



M296	P299	T300	T301	LYS	MET	GLU	MET	ALA	VAL
------	------	------	------	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	99.70Å 101.60Å 140.80Å 90.00° 101.40° 90.00°	Depositor
Resolution (Å)	8.00 – 2.60 59.41 – 2.59	Depositor EDS
% Data completeness (in resolution range)	82.9 (8.00-2.60) 81.9 (59.41-2.59)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.54 (at 2.58Å)	Xtrriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.162 , 0.222 0.163 , 0.218	Depositor DCC
R_{free} test set	1760 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	37.4	Xtrriage
Anisotropy	0.067	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 39.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9367	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UMP, D16

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2330	0.58	0/3152
1	B	0.30	0/2330	0.59	0/3152
1	C	0.31	0/2330	0.59	0/3152
1	D	0.30	0/2330	0.59	0/3152
All	All	0.30	0/9320	0.59	0/12608

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2271	0	2230	11	0
1	B	2271	0	2230	9	0
1	C	2271	0	2230	10	0
1	D	2271	0	2230	9	0
2	A	20	0	11	0	0
2	B	20	0	11	2	0
2	C	20	0	11	2	0
2	D	20	0	11	3	0
3	A	32	0	20	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	32	0	20	1	0
3	C	32	0	20	1	0
3	D	32	0	20	1	0
4	A	24	0	0	0	0
4	B	26	0	0	0	0
4	C	9	0	0	1	0
4	D	16	0	0	0	0
All	All	9367	0	9044	40	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (40) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:ARG:HH11	1:B:170:ARG:NH2	1.85	0.74
1:A:68:LEU:HD12	1:A:218:PRO:HB3	1.71	0.72
1:D:190:HIS:HB3	1:D:206:LEU:HD11	1.73	0.71
1:D:212:ASP:HB2	2:D:608:UMP:H2'	1.76	0.67
1:A:186:LEU:HD12	1:A:187:PRO:HD2	1.77	0.66
1:C:190:HIS:HB2	1:C:206:LEU:HD11	1.77	0.66
2:D:608:UMP:H1'	3:D:609:D16:C4	2.26	0.66
1:A:44:ARG:HH11	1:B:170:ARG:HH21	1.44	0.63
1:B:21:GLN:HG3	1:B:25:LEU:HD12	1.82	0.62
1:A:190:HIS:HB3	1:A:206:LEU:HD11	1.83	0.61
2:B:408:UMP:H1'	3:B:409:D16:C4	2.31	0.61
2:C:508:UMP:H1'	3:C:509:D16:C4	2.34	0.57
1:C:254:ASN:ND2	1:C:254:ASN:H	2.06	0.53
1:D:68:LEU:HD22	1:D:218:PRO:HB3	1.90	0.53
1:A:102:ILE:HG13	1:A:103:TRP:CD1	2.46	0.51
2:C:508:UMP:O2	2:C:508:UMP:H2'	2.12	0.49
1:D:268:ARG:HD2	1:D:296:ASN:O	2.15	0.46
1:D:155:LEU:O	1:D:158:VAL:HG22	2.16	0.45
1:B:141:LYS:HG2	1:B:142:ASP:N	2.31	0.45
1:C:257:GLU:HB2	1:C:258:PRO:HD3	1.98	0.45
2:D:608:UMP:O2	2:D:608:UMP:H2'	2.16	0.44
1:C:163:LYS:HG3	1:C:235:THR:HG22	2.00	0.44
1:A:136:PHE:CE1	1:B:178:PRO:HD2	2.54	0.43
1:C:178:PRO:HD2	1:D:136:PHE:CE1	2.53	0.43
1:C:39:PHE:HD2	4:C:511:HOH:O	2.01	0.42
1:C:155:LEU:O	1:C:158:VAL:HG22	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:266:GLU:HA	1:D:267:PRO:HD3	1.90	0.42
1:A:153:ASP:O	1:A:157:LYS:HB2	2.19	0.42
1:B:125:LEU:HD13	1:B:186:LEU:HD21	2.01	0.42
1:B:212:ASP:HB2	2:B:408:UMP:H2''	2.02	0.42
1:B:268:ARG:HD2	1:B:296:ASN:O	2.18	0.42
1:C:254:ASN:N	1:C:254:ASN:HD22	2.18	0.41
1:C:201:GLU:HA	1:C:238:GLN:O	2.20	0.41
1:A:109:ARG:NH2	1:A:120:ARG:O	2.54	0.41
1:B:24:GLU:HG3	1:B:68:LEU:HD22	2.03	0.41
1:D:72:ARG:O	1:D:300:THR:HG23	2.21	0.41
1:C:187:PRO:HA	1:C:188:PRO:HD3	1.90	0.40
1:D:265:ARG:NH2	1:D:299:PRO:O	2.54	0.40
1:A:65:PHE:HA	1:A:66:PRO:HD3	1.84	0.40
1:A:187:PRO:HA	1:A:188:PRO:HD3	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	279/307 (91%)	264 (95%)	14 (5%)	1 (0%)	34	57
1	B	279/307 (91%)	267 (96%)	11 (4%)	1 (0%)	34	57
1	C	279/307 (91%)	264 (95%)	13 (5%)	2 (1%)	22	43
1	D	279/307 (91%)	268 (96%)	11 (4%)	0	100	100
All	All	1116/1228 (91%)	1063 (95%)	49 (4%)	4 (0%)	34	57

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	129	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	129	TYR
1	B	129	TYR
1	C	74	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/266 (92%)	239 (98%)	6 (2%)	49	74
1	B	245/266 (92%)	228 (93%)	17 (7%)	15	31
1	C	245/266 (92%)	230 (94%)	15 (6%)	18	38
1	D	245/266 (92%)	237 (97%)	8 (3%)	38	64
All	All	980/1064 (92%)	934 (95%)	46 (5%)	26	50

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	GLU
1	A	78	VAL
1	A	157	LYS
1	A	192	LEU
1	A	266	GLU
1	A	268	ARG
1	B	40	LYS
1	B	44	ARG
1	B	63	ASP
1	B	93	LYS
1	B	98	LYS
1	B	101	ARG
1	B	110	ASP
1	B	145	SER
1	B	181	LEU
1	B	190	HIS
1	B	198	VAL
1	B	208	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	264	GLN
1	B	266	GLU
1	B	277	ARG
1	B	292	ILE
1	B	300	THR
1	C	63	ASP
1	C	68	LEU
1	C	72	ARG
1	C	79	LEU
1	C	109	ARG
1	C	173	MET
1	C	181	LEU
1	C	183	LEU
1	C	186	LEU
1	C	215	LEU
1	C	238	GLN
1	C	254	ASN
1	C	274	ARG
1	C	279	VAL
1	C	301	ILE
1	D	63	ASP
1	D	98	LYS
1	D	101	ARG
1	D	179	LYS
1	D	190	HIS
1	D	274	ARG
1	D	277	ARG
1	D	300	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	GLN
1	A	205	GLN
1	B	56	GLN
1	B	205	GLN
1	B	298	HIS
1	C	56	GLN
1	C	205	GLN
1	C	254	ASN
1	D	56	GLN
1	D	165	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	205	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	UMP	C	508	-	21,21,21	0.47	0	30,31,31	0.80	1 (3%)
3	D16	C	509	-	30,34,34	2.44	12 (40%)	38,48,48	1.81	9 (23%)
3	D16	D	609	-	30,34,34	2.36	13 (43%)	38,48,48	1.78	8 (21%)
2	UMP	A	308	-	21,21,21	0.44	0	30,31,31	0.41	0
3	D16	B	409	-	30,34,34	2.43	14 (46%)	38,48,48	1.69	8 (21%)
2	UMP	D	608	-	21,21,21	0.47	0	30,31,31	0.88	1 (3%)
3	D16	A	309	-	30,34,34	2.51	12 (40%)	38,48,48	1.74	8 (21%)
2	UMP	B	408	-	21,21,21	0.47	0	30,31,31	0.75	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UMP	C	508	-	-	3/10/22/22	0/2/2/2
3	D16	C	509	-	-	6/19/25/25	0/3/3/3
3	D16	D	609	-	-	5/19/25/25	0/3/3/3
2	UMP	A	308	-	-	0/10/22/22	0/2/2/2
3	D16	B	409	-	-	5/19/25/25	0/3/3/3
2	UMP	D	608	-	-	2/10/22/22	0/2/2/2
3	D16	A	309	-	-	7/19/25/25	0/3/3/3
2	UMP	B	408	-	-	3/10/22/22	0/2/2/2

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	409	D16	C2-N3	5.57	1.43	1.31
3	A	309	D16	C2-N3	5.53	1.43	1.31
3	C	509	D16	C2-N3	5.52	1.43	1.31
3	A	309	D16	C9-N10	5.32	1.57	1.46
3	D	609	D16	C2-N3	5.20	1.42	1.31
3	C	509	D16	C9-N10	5.04	1.56	1.46
3	B	409	D16	C9-N10	4.91	1.56	1.46
3	D	609	D16	C9-N10	4.86	1.56	1.46
3	A	309	D16	C9-C6	4.50	1.59	1.51
3	D	609	D16	C9-C6	4.37	1.59	1.51
3	C	509	D16	C9-C6	4.37	1.59	1.51
3	B	409	D16	CG-CD	3.94	1.59	1.50
3	A	309	D16	CG-CD	3.81	1.59	1.50
3	B	409	D16	C9-C6	3.62	1.57	1.51
3	C	509	D16	CG-CD	3.57	1.58	1.50
3	D	609	D16	CG-CD	3.35	1.58	1.50
3	B	409	D16	C8-C7	3.30	1.44	1.38
3	D	609	D16	C5-C6	3.28	1.44	1.39
3	C	509	D16	C5-C6	3.28	1.44	1.39
3	A	309	D16	C7-C6	3.24	1.45	1.38
3	A	309	D16	CB-CA	3.16	1.60	1.53
3	B	409	D16	CB-CA	3.06	1.60	1.53
3	A	309	D16	C8-C7	3.06	1.43	1.38
3	C	509	D16	C7-C6	3.05	1.44	1.38
3	C	509	D16	C8-C7	3.04	1.43	1.38
3	A	309	D16	C5-C6	2.99	1.44	1.39
3	A	309	D16	C2-N1	2.98	1.44	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	609	D16	C7-C6	2.97	1.44	1.38
3	B	409	D16	C2-N1	2.94	1.44	1.36
3	B	409	D16	C7-C6	2.94	1.44	1.38
3	B	409	D16	C4A-C4	2.85	1.53	1.48
3	C	509	D16	C2-N1	2.84	1.44	1.36
3	C	509	D16	C4A-C4	2.79	1.52	1.48
3	D	609	D16	C8-C7	2.72	1.43	1.38
3	A	309	D16	CB-CG	2.71	1.61	1.52
3	A	309	D16	C4A-C4	2.70	1.52	1.48
3	B	409	D16	CB-CG	2.68	1.60	1.52
3	B	409	D16	C5-C6	2.67	1.43	1.39
3	D	609	D16	C2-N1	2.64	1.43	1.36
3	D	609	D16	CB-CA	2.54	1.59	1.53
3	D	609	D16	C4A-C4	2.53	1.52	1.48
3	C	509	D16	CB-CA	2.48	1.59	1.53
3	D	609	D16	CA-CT	2.46	1.58	1.52
3	A	309	D16	CA-CT	2.46	1.58	1.52
3	C	509	D16	CA-CT	2.37	1.58	1.52
3	D	609	D16	CB-CG	2.36	1.60	1.52
3	C	509	D16	CB-CG	2.32	1.59	1.52
3	B	409	D16	CA-CT	2.22	1.58	1.52
3	B	409	D16	C4-N3	2.12	1.43	1.38
3	B	409	D16	C-N	2.10	1.39	1.34
3	D	609	D16	C-N	2.01	1.38	1.34

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	509	D16	CG-CB-CA	5.58	123.44	113.16
3	B	409	D16	CG-CB-CA	5.36	123.03	113.16
3	D	609	D16	CG-CB-CA	5.32	122.96	113.16
3	A	309	D16	CG-CB-CA	4.94	122.27	113.16
3	C	509	D16	C6-C9-N10	4.18	119.33	113.53
3	D	609	D16	C6-C9-N10	3.80	118.80	113.53
3	A	309	D16	CB-CA-CT	3.17	117.88	110.35
3	A	309	D16	N1-C2-N3	-3.14	118.89	122.96
3	A	309	D16	C6-C9-N10	3.13	117.88	113.53
3	D	609	D16	N1-C2-N3	-3.11	118.93	122.96
3	C	509	D16	N1-C2-N3	-3.11	118.94	122.96
3	D	609	D16	CB-CA-CT	3.09	117.69	110.35
3	C	509	D16	CB-CA-CT	3.03	117.54	110.35
3	B	409	D16	N1-C2-N3	-3.00	119.07	122.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	409	D16	CB-CA-CT	2.96	117.39	110.35
2	D	608	UMP	C2'-C1'-N1	2.73	120.64	113.81
3	D	609	D16	C8-C8A-C4A	2.70	122.91	119.37
2	C	508	UMP	C2'-C1'-N1	2.56	120.21	113.81
3	C	509	D16	C8-C8A-C4A	2.53	122.68	119.37
3	B	409	D16	C8-C8A-C4A	2.53	122.68	119.37
3	A	309	D16	C8-C8A-C4A	2.52	122.66	119.37
3	A	309	D16	CM2-C2-N1	2.48	121.19	116.41
3	C	509	D16	CM2-C2-N1	2.42	121.08	116.41
3	D	609	D16	CM2-C2-N1	2.38	121.01	116.41
3	C	509	D16	C5-C4A-C8A	-2.38	116.96	119.09
3	D	609	D16	OE1-CD-CG	-2.37	115.57	123.09
3	B	409	D16	CM2-C2-N1	2.36	120.95	116.41
3	B	409	D16	C5-C4A-C8A	-2.30	117.02	119.09
3	D	609	D16	C5-C4A-C8A	-2.26	117.06	119.09
2	B	408	UMP	O4'-C1'-C2'	2.25	110.45	106.25
3	A	309	D16	OE1-CD-CG	-2.25	115.96	123.09
3	C	509	D16	OE1-CD-CG	-2.19	116.15	123.09
3	A	309	D16	C5-C4A-C8A	-2.15	117.17	119.09
3	B	409	D16	C6-C9-N10	2.11	116.46	113.53
3	B	409	D16	OE1-CD-CG	-2.07	116.51	123.09
3	C	509	D16	O1-CT-CA	-2.00	115.80	122.26

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	309	D16	N-CA-CB-CG
3	C	509	D16	C6-C9-N10-C14
3	D	609	D16	C6-C9-N10-CP1
3	C	509	D16	N-CA-CB-CG
2	C	508	UMP	C2'-C1'-N1-C2
3	A	309	D16	CT-CA-CB-CG
3	C	509	D16	CT-CA-CB-CG
2	C	508	UMP	C2'-C1'-N1-C6
2	D	608	UMP	C2'-C1'-N1-C6
2	B	408	UMP	C2'-C1'-N1-C2
2	D	608	UMP	C2'-C1'-N1-C2
2	B	408	UMP	C2'-C1'-N1-C6
3	B	409	D16	CT-CA-CB-CG
3	D	609	D16	N-CA-CT-O2
3	A	309	D16	C6-C9-N10-CP1

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
3	B	409	D16	C6-C9-N10-CP1
3	C	509	D16	C6-C9-N10-CP1
3	D	609	D16	N-CA-CT-O1
3	A	309	D16	CB-CA-CT-O2
3	A	309	D16	CB-CA-CT-O1
3	C	509	D16	OE1-CD-CG-CB
3	B	409	D16	OE2-CD-CG-CB
3	B	409	D16	OE1-CD-CG-CB
3	C	509	D16	OE2-CD-CG-CB
2	B	408	UMP	O4'-C4'-C5'-O5'
3	D	609	D16	OE1-CD-CG-CB
3	A	309	D16	CB-CA-N-C
3	D	609	D16	OE2-CD-CG-CB
2	C	508	UMP	O4'-C4'-C5'-O5'
3	A	309	D16	OE2-CD-CG-CB
3	B	409	D16	CA-CB-CG-CD




There are no ring outliers.


6 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	508	UMP	2	0
3	C	509	D16	1	0
3	D	609	D16	1	0
3	B	409	D16	1	0
2	D	608	UMP	3	0
2	B	408	UMP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	281/307 (91%)	-0.68	0 100 100	10, 27, 61, 89	0
1	B	281/307 (91%)	-0.55	4 (1%) 75 71	11, 26, 63, 97	0
1	C	281/307 (91%)	-0.35	6 (2%) 63 58	15, 40, 75, 95	0
1	D	281/307 (91%)	-0.60	4 (1%) 75 71	17, 33, 62, 96	0
All	All	1124/1228 (91%)	-0.55	14 (1%) 79 76	10, 32, 67, 97	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	43	ASP	3.8
1	C	43	ASP	3.5
1	B	44	ARG	3.1
1	D	44	ARG	3.1
1	C	44	ARG	2.5
1	C	45	THR	2.5
1	D	21	GLN	2.4
1	C	253	LEU	2.4
1	D	43	ASP	2.3
1	C	301	ILE	2.2
1	B	45	THR	2.2
1	C	21	GLN	2.1
1	B	47	THR	2.0
1	D	45	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	D16	B	409	32/32	0.88	0.24	60,71,85,89	0
3	D16	A	309	32/32	0.89	0.25	65,72,96,99	0
2	UMP	D	608	20/20	0.91	0.23	46,53,64,65	0
2	UMP	B	408	20/20	0.92	0.20	43,67,70,70	0
3	D16	D	609	32/32	0.92	0.21	48,59,72,72	0
2	UMP	A	308	20/20	0.94	0.17	33,50,63,67	0
2	UMP	C	508	20/20	0.94	0.16	40,52,63,64	0
3	D16	C	509	32/32	0.95	0.22	47,54,82,86	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around D16 B 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D16 A 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMP D 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UMP B 408:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around D16 D 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UMP C 508:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.