



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 01:22 am BST

PDB ID : 4TXS
Title : An Ligand-observed Mass Spectrometry-based Approach Integrated into the
Fragment Based Lead Discovery Pipeline
Authors : Shui, W.; Yang, C.; Lin, J.; Chen, X.; Qin, S.; Chen, S.
Deposited on : 2014-07-07
Resolution : 2.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	566	81% 13% . . .
1	B	566	81% 14% . . .
1	C	566	2% 76% 17% . . .
1	D	566	% 83% 11% . . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	3AQ	B	601	-	-	-	X
2	3AQ	D	601	-	-	X	-

2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 16928 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	544	Total	C	N	O	S	0	0	0
			4222	2664	744	783	31			
1	B	544	Total	C	N	O	S	0	0	0
			4222	2664	744	783	31			
1	C	544	Total	C	N	O	S	0	0	0
			4222	2664	744	783	31			
1	D	544	Total	C	N	O	S	0	0	0
			4222	2664	744	783	31			

- Molecule 2 is (4-hydroxyphenyl)acetonitrile (three-letter code: 3AQ) (formula: C₈H₇NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total	C	N	O	0	0
			10	8	1	1		
2	B	1	Total	C	N	O	0	0
			10	8	1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			10	8	1	1		
2	D	1	Total	C	N	O	0	0
			10	8	1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Polyprotein




- Molecule 1: Polyprotein





- Molecule 1: Polyprotein





• Molecule 1: Polyprotein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	102.18Å 102.08Å 251.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.69 – 2.78 45.69 – 2.78	Depositor EDS
% Data completeness (in resolution range)	95.2 (45.69-2.78) 95.2 (45.69-2.78)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.59 (at 2.77Å)	Xtrriage
Refinement program	REFMAC 5.8.0049, REFMAC 5.8.0049	Depositor
R, R_{free}	0.220 , 0.294 0.224 , 0.296	Depositor DCC
R_{free} test set	3228 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtrriage
Anisotropy	0.097	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 20.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.079 for k,h,-l	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	16928	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3AQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/4313	0.76	2/5852 (0.0%)
1	B	0.57	0/4313	0.78	0/5852
1	C	0.59	0/4313	0.77	2/5852 (0.0%)
1	D	0.57	0/4313	0.78	2/5852 (0.0%)
All	All	0.58	0/17252	0.77	6/23408 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	234	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	D	234	ARG	NE-CZ-NH2	-5.96	117.32	120.30
1	C	321	VAL	CB-CA-C	-5.77	100.44	111.40
1	C	200	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	A	517	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	A	321	VAL	CB-CA-C	-5.04	101.83	111.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	548	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4222	0	4212	41	0
1	B	4222	0	4212	38	0
1	C	4222	0	4212	61	0
1	D	4222	0	4212	49	0
2	A	10	0	7	0	0
2	B	10	0	7	0	0
2	C	10	0	6	1	0
2	D	10	0	7	4	0
All	All	16928	0	16875	189	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:49:GLN:O	1:C:53:THR:HG22	1.58	1.03
1:D:49:GLN:O	1:D:53:THR:HG23	1.64	0.96
1:B:49:GLN:O	1:B:53:THR:HG22	1.66	0.93
1:B:82:LEU:HD13	1:B:249:ALA:HB2	1.54	0.89
1:D:203:PHE:O	1:D:207:THR:HG23	1.71	0.89
1:B:203:PHE:O	1:B:207:THR:HG23	1.72	0.89
1:B:49:GLN:O	1:B:53:THR:CG2	2.21	0.88
1:B:253:ILE:O	1:B:257:THR:HG23	1.75	0.86
1:A:340:THR:HG23	1:A:350:PRO:HG3	1.62	0.82
1:C:49:GLN:O	1:C:53:THR:CG2	2.30	0.79
1:D:6:TRP:HE1	1:D:53:THR:HG21	1.46	0.79
1:A:49:GLN:O	1:A:53:THR:CG2	2.31	0.78
1:C:203:PHE:O	1:C:207:THR:HG23	1.82	0.78
1:A:395:ALA:O	1:A:399:THR:HG22	1.82	0.77
1:D:489:LEU:HA	1:D:494:VAL:HG13	1.68	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:253:ILE:O	1:D:257:THR:HG23	1.88	0.74
1:D:49:GLN:O	1:D:53:THR:CG2	2.36	0.74
1:C:201:VAL:HG22	1:C:384:LEU:HD13	1.70	0.73
1:B:196:SER:H	1:B:199:GLN:HE21	1.35	0.73
1:C:1:SER:OG	1:C:230:GLU:OE1	2.08	0.70
1:A:48:ARG:HG2	1:A:159:LEU:HD13	1.73	0.69
1:C:82:LEU:HD13	1:C:249:ALA:HB2	1.74	0.69
1:C:48:ARG:HG2	1:C:159:LEU:HD13	1.76	0.68
1:D:321:VAL:CG2	1:D:365:SER:HB3	2.26	0.66
1:A:6:TRP:HE1	1:A:53:THR:HG21	1.63	0.63
1:A:257:THR:HG22	1:A:261:TYR:HD2	1.62	0.63
1:D:21:LEU:CD2	1:D:37:VAL:HB	2.29	0.63
1:A:203:PHE:O	1:A:207:THR:HG23	1.99	0.63
1:D:48:ARG:HG2	1:D:159:LEU:HD13	1.82	0.62
1:D:530:VAL:O	1:D:531:LYS:HB3	2.00	0.61
1:C:448:TYR:CE2	1:C:551:PHE:HD1	2.18	0.61
1:A:445:CYS:SG	1:A:454:ILE:HD12	2.41	0.60
1:D:321:VAL:HG21	1:D:365:SER:HB3	1.82	0.60
1:C:385:THR:OG1	1:C:386:ARG:N	2.35	0.59
1:C:160:ILE:HD12	1:C:282:SER:OG	2.02	0.59
1:D:237:GLU:HG3	1:D:257:THR:HG21	1.84	0.59
1:A:485:VAL:O	1:A:489:LEU:HG	2.03	0.59
1:D:321:VAL:CG2	1:D:365:SER:CB	2.81	0.59
1:A:49:GLN:O	1:A:53:THR:HG22	2.01	0.58
1:A:49:GLN:O	1:A:53:THR:HG23	2.03	0.57
1:D:82:LEU:HD13	1:D:249:ALA:HB2	1.86	0.57
1:B:396:ALA:O	1:B:399:THR:HG22	2.04	0.57
1:C:268:ASN:C	1:C:268:ASN:OD1	2.43	0.57
1:A:198:GLY:O	1:A:202:GLU:HB2	2.05	0.56
1:C:447:ILE:HB	1:C:452:TYR:CE2	2.41	0.56
1:A:48:ARG:CG	1:A:159:LEU:HD13	2.36	0.56
1:D:321:VAL:HG21	1:D:365:SER:CB	2.34	0.56
1:D:33:HIS:HD2	1:D:491:LYS:O	1.88	0.56
1:C:430:PHE:O	1:C:434:LEU:HB2	2.05	0.55
1:C:31:LEU:O	1:C:31:LEU:HD12	2.06	0.55
1:D:414:MET:CE	2:D:601:3AQ:C05	2.84	0.55
1:B:455:GLU:HB2	1:B:458:ASP:OD2	2.06	0.55
1:C:241:GLN:OE1	1:C:250:ARG:HG2	2.06	0.55
1:C:485:VAL:O	1:C:489:LEU:HG	2.07	0.55
1:B:445:CYS:SG	1:B:454:ILE:HD12	2.46	0.55
1:A:489:LEU:HA	1:A:494:VAL:HG13	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:530:VAL:O	1:C:531:LYS:CB	2.54	0.55
1:D:201:VAL:HG22	1:D:384:LEU:HD13	1.88	0.55
1:D:485:VAL:O	1:D:489:LEU:HG	2.07	0.54
1:B:196:SER:H	1:B:199:GLN:NE2	2.05	0.54
1:B:237:GLU:CG	1:B:257:THR:HG21	2.38	0.54
1:A:11:ILE:HD12	1:A:45:ALA:HB1	1.90	0.53
1:A:21:LEU:CD2	1:A:37:VAL:HB	2.37	0.53
1:A:72:LYS:HG2	1:A:242:CYS:SG	2.48	0.53
1:A:292:THR:HG23	1:A:315:VAL:HG12	1.89	0.53
1:A:195:TYR:HA	1:A:199:GLN:HE21	1.74	0.53
1:C:237:GLU:HG3	1:C:257:THR:HG21	1.90	0.53
1:C:321:VAL:HG22	1:C:365:SER:CB	2.38	0.53
1:C:527:ASN:ND2	1:C:533:LYS:HB3	2.24	0.53
1:D:196:SER:H	1:D:199:GLN:HE21	1.56	0.53
1:D:414:MET:CE	2:D:601:3AQ:H6	2.39	0.53
1:B:182:LEU:HD13	1:B:243:CYS:SG	2.49	0.52
1:D:147:VAL:HG12	1:D:148:GLN:HG2	1.91	0.52
1:B:196:SER:OG	1:B:199:GLN:HG3	2.09	0.52
1:C:308:LEU:HB3	1:C:311:CYS:SG	2.50	0.52
1:A:201:VAL:HG22	1:A:384:LEU:HD13	1.91	0.51
1:A:3:SER:OG	1:A:53:THR:HA	2.11	0.51
1:B:231:ASN:O	1:B:235:VAL:HG23	2.11	0.51
1:A:374:HIS:O	1:A:474:LEU:HA	2.10	0.51
1:C:92:THR:O	1:C:109:ARG:NH1	2.41	0.51
1:D:395:ALA:O	1:D:399:THR:HG22	2.11	0.51
1:B:99:SER:HA	1:B:164:ASP:OD1	2.10	0.51
1:B:33:HIS:HD2	1:B:491:LYS:O	1.94	0.50
1:D:414:MET:HE3	2:D:601:3AQ:H5	1.92	0.50
1:D:237:GLU:CG	1:D:257:THR:HG21	2.41	0.50
1:D:217:PHE:CD1	1:D:336:LEU:HD21	2.46	0.50
1:D:447:ILE:HB	1:D:452:TYR:CE2	2.47	0.50
1:D:530:VAL:O	1:D:531:LYS:CB	2.60	0.50
1:D:412:ILE:O	1:D:416:ALA:N	2.45	0.50
1:D:414:MET:CE	2:D:601:3AQ:H5	2.42	0.49
1:A:321:VAL:HG22	1:A:365:SER:HB2	1.95	0.49
1:B:48:ARG:HG2	1:B:159:LEU:HD13	1.93	0.49
1:C:419:LEU:HD23	1:C:485:VAL:HG21	1.94	0.49
1:B:372:VAL:HG13	1:B:372:VAL:O	2.13	0.49
1:B:201:VAL:HG22	1:B:384:LEU:HD13	1.94	0.48
1:C:445:CYS:SG	1:C:454:ILE:HD12	2.53	0.48
1:D:200:ARG:HD3	1:D:384:LEU:HD21	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:309:GLN:HB2	1:B:325:GLU:HB2	1.96	0.48
1:D:237:GLU:HG3	1:D:257:THR:CG2	2.43	0.48
1:D:489:LEU:HA	1:D:494:VAL:CG1	2.40	0.48
1:B:30:LEU:O	1:B:494:VAL:HB	2.14	0.47
1:B:485:VAL:O	1:B:489:LEU:HG	2.14	0.47
1:A:182:LEU:HD13	1:A:243:CYS:SG	2.54	0.47
1:C:489:LEU:HD22	1:C:494:VAL:CG2	2.45	0.47
1:C:489:LEU:HD22	1:C:494:VAL:HG21	1.96	0.47
1:B:237:GLU:HG3	1:B:257:THR:HG21	1.95	0.47
1:D:489:LEU:CA	1:D:494:VAL:HG13	2.41	0.47
1:C:527:ASN:HD21	1:C:533:LYS:HB3	1.79	0.47
1:C:6:TRP:HE1	1:C:53:THR:HG21	1.80	0.47
1:C:366:CYS:HB3	2:C:601:3AQ:C01	2.45	0.47
1:B:234:ARG:HG2	1:B:262:ILE:HD11	1.97	0.47
1:B:17:GLU:HB3	1:B:41:THR:HG22	1.97	0.46
1:C:530:VAL:O	1:C:531:LYS:HB3	2.14	0.46
1:C:187:MET:SD	1:C:292:THR:HG22	2.56	0.46
1:D:52:VAL:HB	1:D:226:SER:OG	2.17	0.45
1:B:85:VAL:HG11	1:B:116:VAL:HG13	1.98	0.45
1:B:39:ALA:HB2	1:B:144:VAL:HG22	1.98	0.45
1:C:195:TYR:HA	1:C:199:GLN:HE21	1.82	0.45
1:D:427:THR:HG23	1:D:504:ALA:HA	1.99	0.45
1:B:439:LEU:HB3	1:B:457:LEU:HD21	1.98	0.45
1:C:10:LEU:O	1:C:12:THR:HG23	2.16	0.45
1:A:30:LEU:O	1:A:494:VAL:HB	2.16	0.45
1:B:233:ILE:HG22	1:B:262:ILE:HD12	1.98	0.45
1:D:321:VAL:HG23	1:D:365:SER:CB	2.47	0.45
1:C:217:PHE:CD1	1:C:336:LEU:HD21	2.52	0.45
1:A:237:GLU:HG3	1:A:257:THR:HG21	2.00	0.44
1:B:423:MET:HA	1:B:528:TRP:CZ2	2.52	0.44
1:C:385:THR:HB	1:C:418:THR:HG22	1.98	0.44
1:B:530:VAL:O	1:B:531:LYS:CB	2.65	0.44
1:D:219:TYR:HB3	1:D:320:LEU:HD23	1.99	0.44
1:A:433:LEU:HB3	1:A:439:LEU:HD23	2.00	0.44
1:C:201:VAL:HG13	1:C:370:VAL:HG22	2.00	0.44
1:D:21:LEU:HD23	1:D:37:VAL:HB	1.99	0.44
1:B:448:TYR:CE2	1:B:551:PHE:HD1	2.36	0.43
1:C:387:ASP:HA	1:C:388:PRO:HD3	1.84	0.43
1:D:385:THR:HB	1:D:418:THR:HG22	1.99	0.43
1:B:408:TRP:CD1	1:B:429:PHE:CE1	3.07	0.43
1:B:180:SER:OG	1:B:555:TYR:OH	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:PRO:HD3	1:A:561:TYR:CD1	2.53	0.43
1:C:170:CYS:HA	1:C:173:MET:HE3	2.01	0.43
1:A:530:VAL:O	1:A:531:LYS:HB2	2.19	0.43
1:C:119:ILE:HD13	1:C:169:VAL:HG11	2.00	0.43
1:D:385:THR:OG1	1:D:386:ARG:N	2.51	0.43
1:A:203:PHE:O	1:A:207:THR:CG2	2.67	0.43
1:A:321:VAL:HG22	1:A:365:SER:CB	2.49	0.43
1:C:30:LEU:O	1:C:494:VAL:HB	2.19	0.43
1:C:355:GLN:HA	1:C:356:PRO:HD3	1.91	0.43
1:D:54:PHE:HD1	1:D:55:ASP:O	2.02	0.43
1:B:76:SER:HA	1:B:242:CYS:O	2.18	0.43
1:D:321:VAL:HG23	1:D:365:SER:HB2	2.01	0.43
1:B:419:LEU:HD23	1:B:485:VAL:HG21	2.01	0.42
1:A:216:GLY:HA3	1:A:363:ILE:HD11	2.01	0.42
1:C:17:GLU:OE1	1:C:41:THR:HB	2.19	0.42
1:D:196:SER:H	1:D:199:GLN:NE2	2.16	0.42
1:C:48:ARG:CG	1:C:159:LEU:HD13	2.48	0.42
1:C:201:VAL:CG2	1:C:384:LEU:HD22	2.50	0.42
1:C:54:PHE:CZ	1:C:226:SER:HB3	2.55	0.42
1:B:481:GLU:O	1:B:485:VAL:HG23	2.20	0.42
1:A:340:THR:CG2	1:A:350:PRO:HG3	2.42	0.42
1:C:387:ASP:OD2	1:C:389:THR:OG1	2.16	0.42
1:C:444:ASP:HB3	1:C:451:CYS:SG	2.60	0.42
1:A:268:ASN:HB3	1:A:274:CYS:SG	2.60	0.41
1:A:61:ASP:O	1:A:65:ARG:HG3	2.19	0.41
1:C:200:ARG:HD3	1:C:384:LEU:HD21	2.02	0.41
1:A:306:ALA:O	1:A:307:LYS:C	2.57	0.41
1:C:234:ARG:HG3	1:C:262:ILE:HD11	2.03	0.41
1:D:308:LEU:HB3	1:D:311:CYS:SG	2.61	0.41
1:D:85:VAL:HG11	1:D:116:VAL:HG22	2.01	0.41
1:C:227:THR:HG21	1:C:349:PRO:HD2	2.02	0.41
1:C:444:ASP:HA	1:C:452:TYR:O	2.20	0.41
1:C:233:ILE:HB	1:C:262:ILE:HD12	2.02	0.41
1:C:321:VAL:HG22	1:C:365:SER:HB3	2.01	0.41
1:C:416:ALA:N	1:C:417:PRO:CD	2.84	0.41
1:D:182:LEU:HB3	1:D:183:PRO:HD3	2.02	0.41
1:D:366:CYS:O	1:D:368:SER:N	2.53	0.41
1:C:408:TRP:HE3	1:C:412:ILE:HD12	1.86	0.41
1:A:200:ARG:HD3	1:A:384:LEU:HD21	2.02	0.41
1:A:234:ARG:HG3	1:A:262:ILE:HD11	2.03	0.41
1:C:187:MET:CE	1:C:292:THR:HG22	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:LEU:HB3	1:A:183:PRO:HD3	2.03	0.41
1:C:455:GLU:O	1:C:456:PRO:C	2.58	0.41
1:C:182:LEU:N	1:C:183:PRO:CD	2.84	0.40
1:D:430:PHE:O	1:D:434:LEU:HB2	2.20	0.40
1:B:200:ARG:HD3	1:B:384:LEU:HD21	2.04	0.40
1:C:508:ARG:HG3	1:C:526:PHE:HB2	2.03	0.40
1:A:144:VAL:HG21	1:A:397:TRP:CG	2.57	0.40
1:C:406:ASN:ND2	1:C:443:LEU:HB3	2.37	0.40
1:C:5:THR:O	1:C:275:GLY:HA3	2.21	0.40
1:A:241:GLN:OE1	1:A:250:ARG:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	536/566 (95%)	509 (95%)	26 (5%)	1 (0%)	47 76
1	B	536/566 (95%)	506 (94%)	27 (5%)	3 (1%)	25 54
1	C	536/566 (95%)	508 (95%)	27 (5%)	1 (0%)	47 76
1	D	536/566 (95%)	509 (95%)	25 (5%)	2 (0%)	34 64
All	All	2144/2264 (95%)	2032 (95%)	105 (5%)	7 (0%)	41 70

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	531	LYS
1	C	531	LYS
1	D	531	LYS
1	B	531	LYS
1	B	367	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	367	SER
1	B	549	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	460/482 (95%)	432 (94%)	28 (6%)	18	45
1	B	460/482 (95%)	428 (93%)	32 (7%)	15	37
1	C	460/482 (95%)	425 (92%)	35 (8%)	13	33
1	D	460/482 (95%)	436 (95%)	24 (5%)	23	52
All	All	1840/1928 (95%)	1721 (94%)	119 (6%)	17	41

All (119) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	CYS
1	A	21	LEU
1	A	53	THR
1	A	56	ARG
1	A	69	LYS
1	A	100	LYS
1	A	106	LYS
1	A	112	SER
1	A	147	VAL
1	A	184	GLN
1	A	202	GLU
1	A	207	THR
1	A	222	ARG
1	A	230	GLU
1	A	250	ARG
1	A	254	LYS
1	A	262	ILE
1	A	308	LEU
1	A	313	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	321	VAL
1	A	330	GLN
1	A	336	LEU
1	A	366	CYS
1	A	399	THR
1	A	431	SER
1	A	434	LEU
1	A	441	LYS
1	A	494	VAL
1	B	18	GLU
1	B	19	SER
1	B	34	HIS
1	B	51	LYS
1	B	53	THR
1	B	81	LYS
1	B	83	LEU
1	B	106	LYS
1	B	147	VAL
1	B	148	GLN
1	B	154	ARG
1	B	159	LEU
1	B	184	GLN
1	B	222	ARG
1	B	230	GLU
1	B	254	LYS
1	B	257	THR
1	B	262	ILE
1	B	308	LEU
1	B	321	VAL
1	B	336	LEU
1	B	355	GLN
1	B	367	SER
1	B	368	SER
1	B	380	ARG
1	B	384	LEU
1	B	399	THR
1	B	434	LEU
1	B	469	LEU
1	B	473	SER
1	B	494	VAL
1	B	556	SER
1	C	19	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	29	SER
1	C	33	HIS
1	C	50	LYS
1	C	51	LYS
1	C	53	THR
1	C	74	LYS
1	C	82	LEU
1	C	100	LYS
1	C	106	LYS
1	C	113	SER
1	C	130	THR
1	C	141	LYS
1	C	154	ARG
1	C	159	LEU
1	C	183	PRO
1	C	184	GLN
1	C	207	THR
1	C	226	SER
1	C	230	GLU
1	C	231	ASN
1	C	250	ARG
1	C	254	LYS
1	C	257	THR
1	C	262	ILE
1	C	308	LEU
1	C	321	VAL
1	C	330	GLN
1	C	379	LYS
1	C	384	LEU
1	C	403	THR
1	C	434	LEU
1	C	487	SER
1	C	494	VAL
1	C	556	SER
1	D	18	GLU
1	D	21	LEU
1	D	31	LEU
1	D	53	THR
1	D	56	ARG
1	D	82	LEU
1	D	106	LYS
1	D	159	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	207	THR
1	D	222	ARG
1	D	230	GLU
1	D	250	ARG
1	D	257	THR
1	D	307	LYS
1	D	308	LEU
1	D	329	THR
1	D	330	GLN
1	D	399	THR
1	D	434	LEU
1	D	441	LYS
1	D	492	LEU
1	D	494	VAL
1	D	530	VAL
1	D	532	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	HIS
1	A	58	GLN
1	A	199	GLN
1	A	428	HIS
1	B	33	HIS
1	B	58	GLN
1	B	199	GLN
1	B	355	GLN
1	B	374	HIS
1	B	502	HIS
1	C	199	GLN
1	C	502	HIS
1	C	527	ASN
1	D	33	HIS
1	D	58	GLN
1	D	199	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	3AQ	B	601	-	10,10,10	1.02	1 (10%)	12,12,12	1.33	1 (8%)
2	3AQ	A	601	-	10,10,10	0.79	0	12,12,12	1.17	1 (8%)
2	3AQ	D	601	-	10,10,10	0.59	0	12,12,12	1.24	2 (16%)
2	3AQ	C	601	-	10,10,10	0.82	1 (10%)	12,12,12	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3AQ	B	601	-	-	0/2/3/3	0/1/1/1
2	3AQ	A	601	-	-	0/2/3/3	0/1/1/1
2	3AQ	D	601	-	-	0/2/3/3	0/1/1/1
2	3AQ	C	601	-	-	0/2/3/3	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	3AQ	C05-C06	2.37	1.50	1.46
2	C	601	3AQ	C05-C06	2.05	1.50	1.46

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	3AQ	C05-C06-N	-3.69	166.59	177.79
2	D	601	3AQ	C-C05-C06	3.03	119.42	113.29
2	D	601	3AQ	C05-C06-N	-2.59	169.94	177.79
2	A	601	3AQ	C05-C-C01	2.02	125.25	120.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	601	3AQ	4	0
2	C	601	3AQ	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	544/566 (96%)	-0.10	2 (0%) 92 92	19, 32, 51, 77	0
1	B	544/566 (96%)	-0.07	2 (0%) 92 92	18, 31, 53, 84	0
1	C	544/566 (96%)	-0.06	10 (1%) 68 65	18, 32, 54, 78	0
1	D	544/566 (96%)	-0.05	8 (1%) 73 71	19, 31, 51, 87	0
All	All	2176/2264 (96%)	-0.07	22 (1%) 82 80	18, 32, 53, 87	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	16	ALA	3.8
1	A	29	SER	3.4
1	B	535	LYS	3.3
1	C	33	HIS	3.1
1	C	34	HIS	2.9
1	C	32	ARG	2.8
1	D	15	ALA	2.7
1	D	14	CYS	2.7
1	C	35	ASN	2.6
1	D	50	LYS	2.5
1	D	29	SER	2.5
1	D	34	HIS	2.4
1	B	10	LEU	2.4
1	C	19	SER	2.3
1	D	36	MET	2.3
1	D	7	THR	2.3
1	C	493	GLY	2.2
1	A	43	ARG	2.2
1	C	492	LEU	2.1
1	C	82	LEU	2.1
1	D	44	SER	2.0
1	C	15	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	3AQ	A	601	10/10	0.77	0.39	49,62,72,72	0
2	3AQ	B	601	10/10	0.79	0.43	63,66,71,75	0
2	3AQ	D	601	10/10	0.84	0.38	53,59,61,69	0
2	3AQ	C	601	10/10	0.87	0.39	58,62,67,68	0

6.5 Other polymers [i](#)

There are no such residues in this entry.