



## wwPDB EM Validation Summary Report ⓘ

Feb 8, 2024 – 12:36 PM EST

PDB ID : 8U7M  
EMDB ID : EMD-41986  
Title : Human retinal variant phosphomimetic IMPDH1(595)-S477D free octamer bound by GTP, ATP, IMP, and NAD+  
Authors : Calise, S.J.; Kollman, J.M.  
Deposited on : 2023-09-15  
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	597	
1	B	597	
1	C	597	
1	D	597	
1	E	597	
1	F	597	
1	G	597	
1	H	597	

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 28336 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inosine-5'-monophosphate dehydrogenase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	451	3380	2136	578	644	22	0	0
1	B	451	3380	2136	578	644	22	0	0
1	C	451	3380	2136	578	644	22	0	0
1	D	451	3380	2136	578	644	22	0	0
1	E	451	3380	2136	578	644	22	0	0
1	F	451	3380	2136	578	644	22	0	0
1	G	451	3380	2136	578	644	22	0	0
1	H	451	3380	2136	578	644	22	0	0

There are 320 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-50	GLY	-	expression tag	UNP P20839
A	-49	SER	-	expression tag	UNP P20839
A	477	ASP	SER	engineered mutation	UNP P20839
A	510	THR	-	variant	UNP P20839
A	511	PHE	-	variant	UNP P20839
A	512	LEU	-	variant	UNP P20839
A	513	PRO	-	variant	UNP P20839
A	514	PHE	-	variant	UNP P20839
A	515	THR	-	variant	UNP P20839
A	516	LYS	-	variant	UNP P20839
A	517	SER	-	variant	UNP P20839
A	518	GLY	-	variant	UNP P20839
A	519	CYS	-	variant	UNP P20839
A	520	THR	-	variant	UNP P20839

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	521	GLU	-	variant	UNP P20839
A	522	ASP	-	variant	UNP P20839
A	523	SER	-	variant	UNP P20839
A	524	GLY	-	variant	UNP P20839
A	525	GLY	-	variant	UNP P20839
A	526	GLY	-	variant	UNP P20839
A	527	ARG	-	variant	UNP P20839
A	528	GLY	-	variant	UNP P20839
A	529	GLY	-	variant	UNP P20839
A	530	GLY	-	variant	UNP P20839
A	531	GLY	-	variant	UNP P20839
A	532	ASP	-	variant	UNP P20839
A	533	ALA	-	variant	UNP P20839
A	534	PRO	-	variant	UNP P20839
A	535	GLN	-	variant	UNP P20839
A	536	CYS	-	variant	UNP P20839
A	537	PRO	-	variant	UNP P20839
A	538	LEU	-	variant	UNP P20839
A	539	LEU	-	variant	UNP P20839
A	540	GLY	-	variant	UNP P20839
A	541	THR	-	variant	UNP P20839
A	542	ALA	-	variant	UNP P20839
A	543	SER	-	variant	UNP P20839
A	544	LEU	-	variant	UNP P20839
A	545	HIS	-	variant	UNP P20839
A	546	ASN	-	variant	UNP P20839
B	-50	GLY	-	expression tag	UNP P20839
B	-49	SER	-	expression tag	UNP P20839
B	477	ASP	SER	engineered mutation	UNP P20839
B	510	THR	-	variant	UNP P20839
B	511	PHE	-	variant	UNP P20839
B	512	LEU	-	variant	UNP P20839
B	513	PRO	-	variant	UNP P20839
B	514	PHE	-	variant	UNP P20839
B	515	THR	-	variant	UNP P20839
B	516	LYS	-	variant	UNP P20839
B	517	SER	-	variant	UNP P20839
B	518	GLY	-	variant	UNP P20839
B	519	CYS	-	variant	UNP P20839
B	520	THR	-	variant	UNP P20839
B	521	GLU	-	variant	UNP P20839
B	522	ASP	-	variant	UNP P20839

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	523	SER	-	variant	UNP P20839
B	524	GLY	-	variant	UNP P20839
B	525	GLY	-	variant	UNP P20839
B	526	GLY	-	variant	UNP P20839
B	527	ARG	-	variant	UNP P20839
B	528	GLY	-	variant	UNP P20839
B	529	GLY	-	variant	UNP P20839
B	530	GLY	-	variant	UNP P20839
B	531	GLY	-	variant	UNP P20839
B	532	ASP	-	variant	UNP P20839
B	533	ALA	-	variant	UNP P20839
B	534	PRO	-	variant	UNP P20839
B	535	GLN	-	variant	UNP P20839
B	536	CYS	-	variant	UNP P20839
B	537	PRO	-	variant	UNP P20839
B	538	LEU	-	variant	UNP P20839
B	539	LEU	-	variant	UNP P20839
B	540	GLY	-	variant	UNP P20839
B	541	THR	-	variant	UNP P20839
B	542	ALA	-	variant	UNP P20839
B	543	SER	-	variant	UNP P20839
B	544	LEU	-	variant	UNP P20839
B	545	HIS	-	variant	UNP P20839
B	546	ASN	-	variant	UNP P20839
C	-50	GLY	-	expression tag	UNP P20839
C	-49	SER	-	expression tag	UNP P20839
C	477	ASP	SER	engineered mutation	UNP P20839
C	510	THR	-	variant	UNP P20839
C	511	PHE	-	variant	UNP P20839
C	512	LEU	-	variant	UNP P20839
C	513	PRO	-	variant	UNP P20839
C	514	PHE	-	variant	UNP P20839
C	515	THR	-	variant	UNP P20839
C	516	LYS	-	variant	UNP P20839
C	517	SER	-	variant	UNP P20839
C	518	GLY	-	variant	UNP P20839
C	519	CYS	-	variant	UNP P20839
C	520	THR	-	variant	UNP P20839
C	521	GLU	-	variant	UNP P20839
C	522	ASP	-	variant	UNP P20839
C	523	SER	-	variant	UNP P20839
C	524	GLY	-	variant	UNP P20839

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	525	GLY	-	variant	UNP P20839
C	526	GLY	-	variant	UNP P20839
C	527	ARG	-	variant	UNP P20839
C	528	GLY	-	variant	UNP P20839
C	529	GLY	-	variant	UNP P20839
C	530	GLY	-	variant	UNP P20839
C	531	GLY	-	variant	UNP P20839
C	532	ASP	-	variant	UNP P20839
C	533	ALA	-	variant	UNP P20839
C	534	PRO	-	variant	UNP P20839
C	535	GLN	-	variant	UNP P20839
C	536	CYS	-	variant	UNP P20839
C	537	PRO	-	variant	UNP P20839
C	538	LEU	-	variant	UNP P20839
C	539	LEU	-	variant	UNP P20839
C	540	GLY	-	variant	UNP P20839
C	541	THR	-	variant	UNP P20839
C	542	ALA	-	variant	UNP P20839
C	543	SER	-	variant	UNP P20839
C	544	LEU	-	variant	UNP P20839
C	545	HIS	-	variant	UNP P20839
C	546	ASN	-	variant	UNP P20839
D	-50	GLY	-	expression tag	UNP P20839
D	-49	SER	-	expression tag	UNP P20839
D	477	ASP	SER	engineered mutation	UNP P20839
D	510	THR	-	variant	UNP P20839
D	511	PHE	-	variant	UNP P20839
D	512	LEU	-	variant	UNP P20839
D	513	PRO	-	variant	UNP P20839
D	514	PHE	-	variant	UNP P20839
D	515	THR	-	variant	UNP P20839
D	516	LYS	-	variant	UNP P20839
D	517	SER	-	variant	UNP P20839
D	518	GLY	-	variant	UNP P20839
D	519	CYS	-	variant	UNP P20839
D	520	THR	-	variant	UNP P20839
D	521	GLU	-	variant	UNP P20839
D	522	ASP	-	variant	UNP P20839
D	523	SER	-	variant	UNP P20839
D	524	GLY	-	variant	UNP P20839
D	525	GLY	-	variant	UNP P20839
D	526	GLY	-	variant	UNP P20839

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	527	ARG	-	variant	UNP P20839
D	528	GLY	-	variant	UNP P20839
D	529	GLY	-	variant	UNP P20839
D	530	GLY	-	variant	UNP P20839
D	531	GLY	-	variant	UNP P20839
D	532	ASP	-	variant	UNP P20839
D	533	ALA	-	variant	UNP P20839
D	534	PRO	-	variant	UNP P20839
D	535	GLN	-	variant	UNP P20839
D	536	CYS	-	variant	UNP P20839
D	537	PRO	-	variant	UNP P20839
D	538	LEU	-	variant	UNP P20839
D	539	LEU	-	variant	UNP P20839
D	540	GLY	-	variant	UNP P20839
D	541	THR	-	variant	UNP P20839
D	542	ALA	-	variant	UNP P20839
D	543	SER	-	variant	UNP P20839
D	544	LEU	-	variant	UNP P20839
D	545	HIS	-	variant	UNP P20839
D	546	ASN	-	variant	UNP P20839
E	-50	GLY	-	expression tag	UNP P20839
E	-49	SER	-	expression tag	UNP P20839
E	477	ASP	SER	engineered mutation	UNP P20839
E	510	THR	-	variant	UNP P20839
E	511	PHE	-	variant	UNP P20839
E	512	LEU	-	variant	UNP P20839
E	513	PRO	-	variant	UNP P20839
E	514	PHE	-	variant	UNP P20839
E	515	THR	-	variant	UNP P20839
E	516	LYS	-	variant	UNP P20839
E	517	SER	-	variant	UNP P20839
E	518	GLY	-	variant	UNP P20839
E	519	CYS	-	variant	UNP P20839
E	520	THR	-	variant	UNP P20839
E	521	GLU	-	variant	UNP P20839
E	522	ASP	-	variant	UNP P20839
E	523	SER	-	variant	UNP P20839
E	524	GLY	-	variant	UNP P20839
E	525	GLY	-	variant	UNP P20839
E	526	GLY	-	variant	UNP P20839
E	527	ARG	-	variant	UNP P20839
E	528	GLY	-	variant	UNP P20839

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	529	GLY	-	variant	UNP P20839
E	530	GLY	-	variant	UNP P20839
E	531	GLY	-	variant	UNP P20839
E	532	ASP	-	variant	UNP P20839
E	533	ALA	-	variant	UNP P20839
E	534	PRO	-	variant	UNP P20839
E	535	GLN	-	variant	UNP P20839
E	536	CYS	-	variant	UNP P20839
E	537	PRO	-	variant	UNP P20839
E	538	LEU	-	variant	UNP P20839
E	539	LEU	-	variant	UNP P20839
E	540	GLY	-	variant	UNP P20839
E	541	THR	-	variant	UNP P20839
E	542	ALA	-	variant	UNP P20839
E	543	SER	-	variant	UNP P20839
E	544	LEU	-	variant	UNP P20839
E	545	HIS	-	variant	UNP P20839
E	546	ASN	-	variant	UNP P20839
F	-50	GLY	-	expression tag	UNP P20839
F	-49	SER	-	expression tag	UNP P20839
F	477	ASP	SER	engineered mutation	UNP P20839
F	510	THR	-	variant	UNP P20839
F	511	PHE	-	variant	UNP P20839
F	512	LEU	-	variant	UNP P20839
F	513	PRO	-	variant	UNP P20839
F	514	PHE	-	variant	UNP P20839
F	515	THR	-	variant	UNP P20839
F	516	LYS	-	variant	UNP P20839
F	517	SER	-	variant	UNP P20839
F	518	GLY	-	variant	UNP P20839
F	519	CYS	-	variant	UNP P20839
F	520	THR	-	variant	UNP P20839
F	521	GLU	-	variant	UNP P20839
F	522	ASP	-	variant	UNP P20839
F	523	SER	-	variant	UNP P20839
F	524	GLY	-	variant	UNP P20839
F	525	GLY	-	variant	UNP P20839
F	526	GLY	-	variant	UNP P20839
F	527	ARG	-	variant	UNP P20839
F	528	GLY	-	variant	UNP P20839
F	529	GLY	-	variant	UNP P20839
F	530	GLY	-	variant	UNP P20839

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	531	GLY	-	variant	UNP P20839
F	532	ASP	-	variant	UNP P20839
F	533	ALA	-	variant	UNP P20839
F	534	PRO	-	variant	UNP P20839
F	535	GLN	-	variant	UNP P20839
F	536	CYS	-	variant	UNP P20839
F	537	PRO	-	variant	UNP P20839
F	538	LEU	-	variant	UNP P20839
F	539	LEU	-	variant	UNP P20839
F	540	GLY	-	variant	UNP P20839
F	541	THR	-	variant	UNP P20839
F	542	ALA	-	variant	UNP P20839
F	543	SER	-	variant	UNP P20839
F	544	LEU	-	variant	UNP P20839
F	545	HIS	-	variant	UNP P20839
F	546	ASN	-	variant	UNP P20839
G	-50	GLY	-	expression tag	UNP P20839
G	-49	SER	-	expression tag	UNP P20839
G	477	ASP	SER	engineered mutation	UNP P20839
G	510	THR	-	variant	UNP P20839
G	511	PHE	-	variant	UNP P20839
G	512	LEU	-	variant	UNP P20839
G	513	PRO	-	variant	UNP P20839
G	514	PHE	-	variant	UNP P20839
G	515	THR	-	variant	UNP P20839
G	516	LYS	-	variant	UNP P20839
G	517	SER	-	variant	UNP P20839
G	518	GLY	-	variant	UNP P20839
G	519	CYS	-	variant	UNP P20839
G	520	THR	-	variant	UNP P20839
G	521	GLU	-	variant	UNP P20839
G	522	ASP	-	variant	UNP P20839
G	523	SER	-	variant	UNP P20839
G	524	GLY	-	variant	UNP P20839
G	525	GLY	-	variant	UNP P20839
G	526	GLY	-	variant	UNP P20839
G	527	ARG	-	variant	UNP P20839
G	528	GLY	-	variant	UNP P20839
G	529	GLY	-	variant	UNP P20839
G	530	GLY	-	variant	UNP P20839
G	531	GLY	-	variant	UNP P20839
G	532	ASP	-	variant	UNP P20839

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
G	533	ALA	-	variant	UNP P20839
G	534	PRO	-	variant	UNP P20839
G	535	GLN	-	variant	UNP P20839
G	536	CYS	-	variant	UNP P20839
G	537	PRO	-	variant	UNP P20839
G	538	LEU	-	variant	UNP P20839
G	539	LEU	-	variant	UNP P20839
G	540	GLY	-	variant	UNP P20839
G	541	THR	-	variant	UNP P20839
G	542	ALA	-	variant	UNP P20839
G	543	SER	-	variant	UNP P20839
G	544	LEU	-	variant	UNP P20839
G	545	HIS	-	variant	UNP P20839
G	546	ASN	-	variant	UNP P20839
H	-50	GLY	-	expression tag	UNP P20839
H	-49	SER	-	expression tag	UNP P20839
H	477	ASP	SER	engineered mutation	UNP P20839
H	510	THR	-	variant	UNP P20839
H	511	PHE	-	variant	UNP P20839
H	512	LEU	-	variant	UNP P20839
H	513	PRO	-	variant	UNP P20839
H	514	PHE	-	variant	UNP P20839
H	515	THR	-	variant	UNP P20839
H	516	LYS	-	variant	UNP P20839
H	517	SER	-	variant	UNP P20839
H	518	GLY	-	variant	UNP P20839
H	519	CYS	-	variant	UNP P20839
H	520	THR	-	variant	UNP P20839
H	521	GLU	-	variant	UNP P20839
H	522	ASP	-	variant	UNP P20839
H	523	SER	-	variant	UNP P20839
H	524	GLY	-	variant	UNP P20839
H	525	GLY	-	variant	UNP P20839
H	526	GLY	-	variant	UNP P20839
H	527	ARG	-	variant	UNP P20839
H	528	GLY	-	variant	UNP P20839
H	529	GLY	-	variant	UNP P20839
H	530	GLY	-	variant	UNP P20839
H	531	GLY	-	variant	UNP P20839
H	532	ASP	-	variant	UNP P20839
H	533	ALA	-	variant	UNP P20839
H	534	PRO	-	variant	UNP P20839

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	535	GLN	-	variant	UNP P20839
H	536	CYS	-	variant	UNP P20839
H	537	PRO	-	variant	UNP P20839
H	538	LEU	-	variant	UNP P20839
H	539	LEU	-	variant	UNP P20839
H	540	GLY	-	variant	UNP P20839
H	541	THR	-	variant	UNP P20839
H	542	ALA	-	variant	UNP P20839
H	543	SER	-	variant	UNP P20839
H	544	LEU	-	variant	UNP P20839
H	545	HIS	-	variant	UNP P20839
H	546	ASN	-	variant	UNP P20839

- Molecule 2 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
2	A	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	A	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	B	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	B	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	C	1	Total	C	N	O	P	0
			32	10	5	14	3	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
2	C	1	Total 32	10	5	14	3	0
2	D	1	Total 32	10	5	14	3	0
2	D	1	Total 32	10	5	14	3	0
2	E	1	Total 32	10	5	14	3	0
2	E	1	Total 32	10	5	14	3	0
2	F	1	Total 32	10	5	14	3	0
2	F	1	Total 32	10	5	14	3	0
2	G	1	Total 32	10	5	14	3	0
2	G	1	Total 32	10	5	14	3	0
2	H	1	Total 32	10	5	14	3	0
2	H	1	Total 32	10	5	14	3	0

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	B	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	C	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	D	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	E	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	F	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	G	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	H	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 4 is INOSINIC ACID (three-letter code: IMP) (formula: C<sub>10</sub>H<sub>13</sub>N<sub>4</sub>O<sub>8</sub>P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	B	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	C	1	Total	C	N	O	P	0
			23	10	4	8	1	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	
4	D	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	E	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	F	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	G	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	H	1	Total	C	N	O	P	0
			23	10	4	8	1	

- Molecule 5 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf	
5	A	1	Total	C	N	O	P	0
			44	21	7	14	2	
5	B	1	Total	C	N	O	P	0
			44	21	7	14	2	
5	C	1	Total	C	N	O	P	0
			44	21	7	14	2	
5	D	1	Total	C	N	O	P	0
			44	21	7	14	2	
5	E	1	Total	C	N	O	P	0
			44	21	7	14	2	
5	F	1	Total	C	N	O	P	0
			44	21	7	14	2	


Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
5	G	1	44	21	7	14	2	0
5	H	1	44	21	7	14	2	0







• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1







ASP  
ALA  
PRO  
GLN  
CYS  
PRO  
LEU  
LEU  
GLY  
THR  
ALA  
SER  
LEU  
HIS  
ASN

• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



GLY  
SER  
MET  
GLU  
GLY  
PRO  
GLU  
LEU  
THR  
PRO  
PRO  
PRO  
PRO  
LEU  
GLN  
GLY  
GLY  
GLY  
ALA  
ALA  
ALA  
VAL  
PRO  
GLU  
PRO  
GLY  
ALA  
ALA  
ARG  
GLN  
HIS  
PRO  
GLY  
HIS  
GLU  
THR  
ALA  
ALA  
GLN  
ARG  
TYR  
SER  
ALA  
ARG  
LEU  
LEU  
GLN  
ALA  
GLY  
TYR  
PRO  
GLU  
SER  
MET  
ALA  
ASP  
TYR  
LEU  
ILE  
SER  
GLY  
GLY

THR  
GLY  
TYR  
VAL  
PRO  
GLU  
ASP  
G17  
L18  
T19  
A20  
S26  
N33  
I37  
G40  
I45  
A46  
L51  
L55  
T56  
R57  
I66  
S67  
S68  
L84  
I88  
G89  
H93  
N94  
C95  
Q100  
R105  
K106  
V107  
F110  
E111  
I115  
D129  
V130  
L131  
E132  
A133  
K134  
M135

R136  
S140  
G141  
I142  
P143  
I144  
THR  
GLU  
T147  
T159  
S160  
R161  
D162  
I163  
D164  
F165  
L166  
A167  
E168  
K169  
D170  
H171  
T172  
S176  
E177  
V178  
M179  
T180  
P181  
R182  
I183  
E184  
A188  
L201  
Q202  
K205  
L209  
D214  
C215  
D216  
E217  
LEU  
VAL  
A220  
I221  
A223  
R224  
T225  
L244

L245  
C246  
E254  
D255  
D256  
R259  
L260  
D261  
L263  
T264  
D269  
V270  
I271  
I290  
K291  
Q298  
V299  
V304  
A310  
V318  
D319  
G320  
V323  
C327  
F335  
V336  
M337  
Q343  
V350  
A354  
I361  
D364  
G365  
V370  
V373  
V374  
L377  
V384  
M385

M386  
L390  
A396  
E399  
TYR  
PHE  
PHE  
SER  
ASP  
GLY  
VAL  
ARG  
LEU  
LYS  
LYS  
TYR  
ARG  
GLY  
MET  
GLY  
SER  
LEU  
ASP  
ALA  
MET  
GLU  
LYS  
SER  
SER  
SER  
SER  
LYS  
ARG  
TYR  
PHE  
GLY  
GLY  
ASP  
LYS  
V437  
K438  
V443  
S444  
G445  
Q448  
D449  
K450  
G451  
S452  
I453  
V457  
P458

Y459  
L460  
I461  
A462  
G467  
C468  
I471  
L476  
D477  
V478  
M482  
L488  
M495  
S496  
A497  
Q498  
I499  
E500  
G501  
V503  
HIS  
GLY  
LEU  
HIS  
SER  
SER  
TYR  
T510  
F511  
F514  
LYS  
SER  
GLY  
CYS  
THR  
GLU  
ASP  
SER  
GLY  
GLY  
ARG  
GLY  
GLY  
GLY  
GLY  
GLY  
ASP  
PRO  
ALA  
PRO  
GLN  
CYS  
PRO

LEU  
LEU  
THR  
THR  
ALA  
SER  
LEU  
HIS  
ASN

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, D4	Depositor
Number of particles used	163814	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	65	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	36000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.044	Depositor
Minimum map value	-1.089	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.033	Depositor
Recommended contour level	0.302	Depositor
Map size (Å)	464.0, 464.0, 464.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.16, 1.16, 1.16	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, NAD, ATP, IMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/3426	0.51	0/4626
1	B	0.25	0/3426	0.51	0/4626
1	C	0.25	0/3426	0.51	0/4626
1	D	0.26	0/3426	0.51	0/4626
1	E	0.26	0/3426	0.51	0/4626
1	F	0.26	0/3426	0.51	0/4626
1	G	0.26	0/3426	0.51	0/4626
1	H	0.26	0/3426	0.51	0/4626
All	All	0.26	0/27408	0.51	0/37008

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3380	0	3459	70	0
1	B	3380	0	3459	75	0
1	C	3380	0	3459	81	0
1	D	3380	0	3459	75	0
1	E	3380	0	3459	71	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3380	0	3459	77	0
1	G	3380	0	3459	82	0
1	H	3380	0	3459	76	0
2	A	64	0	24	1	0
2	B	64	0	24	1	0
2	C	64	0	24	1	0
2	D	64	0	24	1	0
2	E	64	0	24	1	0
2	F	64	0	24	1	0
2	G	64	0	24	1	0
2	H	64	0	24	1	0
3	A	31	0	11	1	0
3	B	31	0	11	1	0
3	C	31	0	11	1	0
3	D	31	0	11	1	0
3	E	31	0	11	1	0
3	F	31	0	11	1	0
3	G	31	0	11	1	0
3	H	31	0	11	1	0
4	A	23	0	11	2	0
4	B	23	0	11	1	0
4	C	23	0	11	1	0
4	D	23	0	11	1	0
4	E	23	0	11	1	0
4	F	23	0	11	1	0
4	G	23	0	11	1	0
4	H	23	0	11	1	0
5	A	44	0	26	1	0
5	B	44	0	26	0	0
5	C	44	0	26	0	0
5	D	44	0	26	0	0
5	E	44	0	26	0	0
5	F	44	0	26	0	0
5	G	44	0	26	0	0
5	H	44	0	26	0	0
All	All	28336	0	28248	570	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 570 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:LYS:HE2	1:E:162:ASP:OD1	1.76	0.85
1:C:205:LYS:HE2	1:G:162:ASP:OD1	1.80	0.81
1:B:162:ASP:OD1	1:H:205:LYS:HE2	1.81	0.81
1:D:162:ASP:OD1	1:F:205:LYS:HE2	1.81	0.79
1:B:205:LYS:HE2	1:H:162:ASP:OD1	1.84	0.76

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	441/597 (74%)	425 (96%)	16 (4%)	0	100	100
1	B	441/597 (74%)	426 (97%)	15 (3%)	0	100	100
1	C	441/597 (74%)	424 (96%)	17 (4%)	0	100	100
1	D	441/597 (74%)	425 (96%)	16 (4%)	0	100	100
1	E	441/597 (74%)	423 (96%)	18 (4%)	0	100	100
1	F	441/597 (74%)	424 (96%)	17 (4%)	0	100	100
1	G	441/597 (74%)	424 (96%)	17 (4%)	0	100	100
1	H	441/597 (74%)	424 (96%)	17 (4%)	0	100	100
All	All	3528/4776 (74%)	3395 (96%)	133 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	366/475 (77%)	360 (98%)	6 (2%)	62	84
1	B	366/475 (77%)	361 (99%)	5 (1%)	67	86
1	C	366/475 (77%)	359 (98%)	7 (2%)	57	81
1	D	366/475 (77%)	359 (98%)	7 (2%)	57	81
1	E	366/475 (77%)	358 (98%)	8 (2%)	52	78
1	F	366/475 (77%)	360 (98%)	6 (2%)	62	84
1	G	366/475 (77%)	360 (98%)	6 (2%)	62	84
1	H	366/475 (77%)	359 (98%)	7 (2%)	57	81
All	All	2928/3800 (77%)	2876 (98%)	52 (2%)	61	82

5 of 52 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	111	GLU
1	F	182	ARG
1	H	226	ASP
1	E	182	ARG
1	E	459	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	372	HIS
1	G	372	HIS
1	H	372	HIS
1	H	334	GLN
1	C	334	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

40 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ATP	H	603	-	26,33,33	0.71	0	31,52,52	1.54	5 (16%)
2	GTP	A	601	-	26,34,34	1.04	3 (11%)	32,54,54	0.92	1 (3%)
3	ATP	B	603	-	26,33,33	0.71	0	31,52,52	1.55	4 (12%)
2	GTP	D	601	-	26,34,34	1.04	3 (11%)	32,54,54	0.99	1 (3%)
5	NAD	B	605	-	42,48,48	0.70	1 (2%)	50,73,73	0.82	2 (4%)
3	ATP	G	603	-	26,33,33	0.71	0	31,52,52	1.54	5 (16%)
3	ATP	F	603	-	26,33,33	0.71	0	31,52,52	1.54	5 (16%)
5	NAD	G	605	-	42,48,48	0.71	1 (2%)	50,73,73	0.84	2 (4%)
5	NAD	F	605	-	42,48,48	0.70	1 (2%)	50,73,73	0.81	2 (4%)
5	NAD	A	605	-	42,48,48	0.72	1 (2%)	50,73,73	0.80	2 (4%)
3	ATP	C	603	-	26,33,33	0.72	0	31,52,52	1.55	5 (16%)
5	NAD	H	605	-	42,48,48	0.72	1 (2%)	50,73,73	0.82	2 (4%)
5	NAD	D	605	-	42,48,48	0.71	1 (2%)	50,73,73	0.84	2 (4%)
4	IMP	E	604	-	21,25,25	2.73	7 (33%)	24,38,38	1.24	4 (16%)
5	NAD	C	605	-	42,48,48	0.70	1 (2%)	50,73,73	0.84	2 (4%)
2	GTP	B	602	-	26,34,34	1.03	3 (11%)	32,54,54	0.81	1 (3%)
3	ATP	D	603	-	26,33,33	0.72	0	31,52,52	1.55	5 (16%)
4	IMP	B	604	-	21,25,25	2.73	7 (33%)	24,38,38	1.26	4 (16%)
2	GTP	H	602	-	26,34,34	1.02	3 (11%)	32,54,54	0.81	1 (3%)
4	IMP	A	604	-	21,25,25	2.73	7 (33%)	24,38,38	1.25	4 (16%)
4	IMP	H	604	-	21,25,25	2.73	7 (33%)	24,38,38	1.25	4 (16%)
4	IMP	D	604	-	21,25,25	2.73	7 (33%)	24,38,38	1.25	4 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ATP	E	603	-	26,33,33	0.71	0	31,52,52	1.55	5 (16%)
2	GTP	B	601	-	26,34,34	1.05	3 (11%)	32,54,54	0.92	1 (3%)
5	NAD	E	605	-	42,48,48	0.70	1 (2%)	50,73,73	0.80	2 (4%)
2	GTP	G	602	-	26,34,34	1.03	3 (11%)	32,54,54	0.82	1 (3%)
2	GTP	A	602	-	26,34,34	1.02	3 (11%)	32,54,54	0.83	1 (3%)
4	IMP	G	604	-	21,25,25	2.73	7 (33%)	24,38,38	1.25	4 (16%)
2	GTP	C	602	-	26,34,34	1.03	3 (11%)	32,54,54	0.82	1 (3%)
4	IMP	F	604	-	21,25,25	2.74	7 (33%)	24,38,38	1.24	4 (16%)
2	GTP	D	602	-	26,34,34	1.03	3 (11%)	32,54,54	0.82	1 (3%)
3	ATP	A	603	-	26,33,33	0.71	0	31,52,52	1.56	4 (12%)
4	IMP	C	604	-	21,25,25	2.73	7 (33%)	24,38,38	1.25	4 (16%)
2	GTP	C	601	-	26,34,34	1.03	3 (11%)	32,54,54	0.99	1 (3%)
2	GTP	F	602	-	26,34,34	1.02	3 (11%)	32,54,54	0.82	1 (3%)
2	GTP	E	602	-	26,34,34	1.03	3 (11%)	32,54,54	0.82	1 (3%)
2	GTP	G	601	-	26,34,34	1.04	3 (11%)	32,54,54	0.87	1 (3%)
2	GTP	F	601	-	26,34,34	1.04	3 (11%)	32,54,54	0.92	1 (3%)
2	GTP	E	601	-	26,34,34	1.04	3 (11%)	32,54,54	0.93	1 (3%)
2	GTP	H	601	-	26,34,34	1.05	3 (11%)	32,54,54	0.87	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	H	603	-	-	5/18/38/38	0/3/3/3
2	GTP	A	601	-	-	3/18/38/38	0/3/3/3
3	ATP	B	603	-	-	5/18/38/38	0/3/3/3
2	GTP	D	601	-	-	1/18/38/38	0/3/3/3
5	NAD	B	605	-	-	7/26/62/62	0/5/5/5
3	ATP	G	603	-	-	5/18/38/38	0/3/3/3
3	ATP	F	603	-	-	5/18/38/38	0/3/3/3
5	NAD	G	605	-	-	10/26/62/62	0/5/5/5
5	NAD	F	605	-	-	8/26/62/62	0/5/5/5
5	NAD	A	605	-	-	10/26/62/62	0/5/5/5
3	ATP	C	603	-	-	5/18/38/38	0/3/3/3

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAD	H	605	-	-	8/26/62/62	0/5/5/5
5	NAD	D	605	-	-	9/26/62/62	0/5/5/5
4	IMP	E	604	-	-	5/6/26/26	0/3/3/3
5	NAD	C	605	-	-	8/26/62/62	0/5/5/5
2	GTP	B	602	-	-	2/18/38/38	0/3/3/3
3	ATP	D	603	-	-	5/18/38/38	0/3/3/3
4	IMP	B	604	-	-	5/6/26/26	0/3/3/3
2	GTP	H	602	-	-	2/18/38/38	0/3/3/3
4	IMP	A	604	-	-	5/6/26/26	0/3/3/3
4	IMP	H	604	-	-	5/6/26/26	0/3/3/3
4	IMP	D	604	-	-	5/6/26/26	0/3/3/3
3	ATP	E	603	-	-	5/18/38/38	0/3/3/3
2	GTP	B	601	-	-	2/18/38/38	0/3/3/3
5	NAD	E	605	-	-	12/26/62/62	0/5/5/5
2	GTP	G	602	-	-	2/18/38/38	0/3/3/3
2	GTP	A	602	-	-	3/18/38/38	0/3/3/3
4	IMP	G	604	-	-	5/6/26/26	0/3/3/3
2	GTP	C	602	-	-	2/18/38/38	0/3/3/3
4	IMP	F	604	-	-	5/6/26/26	0/3/3/3
2	GTP	D	602	-	-	2/18/38/38	0/3/3/3
3	ATP	A	603	-	-	5/18/38/38	0/3/3/3
4	IMP	C	604	-	-	5/6/26/26	0/3/3/3
2	GTP	C	601	-	-	1/18/38/38	0/3/3/3
2	GTP	F	602	-	-	2/18/38/38	0/3/3/3
2	GTP	E	602	-	-	2/18/38/38	0/3/3/3
2	GTP	G	601	-	-	4/18/38/38	0/3/3/3
2	GTP	F	601	-	-	3/18/38/38	0/3/3/3
2	GTP	E	601	-	-	1/18/38/38	0/3/3/3
2	GTP	H	601	-	-	4/18/38/38	0/3/3/3

The worst 5 of 112 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	604	IMP	C2-N3	9.34	1.46	1.29
4	E	604	IMP	C2-N3	9.31	1.46	1.29
4	B	604	IMP	C2-N3	9.31	1.46	1.29

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	604	IMP	C2-N3	9.29	1.46	1.29
4	D	604	IMP	C2-N3	9.29	1.46	1.29

The worst 5 of 102 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	603	ATP	O2'-C2'-C1'	5.17	129.94	110.85
3	C	603	ATP	O2'-C2'-C1'	5.17	129.93	110.85
3	B	603	ATP	O2'-C2'-C1'	5.13	129.79	110.85
3	G	603	ATP	O2'-C2'-C1'	5.09	129.66	110.85
3	E	603	ATP	O2'-C2'-C1'	5.09	129.66	110.85

There are no chirality outliers.

5 of 188 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	602	GTP	O4'-C4'-C5'-O5'
2	G	601	GTP	O4'-C4'-C5'-O5'
2	H	601	GTP	O4'-C4'-C5'-O5'
3	A	603	ATP	C5'-O5'-PA-O1A
3	B	603	ATP	C5'-O5'-PA-O1A

There are no ring outliers.

25 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	603	ATP	1	0
2	A	601	GTP	1	0
3	B	603	ATP	1	0
2	D	601	GTP	1	0
3	G	603	ATP	1	0
3	F	603	ATP	1	0
5	A	605	NAD	1	0
3	C	603	ATP	1	0
4	E	604	IMP	1	0
3	D	603	ATP	1	0
4	B	604	IMP	1	0
4	A	604	IMP	2	0
4	H	604	IMP	1	0
4	D	604	IMP	1	0
3	E	603	ATP	1	0


*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	GTP	1	0
4	G	604	IMP	1	0
4	F	604	IMP	1	0
3	A	603	ATP	1	0
4	C	604	IMP	1	0
2	C	601	GTP	1	0
2	G	601	GTP	1	0
2	F	601	GTP	1	0
2	E	601	GTP	1	0
2	H	601	GTP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















































































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41986. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 190




Y Index: 190




Z Index: 175


### 6.3.2 Raw map



X Index: 184



Y Index: 184




Z Index: 189


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map




### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.302. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 168 nm<sup>3</sup>; this corresponds to an approximate mass of 151 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.323 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.323 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.64	4.17	3.66

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.64 differs from the reported value 3.1 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41986 and PDB model 8U7M. Per-residue inclusion information can be found in section 3 on page 16.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.302 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.302).



















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.302) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7160	 0.4560
A	 0.7140	 0.4560
B	 0.7170	 0.4570
C	 0.7170	 0.4590
D	 0.7170	 0.4560
E	 0.7140	 0.4560
F	 0.7170	 0.4560
G	 0.7160	 0.4550
H	 0.7160	 0.4550

