



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 24, 2023 – 11:00 AM EDT

PDB ID : 5UAW  
Title : Structure of apo human PYCR-1 crystallized in space group P21212  
Authors : Tanner, J.J.  
Deposited on : 2016-12-20  
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	322	<div style="display: flex; align-items: center;"> <div style="width: 13%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 72%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: grey;"></div> </div>
1	B	322	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: grey;"></div> </div>
1	C	322	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: grey;"></div> </div>
1	D	322	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: grey;"></div> </div>
1	E	322	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: grey;"></div> </div>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 10567 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyrroline-5-carboxylate reductase 1, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	263	1892	1189	337	354	12	0	2	0
1	B	281	2047	1287	360	387	13	0	1	0
1	C	274	1987	1247	351	376	13	0	1	0
1	D	278	2042	1288	360	381	13	0	3	0
1	E	276	2006	1259	355	379	13	0	0	0

There are 110 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	initiating methionine	UNP P32322
A	-20	HIS	-	expression tag	UNP P32322
A	-19	HIS	-	expression tag	UNP P32322
A	-18	HIS	-	expression tag	UNP P32322
A	-17	HIS	-	expression tag	UNP P32322
A	-16	HIS	-	expression tag	UNP P32322
A	-15	HIS	-	expression tag	UNP P32322
A	-14	SER	-	expression tag	UNP P32322
A	-13	SER	-	expression tag	UNP P32322
A	-12	GLY	-	expression tag	UNP P32322
A	-11	VAL	-	expression tag	UNP P32322
A	-10	ASP	-	expression tag	UNP P32322
A	-9	LEU	-	expression tag	UNP P32322
A	-8	GLY	-	expression tag	UNP P32322
A	-7	THR	-	expression tag	UNP P32322
A	-6	GLU	-	expression tag	UNP P32322
A	-5	ASN	-	expression tag	UNP P32322
A	-4	LEU	-	expression tag	UNP P32322
A	-3	TYR	-	expression tag	UNP P32322

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	PHE	-	expression tag	UNP P32322
A	-1	GLN	-	expression tag	UNP P32322
A	0	SER	-	expression tag	UNP P32322
B	-21	MET	-	initiating methionine	UNP P32322
B	-20	HIS	-	expression tag	UNP P32322
B	-19	HIS	-	expression tag	UNP P32322
B	-18	HIS	-	expression tag	UNP P32322
B	-17	HIS	-	expression tag	UNP P32322
B	-16	HIS	-	expression tag	UNP P32322
B	-15	HIS	-	expression tag	UNP P32322
B	-14	SER	-	expression tag	UNP P32322
B	-13	SER	-	expression tag	UNP P32322
B	-12	GLY	-	expression tag	UNP P32322
B	-11	VAL	-	expression tag	UNP P32322
B	-10	ASP	-	expression tag	UNP P32322
B	-9	LEU	-	expression tag	UNP P32322
B	-8	GLY	-	expression tag	UNP P32322
B	-7	THR	-	expression tag	UNP P32322
B	-6	GLU	-	expression tag	UNP P32322
B	-5	ASN	-	expression tag	UNP P32322
B	-4	LEU	-	expression tag	UNP P32322
B	-3	TYR	-	expression tag	UNP P32322
B	-2	PHE	-	expression tag	UNP P32322
B	-1	GLN	-	expression tag	UNP P32322
B	0	SER	-	expression tag	UNP P32322
C	-21	MET	-	initiating methionine	UNP P32322
C	-20	HIS	-	expression tag	UNP P32322
C	-19	HIS	-	expression tag	UNP P32322
C	-18	HIS	-	expression tag	UNP P32322
C	-17	HIS	-	expression tag	UNP P32322
C	-16	HIS	-	expression tag	UNP P32322
C	-15	HIS	-	expression tag	UNP P32322
C	-14	SER	-	expression tag	UNP P32322
C	-13	SER	-	expression tag	UNP P32322
C	-12	GLY	-	expression tag	UNP P32322
C	-11	VAL	-	expression tag	UNP P32322
C	-10	ASP	-	expression tag	UNP P32322
C	-9	LEU	-	expression tag	UNP P32322
C	-8	GLY	-	expression tag	UNP P32322
C	-7	THR	-	expression tag	UNP P32322
C	-6	GLU	-	expression tag	UNP P32322
C	-5	ASN	-	expression tag	UNP P32322

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	LEU	-	expression tag	UNP P32322
C	-3	TYR	-	expression tag	UNP P32322
C	-2	PHE	-	expression tag	UNP P32322
C	-1	GLN	-	expression tag	UNP P32322
C	0	SER	-	expression tag	UNP P32322
D	-21	MET	-	initiating methionine	UNP P32322
D	-20	HIS	-	expression tag	UNP P32322
D	-19	HIS	-	expression tag	UNP P32322
D	-18	HIS	-	expression tag	UNP P32322
D	-17	HIS	-	expression tag	UNP P32322
D	-16	HIS	-	expression tag	UNP P32322
D	-15	HIS	-	expression tag	UNP P32322
D	-14	SER	-	expression tag	UNP P32322
D	-13	SER	-	expression tag	UNP P32322
D	-12	GLY	-	expression tag	UNP P32322
D	-11	VAL	-	expression tag	UNP P32322
D	-10	ASP	-	expression tag	UNP P32322
D	-9	LEU	-	expression tag	UNP P32322
D	-8	GLY	-	expression tag	UNP P32322
D	-7	THR	-	expression tag	UNP P32322
D	-6	GLU	-	expression tag	UNP P32322
D	-5	ASN	-	expression tag	UNP P32322
D	-4	LEU	-	expression tag	UNP P32322
D	-3	TYR	-	expression tag	UNP P32322
D	-2	PHE	-	expression tag	UNP P32322
D	-1	GLN	-	expression tag	UNP P32322
D	0	SER	-	expression tag	UNP P32322
E	-21	MET	-	initiating methionine	UNP P32322
E	-20	HIS	-	expression tag	UNP P32322
E	-19	HIS	-	expression tag	UNP P32322
E	-18	HIS	-	expression tag	UNP P32322
E	-17	HIS	-	expression tag	UNP P32322
E	-16	HIS	-	expression tag	UNP P32322
E	-15	HIS	-	expression tag	UNP P32322
E	-14	SER	-	expression tag	UNP P32322
E	-13	SER	-	expression tag	UNP P32322
E	-12	GLY	-	expression tag	UNP P32322
E	-11	VAL	-	expression tag	UNP P32322
E	-10	ASP	-	expression tag	UNP P32322
E	-9	LEU	-	expression tag	UNP P32322
E	-8	GLY	-	expression tag	UNP P32322
E	-7	THR	-	expression tag	UNP P32322

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-6	GLU	-	expression tag	UNP P32322
E	-5	ASN	-	expression tag	UNP P32322
E	-4	LEU	-	expression tag	UNP P32322
E	-3	TYR	-	expression tag	UNP P32322
E	-2	PHE	-	expression tag	UNP P32322
E	-1	GLN	-	expression tag	UNP P32322
E	0	SER	-	expression tag	UNP P32322

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	118	Total	O	0	0
			118	118		

Continued on next page...


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	B	114	Total 114	O 114	0	0
3	C	120	Total 120	O 120	0	0
3	D	118	Total 118	O 118	0	0
3	E	98	Total 98	O 98	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyrroline-5-carboxylate reductase 1, mitochondrial



- Molecule 1: Pyrroline-5-carboxylate reductase 1, mitochondrial





- Molecule 1: Pyrroline-5-carboxylate reductase 1, mitochondrial





- Molecule 1: Pyrroline-5-carboxylate reductase 1, mitochondrial





- Molecule 1: Pyrroline-5-carboxylate reductase 1, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	163.03Å 88.14Å 117.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	64.69 – 1.85 64.68 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.9 (64.69-1.85) 100.0 (64.68-1.85)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.07 (at 1.86Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
R, $R_{free}$	0.180 , 0.216 0.180 , 0.216	Depositor DCC
$R_{free}$ test set	7104 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.5	Xtrriage
Anisotropy	0.719	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 50.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10567	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.62	1/1927 (0.1%)	0.69	2/2615 (0.1%)
1	B	0.60	1/2083 (0.0%)	0.71	4/2828 (0.1%)
1	C	0.59	0/2020	0.71	0/2742
1	D	0.62	1/2083 (0.0%)	0.67	0/2824
1	E	0.55	2/2037 (0.1%)	0.66	1/2763 (0.0%)
All	All	0.59	5/10150 (0.0%)	0.69	7/13772 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	120	CYS	CB-SG	-8.20	1.68	1.82
1	B	120	CYS	CB-SG	-7.02	1.70	1.82
1	E	120	CYS	CB-SG	-5.82	1.72	1.81
1	A	244	VAL	CB-CG1	5.60	1.64	1.52
1	E	180	TYR	CD2-CE2	5.50	1.47	1.39

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	168	ASP	CB-CG-OD1	7.32	124.89	118.30
1	B	168[A]	ASP	CB-CG-OD1	5.96	123.67	118.30
1	B	168[B]	ASP	CB-CG-OD1	5.96	123.67	118.30
1	A	168	ASP	CB-CG-OD2	-5.85	113.03	118.30
1	E	199	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	B	229	ASP	CB-CG-OD2	-5.42	113.43	118.30
1	B	229	ASP	CB-CG-OD1	5.02	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1892	0	1880	15	0
1	B	2047	0	2049	10	0
1	C	1987	0	2012	14	0
1	D	2042	0	2088	18	0
1	E	2006	0	2022	14	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
3	A	118	0	0	0	0
3	B	114	0	0	1	0
3	C	120	0	0	1	0
3	D	118	0	0	2	0
3	E	98	0	0	1	0
All	All	10567	0	10051	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:THR:HG22	1:A:55:HIS:H	1.42	0.85
1:D:133:THR:HG21	1:D:153[A]:LEU:HD13	1.64	0.79
1:A:76:PRO:HB3	1:A:107:LYS:HE3	1.74	0.70
1:C:124[A]:THR:HG21	1:D:231:VAL:HG12	1.76	0.67
1:C:210:LEU:HD11	1:D:210:LEU:HD13	1.79	0.65
1:A:124[A]:THR:HG21	1:B:231:VAL:HG12	1.78	0.65
1:D:46:ARG:HG3	1:D:52:LEU:HD12	1.79	0.65
1:B:97:ALA:HB1	3:B:517:HOH:O	1.98	0.63
1:E:38:ASP:HB3	1:E:41:THR:H	1.63	0.63
1:D:42:VAL:HG13	1:D:52:LEU:HD13	1.79	0.63
1:A:231:VAL:HG12	1:B:124:THR:HG21	1.82	0.62
1:A:60:VAL:HG21	1:A:82:ILE:HB	1.84	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:ILE:HD12	1:A:149[B]:MET:HG3	1.85	0.58
1:A:7:GLY:HA3	1:A:69:ALA:O	2.07	0.55
1:B:37:MET:HG3	1:B:42:VAL:HG11	1.89	0.55
1:D:37:MET:HE1	1:D:54:PRO:HB3	1.88	0.55
1:E:57:LYS:O	1:E:61:GLN:HG3	2.08	0.53
1:E:185:LEU:HD21	1:E:210:LEU:HG	1.90	0.53
1:E:17:LYS:HD3	1:E:127:VAL:CG2	2.42	0.50
1:A:185:LEU:HD21	1:A:210:LEU:HG	1.94	0.49
1:E:2:SER:HB3	1:E:63:SER:HA	1.94	0.49
1:D:82:ILE:HD12	1:D:86:ILE:HD11	1.95	0.49
1:A:114:ALA:HA	1:A:140:HIS:CD2	2.48	0.49
1:E:59:THR:O	1:E:63:SER:OG	2.31	0.48
1:C:133:THR:O	1:C:159:CYS:HA	2.14	0.47
1:C:231:VAL:HG12	1:D:124[A]:THR:HG21	1.97	0.47
1:A:3:VAL:O	1:A:30:ILE:HA	2.15	0.47
1:A:60:VAL:HG22	1:A:66:LEU:HD21	1.97	0.47
1:E:19:PHE:HB3	1:E:25:LEU:HD12	1.96	0.47
1:E:74:ILE:HG22	1:E:78:ILE:HG12	1.95	0.47
1:C:45:LEU:HA	1:C:48:MET:HE3	1.97	0.46
1:B:75:ILE:HG13	1:B:99:VAL:HG21	1.97	0.46
1:E:37:MET:SD	1:E:52:LEU:HD22	2.56	0.45
1:C:124[A]:THR:HG23	3:C:551:HOH:O	2.16	0.45
1:C:98:GLY:O	1:C:269:GLN:HA	2.16	0.45
1:A:51:LYS:H	1:A:51:LYS:HG2	1.40	0.45
1:C:108:LEU:HD23	1:C:108:LEU:HA	1.78	0.44
1:D:220:SER:OG	1:D:222:GLN:HB2	2.18	0.44
1:D:133:THR:O	1:D:159:CYS:HA	2.18	0.44
1:C:60:VAL:HG22	1:C:66:LEU:HD21	2.00	0.43
1:E:75:ILE:O	1:E:79:LEU:HG	2.18	0.43
1:A:33:SER:HA	1:A:53:THR:O	2.19	0.43
1:A:10:GLN:OE1	1:A:124[A]:THR:HG22	2.19	0.43
1:A:261:SER:HB2	1:B:241:ALA:HB2	2.00	0.43
1:D:114:ALA:HA	1:D:140:HIS:CD2	2.54	0.42
1:D:97:ALA:HB1	3:D:536:HOH:O	2.18	0.42
1:E:46:ARG:HG3	1:E:52:LEU:HD12	2.00	0.42
1:D:8:ALA:HB3	1:D:34:SER:HB2	2.00	0.42
1:E:26:ALA:HB3	1:E:29:LYS:HG3	2.01	0.42
1:C:114:ALA:HA	1:C:140:HIS:CG	2.55	0.42
1:E:167:ILE:HG22	3:E:535:HOH:O	2.20	0.42
1:D:121:MET:HB2	1:D:167:ILE:HG23	2.02	0.41
1:B:37:MET:HE1	1:B:54:PRO:CA	2.50	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:114:ALA:HA	1:B:140:HIS:CG	2.55	0.41
1:D:99:VAL:HA	1:D:269:GLN:OE1	2.21	0.41
1:D:33:SER:HA	1:D:53:THR:O	2.20	0.41
1:B:172:GLY:HA2	1:B:261:SER:OG	2.21	0.41
1:C:148:LEU:C	1:C:148:LEU:HD23	2.41	0.41
1:D:206:GLY:HA3	3:D:574:HOH:O	2.21	0.41
1:D:33:SER:CB	1:D:59:THR:HG1	2.34	0.41
1:C:13:PHE:CE1	1:C:48:MET:HE1	2.56	0.40
1:C:45:LEU:HD23	1:C:48:MET:HE3	2.03	0.40
1:B:37:MET:HE2	1:B:37:MET:HB2	1.85	0.40
1:E:1:MET:CE	1:E:25:LEU:HD21	2.52	0.40
1:C:74:ILE:HD13	1:C:74:ILE:HA	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	261/322 (81%)	258 (99%)	3 (1%)	0	100	100
1	B	280/322 (87%)	274 (98%)	6 (2%)	0	100	100
1	C	273/322 (85%)	266 (97%)	7 (3%)	0	100	100
1	D	279/322 (87%)	275 (99%)	4 (1%)	0	100	100
1	E	274/322 (85%)	266 (97%)	8 (3%)	0	100	100
All	All	1367/1610 (85%)	1339 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/254 (75%)	182 (96%)	8 (4%)	30	13
1	B	212/254 (84%)	207 (98%)	5 (2%)	49	33
1	C	207/254 (82%)	204 (99%)	3 (1%)	67	55
1	D	215/254 (85%)	209 (97%)	6 (3%)	43	27
1	E	208/254 (82%)	200 (96%)	8 (4%)	33	16
All	All	1032/1270 (81%)	1002 (97%)	30 (3%)	42	26

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	LYS
1	A	31	MET
1	A	51	LYS
1	A	73	HIS
1	A	121	MET
1	A	147	ARG
1	A	210	LEU
1	A	228	LYS
1	B	-5	ASN
1	B	37	MET
1	B	121	MET
1	B	147	ARG
1	B	210	LEU
1	C	29	LYS
1	C	121	MET
1	C	147	ARG
1	D	1	MET
1	D	17	LYS
1	D	29	LYS
1	D	37	MET
1	D	78	ILE
1	D	121	MET
1	E	2	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	29	LYS
1	E	38	ASP
1	E	53	THR
1	E	63	SER
1	E	102	SER
1	E	120	CYS
1	E	121	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	222	GLN
1	C	226	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	401	-	4,4,4	0.29	0	6,6,6	0.54	0
2	SO4	C	401	-	4,4,4	0.13	0	6,6,6	0.33	0
2	SO4	E	401	-	4,4,4	0.09	0	6,6,6	0.59	0
2	SO4	D	401	-	4,4,4	0.26	0	6,6,6	0.25	0
2	SO4	B	401	-	4,4,4	0.49	0	6,6,6	0.59	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	263/322 (81%)	0.72	43 (16%) <b>1</b> <b>2</b>	14, 33, 88, 102	0
1	B	281/322 (87%)	0.09	8 (2%) 53 52	13, 32, 69, 98	0
1	C	274/322 (85%)	0.28	10 (3%) 42 40	15, 32, 67, 101	0
1	D	278/322 (86%)	0.22	10 (3%) 42 40	15, 33, 69, 102	0
1	E	276/322 (85%)	0.43	19 (6%) 16 16	16, 40, 78, 97	0
All	All	1372/1610 (85%)	0.34	90 (6%) 18 17	13, 34, 77, 102	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	8	ALA	7.7
1	A	25	LEU	7.3
1	A	7	GLY	6.4
1	A	27	ALA	6.1
1	A	30	ILE	5.9
1	A	50	VAL	5.8
1	A	77	PHE	5.7
1	A	73	HIS	5.4
1	A	49	GLY	5.1
1	A	72	PRO	4.8
1	A	54	PRO	4.5
1	A	52	LEU	4.4
1	A	74	ILE	4.4
1	A	55	HIS	4.2
1	D	37	MET	4.1
1	D	272	ALA	3.9
1	A	26	ALA	3.8
1	A	75	ILE	3.8
1	B	77	PHE	3.6
1	A	6	ILE	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	E	25	LEU	3.6
1	D	-2	PHE	3.5
1	A	28	HIS	3.5
1	C	25	LEU	3.2
1	D	77	PHE	3.2
1	A	63	SER	3.2
1	B	-3	TYR	3.1
1	A	48	MET	3.1
1	A	62	HIS	3.1
1	B	274	GLN	3.1
1	D	274	GLN	3.0
1	A	45	LEU	3.0
1	E	40	ALA	3.0
1	E	52	LEU	3.0
1	A	46	ARG	2.9
1	C	49	GLY	2.9
1	B	143	VAL	2.8
1	C	27	ALA	2.7
1	E	46	ARG	2.7
1	C	40	ALA	2.7
1	C	39	LEU	2.7
1	A	56	ASN	2.7
1	A	82	ILE	2.7
1	A	10	GLN	2.7
1	A	79	LEU	2.7
1	E	39	LEU	2.7
1	B	8	ALA	2.6
1	A	13	PHE	2.6
1	E	35	PRO	2.6
1	C	272	ALA	2.6
1	E	37	MET	2.6
1	E	42	VAL	2.6
1	A	47	LYS	2.6
1	D	72	PRO	2.6
1	D	8	ALA	2.6
1	D	271	MET	2.5
1	C	42	VAL	2.5
1	E	221	GLU	2.5
1	E	74	ILE	2.5
1	A	113	PRO	2.5
1	A	44	ALA	2.5
1	E	22	ALA	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	36	ASP	2.4
1	E	272	ALA	2.4
1	D	253	LEU	2.4
1	B	-2	PHE	2.4
1	E	44	ALA	2.4
1	A	3	VAL	2.4
1	E	62	HIS	2.3
1	B	272	ALA	2.3
1	E	0	SER	2.3
1	A	66	LEU	2.3
1	A	14	ALA	2.3
1	E	82	ILE	2.2
1	A	17	LYS	2.2
1	C	253	LEU	2.2
1	A	81	GLU	2.2
1	E	80	ASP	2.1
1	E	143	VAL	2.1
1	C	6	ILE	2.1
1	B	271	MET	2.1
1	C	30	ILE	2.1
1	A	21	ALA	2.1
1	A	272	ALA	2.1
1	A	68	LEU	2.1
1	A	31	MET	2.0
1	A	59	THR	2.0
1	A	69	ALA	2.0
1	A	78	ILE	2.0
1	E	275	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	401	5/5	0.99	0.08	22,25,30,33	0
2	SO4	B	401	5/5	0.99	0.08	18,22,26,29	0
2	SO4	C	401	5/5	0.99	0.06	24,25,30,31	0
2	SO4	D	401	5/5	0.99	0.09	18,22,25,27	0
2	SO4	E	401	5/5	0.99	0.06	24,29,31,35	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.