



## Full wwPDB EM Validation Report ⓘ

Jun 13, 2024 – 12:03 PM EDT

PDB ID : 8UEW  
EMDB ID : EMD-42173  
Title : In-situ complex I, Deactive class05  
Authors : Zheng, W.; Zhu, J.; Zhang, K.  
Deposited on : 2023-10-02  
Resolution : 3.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	115	
2	1B	258	
3	1C	264	
4	1D	476	
5	1E	249	
6	1F	464	
7	1G	727	
8	1H	318	
9	1I	239	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	1J	175	20% 95% 5%
11	1K	98	91% 9%
12	1L	606	95% 5%
13	1M	459	97%
14	1N	347	96%
15	1O	357	40% 84% 6% 10%
16	1P	377	53% 88% 9%
17	1Q	175	35% 66% 7% 26%
18	1R	123	40% 70% 8% 22%
19	1S	99	74% 80% 8% 12%
20	1T	156	37% 47% 8% 46%
20	1U	156	50% 5% 45%
21	1V	116	69% 91% 8%
22	1W	128	51% 81% 8% 10%
23	1X	172	15% 94% 6%
24	1Y	141	96%
25	1Z	144	12% 92% 6%
26	1a	70	99%
27	1b	84	14% 87% 12%
28	1c	76	17% 53% 12% 36%
29	1d	123	7% 93% 5%
30	1e	106	8% 83% 10% 7%
31	1f	135	10% 39% 58%
32	1g	154	10% 56% 8% 35%
33	1h	189	7% 69% 27%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	1i	128	
35	1j	105	
36	1k	98	
37	1l	186	
38	1m	129	
39	1n	179	
40	1o	137	
41	1p	176	
42	1q	145	
43	1r	114	
44	1s	471	

## 2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 67472 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1A	115	916	616	134	159	7	0	0

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1B	155	1242	791	226	211	14	0	0

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	1C	209	1740	1125	297	316	2	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1C	104	GLN	ARG	conflict	UNP A0A286ZNN4
1C	154	GLY	ASP	conflict	UNP A0A286ZNN4

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	1D	429	3452	2207	593	628	24	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1D	0	GLY	GLU	conflict	UNP A0A8D0QM68

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	1E	214	1658	1058	278	312	10	0	0

- Molecule 6 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	1F	432	3325	2100	592	613	20	0	0

- Molecule 7 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	1G	699	5362	3360	933	1029	40	0	0

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	1H	318	2504	1673	385	425	21	0	0

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	1I	176	1412	887	243	269	13	0	0

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	1J	175	1339	898	190	238	13	0	0

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	1K	98	750	494	113	129	14	0	0

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	1L	606	4818	3195	746	826	51	0	0

- Molecule 13 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	1M	459	3632	2411	572	610	39	0	0

- Molecule 14 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	1N	347	2712	1783	420	463	46	0	0

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	1O	320	2590	1649	440	491	10	0	0

- Molecule 16 is a protein called NADH:ubiquinone oxidoreductase subunit A9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	1P	342	2751	1783	481	478	9	0	0

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	1Q	129	1047	659	186	199	3	0	0

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	1R	96	741	452	140	146	3	0	0

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	1S	87	700	440	131	127	2	0	0

- Molecule 20 is a protein called NADH:ubiquinone oxidoreductase subunit AB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	1T	85	689	445	101	138	5	0	0
20	1U	86	694	448	102	139	5	0	0

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5 isoform X1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	1V	115	927	599	157	168	3	0	0

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	1W	115	971	619	179	168	5	0	0

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	1X	171	1398	887	250	251	10	0	0

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	1Y	139	1016	648	173	189	6	0	0

- Molecule 25 is a protein called NADH:ubiquinone oxidoreductase subunit A13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	1Z	141	1168	752	202	205	9	0	0

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	1a	70	562	361	101	94	6	0	0

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	1b	83	643	417	110	115	1	0	0

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
28	1c	49	417	276	71	70	0	0

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	1d	121	996	648	172	170	6	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1d	-2	ACE	-	acetylation	UNP A0A480JRW3

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	1e	99	816	519	151	140	6	0	0

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1 [Sus scrofa].

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	1f	57	487	316	89	80	2	0	0

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1f	-77	MET	-	initiating methionine	UNP A0A8D1IZ33
1f	-76	ALA	-	expression tag	UNP A0A8D1IZ33
1f	-75	ALA	-	expression tag	UNP A0A8D1IZ33
1f	-74	ALA	-	expression tag	UNP A0A8D1IZ33
1f	-73	ILE	-	expression tag	UNP A0A8D1IZ33
1f	-72	LEU	-	expression tag	UNP A0A8D1IZ33
1f	-71	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-70	LEU	-	expression tag	UNP A0A8D1IZ33
1f	-69	GLU	-	expression tag	UNP A0A8D1IZ33
1f	-68	GLU	-	expression tag	UNP A0A8D1IZ33
1f	-67	THR	-	expression tag	UNP A0A8D1IZ33
1f	-66	ARG	-	expression tag	UNP A0A8D1IZ33
1f	-65	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-64	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-63	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-62	GLU	-	expression tag	UNP A0A8D1IZ33
1f	-61	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-60	CYS	-	expression tag	UNP A0A8D1IZ33
1f	-59	ASP	-	expression tag	UNP A0A8D1IZ33
1f	-58	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-57	ASN	-	expression tag	UNP A0A8D1IZ33
1f	-56	GLN	-	expression tag	UNP A0A8D1IZ33
1f	-55	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-54	VAL	-	expression tag	UNP A0A8D1IZ33
1f	-53	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-52	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-51	ARG	-	expression tag	UNP A0A8D1IZ33
1f	-50	ARG	-	expression tag	UNP A0A8D1IZ33
1f	-49	PHE	-	expression tag	UNP A0A8D1IZ33

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	1g	100	835	535	138	158	4	0	0

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	1h	138	1151	754	195	199	3	0	0

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	1i	127	1100	723	194	181	2	0	0

- Molecule 35 is a protein called NADH:ubiquinone oxidoreductase subunit B2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	1j	71	601	394	99	107	1	0	0

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	1k	81	649	422	110	116	1	0	0

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	1l	156	1310	847	213	242	8	0	0

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
38	1m	128	1062	691	182	189	0	0

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	1n	172	1495	956	273	258	8	0	0

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	1o	122	1045	650	198	187	10	0	0

- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	1p	173	1449	908	263	270	8	0	0

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	1q	145	1212	775	219	213	5	0	0

- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	1r	96	767	483	144	137	3	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1r	0	ACE	-	insertion	UNP A0A8W4F7N8

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	1s	45	382	238	70	73	1	0	0

- Molecule 45 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula:  $C_{41}H_{82}NO_8P$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
45	1A	1	47	37	1	8	1	0
45	1L	1	46	36	1	8	1	0
45	1L	1	42	32	1	8	1	0
45	1N	1	51	41	1	8	1	0
45	1Y	1	31	21	1	8	1	0
45	1Y	1	51	41	1	8	1	0

- Molecule 46 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula:  $Fe_4S_4$ ).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
46	1B	1	8	4	4	0
46	1F	1	8	4	4	0
46	1G	1	8	4	4	0
46	1G	1	8	4	4	0
46	1I	1	8	4	4	0
46	1I	1	8	4	4	0

- Molecule 47 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms			AltConf
47	1E	1	Total	Fe	S	0
			4	2	2	
47	1G	1	Total	Fe	S	0
			4	2	2	

- Molecule 48 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C<sub>17</sub>H<sub>21</sub>N<sub>4</sub>O<sub>9</sub>P).




Mol	Chain	Residues	Atoms					AltConf
48	1F	1	Total	C	N	O	P	0
			31	17	4	9	1	

- Molecule 49 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
49	1G	1	Total K 1 1	0


- Molecule 50 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula:  $C_{44}H_{88}NO_8P$ ).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
50	1I	1	Total	C	N	O	P	0
			54	44	1	8	1	
50	1I	1	Total	C	N	O	P	0
			44	34	1	8	1	
50	1J	1	Total	C	N	O	P	0
			35	25	1	8	1	
50	1L	1	Total	C	N	O	P	0
			44	34	1	8	1	
50	1f	1	Total	C	N	O	P	0
			46	36	1	8	1	


- Molecule 51 is (1S)-2-{{[(2R)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL STEARATE (three-letter code: PGT) (formula:  $C_{40}H_{79}O_{10}P$ ).





Mol	Chain	Residues	Atoms			AltConf	
			Total	C	O		P
51	1M	1	51	40	10	1	0

- Molecule 52 is CARDIOLIPIN (three-letter code: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ).



Mol	Chain	Residues	Atoms			AltConf	
			Total	C	O		P
52	1N	1	77	58	17	2	0
52	1r	1	61	42	17	2	0


- Molecule 53 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:





Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
57	1W	1	37	25	2	8	1	1	0
57	1n	1	37	25	2	8	1	1	0

- Molecule 58 is MYRISTIC ACID (three-letter code: MYR) (formula:  $C_{14}H_{28}O_2$ ).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
58	1l	1	15	14	1	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH-ubiquinone oxidoreductase chain 3




- Molecule 2: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial




- Molecule 3: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial








• Molecule 4: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial




• Molecule 5: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial






• Molecule 6: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial






• Molecule 7: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial







• Molecule 8: NADH-ubiquinone oxidoreductase chain 1



• Molecule 9: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial



• Molecule 10: NADH-ubiquinone oxidoreductase chain 6






• Molecule 11: NADH-ubiquinone oxidoreductase chain 4L




• Molecule 12: NADH-ubiquinone oxidoreductase chain 5





• Molecule 13: NADH-ubiquinone oxidoreductase chain 4



• Molecule 14: NADH-ubiquinone oxidoreductase chain 2





• Molecule 15: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial







- Molecule 16: NADH:ubiquinone oxidoreductase subunit A9



- Molecule 17: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial






- Molecule 18: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial









• Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2






• Molecule 20: NADH:ubiquinone oxidoreductase subunit AB1




• Molecule 20: NADH:ubiquinone oxidoreductase subunit AB1




• Molecule 21: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5 isoform X1




- Molecule 22: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6




- Molecule 23: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8




- Molecule 24: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11




- Molecule 25: NADH:ubiquinone oxidoreductase subunit A13



- Molecule 26: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1




- Molecule 27: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3




- Molecule 28: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial








• Molecule 34: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6





• Molecule 35: NADH:ubiquinone oxidoreductase subunit B2



• Molecule 36: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3



• Molecule 37: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial





• Molecule 38: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4

Chain 1m: 





- Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9

Chain 1n: 




- Molecule 40: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7

Chain 1o: 



- Molecule 41: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10

Chain 1p: 





- Molecule 42: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12

Chain 1q: 



- Molecule 43: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7

Chain 1r: 







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	40000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.599	Depositor
Minimum map value	-0.178	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.015	Depositor
Recommended contour level	0.09	Depositor
Map size (Å)	425.6, 425.6, 425.6	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.33, 1.33, 1.33	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GTP, CDL, MG, ACE, FME, FMN, NDP, PGT, 3PE, SAC, PC1, K, MYR, FES, SF4, EHZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	1A	0.28	0/930	0.62	1/1271 (0.1%)
2	1B	0.31	0/1273	0.63	1/1722 (0.1%)
3	1C	0.29	0/1791	0.55	0/2439
4	1D	0.29	0/3545	0.54	0/4806
5	1E	0.28	0/1698	0.55	0/2311
6	1F	0.28	0/3401	0.53	0/4595
7	1G	0.26	0/5451	0.56	1/7387 (0.0%)
8	1H	0.28	0/2566	0.52	0/3509
9	1I	0.31	0/1443	0.59	0/1952
10	1J	0.30	0/1364	0.53	0/1850
11	1K	0.28	0/751	0.55	0/1018
12	1L	0.27	0/4939	0.50	1/6718 (0.0%)
13	1M	0.26	0/3713	0.48	0/5063
14	1N	0.26	0/2765	0.53	1/3758 (0.0%)
15	1O	0.27	0/2650	0.56	1/3588 (0.0%)
16	1P	0.27	0/2828	0.55	0/3834
17	1Q	0.32	0/1070	0.68	1/1446 (0.1%)
18	1R	0.29	0/755	0.64	0/1018
19	1S	0.28	0/711	0.66	0/956
20	1T	0.26	0/701	0.55	0/946
20	1U	0.28	0/706	0.61	0/954
21	1V	0.30	0/946	0.61	0/1281
22	1W	0.32	0/995	0.76	2/1340 (0.1%)
23	1X	0.25	0/1436	0.51	0/1938
24	1Y	0.26	0/1037	0.53	0/1404
25	1Z	0.28	0/1199	0.59	0/1617
26	1a	0.28	0/577	0.51	0/777
27	1b	0.26	0/664	0.55	0/912
28	1c	0.25	0/430	0.56	0/581
29	1d	0.29	0/1024	0.57	0/1383
30	1e	0.25	0/836	0.53	0/1118
31	1f	0.30	0/499	0.62	0/673

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	1g	0.30	0/858	0.63	0/1165
33	1h	0.27	0/1184	0.51	0/1603
34	1i	0.27	0/1131	0.56	0/1541
35	1j	0.25	0/627	0.54	0/858
36	1k	0.30	0/668	0.55	0/903
37	1l	0.28	0/1365	0.53	0/1867
38	1m	0.29	0/1092	0.56	0/1481
39	1n	0.26	0/1549	0.51	0/2098
40	1o	0.26	0/1069	0.53	0/1430
41	1p	0.25	0/1481	0.51	0/1997
42	1q	0.29	0/1253	0.60	1/1704 (0.1%)
43	1r	0.27	0/782	0.64	0/1057
44	1s	0.25	0/394	0.57	0/533
All	All	0.28	0/68147	0.55	10/92402 (0.0%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	1W	115	PRO	CA-N-CD	-9.29	98.49	111.50
17	1Q	113	PRO	CA-N-CD	-8.81	99.16	111.50
15	1O	165	PRO	CA-N-CD	-8.14	100.11	111.50
12	1L	350	LEU	CA-CB-CG	7.54	132.63	115.30
42	1q	76	ASP	CB-CG-OD2	5.78	123.50	118.30
2	1B	68	ASP	CB-CG-OD2	5.66	123.40	118.30
7	1G	46	LEU	CA-CB-CG	5.30	127.49	115.30
22	1W	90	LEU	CA-CB-CG	5.29	127.46	115.30
1	1A	66	ASP	CB-CG-OD2	5.28	123.05	118.30
14	1N	213	LEU	CA-CB-CG	5.22	127.31	115.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1A	113/115 (98%)	106 (94%)	6 (5%)	1 (1%)	17	57
2	1B	153/258 (59%)	144 (94%)	9 (6%)	0	100	100
3	1C	207/264 (78%)	190 (92%)	17 (8%)	0	100	100
4	1D	427/476 (90%)	397 (93%)	29 (7%)	1 (0%)	47	79
5	1E	212/249 (85%)	193 (91%)	18 (8%)	1 (0%)	29	68
6	1F	430/464 (93%)	399 (93%)	31 (7%)	0	100	100
7	1G	697/727 (96%)	656 (94%)	37 (5%)	4 (1%)	25	64
8	1H	316/318 (99%)	295 (93%)	18 (6%)	3 (1%)	17	57
9	1I	174/239 (73%)	162 (93%)	12 (7%)	0	100	100
10	1J	173/175 (99%)	160 (92%)	12 (7%)	1 (1%)	25	64
11	1K	96/98 (98%)	92 (96%)	4 (4%)	0	100	100
12	1L	604/606 (100%)	555 (92%)	48 (8%)	1 (0%)	47	79
13	1M	457/459 (100%)	440 (96%)	17 (4%)	0	100	100
14	1N	345/347 (99%)	323 (94%)	22 (6%)	0	100	100
15	1O	318/357 (89%)	297 (93%)	21 (7%)	0	100	100
16	1P	340/377 (90%)	323 (95%)	17 (5%)	0	100	100
17	1Q	127/175 (73%)	117 (92%)	10 (8%)	0	100	100
18	1R	94/123 (76%)	77 (82%)	17 (18%)	0	100	100
19	1S	85/99 (86%)	81 (95%)	4 (5%)	0	100	100
20	1T	83/156 (53%)	79 (95%)	4 (5%)	0	100	100
20	1U	84/156 (54%)	77 (92%)	7 (8%)	0	100	100
21	1V	113/116 (97%)	101 (89%)	12 (11%)	0	100	100
22	1W	113/128 (88%)	103 (91%)	10 (9%)	0	100	100
23	1X	169/172 (98%)	163 (96%)	6 (4%)	0	100	100
24	1Y	137/141 (97%)	133 (97%)	4 (3%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
25	1Z	139/144 (96%)	130 (94%)	9 (6%)	0	100	100
26	1a	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
27	1b	81/84 (96%)	75 (93%)	6 (7%)	0	100	100
28	1c	47/76 (62%)	44 (94%)	3 (6%)	0	100	100
29	1d	117/123 (95%)	111 (95%)	5 (4%)	1 (1%)	17	57
30	1e	97/106 (92%)	92 (95%)	5 (5%)	0	100	100
31	1f	55/135 (41%)	52 (94%)	2 (4%)	1 (2%)	8	43
32	1g	98/154 (64%)	85 (87%)	12 (12%)	1 (1%)	15	55
33	1h	136/189 (72%)	131 (96%)	5 (4%)	0	100	100
34	1i	124/128 (97%)	117 (94%)	7 (6%)	0	100	100
35	1j	69/105 (66%)	67 (97%)	2 (3%)	0	100	100
36	1k	79/98 (81%)	73 (92%)	6 (8%)	0	100	100
37	1l	154/186 (83%)	143 (93%)	11 (7%)	0	100	100
38	1m	126/129 (98%)	120 (95%)	6 (5%)	0	100	100
39	1n	170/179 (95%)	165 (97%)	5 (3%)	0	100	100
40	1o	120/137 (88%)	119 (99%)	1 (1%)	0	100	100
41	1p	171/176 (97%)	169 (99%)	2 (1%)	0	100	100
42	1q	143/145 (99%)	134 (94%)	8 (6%)	1 (1%)	22	61
43	1r	90/114 (79%)	81 (90%)	9 (10%)	0	100	100
44	1s	43/471 (9%)	41 (95%)	2 (5%)	0	100	100
All	All	8194/9744 (84%)	7679 (94%)	499 (6%)	16 (0%)	50	79

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	1E	97	LYS
8	1H	68	ILE
8	1H	92	PRO
29	1d	53	VAL
42	1q	142	THR
1	1A	52	SER
4	1D	87	THR
7	1G	47	SER
7	1G	186	TYR
8	1H	208	VAL

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
32	1g	25	ARG
7	1G	696	GLN
12	1L	464	ALA
31	1f	36	ALA
7	1G	367	THR
10	1J	116	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	1A	99/99 (100%)	84 (85%)	15 (15%)	3 19
2	1B	131/212 (62%)	120 (92%)	11 (8%)	11 42
3	1C	190/227 (84%)	177 (93%)	13 (7%)	16 50
4	1D	371/405 (92%)	352 (95%)	19 (5%)	24 58
5	1E	183/207 (88%)	169 (92%)	14 (8%)	13 45
6	1F	346/368 (94%)	326 (94%)	20 (6%)	20 55
7	1G	588/610 (96%)	552 (94%)	36 (6%)	18 53
8	1H	274/274 (100%)	261 (95%)	13 (5%)	26 61
9	1I	151/201 (75%)	147 (97%)	4 (3%)	46 74
10	1J	140/140 (100%)	134 (96%)	6 (4%)	29 63
11	1K	84/84 (100%)	76 (90%)	8 (10%)	8 37
12	1L	539/539 (100%)	513 (95%)	26 (5%)	25 60
13	1M	408/408 (100%)	394 (97%)	14 (3%)	37 69
14	1N	310/310 (100%)	299 (96%)	11 (4%)	36 68
15	1O	283/307 (92%)	263 (93%)	20 (7%)	14 48
16	1P	296/323 (92%)	284 (96%)	12 (4%)	30 64
17	1Q	117/152 (77%)	105 (90%)	12 (10%)	7 34
18	1R	79/97 (81%)	69 (87%)	10 (13%)	4 24
19	1S	77/82 (94%)	69 (90%)	8 (10%)	7 33

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
20	1T	79/133 (59%)	67 (85%)	12 (15%)	3	19
20	1U	79/133 (59%)	71 (90%)	8 (10%)	7	34
21	1V	100/101 (99%)	91 (91%)	9 (9%)	9	39
22	1W	107/112 (96%)	97 (91%)	10 (9%)	9	38
23	1X	153/154 (99%)	143 (94%)	10 (6%)	17	51
24	1Y	101/102 (99%)	98 (97%)	3 (3%)	41	71
25	1Z	123/124 (99%)	115 (94%)	8 (6%)	17	51
26	1a	58/58 (100%)	57 (98%)	1 (2%)	60	82
27	1b	69/70 (99%)	59 (86%)	10 (14%)	3	20
28	1c	45/66 (68%)	36 (80%)	9 (20%)	1	8
29	1d	107/109 (98%)	102 (95%)	5 (5%)	26	61
30	1e	87/94 (93%)	76 (87%)	11 (13%)	4	24
31	1f	54/113 (48%)	50 (93%)	4 (7%)	13	46
32	1g	92/129 (71%)	80 (87%)	12 (13%)	4	24
33	1h	121/158 (77%)	113 (93%)	8 (7%)	16	51
34	1i	119/120 (99%)	107 (90%)	12 (10%)	7	34
35	1j	62/84 (74%)	60 (97%)	2 (3%)	39	70
36	1k	63/76 (83%)	54 (86%)	9 (14%)	3	21
37	1l	141/161 (88%)	129 (92%)	12 (8%)	10	41
38	1m	113/114 (99%)	105 (93%)	8 (7%)	14	48
39	1n	156/160 (98%)	145 (93%)	11 (7%)	14	48
40	1o	110/120 (92%)	103 (94%)	7 (6%)	17	52
41	1p	154/156 (99%)	144 (94%)	10 (6%)	17	51
42	1q	131/131 (100%)	126 (96%)	5 (4%)	33	66
43	1r	85/98 (87%)	74 (87%)	11 (13%)	4	24
44	1s	44/351 (12%)	43 (98%)	1 (2%)	50	76
All	All	7219/8272 (87%)	6739 (93%)	480 (7%)	20	51

All (480) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1A	4	MET
1	1A	22	PHE

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	1A	23	TRP
1	1A	26	GLN
1	1A	41	PHE
1	1A	44	MET
1	1A	48	ARG
1	1A	51	PHE
1	1A	55	PHE
1	1A	87	MET
1	1A	88	LEU
1	1A	101	SER
1	1A	105	GLU
1	1A	109	LYS
1	1A	113	TRP
2	1B	34	ASP
2	1B	35	ASP
2	1B	42	ARG
2	1B	50	PHE
2	1B	69	MET
2	1B	94	ASN
2	1B	105	ASP
2	1B	129	SER
2	1B	143	ASP
2	1B	166	LYS
2	1B	174	ARG
3	1C	8	ARG
3	1C	14	ARG
3	1C	16	ASP
3	1C	20	LYS
3	1C	45	PHE
3	1C	66	ASP
3	1C	73	LYS
3	1C	74	SER
3	1C	77	ASP
3	1C	130	TYR
3	1C	175	ARG
3	1C	192	GLN
3	1C	196	LYS
4	1D	10	TRP
4	1D	19	MET
4	1D	23	LYS
4	1D	63	ARG
4	1D	66	MET

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	1D	74	ARG
4	1D	75	LYS
4	1D	90	LEU
4	1D	108	TYR
4	1D	168	PHE
4	1D	169	TRP
4	1D	178	PHE
4	1D	193	TYR
4	1D	270	ARG
4	1D	299	CYS
4	1D	396	PHE
4	1D	407	LYS
4	1D	429	ASP
4	1D	430	ARG
5	1E	11	ASP
5	1E	23	PHE
5	1E	28	TYR
5	1E	36	LYS
5	1E	74	GLN
5	1E	92	ARG
5	1E	99	HIS
5	1E	111	ARG
5	1E	135	LYS
5	1E	139	LEU
5	1E	144	CYS
5	1E	160	TYR
5	1E	187	ARG
5	1E	190	ARG
6	1F	16	LYS
6	1F	49	LEU
6	1F	82	MET
6	1F	117	LYS
6	1F	132	ARG
6	1F	164	LYS
6	1F	174	ASP
6	1F	224	ASN
6	1F	241	TRP
6	1F	255	LEU
6	1F	257	ASN
6	1F	272	MET
6	1F	276	LEU
6	1F	277	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
6	1F	320	ASP
6	1F	337	MET
6	1F	355	LYS
6	1F	373	ASN
6	1F	379	PHE
6	1F	385	ARG
7	1G	14	ASP
7	1G	19	MET
7	1G	39	ARG
7	1G	52	CYS
7	1G	69	CYS
7	1G	77	TRP
7	1G	115	ASP
7	1G	127	ARG
7	1G	129	ARG
7	1G	130	PHE
7	1G	139	ASP
7	1G	190	MET
7	1G	208	LEU
7	1G	224	LYS
7	1G	243	ARG
7	1G	278	ARG
7	1G	288	LYS
7	1G	293	TYR
7	1G	300	LEU
7	1G	302	ARG
7	1G	332	LYS
7	1G	349	PHE
7	1G	379	LEU
7	1G	396	ARG
7	1G	437	HIS
7	1G	481	SER
7	1G	520	LYS
7	1G	531	CYS
7	1G	540	ASP
7	1G	556	MET
7	1G	569	LYS
7	1G	620	ARG
7	1G	661	LEU
7	1G	670	ASP
7	1G	675	ASP
7	1G	689	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
8	1H	20	LEU
8	1H	62	ARG
8	1H	98	MET
8	1H	124	ASN
8	1H	127	TYR
8	1H	134	ARG
8	1H	184	MET
8	1H	222	MET
8	1H	233	MET
8	1H	234	MET
8	1H	274	ARG
8	1H	280	PHE
8	1H	282	TYR
9	1I	8	ARG
9	1I	11	SER
9	1I	20	ARG
9	1I	58	SER
10	1J	78	MET
10	1J	83	TRP
10	1J	99	MET
10	1J	103	MET
10	1J	106	TYR
10	1J	136	PHE
11	1K	6	MET
11	1K	7	ASN
11	1K	10	MET
11	1K	27	MET
11	1K	52	HIS
11	1K	53	PHE
11	1K	59	MET
11	1K	69	CYS
12	1L	15	LEU
12	1L	21	MET
12	1L	25	ASN
12	1L	31	LEU
12	1L	66	TRP
12	1L	67	HIS
12	1L	69	MET
12	1L	72	GLN
12	1L	84	TYR
12	1L	88	MET
12	1L	89	PHE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
12	1L	163	ASP
12	1L	186	MET
12	1L	271	LYS
12	1L	276	MET
12	1L	328	HIS
12	1L	340	PHE
12	1L	353	GLU
12	1L	359	MET
12	1L	482	MET
12	1L	484	LEU
12	1L	510	TYR
12	1L	515	TYR
12	1L	535	ARG
12	1L	605	HIS
12	1L	606	GLU
13	1M	20	HIS
13	1M	26	ASN
13	1M	50	LEU
13	1M	76	MET
13	1M	121	LEU
13	1M	188	ASN
13	1M	190	TRP
13	1M	210	TYR
13	1M	218	LYS
13	1M	237	LYS
13	1M	304	GLN
13	1M	361	MET
13	1M	374	ASN
13	1M	450	ASN
14	1N	51	ARG
14	1N	88	LYS
14	1N	135	LYS
14	1N	215	MET
14	1N	235	ASN
14	1N	300	SER
14	1N	304	MET
14	1N	313	MET
14	1N	318	GLU
14	1N	323	MET
14	1N	335	LEU
15	1O	3	TYR
15	1O	23	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
15	1O	32	CYS
15	1O	35	LYS
15	1O	40	ARG
15	1O	49	ARG
15	1O	88	SER
15	1O	135	LEU
15	1O	138	MET
15	1O	164	LEU
15	1O	214	MET
15	1O	232	GLU
15	1O	240	TYR
15	1O	242	LYS
15	1O	243	CYS
15	1O	244	ASP
15	1O	248	TRP
15	1O	251	GLN
15	1O	270	LEU
15	1O	291	ARG
16	1P	36	ASN
16	1P	40	ARG
16	1P	65	LEU
16	1P	82	ARG
16	1P	145	TYR
16	1P	174	ARG
16	1P	181	TYR
16	1P	206	TYR
16	1P	234	ASN
16	1P	285	GLU
16	1P	300	LEU
16	1P	302	ASP
17	1Q	16	LYS
17	1Q	22	LEU
17	1Q	36	ARG
17	1Q	38	PHE
17	1Q	44	ASN
17	1Q	62	ARG
17	1Q	80	SER
17	1Q	89	LYS
17	1Q	103	PHE
17	1Q	104	ASP
17	1Q	122	PHE
17	1Q	127	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
18	1R	5	SER
18	1R	19	ASP
18	1R	23	TYR
18	1R	31	ARG
18	1R	54	SER
18	1R	58	SER
18	1R	60	ASP
18	1R	70	ARG
18	1R	84	CYS
18	1R	92	ARG
19	1S	13	LEU
19	1S	16	ARG
19	1S	25	ARG
19	1S	57	CYS
19	1S	78	LEU
19	1S	81	PHE
19	1S	90	LEU
19	1S	97	LYS
20	1T	17	TYR
20	1T	23	ASP
20	1T	24	LYS
20	1T	29	LYS
20	1T	33	ASN
20	1T	35	HIS
20	1T	37	MET
20	1T	47	GLN
20	1T	49	GLU
20	1T	69	LYS
20	1T	71	MET
20	1T	82	ASP
20	1U	12	LYS
20	1U	16	LEU
20	1U	22	TYR
20	1U	28	GLU
20	1U	46	ASP
20	1U	71	MET
20	1U	83	LYS
20	1U	88	GLU
21	1V	16	CYS
21	1V	17	GLU
21	1V	43	TYR
21	1V	53	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
21	1V	57	MET
21	1V	65	LYS
21	1V	69	GLU
21	1V	93	MET
21	1V	99	TRP
22	1W	31	ARG
22	1W	42	GLU
22	1W	57	LYS
22	1W	62	LYS
22	1W	77	ARG
22	1W	80	ASP
22	1W	87	LYS
22	1W	90	LEU
22	1W	95	ASN
22	1W	108	HIS
23	1X	5	GLU
23	1X	47	TRP
23	1X	50	LYS
23	1X	65	CYS
23	1X	81	PHE
23	1X	89	ASP
23	1X	100	ARG
23	1X	105	LYS
23	1X	107	ASP
23	1X	154	GLU
24	1Y	49	LEU
24	1Y	54	ARG
24	1Y	117	MET
25	1Z	21	TYR
25	1Z	23	ARG
25	1Z	27	ARG
25	1Z	82	ARG
25	1Z	99	LYS
25	1Z	100	ASP
25	1Z	128	ARG
25	1Z	143	TYR
26	1a	28	LYS
27	1b	7	PHE
27	1b	9	LYS
27	1b	15	GLU
27	1b	22	PHE
27	1b	31	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
27	1b	45	ASN
27	1b	52	TYR
27	1b	61	ASN
27	1b	62	MET
27	1b	77	LEU
28	1c	2	PHE
28	1c	3	TYR
28	1c	9	HIS
28	1c	11	SER
28	1c	15	LEU
28	1c	19	LEU
28	1c	30	TYR
28	1c	42	TYR
28	1c	43	LYS
29	1d	8	ARG
29	1d	25	LYS
29	1d	60	ARG
29	1d	70	PHE
29	1d	104	LYS
30	1e	2	PHE
30	1e	8	ARG
30	1e	11	LEU
30	1e	20	GLN
30	1e	21	SER
30	1e	26	HIS
30	1e	27	LYS
30	1e	37	LYS
30	1e	52	GLU
30	1e	81	GLN
30	1e	91	TYR
31	1f	9	ASP
31	1f	13	HIS
31	1f	29	ARG
31	1f	46	ARG
32	1g	26	LEU
32	1g	40	LYS
32	1g	43	ASP
32	1g	44	SER
32	1g	57	ASN
32	1g	59	ARG
32	1g	63	PHE
32	1g	76	PHE

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
32	1g	100	ARG
32	1g	112	CYS
32	1g	116	ASN
32	1g	117	LYS
33	1h	6	LYS
33	1h	18	ASP
33	1h	25	MET
33	1h	46	PHE
33	1h	81	ASP
33	1h	91	MET
33	1h	111	ARG
33	1h	130	LYS
34	1i	10	ARG
34	1i	23	LYS
34	1i	37	ARG
34	1i	38	ARG
34	1i	42	MET
34	1i	48	LYS
34	1i	52	ASP
34	1i	56	TRP
34	1i	86	LYS
34	1i	98	GLU
34	1i	100	LYS
34	1i	105	PRO
35	1j	34	PHE
35	1j	40	PHE
36	1k	18	TYR
36	1k	29	GLU
36	1k	34	LYS
36	1k	67	LEU
36	1k	70	PHE
36	1k	71	LYS
36	1k	74	PHE
36	1k	77	PHE
36	1k	86	TYR
37	1l	13	TYR
37	1l	14	PRO
37	1l	33	ASP
37	1l	63	ASP
37	1l	70	ARG
37	1l	80	ASP
37	1l	86	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
37	1l	114	PHE
37	1l	115	MET
37	1l	116	PHE
37	1l	136	ASN
37	1l	151	GLU
38	1m	2	PHE
38	1m	3	PRO
38	1m	25	SER
38	1m	69	TYR
38	1m	80	ARG
38	1m	98	PHE
38	1m	105	LYS
38	1m	116	GLN
39	1n	46	ARG
39	1n	47	PHE
39	1n	49	GLU
39	1n	51	LYS
39	1n	64	ARG
39	1n	129	ARG
39	1n	157	ARG
39	1n	158	LYS
39	1n	159	GLU
39	1n	174	ARG
39	1n	178	MET
40	1o	7	ARG
40	1o	21	MET
40	1o	56	ASP
40	1o	94	TYR
40	1o	106	ARG
40	1o	117	ARG
40	1o	121	MET
41	1p	7	ASP
41	1p	39	LEU
41	1p	57	LYS
41	1p	63	TYR
41	1p	76	CYS
41	1p	85	PHE
41	1p	112	CYS
41	1p	144	ASP
41	1p	162	MET
41	1p	166	ARG
42	1q	25	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
42	1q	76	ASP
42	1q	96	ASP
42	1q	101	LYS
42	1q	128	SER
43	1r	17	ARG
43	1r	26	ARG
43	1r	28	GLN
43	1r	32	LYS
43	1r	57	ASP
43	1r	60	ARG
43	1r	91	LYS
43	1r	101	LYS
43	1r	102	ARG
43	1r	107	LYS
43	1r	109	GLN
44	1s	68	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
2	1B	106	GLN
4	1D	54	GLN
4	1D	84	HIS
4	1D	149	ASN
4	1D	421	GLN
5	1E	99	HIS
6	1F	148	ASN
6	1F	224	ASN
11	1K	83	ASN
12	1L	135	ASN
12	1L	444	ASN
13	1M	26	ASN
13	1M	81	GLN
13	1M	103	GLN
13	1M	168	GLN
13	1M	422	HIS
14	1N	77	ASN
14	1N	309	ASN
15	1O	251	GLN
16	1P	3	HIS
16	1P	36	ASN
16	1P	119	GLN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
16	1P	131	HIS
16	1P	180	ASN
17	1Q	9	GLN
17	1Q	50	ASN
20	1T	33	ASN
20	1T	74	GLN
26	1a	46	ASN
31	1f	13	HIS
32	1g	111	ASN
34	1i	13	GLN
34	1i	44	GLN
38	1m	122	GLN
39	1n	77	GLN
40	1o	3	HIS
41	1p	55	HIS
41	1p	103	ASN
41	1p	158	GLN
42	1q	13	GLN
44	1s	40	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	FME	1A	1	1	8,9,10	0.50	0	7,9,11	1.04	1 (14%)
34	SAC	1i	1	-	7,8,9	0.53	0	8,9,11	1.08	1 (12%)
12	FME	1L	1	12	8,9,10	0.51	0	7,9,11	1.00	1 (14%)
10	FME	1J	1	10	8,9,10	0.52	0	7,9,11	0.98	1 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	FME	1H	1	8	8,9,10	0.51	0	7,9,11	1.07	1 (14%)
14	FME	1N	1	14	8,9,10	0.52	0	7,9,11	1.01	1 (14%)
11	FME	1K	1	11	8,9,10	0.52	0	7,9,11	1.06	1 (14%)
13	FME	1M	1	13	8,9,10	0.51	0	7,9,11	0.99	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FME	1A	1	1	-	0/7/9/11	-
34	SAC	1i	1	-	-	0/7/8/10	-
12	FME	1L	1	12	-	0/7/9/11	-
10	FME	1J	1	10	-	0/7/9/11	-
8	FME	1H	1	8	-	0/7/9/11	-
14	FME	1N	1	14	-	0/7/9/11	-
11	FME	1K	1	11	-	1/7/9/11	-
13	FME	1M	1	13	-	3/7/9/11	-

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	1i	1	SAC	O-C-CA	-2.94	117.08	124.78
11	1K	1	FME	O-C-CA	-2.75	117.57	124.78
8	1H	1	FME	O-C-CA	-2.64	117.87	124.78
14	1N	1	FME	O-C-CA	-2.52	118.19	124.78
1	1A	1	FME	O-C-CA	-2.48	118.27	124.78
13	1M	1	FME	O-C-CA	-2.48	118.28	124.78
12	1L	1	FME	O-C-CA	-2.46	118.34	124.78
10	1J	1	FME	O-C-CA	-2.36	118.60	124.78

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	1M	1	FME	O-C-CA-CB
13	1M	1	FME	N-CA-CB-CG
11	1K	1	FME	CA-CB-CG-SD

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	1M	1	FME	CB-CA-N-CN

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 3 are monoatomic - leaving 28 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
47	FES	1G	804	7	0,4,4	-	-	-		
47	FES	1E	301	5	0,4,4	-	-	-		
45	3PE	1L	701	-	45,45,50	0.29	0	48,50,55	0.32	0
57	EHZ	1W	201	-	29,36,37	0.16	0	35,44,47	1.42	1 (2%)
45	3PE	1L	703	-	41,41,50	0.30	0	44,46,55	1.26	5 (11%)
48	FMN	1F	501	-	33,33,33	0.57	0	48,50,50	0.63	1 (2%)
52	CDL	1r	201	-	60,60,99	0.32	0	66,72,111	0.48	0
46	SF4	1B	201	2	0,12,12	-	-	-		
45	3PE	1A	201	-	46,46,50	0.28	0	49,51,55	0.38	0
50	PC1	1L	702	-	43,43,53	0.29	0	49,51,61	0.38	0
46	SF4	1I	201	9	0,12,12	-	-	-		
50	PC1	1I	203	-	53,53,53	0.27	0	59,61,61	0.32	0
53	GTP	1O	401	54	26,34,34	0.96	2 (7%)	32,54,54	0.81	1 (3%)
45	3PE	1Y	201	-	30,30,50	0.35	0	33,35,55	0.59	1 (3%)
45	3PE	1Y	202	-	50,50,50	0.26	0	53,55,55	0.42	0
50	PC1	1f	101	-	45,45,53	0.28	0	51,53,61	0.34	0
50	PC1	1J	201	-	34,34,53	0.32	0	40,42,61	0.34	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
55	NDP	1P	501	-	45,52,52	0.62	0	53,80,80	0.77	2 (3%)
51	PGT	1M	501	-	50,50,50	0.49	0	53,56,56	0.46	0
46	SF4	1G	802	7	0,12,12	-	-	-		
46	SF4	1I	202	9	0,12,12	-	-	-		
58	MYR	1l	201	-	14,14,15	0.34	0	13,13,15	0.38	0
52	CDL	1N	402	-	76,76,99	0.30	0	82,88,111	0.38	0
45	3PE	1N	401	-	50,50,50	0.26	0	53,55,55	0.39	0
46	SF4	1G	801	7	0,12,12	-	-	-		
57	EHZ	1n	201	-	29,36,37	0.17	0	35,44,47	1.08	1 (2%)
50	PC1	1I	204	-	43,43,53	0.28	0	49,51,61	0.39	0
46	SF4	1F	502	6	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	FES	1G	804	7	-	-	0/1/1/1
47	FES	1E	301	5	-	-	0/1/1/1
45	3PE	1L	701	-	-	4/49/49/54	-
57	EHZ	1W	201	-	-	3/42/44/45	-
45	3PE	1L	703	-	-	7/45/45/54	-
48	FMN	1F	501	-	-	1/18/18/18	0/3/3/3
52	CDL	1r	201	-	-	12/71/71/110	-
45	3PE	1A	201	-	-	2/50/50/54	-
46	SF4	1B	201	2	-	-	0/6/5/5
50	PC1	1L	702	-	-	6/47/47/57	-
46	SF4	1I	201	9	-	-	0/6/5/5
50	PC1	1I	203	-	-	4/57/57/57	-
53	GTP	1O	401	54	-	3/18/38/38	0/3/3/3
45	3PE	1Y	201	-	-	9/34/34/54	-
45	3PE	1Y	202	-	-	9/54/54/54	-
50	PC1	1f	101	-	-	5/49/49/57	-
50	PC1	1J	201	-	-	3/38/38/57	-
55	NDP	1P	501	-	-	7/30/77/77	0/5/5/5
51	PGT	1M	501	-	-	22/55/55/55	-
58	MYR	1l	201	-	-	1/11/12/13	-
46	SF4	1G	802	7	-	-	0/6/5/5

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
46	SF4	1I	202	9	-	-	0/6/5/5
52	CDL	1N	402	-	-	6/87/87/110	-
45	3PE	1N	401	-	-	11/54/54/54	-
46	SF4	1G	801	7	-	-	0/6/5/5
57	EHZ	1n	201	-	-	11/42/44/45	-
50	PC1	1I	204	-	-	5/47/47/57	-
46	SF4	1F	502	6	-	-	0/6/5/5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	1O	401	GTP	C5-C6	-2.64	1.42	1.47
53	1O	401	GTP	C8-N7	-2.09	1.31	1.35

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	1W	201	EHZ	C10-S1-C9	7.51	125.26	101.87
45	1L	703	3PE	O21-C21-C22	6.15	124.76	111.50
57	1n	201	EHZ	C10-S1-C9	5.82	120.00	101.87
45	1L	703	3PE	O21-C21-O22	-2.66	117.28	123.70
45	1L	703	3PE	C2-O21-C21	2.53	124.01	117.79
55	1P	501	NDP	O4D-C1D-C2D	-2.49	101.22	106.64
45	1L	703	3PE	O21-C2-C1	2.27	116.61	108.40
53	1O	401	GTP	O4'-C1'-C2'	-2.24	103.65	106.93
55	1P	501	NDP	C5A-C6A-N6A	2.22	123.73	120.35
45	1Y	201	3PE	O21-C21-C22	2.09	116.00	111.50
45	1L	703	3PE	O21-C2-C3	2.06	115.87	108.40
48	1F	501	FMN	C4-N3-C2	-2.01	121.93	125.64

There are no chirality outliers.

All (131) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
45	1L	703	3PE	O22-C21-O21-C2
45	1L	703	3PE	C22-C21-O21-C2
45	1Y	201	3PE	C1-O11-P-O14
45	1Y	201	3PE	O32-C31-O31-C3
45	1Y	201	3PE	C32-C31-O31-C3
45	1Y	201	3PE	O22-C21-O21-C2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
45	1Y	201	3PE	C22-C21-O21-C2
45	1Y	202	3PE	C1-O11-P-O14
50	1I	204	PC1	C1-O11-P-O14
50	1I	204	PC1	C1-O11-P-O13
50	1J	201	PC1	C1-O11-P-O14
50	1J	201	PC1	C1-O11-P-O13
50	1L	702	PC1	C1-O11-P-O14
50	1f	101	PC1	O32-C31-O31-C3
50	1f	101	PC1	C32-C31-O31-C3
51	1M	501	PGT	C32-C31-O2-C2
51	1M	501	PGT	O31-C31-O2-C2
51	1M	501	PGT	C5-C4-O4P-P
51	1M	501	PGT	C4-C5-C6-O6
51	1M	501	PGT	C12-C11-O3-C3
52	1N	402	CDL	OA6-CA4-CA6-OA8
52	1r	201	CDL	OB6-CB4-CB6-OB8
57	1W	201	EHZ	C6-C7-C8-C9
57	1W	201	EHZ	O2-C9-S1-C10
57	1W	201	EHZ	C8-C9-S1-C10
57	1n	201	EHZ	C16-C17-C20-O6
57	1n	201	EHZ	O2-C9-S1-C10
57	1n	201	EHZ	C8-C9-S1-C10
51	1M	501	PGT	O11-C11-O3-C3
45	1Y	202	3PE	C2-C1-O11-P
55	1P	501	NDP	C2D-C1D-N1N-C2N
55	1P	501	NDP	C2D-C1D-N1N-C6N
51	1M	501	PGT	C15-C16-C17-C18
51	1M	501	PGT	C1-O3P-P-O4P
51	1M	501	PGT	C4-O4P-P-O3P
53	1O	401	GTP	O4'-C4'-C5'-O5'
51	1M	501	PGT	C40-C41-C42-C43
51	1M	501	PGT	C14-C15-C16-C17
51	1M	501	PGT	C21-C22-C23-C24
45	1L	701	3PE	C33-C34-C35-C36
51	1M	501	PGT	O5-C5-C6-O6
53	1O	401	GTP	C3'-C4'-C5'-O5'
50	1I	203	PC1	C24-C25-C26-C27
57	1n	201	EHZ	C21-C1-C2-C3
45	1Y	202	3PE	C35-C36-C37-C38
51	1M	501	PGT	C34-C35-C36-C37
50	1f	101	PC1	C32-C33-C34-C35
45	1Y	202	3PE	C3C-C3D-C3E-C3F

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
52	1r	201	CDL	CB3-CB4-CB6-OB8
55	1P	501	NDP	C1B-C2B-O2B-P2B
57	1n	201	EHZ	C18-C17-C20-O6
57	1n	201	EHZ	C19-C17-C20-O6
52	1r	201	CDL	C53-C54-C55-C56
45	1L	703	3PE	O11-C1-C2-O21
45	1N	401	3PE	O31-C31-C32-C33
50	1I	203	PC1	O31-C31-C32-C33
52	1r	201	CDL	C52-C51-CB5-OB6
57	1n	201	EHZ	O3-C12-C13-C14
52	1N	402	CDL	CA3-CA4-CA6-OA8
51	1M	501	PGT	C44-C45-C46-C47
45	1N	401	3PE	O11-C1-C2-O21
45	1L	701	3PE	C22-C23-C24-C25
55	1P	501	NDP	C3B-C2B-O2B-P2B
50	1L	702	PC1	C1-C2-C3-O31
45	1Y	202	3PE	O11-C1-C2-O21
52	1N	402	CDL	C55-C56-C57-C58
45	1Y	202	3PE	C1-O11-P-O13
50	1L	702	PC1	C1-O11-P-O13
55	1P	501	NDP	O4D-C1D-N1N-C2N
55	1P	501	NDP	O4D-C1D-N1N-C6N
51	1M	501	PGT	C1-O3P-P-O1P
51	1M	501	PGT	C4-O4P-P-O1P
45	1N	401	3PE	C2-C3-O31-C31
45	1A	201	3PE	C12-C11-O13-P
45	1Y	202	3PE	C12-C11-O13-P
45	1N	401	3PE	C34-C35-C36-C37
52	1r	201	CDL	C51-C52-C53-C54
52	1r	201	CDL	C19-C20-C21-C22
57	1n	201	EHZ	N1-C12-C13-C14
50	1J	201	PC1	O13-C11-C12-N
51	1M	501	PGT	C32-C33-C34-C35
45	1N	401	3PE	C2-C1-O11-P
53	1O	401	GTP	C4'-C5'-O5'-PA
45	1L	701	3PE	C31-C32-C33-C34
45	1L	703	3PE	C22-C23-C24-C25
57	1n	201	EHZ	C13-C14-N2-C15
45	1N	401	3PE	C1-O11-P-O13
45	1Y	201	3PE	C1-O11-P-O13
50	1f	101	PC1	C11-O13-P-O11
52	1r	201	CDL	CA3-OA5-PA1-OA2

*Continued on next page...*


*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
52	1r	201	CDL	CB2-OB2-PB2-OB5
45	1L	703	3PE	C1-C2-C3-O31
45	1N	401	3PE	C3A-C3B-C3C-C3D
51	1M	501	PGT	C22-C23-C24-C25
51	1M	501	PGT	C2-C1-O3P-P
52	1r	201	CDL	C17-C18-C19-C20
51	1M	501	PGT	C16-C17-C18-C19
45	1L	703	3PE	C1-C2-O21-C21
57	1n	201	EHZ	C11-C10-S1-C9
45	1A	201	3PE	O21-C2-C3-O31
45	1N	401	3PE	O21-C2-C3-O31
45	1L	701	3PE	C37-C38-C39-C3A
52	1r	201	CDL	C52-C51-CB5-OB7
50	1I	203	PC1	C3D-C3E-C3F-C3G
52	1N	402	CDL	C75-C76-C77-C78
45	1Y	202	3PE	O11-C1-C2-C3
50	1I	204	PC1	C34-C35-C36-C37
45	1Y	201	3PE	O21-C2-C3-O31
52	1N	402	CDL	C32-C33-C34-C35
57	1n	201	EHZ	C12-C13-C14-N2
52	1N	402	CDL	C53-C54-C55-C56
50	1I	203	PC1	O32-C31-C32-C33
45	1L	703	3PE	C32-C33-C34-C35
45	1N	401	3PE	C39-C3A-C3B-C3C
50	1L	702	PC1	O31-C31-C32-C33
58	1l	201	MYR	C3-C4-C5-C6
51	1M	501	PGT	C20-C21-C22-C23
45	1N	401	3PE	O32-C31-C32-C33
45	1Y	202	3PE	C24-C25-C26-C27
45	1N	401	3PE	C1-O11-P-O14
50	1L	702	PC1	C1-O11-P-O12
50	1f	101	PC1	C11-O13-P-O14
52	1r	201	CDL	CA3-OA5-PA1-OA3
55	1P	501	NDP	O4B-C4B-C5B-O5B
50	1I	204	PC1	C11-C12-N-C13
48	1F	501	FMN	N10-C1'-C2'-O2'
50	1L	702	PC1	O32-C31-C32-C33
50	1I	204	PC1	C25-C26-C27-C28
45	1Y	201	3PE	O22-C21-C22-C23
45	1Y	201	3PE	O21-C21-C22-C23
52	1r	201	CDL	C13-C14-C15-C16


There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
34	1i	1
43	1r	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1i	1:SAC	C	2:GLY	N	4.86
1	1r	1:ALA	C	2:SER	N	3.06


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42173. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 140




Y Index: 171




Z Index: 134


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.09. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 366 nm<sup>3</sup>; this corresponds to an approximate mass of 330 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	6.70	9.17	7.14

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.70 differs from the reported value 3.6 by more than 10 %

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-42173 and PDB model 8UEW. Per-residue inclusion information can be found in section 3 on page 21.


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.09 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.09).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 53% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary























The table lists the average atom inclusion at the recommended contour level (0.09) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5300	 0.3790
1A	 0.4350	 0.3830
1B	 0.5760	 0.4270
1C	 0.4720	 0.4080
1D	 0.5640	 0.4080
1E	 0.0810	 0.2870
1F	 0.0840	 0.2730
1G	 0.3820	 0.3650
1H	 0.6470	 0.4150
1I	 0.6200	 0.4220
1J	 0.5380	 0.3750
1K	 0.6490	 0.4090
1L	 0.7380	 0.4020
1M	 0.7860	 0.4370
1N	 0.7010	 0.4260
1O	 0.4410	 0.3600
1P	 0.3610	 0.3440
1Q	 0.3840	 0.3750
1R	 0.4030	 0.4090
1S	 0.2310	 0.2900
1T	 0.2750	 0.2800
1U	 0.6600	 0.3430
1V	 0.2980	 0.3340
1W	 0.3550	 0.3430
1X	 0.6010	 0.4040
1Y	 0.7050	 0.3720
1Z	 0.6260	 0.4100
1a	 0.7020	 0.4140
1b	 0.6030	 0.4170
1c	 0.5150	 0.3690
1d	 0.7100	 0.4140
1e	 0.6240	 0.4330
1f	 0.5420	 0.3700
1g	 0.6460	 0.3810
1h	 0.7080	 0.4120



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
1i	 0.4450	 0.3430
1j	 0.5770	 0.3610
1k	 0.5500	 0.3450
1l	 0.6910	 0.3950
1m	 0.7380	 0.3780
1n	 0.7000	 0.3580
1o	 0.5760	 0.3140
1p	 0.6650	 0.3840
1q	 0.5260	 0.4110
1r	 0.4600	 0.4020
1s	 0.0110	 0.2470