



## wwPDB EM Validation Summary Report ⓘ

Mar 10, 2024 – 08:46 AM EDT

PDB ID : 6UI9  
EMDB ID : EMD-20783  
Title : Structure of human ATP citrate lyase in complex with acetyl-CoA and oxaloacetate  
Authors : Wei, X.; Marmorstein, R.  
Deposited on : 2019-09-30  
Resolution : 3.10 Å (reported)  
Based on initial model : 3MWD

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1101	
1	B	1101	
1	C	1101	
1	D	1101	

## 2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 31912 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACLY.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1021	Total 7906	C 5064	N 1340	O 1458	S 44	2	0
1	B	1021	Total 7906	C 5064	N 1340	O 1458	S 44	2	0
1	C	1021	Total 7906	C 5064	N 1340	O 1458	S 44	2	0
1	D	1021	Total 7906	C 5064	N 1340	O 1458	S 44	2	0

- Molecule 2 is ACETYL COENZYME \*A (three-letter code: ACO) (formula: C<sub>23</sub>H<sub>38</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
2	A	1	Total 51	C 23	N 7	O 17	P 3	S 1	0
2	A	1	Total 51	C 23	N 7	O 17	P 3	S 1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
2	B	1	51	23	7	17	3	1	0
2	D	1	51	23	7	17	3	1	0

- Molecule 3 is OXALOACETATE ION (three-letter code: OAA) (formula:  $C_4H_3O_5$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
3	A	1	9	4	5	0
3	A	1	9	4	5	0
3	B	1	9	4	5	0
3	B	1	9	4	5	0
3	C	1	9	4	5	0
3	C	1	9	4	5	0
3	D	1	9	4	5	0
3	D	1	9	4	5	0


- Molecule 4 is water.


Mol	Chain	Residues	Atoms		AltConf
4	A	3	Total 3	O 3	0
4	B	3	Total 3	O 3	0
4	C	3	Total 3	O 3	0
4	D	3	Total 3	O 3	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: ACLY







• Molecule 1: ACLY



• Molecule 1: ACLY



• Molecule 1: ACLY





M1099	B986	C893	A774	M668	K488	PRO	S343	Y247	L153	V81
SER	L990	L894	A778	R676	F493	THR	I344	P248	V156	K82
MET	K991	M895	A782	T677	A499	ALA	A351	A254	D157	S83
	D992	V896	F785	T678	I500	ALA	K355	D255	E158	W84
	Y993	T897	R788	G684	Q505	HIS	V358	L256	K159	L86
	Y984	G901	L793	D690	V509	THR	Y364	D257	L160	K86
	R995	P902	L796	R691	V509	ALA	Q365		N161	P87
	Q996	H908	I797	Y692	L513	ASN	L368		P162	R88
	P999	I912	M698	F697	V518	LEU	K369		L268	L89
	L1003	R915	H699	H700	P524	LEU	E370		E163	G90
	L1008	K918	D700	V701	S225	ASN	G273		I165	Q91
	E1009	V921	V701	S225	S225	ALA	R274		K166	E92
	V1010	S922	E802	L702	V526	GLY	I275		K167	A93
	K1017	S923	D803	R703	V526	SER	M278		H168	T94
	I1022	S924	L804	T707	F541	THR	A173		H169	V95
	V1025	T925	V805	K711	Y542	SER	P174		L170	K97
	V1025	G927	I810	V714	A557	ARG	D176		A173	A98
	L1028	L928	Q814	G721	D558	THR	K177		P174	T99
	M1036	L929	P822	C728	A559	ALA	E175		E175	G100
	L1037	T930	Y825	V566	M560	PRO	K178		D176	F101
	R1038	I931	Y825	V566	R561	ARG	K178		K177	L102
	H1039	G932	Y825	V566	R561	THR	E179		K177	F108
	C1040	D933	Y825	V566	R561	ALA	E179		K177	P109
	F1043	R934	L831	F672	R561	SER	E179		K177	F108
	T1044	L939	G832	F672	R561	GLU	E179		K177	F108
	R1045	D940	L833	F672	R561	SER	E179		K177	F108
	I1054	K948	I834	Y579	Y579	ARG	E300		L195	H113
	G1055	A949	R835	D880	D880	ALA	E300		L195	S114
	I1060	F950	K836	S581	S581	ALA	E300		L195	G115
	F1061	F951	P837	T582	T582	GLU	E300		L195	G115
	R1065	D951	A838	V741	M583	VAL	E300		L195	G115
	D1075	S952	A838	V741	M583	ALA	E300		L195	G115
	Q1076	I954	S839	T750	R607	PRO	E300		L195	G115
	R1077	G953	F840	T750	R607	ALA	E300		L195	G115
	L1079	I954	T842	T750	R607	ALA	E300		L195	G115
	K1080	I955	S843	T750	R607	LYS	E300		L195	G115
	Q1081	P956	I944	T750	R607	LYS	E300		L195	G115
	R1085	V960	E847	T750	R607	PRO	E300		L195	G115
	H1086	G972	F878	T750	R607	ALA	E300		L195	G115
	P1087	K962	K980	T750	R607	PRO	E300		L195	G115
	I1091	K965	L875	T750	R607	VAL	E300		L195	G115
	S1092	M971	F878	T750	R607	PRO	E300		L195	G115
	V1094	I973	K980	T750	R607	PRO	E300		L195	G115
		V977	R881	T750	R607	ARG	E300		L195	G115
		K978	Q888	T750	R607	SER	E300		L195	G115
		N981	E891	T750	R607	LEU	E300		L195	G115
			M892	T750	R607	GLN	E300		L195	G115
			E891	T750	R607	G487	E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115
			M892	T750	R607		E300		L195	G115
			E891	T750	R607		E300		L195	G115

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, D2	Depositor
Number of particles used	108738	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.133	Depositor
Minimum map value	-0.072	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	191.4, 191.4, 191.4	wwPDB
Map dimensions	220, 220, 220	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.86999995, 0.86999995, 0.86999995	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OAA, ACO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/8083	0.53	0/10942
1	B	0.32	0/8083	0.53	0/10942
1	C	0.32	0/8083	0.53	0/10942
1	D	0.62	0/8083	0.63	0/10942
All	All	0.41	0/32332	0.55	0/43768

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7906	0	7956	189	0
1	B	7906	0	7956	180	0
1	C	7906	0	7956	193	0
1	D	7906	0	7956	172	0
2	A	102	0	68	1	0
2	B	51	0	34	0	0
2	D	51	0	34	1	0
3	A	18	0	4	0	0
3	B	18	0	4	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	18	0	4	0	0
3	D	18	0	4	0	0
4	A	3	0	0	0	0
4	B	3	0	0	0	0
4	C	3	0	0	0	0
4	D	3	0	0	0	0
All	All	31912	0	31976	683	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 683 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:925:THR:HG23	1:C:925:THR:HG23	1.46	0.94
1:A:835:ARG:HG3	1:B:822:PRO:HB2	1.56	0.86
1:C:835:ARG:HG3	1:D:822:PRO:HB2	1.56	0.86
1:A:88:ARG:HA	1:A:91:GLN:HE21	1.41	0.85
1:C:88:ARG:HA	1:C:91:GLN:HE21	1.40	0.84

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1017/1101 (92%)	965 (95%)	52 (5%)	0	100	100
1	B	1017/1101 (92%)	969 (95%)	48 (5%)	0	100	100
1	C	1017/1101 (92%)	972 (96%)	45 (4%)	0	100	100
1	D	1017/1101 (92%)	955 (94%)	56 (6%)	6 (1%)	25	59
All	All	4068/4404 (92%)	3861 (95%)	201 (5%)	6 (0%)	54	83

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	1017	LYS
1	D	952	SER
1	D	999	PRO
1	D	1055	GLY
1	D	921	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	842/909 (93%)	835 (99%)	7 (1%)	81	92
1	B	842/909 (93%)	837 (99%)	5 (1%)	86	94
1	C	842/909 (93%)	837 (99%)	5 (1%)	86	94
1	D	842/909 (93%)	801 (95%)	41 (5%)	25	57
All	All	3368/3636 (93%)	3310 (98%)	58 (2%)	64	83

5 of 58 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	939	LEU
1	D	1080	LYS
1	D	971	MET
1	D	1078	ARG
1	D	1040	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	410	HIS
1	C	671	ASN
1	D	900	HIS
1	D	410	HIS
1	B	879	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	OAA	A	1202	-	8,8,8	1.31	1 (12%)	9,10,10	1.32	1 (11%)
2	ACO	B	1203	-	45,53,53	0.85	1 (2%)	56,79,79	1.26	6 (10%)
3	OAA	C	1202	-	8,8,8	1.33	1 (12%)	9,10,10	1.37	1 (11%)
2	ACO	A	1201	-	45,53,53	0.86	1 (2%)	56,79,79	1.27	8 (14%)
2	ACO	A	1204	-	45,53,53	0.85	1 (2%)	56,79,79	1.25	8 (14%)
3	OAA	C	1201	-	8,8,8	1.31	1 (12%)	9,10,10	1.35	1 (11%)
2	ACO	D	1201	-	45,53,53	0.85	1 (2%)	56,79,79	1.25	6 (10%)
3	OAA	B	1202	-	8,8,8	1.33	1 (12%)	9,10,10	1.35	1 (11%)
3	OAA	D	1203	-	8,8,8	1.32	1 (12%)	9,10,10	1.33	1 (11%)
3	OAA	B	1201	-	8,8,8	1.29	1 (12%)	9,10,10	1.34	1 (11%)
3	OAA	A	1203	-	8,8,8	1.31	1 (12%)	9,10,10	1.32	1 (11%)
3	OAA	D	1202	-	8,8,8	1.31	1 (12%)	9,10,10	1.33	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OAA	A	1202	-	-	3/8/8/8	-
2	ACO	B	1203	-	-	15/47/67/67	0/3/3/3
3	OAA	C	1202	-	-	5/8/8/8	-
2	ACO	A	1201	-	-	15/47/67/67	0/3/3/3
2	ACO	A	1204	-	-	15/47/67/67	0/3/3/3
3	OAA	C	1201	-	-	6/8/8/8	-
2	ACO	D	1201	-	-	15/47/67/67	0/3/3/3
3	OAA	B	1202	-	-	5/8/8/8	-
3	OAA	D	1203	-	-	4/8/8/8	-
3	OAA	B	1201	-	-	6/8/8/8	-
3	OAA	A	1203	-	-	4/8/8/8	-
3	OAA	D	1202	-	-	3/8/8/8	-

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1204	ACO	C2B-C1B	-2.23	1.50	1.53
2	D	1201	ACO	C2B-C1B	-2.22	1.50	1.53
2	A	1201	ACO	C2B-C1B	-2.22	1.50	1.53
2	B	1203	ACO	C2B-C1B	-2.22	1.50	1.53
3	A	1202	OAA	O3-C3	-2.11	1.18	1.23

The worst 5 of 36 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1203	ACO	N3A-C2A-N1A	-3.63	123.00	128.68
2	D	1201	ACO	N3A-C2A-N1A	-3.62	123.02	128.68
2	A	1204	ACO	N3A-C2A-N1A	-3.61	123.03	128.68
2	A	1201	ACO	N3A-C2A-N1A	-3.61	123.03	128.68
2	A	1201	ACO	CAP-C9P-N8P	2.89	122.33	116.58

There are no chirality outliers.

5 of 96 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1201	ACO	CCP-O6A-P2A-O4A
2	A	1201	ACO	CEP-CBP-CCP-O6A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	1201	ACO	CAP-CBP-CCP-O6A
2	A	1201	ACO	O9P-C9P-CAP-CBP
2	A	1201	ACO	N8P-C9P-CAP-CBP



There are no ring outliers.



2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1204	ACO	1	0
2	D	1201	ACO	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20783. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 110



Y Index: 110




Z Index: 110


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 114



Y Index: 102




Z Index: 110


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is  $196 \text{ nm}^3$ ; this corresponds to an approximate mass of 177 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.323 \text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-20783 and PDB model 6UI9. Per-residue inclusion information can be found in section 3 on page 6.


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).











## 9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7490	 0.4740
A	 0.7530	 0.4750
B	 0.7530	 0.4740
C	 0.7510	 0.4720
D	 0.7530	 0.4740

