



wwPDB X-ray Structure Validation Summary Report i

Feb 17, 2024 – 09:19 PM EST

PDB ID : 3UOI
Title : Mycobacterium tuberculosis bacterioferritin, BfrA
Authors : McMath, L.M.; Goulding, C.W.; TB Structural Genomics Consortium (TB-SGC)
Deposited on : 2011-11-16
Resolution : 1.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|-----------------------|--------------------------|--|
| R_{free} | 130704 | 6207 (1.90-1.90) |
| Ramachandran outliers | 138981 | 6760 (1.90-1.90) |
| Sidechain outliers | 138945 | 6760 (1.90-1.90) |
| RSRZ outliers | 127900 | 6082 (1.90-1.90) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.




Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | G | 161 | 92% 7% .. |
| 1 | H | 161 | 93% 6% .. |
| 1 | I | 161 | 94% 5% .. |
| 1 | J | 161 | 89% 10% .. |
| 1 | K | 161 | 92% 6% .. |
| 1 | L | 161 | 94% .. |
| 1 | M | 161 | 91% 7% .. |
| 1 | N | 161 | 89% 9% .. |
| 1 | O | 161 | 94% .. |
| 1 | P | 161 | 91% 7% .. |
| 1 | Q | 161 | 91% 7% .. |
| 1 | R | 161 | 88% 9% .. |
| 1 | S | 161 | 92% 6% .. |
| 1 | T | 161 | 90% 9% .. |
| 1 | U | 161 | 88% 11% .. |
| 1 | V | 161 | 90% 9% .. |
| 1 | W | 161 | 93% 6% .. |
| 1 | X | 161 | 95% .. |
| 1 | a | 161 | 89% 10% .. |
| 1 | b | 161 | 94% 5% .. |
| 1 | c | 161 | 93% 6% .. |
| 1 | d | 161 | 93% 6% .. |
| 1 | e | 161 | 94% .. |
| 1 | f | 161 | .% 94% .. |
| 1 | g | 161 | 94% .. |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 1 | h | 161 |  94% .. |
| 1 | i | 161 |  93% 6% .. |
| 1 | j | 161 |  91% 8% .. |
| 1 | k | 161 |  90% 9% .. |
| 1 | l | 161 |  95% .. |
| 1 | m | 161 |  89% 9% .. |
| 1 | n | 161 |  88% 11% .. |
| 1 | o | 161 |  93% 6% .. |
| 1 | p | 161 |  92% 7% .. |
| 1 | q | 161 |  93% 5% .. |
| 1 | r | 161 |  92% 7% .. |
| 1 | s | 161 |  93% 6% .. |
| 1 | t | 161 |  88% 11% .. |
| 1 | u | 161 |  91% 7% .. |
| 1 | v | 161 |  89% 9% .. |
| 1 | w | 161 |  90% 9% .. |
| 1 | x | 161 |  92% 7% .. |

2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 67560 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacterioferritin.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| 1 | A | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | B | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | C | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | D | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | E | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | F | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | G | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | H | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | I | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | J | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | K | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | L | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | M | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | N | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | O | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | P | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| 1 | Q | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | R | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | S | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | T | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | U | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | V | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | W | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | X | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | a | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | b | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | c | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | d | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | e | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | f | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | g | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | h | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | i | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | j | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | k | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | l | 159 | Total | C | N | O | S | | | |
| | | | 1285 | 802 | 218 | 258 | 7 | 0 | 0 | 0 |
| 1 | m | 159 | Total | C | N | O | S | | | |
| | | | 1281 | 800 | 218 | 256 | 7 | 0 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| 1 | n | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | o | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | p | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1281 | 800 | 218 | 256 | 7 | | | |
| 1 | q | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | r | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | s | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | t | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | u | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | v | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | w | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |
| 1 | x | 159 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 1285 | 802 | 218 | 258 | 7 | | | |

There are 96 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| A | -1 | MET | - | expression tag | UNP P63697 |
| A | 0 | GLY | - | expression tag | UNP P63697 |
| B | -1 | MET | - | expression tag | UNP P63697 |
| B | 0 | GLY | - | expression tag | UNP P63697 |
| C | -1 | MET | - | expression tag | UNP P63697 |
| C | 0 | GLY | - | expression tag | UNP P63697 |
| D | -1 | MET | - | expression tag | UNP P63697 |
| D | 0 | GLY | - | expression tag | UNP P63697 |
| E | -1 | MET | - | expression tag | UNP P63697 |
| E | 0 | GLY | - | expression tag | UNP P63697 |
| F | -1 | MET | - | expression tag | UNP P63697 |
| F | 0 | GLY | - | expression tag | UNP P63697 |
| G | -1 | MET | - | expression tag | UNP P63697 |
| G | 0 | GLY | - | expression tag | UNP P63697 |
| H | -1 | MET | - | expression tag | UNP P63697 |
| H | 0 | GLY | - | expression tag | UNP P63697 |
| I | -1 | MET | - | expression tag | UNP P63697 |

Continued on next page...

Continued from previous page...


| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| I | 0 | GLY | - | expression tag | UNP P63697 |
| J | -1 | MET | - | expression tag | UNP P63697 |
| J | 0 | GLY | - | expression tag | UNP P63697 |
| K | -1 | MET | - | expression tag | UNP P63697 |
| K | 0 | GLY | - | expression tag | UNP P63697 |
| L | -1 | MET | - | expression tag | UNP P63697 |
| L | 0 | GLY | - | expression tag | UNP P63697 |
| M | -1 | MET | - | expression tag | UNP P63697 |
| M | 0 | GLY | - | expression tag | UNP P63697 |
| N | -1 | MET | - | expression tag | UNP P63697 |
| N | 0 | GLY | - | expression tag | UNP P63697 |
| O | -1 | MET | - | expression tag | UNP P63697 |
| O | 0 | GLY | - | expression tag | UNP P63697 |
| P | -1 | MET | - | expression tag | UNP P63697 |
| P | 0 | GLY | - | expression tag | UNP P63697 |
| Q | -1 | MET | - | expression tag | UNP P63697 |
| Q | 0 | GLY | - | expression tag | UNP P63697 |
| R | -1 | MET | - | expression tag | UNP P63697 |
| R | 0 | GLY | - | expression tag | UNP P63697 |
| S | -1 | MET | - | expression tag | UNP P63697 |
| S | 0 | GLY | - | expression tag | UNP P63697 |
| T | -1 | MET | - | expression tag | UNP P63697 |
| T | 0 | GLY | - | expression tag | UNP P63697 |
| U | -1 | MET | - | expression tag | UNP P63697 |
| U | 0 | GLY | - | expression tag | UNP P63697 |
| V | -1 | MET | - | expression tag | UNP P63697 |
| V | 0 | GLY | - | expression tag | UNP P63697 |
| W | -1 | MET | - | expression tag | UNP P63697 |
| W | 0 | GLY | - | expression tag | UNP P63697 |
| X | -1 | MET | - | expression tag | UNP P63697 |
| X | 0 | GLY | - | expression tag | UNP P63697 |
| a | -1 | MET | - | expression tag | UNP P63697 |
| a | 0 | GLY | - | expression tag | UNP P63697 |
| b | -1 | MET | - | expression tag | UNP P63697 |
| b | 0 | GLY | - | expression tag | UNP P63697 |
| c | -1 | MET | - | expression tag | UNP P63697 |
| c | 0 | GLY | - | expression tag | UNP P63697 |
| d | -1 | MET | - | expression tag | UNP P63697 |
| d | 0 | GLY | - | expression tag | UNP P63697 |
| e | -1 | MET | - | expression tag | UNP P63697 |
| e | 0 | GLY | - | expression tag | UNP P63697 |
| f | -1 | MET | - | expression tag | UNP P63697 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| f | 0 | GLY | - | expression tag | UNP P63697 |
| g | -1 | MET | - | expression tag | UNP P63697 |
| g | 0 | GLY | - | expression tag | UNP P63697 |
| h | -1 | MET | - | expression tag | UNP P63697 |
| h | 0 | GLY | - | expression tag | UNP P63697 |
| i | -1 | MET | - | expression tag | UNP P63697 |
| i | 0 | GLY | - | expression tag | UNP P63697 |
| j | -1 | MET | - | expression tag | UNP P63697 |
| j | 0 | GLY | - | expression tag | UNP P63697 |
| k | -1 | MET | - | expression tag | UNP P63697 |
| k | 0 | GLY | - | expression tag | UNP P63697 |
| l | -1 | MET | - | expression tag | UNP P63697 |
| l | 0 | GLY | - | expression tag | UNP P63697 |
| m | -1 | MET | - | expression tag | UNP P63697 |
| m | 0 | GLY | - | expression tag | UNP P63697 |
| n | -1 | MET | - | expression tag | UNP P63697 |
| n | 0 | GLY | - | expression tag | UNP P63697 |
| o | -1 | MET | - | expression tag | UNP P63697 |
| o | 0 | GLY | - | expression tag | UNP P63697 |
| p | -1 | MET | - | expression tag | UNP P63697 |
| p | 0 | GLY | - | expression tag | UNP P63697 |
| q | -1 | MET | - | expression tag | UNP P63697 |
| q | 0 | GLY | - | expression tag | UNP P63697 |
| r | -1 | MET | - | expression tag | UNP P63697 |
| r | 0 | GLY | - | expression tag | UNP P63697 |
| s | -1 | MET | - | expression tag | UNP P63697 |
| s | 0 | GLY | - | expression tag | UNP P63697 |
| t | -1 | MET | - | expression tag | UNP P63697 |
| t | 0 | GLY | - | expression tag | UNP P63697 |
| u | -1 | MET | - | expression tag | UNP P63697 |
| u | 0 | GLY | - | expression tag | UNP P63697 |
| v | -1 | MET | - | expression tag | UNP P63697 |
| v | 0 | GLY | - | expression tag | UNP P63697 |
| w | -1 | MET | - | expression tag | UNP P63697 |
| w | 0 | GLY | - | expression tag | UNP P63697 |
| x | -1 | MET | - | expression tag | UNP P63697 |
| x | 0 | GLY | - | expression tag | UNP P63697 |

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|--|----|----|---|---------|---------|
| 2 | B | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | C | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | F | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | H | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | I | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | L | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | M | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | P | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | R | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | S | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | U | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | X | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | a | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |
| 2 | c | 1 | Total | | C | Fe | N | O | |
| | | | 43 | | 34 | 1 | 4 | 4 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-------------------------------|---------|---------|
| 2 | e | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | g | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | j | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | k | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | n | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | o | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | q | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | t | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | v | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |
| 2 | x | 1 | Total C Fe N O 43 34 1 4 4 | 0 | 0 |

- Molecule 3 is water.

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|--------------------|---------|---------|
| 3 | A | 131 | Total O 131 131 | 0 | 0 |
| 3 | B | 120 | Total O 120 120 | 0 | 0 |
| 3 | C | 89 | Total O 89 89 | 0 | 0 |
| 3 | D | 105 | Total O 105 105 | 0 | 0 |
| 3 | E | 104 | Total O 104 104 | 0 | 0 |
| 3 | F | 102 | Total O 102 102 | 0 | 0 |
| 3 | G | 115 | Total O 115 115 | 0 | 0 |
| 3 | H | 135 | Total O 135 135 | 0 | 0 |
| 3 | I | 127 | Total O 127 127 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|--------------------|---------|---------|
| 3 | J | 142 | Total O 142 142 | 0 | 0 |
| 3 | K | 115 | Total O 115 115 | 0 | 0 |
| 3 | L | 116 | Total O 116 116 | 0 | 0 |
| 3 | M | 115 | Total O 115 115 | 0 | 0 |
| 3 | N | 122 | Total O 122 122 | 0 | 0 |
| 3 | O | 127 | Total O 127 127 | 0 | 0 |
| 3 | P | 127 | Total O 127 127 | 0 | 0 |
| 3 | Q | 108 | Total O 108 108 | 0 | 0 |
| 3 | R | 104 | Total O 104 104 | 0 | 0 |
| 3 | S | 73 | Total O 73 73 | 0 | 0 |
| 3 | T | 136 | Total O 136 136 | 0 | 0 |
| 3 | U | 151 | Total O 151 151 | 0 | 0 |
| 3 | V | 119 | Total O 119 119 | 0 | 0 |
| 3 | W | 91 | Total O 91 91 | 0 | 0 |
| 3 | X | 131 | Total O 131 131 | 0 | 0 |
| 3 | a | 65 | Total O 65 65 | 0 | 0 |
| 3 | b | 59 | Total O 59 59 | 0 | 0 |
| 3 | c | 94 | Total O 94 94 | 0 | 0 |
| 3 | d | 57 | Total O 57 57 | 0 | 0 |
| 3 | e | 103 | Total O 103 103 | 0 | 0 |
| 3 | f | 105 | Total O 105 105 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|--------------------|---------|---------|
| 3 | g | 59 | Total O 59 59 | 0 | 0 |
| 3 | h | 63 | Total O 63 63 | 0 | 0 |
| 3 | i | 128 | Total O 128 128 | 0 | 0 |
| 3 | j | 74 | Total O 74 74 | 0 | 0 |
| 3 | k | 102 | Total O 102 102 | 0 | 0 |
| 3 | l | 120 | Total O 120 120 | 0 | 0 |
| 3 | m | 58 | Total O 58 58 | 0 | 0 |
| 3 | n | 41 | Total O 41 41 | 0 | 0 |
| 3 | o | 106 | Total O 106 106 | 0 | 0 |
| 3 | p | 69 | Total O 69 69 | 0 | 0 |
| 3 | q | 91 | Total O 91 91 | 0 | 0 |
| 3 | r | 96 | Total O 96 96 | 0 | 0 |
| 3 | s | 65 | Total O 65 65 | 0 | 0 |
| 3 | t | 69 | Total O 69 69 | 0 | 0 |
| 3 | u | 131 | Total O 131 131 | 0 | 0 |
| 3 | v | 74 | Total O 74 74 | 0 | 0 |
| 3 | w | 100 | Total O 100 100 | 0 | 0 |
| 3 | x | 122 | Total O 122 122 | 0 | 0 |

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bacterioferritin

Chain A:  92% 6% ..



- Molecule 1: Bacterioferritin

Chain B:  96% ...




- Molecule 1: Bacterioferritin

Chain C:  92% 7% •



- Molecule 1: Bacterioferritin

Chain D:  93% 6% •



- Molecule 1: Bacterioferritin

Chain E:  89% 9% •



- Molecule 1: Bacterioferritin

Chain F:  92% 7% •



- Molecule 1: Bacterioferritin

Chain G:



- Molecule 1: Bacterioferritin

Chain H:



- Molecule 1: Bacterioferritin

Chain I:



- Molecule 1: Bacterioferritin

Chain J:



- Molecule 1: Bacterioferritin

Chain K:



- Molecule 1: Bacterioferritin

Chain L:



- Molecule 1: Bacterioferritin

Chain M:



- Molecule 1: Bacterioferritin

Chain N: 89%
•



- Molecule 1: Bacterioferritin

Chain O: 94%
•



- Molecule 1: Bacterioferritin

Chain P: 91%
..



- Molecule 1: Bacterioferritin

Chain Q: 91%
..



- Molecule 1: Bacterioferritin

Chain R: 88%
..



- Molecule 1: Bacterioferritin

Chain S: 92%
..



- Molecule 1: Bacterioferritin

Chain T: 90%
•



- Molecule 1: Bacterioferritin

Chain U: 88% 11%



- Molecule 1: Bacterioferritin

Chain V: 90% 9%



- Molecule 1: Bacterioferritin

Chain W: 93% 6%



- Molecule 1: Bacterioferritin

Chain X: 95%



- Molecule 1: Bacterioferritin

Chain a: 89% 10%



- Molecule 1: Bacterioferritin

Chain b: 94% 5%



- Molecule 1: Bacterioferritin

Chain c: 93% 6%



- Molecule 1: Bacterioferritin

Chain d: 93% 6%



- Molecule 1: Bacterioferritin

Chain e: 94% 2%



- Molecule 1: Bacterioferritin

Chain f: 94% 1%



- Molecule 1: Bacterioferritin

Chain g: 94% 2%



- Molecule 1: Bacterioferritin

Chain h: 94% 2%



- Molecule 1: Bacterioferritin

Chain i: 93% 6%



- Molecule 1: Bacterioferritin

Chain j: 91% 8%



- Molecule 1: Bacterioferritin

Chain k: 90% ..




- Molecule 1: Bacterioferritin

Chain l: 95% ..



- Molecule 1: Bacterioferritin

Chain m: 89% ..



- Molecule 1: Bacterioferritin

Chain n: 88% ..



- Molecule 1: Bacterioferritin

Chain o: 93% ..



- Molecule 1: Bacterioferritin

Chain p: 92% ..



- Molecule 1: Bacterioferritin

Chain q: 93% ..



- Molecule 1: Bacterioferritin

Chain r: 92% 7%



- Molecule 1: Bacterioferritin

Chain s: 93% 6%



- Molecule 1: Bacterioferritin

Chain t: 88% 11%



- Molecule 1: Bacterioferritin

Chain u: 91% 7%



- Molecule 1: Bacterioferritin

Chain v: 89% 9%



- Molecule 1: Bacterioferritin

Chain w: 90% 9%



- Molecule 1: Bacterioferritin

Chain x: 92% 7%



4 Data and refinement statistics (i)

| Property | Value | Source |
|---|---|------------------|
| Space group | P 1 | Depositor |
| Cell constants a, b, c, α , β , γ | 122.96 Å 123.22 Å 175.45 Å 89.95° 89.95° 90.00° | Depositor |
| Resolution (Å) | 32.56 – 1.90 32.56 – 1.90 | Depositor EDS |
| % Data completeness (in resolution range) | 88.4 (32.56-1.90) 86.6 (32.56-1.90) | Depositor EDS |
| R_{merge} | (Not available) | Depositor |
| R_{sym} | (Not available) | Depositor |
| $\langle I/\sigma(I) \rangle^{\text{1}}$ | 1.87 (at 1.91 Å) | Xtriage |
| Refinement program | REFMAC 5.5.0109 | Depositor |
| R, R_{free} | 0.148 , 0.194 0.162 , 0.160 | Depositor DCC |
| R_{free} test set | 35667 reflections (4.97%) | wwPDB-VP |
| Wilson B-factor (Å ²) | 21.8 | Xtriage |
| Anisotropy | 0.027 | Xtriage |
| Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²) | 0.36 , 25.9 | EDS |
| L-test for twinning ² | $\langle L \rangle = 0.40, \langle L^2 \rangle = 0.23$ | Xtriage |
| Estimated twinning fraction | 0.459 for k,-h,l 0.459 for -k,h,l 0.087 for h,-k,-l 0.087 for -h,k,-l 0.470 for -h,-k,l 0.087 for k,h,-l 0.087 for -k,-h,-l | Xtriage |
| Reported twinning fraction | 0.315 for 1.000H, 1.000K, L 0.208 for -1.000H, -1.000K, L 0.232 for 1.000K, -1.000H, L 0.245 for -1.000K, 1.000H, L | Depositor |
| Outliers | 0 of 718164 reflections | Xtriage |
| F_o, F_c correlation | 0.96 | EDS |
| Total number of atoms | 67560 | wwPDB-VP |
| Average B, all atoms (Å ²) | 24.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 53.20 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.3586e-05.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|----------------|-------------|---------------|
| | | RMSZ | # $ Z > 5$ | RMSZ | # $ Z > 5$ |
| 1 | A | 1.58 | 6/1304 (0.5%) | 0.95 | 3/1763 (0.2%) |
| 1 | B | 1.60 | 3/1304 (0.2%) | 0.98 | 1/1763 (0.1%) |
| 1 | C | 1.60 | 4/1304 (0.3%) | 1.01 | 1/1763 (0.1%) |
| 1 | D | 1.63 | 5/1304 (0.4%) | 0.96 | 0/1763 |
| 1 | E | 1.56 | 7/1304 (0.5%) | 1.05 | 4/1763 (0.2%) |
| 1 | F | 1.62 | 6/1304 (0.5%) | 0.98 | 1/1763 (0.1%) |
| 1 | G | 1.67 | 9/1304 (0.7%) | 0.99 | 1/1763 (0.1%) |
| 1 | H | 1.64 | 6/1304 (0.5%) | 0.96 | 1/1763 (0.1%) |
| 1 | I | 1.57 | 2/1304 (0.2%) | 1.00 | 4/1763 (0.2%) |
| 1 | J | 1.66 | 10/1304 (0.8%) | 1.02 | 7/1763 (0.4%) |
| 1 | K | 1.57 | 7/1304 (0.5%) | 0.94 | 3/1763 (0.2%) |
| 1 | L | 1.60 | 4/1304 (0.3%) | 1.00 | 3/1763 (0.2%) |
| 1 | M | 1.64 | 7/1304 (0.5%) | 0.96 | 1/1763 (0.1%) |
| 1 | N | 1.71 | 8/1304 (0.6%) | 0.98 | 4/1763 (0.2%) |
| 1 | O | 1.62 | 6/1304 (0.5%) | 0.98 | 1/1763 (0.1%) |
| 1 | P | 1.69 | 11/1304 (0.8%) | 0.95 | 3/1763 (0.2%) |
| 1 | Q | 1.66 | 12/1304 (0.9%) | 0.97 | 1/1763 (0.1%) |
| 1 | R | 1.57 | 10/1304 (0.8%) | 1.04 | 6/1763 (0.3%) |
| 1 | S | 1.63 | 6/1304 (0.5%) | 1.04 | 4/1763 (0.2%) |
| 1 | T | 1.71 | 10/1304 (0.8%) | 1.00 | 3/1763 (0.2%) |
| 1 | U | 1.77 | 13/1304 (1.0%) | 0.98 | 2/1763 (0.1%) |
| 1 | V | 1.61 | 5/1304 (0.4%) | 0.98 | 4/1763 (0.2%) |
| 1 | W | 1.61 | 4/1304 (0.3%) | 0.97 | 2/1763 (0.1%) |
| 1 | X | 1.66 | 3/1304 (0.2%) | 0.98 | 1/1763 (0.1%) |
| 1 | a | 1.71 | 15/1304 (1.2%) | 0.97 | 2/1763 (0.1%) |
| 1 | b | 1.66 | 6/1304 (0.5%) | 0.98 | 2/1763 (0.1%) |
| 1 | c | 1.56 | 3/1304 (0.2%) | 0.99 | 3/1763 (0.2%) |
| 1 | d | 1.56 | 7/1304 (0.5%) | 0.96 | 2/1763 (0.1%) |
| 1 | e | 1.48 | 2/1304 (0.2%) | 0.96 | 2/1763 (0.1%) |
| 1 | f | 1.58 | 5/1304 (0.4%) | 1.01 | 4/1763 (0.2%) |
| 1 | g | 1.60 | 4/1304 (0.3%) | 0.97 | 2/1763 (0.1%) |
| 1 | h | 1.53 | 3/1304 (0.2%) | 0.95 | 0/1763 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|------------------|-------------|------------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | i | 1.59 | 8/1304 (0.6%) | 0.98 | 3/1763 (0.2%) |
| 1 | j | 1.65 | 7/1304 (0.5%) | 1.01 | 3/1763 (0.2%) |
| 1 | k | 1.62 | 7/1304 (0.5%) | 0.99 | 2/1763 (0.1%) |
| 1 | l | 1.62 | 5/1304 (0.4%) | 0.96 | 0/1763 |
| 1 | m | 1.67 | 9/1300 (0.7%) | 0.97 | 3/1758 (0.2%) |
| 1 | n | 1.69 | 9/1304 (0.7%) | 1.02 | 3/1763 (0.2%) |
| 1 | o | 1.71 | 8/1304 (0.6%) | 0.97 | 0/1763 |
| 1 | p | 1.59 | 6/1300 (0.5%) | 0.95 | 2/1758 (0.1%) |
| 1 | q | 1.56 | 5/1304 (0.4%) | 0.96 | 1/1763 (0.1%) |
| 1 | r | 1.60 | 7/1304 (0.5%) | 0.99 | 2/1763 (0.1%) |
| 1 | s | 1.60 | 7/1304 (0.5%) | 0.96 | 2/1763 (0.1%) |
| 1 | t | 1.77 | 14/1304 (1.1%) | 0.99 | 2/1763 (0.1%) |
| 1 | u | 1.72 | 10/1304 (0.8%) | 1.01 | 2/1763 (0.1%) |
| 1 | v | 1.67 | 8/1304 (0.6%) | 0.99 | 2/1763 (0.1%) |
| 1 | w | 1.61 | 5/1304 (0.4%) | 1.05 | 6/1763 (0.3%) |
| 1 | x | 1.68 | 6/1304 (0.5%) | 0.94 | 1/1763 (0.1%) |
| All | All | 1.63 | 330/62584 (0.5%) | 0.98 | 112/84614 (0.1%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | q | 0 | 1 |

The worst 5 of 330 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|--------|-------------|----------|
| 1 | P | 108 | CYS | CB-SG | -10.43 | 1.64 | 1.82 |
| 1 | W | 108 | CYS | CB-SG | -9.99 | 1.65 | 1.82 |
| 1 | k | 108 | CYS | CB-SG | -9.76 | 1.65 | 1.82 |
| 1 | N | 93 | ILE | C-N | 9.53 | 1.55 | 1.34 |
| 1 | M | 153 | CYS | CB-SG | -9.14 | 1.66 | 1.82 |

The worst 5 of 112 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 1 | E | 9 | ARG | NE-CZ-NH1 | 11.01 | 125.81 | 120.30 |
| 1 | f | 9 | ARG | NE-CZ-NH1 | 9.71 | 125.15 | 120.30 |
| 1 | q | 94 | GLU | O-C-N | -8.12 | 109.70 | 122.70 |
| 1 | w | 45 | ARG | NE-CZ-NH2 | 8.01 | 124.31 | 120.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed($^{\circ}$) | Ideal($^{\circ}$) |
|-----|-------|-----|------|-------|-------|------------------------|---------------------|
| 1 | w | 94 | GLU | O-C-N | -8.00 | 109.91 | 122.70 |

There are no chirality outliers.

All (1) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 1 | q | 94 | GLU | Mainchain |

5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|-----|-------|---------------|------------|---------|----------|-------------|
| 1 | A | 157/161 (98%) | 155 (99%) | 2 (1%) | 0 | 100 100 |
| 1 | B | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | C | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | D | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | E | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | F | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | G | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | H | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | I | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | J | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | K | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | L | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|-----|-------|---------------|------------|---------|----------|-------------|
| 1 | M | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | N | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | O | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | P | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | Q | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | R | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | S | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | T | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | U | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | V | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | W | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | X | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | a | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | b | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | c | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | d | 157/161 (98%) | 155 (99%) | 2 (1%) | 0 | 100 100 |
| 1 | e | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | f | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | g | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | h | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | i | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | j | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | k | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | l | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | m | 157/161 (98%) | 155 (99%) | 2 (1%) | 0 | 100 100 |
| 1 | n | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | o | 157/161 (98%) | 157 (100%) | 0 | 0 | 100 100 |
| 1 | p | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |
| 1 | q | 157/161 (98%) | 155 (99%) | 2 (1%) | 0 | 100 100 |
| 1 | r | 157/161 (98%) | 155 (99%) | 2 (1%) | 0 | 100 100 |
| 1 | s | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 1 | t | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 | 100 |
| 1 | u | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 | 100 |
| 1 | v | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 | 100 |
| 1 | w | 157/161 (98%) | 155 (99%) | 2 (1%) | 0 | 100 | 100 |
| 1 | x | 157/161 (98%) | 156 (99%) | 1 (1%) | 0 | 100 | 100 |
| All | All | 7536/7728 (98%) | 7492 (99%) | 44 (1%) | 0 | 100 | 100 |

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|-------------|-----|
| 1 | A | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 | 36 |
| 1 | B | 142/143 (99%) | 140 (99%) | 2 (1%) | 67 | 65 |
| 1 | C | 142/143 (99%) | 136 (96%) | 6 (4%) | 30 | 20 |
| 1 | D | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 | 36 |
| 1 | E | 142/143 (99%) | 135 (95%) | 7 (5%) | 25 | 15 |
| 1 | F | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 | 36 |
| 1 | G | 142/143 (99%) | 140 (99%) | 2 (1%) | 67 | 65 |
| 1 | H | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 | 36 |
| 1 | I | 142/143 (99%) | 139 (98%) | 3 (2%) | 53 | 48 |
| 1 | J | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 | 36 |
| 1 | K | 142/143 (99%) | 137 (96%) | 5 (4%) | 36 | 27 |
| 1 | L | 142/143 (99%) | 142 (100%) | 0 | 100 | 100 |
| 1 | M | 142/143 (99%) | 136 (96%) | 6 (4%) | 30 | 20 |
| 1 | N | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 | 36 |
| 1 | O | 142/143 (99%) | 142 (100%) | 0 | 100 | 100 |
| 1 | P | 142/143 (99%) | 139 (98%) | 3 (2%) | 53 | 48 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles |
|-----|-------|---------------|-----------|----------|-------------|
| 1 | Q | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | R | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | S | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | T | 142/143 (99%) | 137 (96%) | 5 (4%) | 36 27 |
| 1 | U | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | V | 142/143 (99%) | 136 (96%) | 6 (4%) | 30 20 |
| 1 | W | 142/143 (99%) | 137 (96%) | 5 (4%) | 36 27 |
| 1 | X | 142/143 (99%) | 140 (99%) | 2 (1%) | 67 65 |
| 1 | a | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | b | 142/143 (99%) | 140 (99%) | 2 (1%) | 67 65 |
| 1 | c | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | d | 142/143 (99%) | 140 (99%) | 2 (1%) | 67 65 |
| 1 | e | 142/143 (99%) | 139 (98%) | 3 (2%) | 53 48 |
| 1 | f | 142/143 (99%) | 141 (99%) | 1 (1%) | 84 84 |
| 1 | g | 142/143 (99%) | 139 (98%) | 3 (2%) | 53 48 |
| 1 | h | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | i | 142/143 (99%) | 140 (99%) | 2 (1%) | 67 65 |
| 1 | j | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | k | 142/143 (99%) | 135 (95%) | 7 (5%) | 25 15 |
| 1 | l | 142/143 (99%) | 141 (99%) | 1 (1%) | 84 84 |
| 1 | m | 141/143 (99%) | 136 (96%) | 5 (4%) | 36 27 |
| 1 | n | 142/143 (99%) | 135 (95%) | 7 (5%) | 25 15 |
| 1 | o | 142/143 (99%) | 141 (99%) | 1 (1%) | 84 84 |
| 1 | p | 141/143 (99%) | 137 (97%) | 4 (3%) | 43 36 |
| 1 | q | 142/143 (99%) | 139 (98%) | 3 (2%) | 53 48 |
| 1 | r | 142/143 (99%) | 139 (98%) | 3 (2%) | 53 48 |
| 1 | s | 142/143 (99%) | 141 (99%) | 1 (1%) | 84 84 |
| 1 | t | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | u | 142/143 (99%) | 138 (97%) | 4 (3%) | 43 36 |
| 1 | v | 142/143 (99%) | 135 (95%) | 7 (5%) | 25 15 |
| 1 | w | 142/143 (99%) | 136 (96%) | 6 (4%) | 30 20 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles |
|-----|-------|-----------------|------------|----------|-------------|
| 1 | x | 142/143 (99%) | 137 (96%) | 5 (4%) | 36 27 |
| All | All | 6814/6864 (99%) | 6635 (97%) | 179 (3%) | 46 39 |

5 of 179 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | i | 1 | MET |
| 1 | p | 77 | LEU |
| 1 | j | 77 | LEU |
| 1 | m | 66 | ASP |
| 1 | r | 137 | GLN |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 66 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | v | 112 | GLN |
| 1 | w | 2 | GLN |
| 1 | x | 152 | GLN |
| 1 | U | 81 | GLN |
| 1 | U | 24 | GLN |

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | # $ Z > 2$ | Counts | RMSZ | # $ Z > 2$ |
| 2 | HEM | e | 200 | 1 | 41,50,50 | 2.07 | 10 (24%) | 45,82,82 | 2.33 | 15 (33%) |
| 2 | HEM | H | 200 | 1 | 41,50,50 | 1.95 | 5 (12%) | 45,82,82 | 2.58 | 20 (44%) |
| 2 | HEM | C | 200 | 1 | 41,50,50 | 2.61 | 13 (31%) | 45,82,82 | 3.61 | 15 (33%) |
| 2 | HEM | S | 200 | 1 | 41,50,50 | 2.28 | 13 (31%) | 45,82,82 | 2.98 | 23 (51%) |
| 2 | HEM | M | 200 | 1 | 41,50,50 | 2.15 | 9 (21%) | 45,82,82 | 2.03 | 13 (28%) |
| 2 | HEM | k | 200 | 1 | 41,50,50 | 2.23 | 9 (21%) | 45,82,82 | 1.92 | 10 (22%) |
| 2 | HEM | x | 200 | 1 | 41,50,50 | 2.28 | 9 (21%) | 45,82,82 | 2.67 | 18 (40%) |
| 2 | HEM | j | 200 | 1 | 41,50,50 | 2.25 | 11 (26%) | 45,82,82 | 2.72 | 16 (35%) |
| 2 | HEM | v | 200 | 1 | 41,50,50 | 2.36 | 11 (26%) | 45,82,82 | 2.53 | 22 (48%) |
| 2 | HEM | n | 200 | 1 | 41,50,50 | 2.34 | 10 (24%) | 45,82,82 | 1.99 | 11 (24%) |
| 2 | HEM | P | 200 | 1 | 41,50,50 | 2.23 | 11 (26%) | 45,82,82 | 2.07 | 16 (35%) |
| 2 | HEM | F | 200 | 1 | 41,50,50 | 2.09 | 7 (17%) | 45,82,82 | 2.38 | 15 (33%) |
| 2 | HEM | R | 200 | 1 | 41,50,50 | 2.19 | 11 (26%) | 45,82,82 | 2.24 | 12 (26%) |
| 2 | HEM | U | 200 | 1 | 41,50,50 | 2.28 | 11 (26%) | 45,82,82 | 2.77 | 16 (35%) |
| 2 | HEM | B | 200 | 1 | 41,50,50 | 1.96 | 11 (26%) | 45,82,82 | 1.96 | 14 (31%) |
| 2 | HEM | a | 200 | 1 | 41,50,50 | 2.15 | 8 (19%) | 45,82,82 | 2.93 | 20 (44%) |
| 2 | HEM | c | 200 | 1 | 41,50,50 | 1.86 | 7 (17%) | 45,82,82 | 2.69 | 18 (40%) |
| 2 | HEM | q | 200 | 1 | 41,50,50 | 1.91 | 7 (17%) | 45,82,82 | 1.72 | 9 (20%) |
| 2 | HEM | I | 200 | 1 | 41,50,50 | 2.66 | 16 (39%) | 45,82,82 | 2.55 | 16 (35%) |
| 2 | HEM | L | 200 | 1 | 41,50,50 | 2.16 | 11 (26%) | 45,82,82 | 2.72 | 16 (35%) |
| 2 | HEM | g | 200 | 1 | 41,50,50 | 1.96 | 8 (19%) | 45,82,82 | 2.01 | 17 (37%) |
| 2 | HEM | X | 200 | 1 | 41,50,50 | 2.31 | 11 (26%) | 45,82,82 | 2.64 | 19 (42%) |
| 2 | HEM | o | 200 | 1 | 41,50,50 | 2.16 | 9 (21%) | 45,82,82 | 2.09 | 9 (20%) |
| 2 | HEM | t | 200 | 1 | 41,50,50 | 2.27 | 13 (31%) | 45,82,82 | 2.07 | 17 (37%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-------------|-------|
| 2 | HEM | e | 200 | 1 | - | 6/12/54/54 | - |
| 2 | HEM | H | 200 | 1 | - | 4/12/54/54 | - |
| 2 | HEM | C | 200 | 1 | - | 8/12/54/54 | - |
| 2 | HEM | S | 200 | 1 | - | 4/12/54/54 | - |
| 2 | HEM | M | 200 | 1 | - | 8/12/54/54 | - |
| 2 | HEM | k | 200 | 1 | - | 10/12/54/54 | - |
| 2 | HEM | x | 200 | 1 | - | 3/12/54/54 | - |
| 2 | HEM | j | 200 | 1 | - | 2/12/54/54 | - |
| 2 | HEM | v | 200 | 1 | - | 6/12/54/54 | - |
| 2 | HEM | n | 200 | 1 | - | 2/12/54/54 | - |
| 2 | HEM | P | 200 | 1 | - | 6/12/54/54 | - |
| 2 | HEM | F | 200 | 1 | - | 5/12/54/54 | - |
| 2 | HEM | R | 200 | 1 | - | 8/12/54/54 | - |
| 2 | HEM | U | 200 | 1 | - | 2/12/54/54 | - |
| 2 | HEM | B | 200 | 1 | - | 4/12/54/54 | - |
| 2 | HEM | a | 200 | 1 | - | 1/12/54/54 | - |
| 2 | HEM | c | 200 | 1 | - | 5/12/54/54 | - |
| 2 | HEM | q | 200 | 1 | - | 4/12/54/54 | - |
| 2 | HEM | I | 200 | 1 | - | 2/12/54/54 | - |
| 2 | HEM | L | 200 | 1 | - | 8/12/54/54 | - |
| 2 | HEM | g | 200 | 1 | - | 6/12/54/54 | - |
| 2 | HEM | X | 200 | 1 | - | 7/12/54/54 | - |
| 2 | HEM | o | 200 | 1 | - | 8/12/54/54 | - |
| 2 | HEM | t | 200 | 1 | - | 10/12/54/54 | - |

The worst 5 of 241 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|---------|-------|-------------|----------|
| 2 | a | 200 | HEM | C3D-C2D | 8.84 | 1.55 | 1.36 |
| 2 | n | 200 | HEM | C3C-C2C | -8.80 | 1.28 | 1.40 |
| 2 | C | 200 | HEM | FE-ND | -8.76 | 1.53 | 1.96 |
| 2 | e | 200 | HEM | C3D-C2D | 8.70 | 1.55 | 1.36 |
| 2 | I | 200 | HEM | C3C-C2C | -8.42 | 1.28 | 1.40 |

The worst 5 of 377 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|------------|-------|-------------|----------|
| 2 | C | 200 | HEM | CHD-C1D-ND | 15.96 | 141.77 | 124.43 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|--------|-------------|----------|
| 2 | C | 200 | HEM | CHD-C1D-C2D | -10.00 | 109.36 | 124.98 |
| 2 | I | 200 | HEM | CBA-CAA-C2A | -8.76 | 97.67 | 112.62 |
| 2 | R | 200 | HEM | C4D-ND-C1D | 8.65 | 114.01 | 105.07 |
| 2 | x | 200 | HEM | C4D-ND-C1D | 8.52 | 113.88 | 105.07 |

There are no chirality outliers.


5 of 129 torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-----------------|
| 2 | C | 200 | HEM | C1A-C2A-CAA-CBA |
| 2 | C | 200 | HEM | C3A-C2A-CAA-CBA |
| 2 | C | 200 | HEM | C2A-CAA-CBA-CGA |
| 2 | L | 200 | HEM | C3D-CAD-CBD-CGD |
| 2 | P | 200 | HEM | C1A-C2A-CAA-CBA |


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




































































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | | OWAB(Å ²) | Q<0.9 |
|-----|-------|---------------|--------|---------|-----|-----------------------|-------|
| 1 | A | 159/161 (98%) | -0.32 | 0 | 100 | 100 | 0 |
| 1 | B | 159/161 (98%) | -0.32 | 0 | 100 | 100 | 0 |
| 1 | C | 159/161 (98%) | -0.24 | 0 | 100 | 100 | 0 |
| 1 | D | 159/161 (98%) | -0.28 | 0 | 100 | 100 | 0 |
| 1 | E | 159/161 (98%) | -0.14 | 0 | 100 | 100 | 0 |
| 1 | F | 159/161 (98%) | -0.23 | 0 | 100 | 100 | 0 |
| 1 | G | 159/161 (98%) | -0.26 | 0 | 100 | 100 | 0 |
| 1 | H | 159/161 (98%) | -0.27 | 0 | 100 | 100 | 0 |
| 1 | I | 159/161 (98%) | -0.37 | 0 | 100 | 100 | 0 |
| 1 | J | 159/161 (98%) | -0.35 | 0 | 100 | 100 | 0 |
| 1 | K | 159/161 (98%) | -0.31 | 0 | 100 | 100 | 0 |
| 1 | L | 159/161 (98%) | -0.32 | 0 | 100 | 100 | 0 |
| 1 | M | 159/161 (98%) | -0.29 | 0 | 100 | 100 | 0 |
| 1 | N | 159/161 (98%) | -0.31 | 0 | 100 | 100 | 0 |
| 1 | O | 159/161 (98%) | -0.27 | 0 | 100 | 100 | 0 |
| 1 | P | 159/161 (98%) | -0.30 | 0 | 100 | 100 | 0 |
| 1 | Q | 159/161 (98%) | -0.14 | 0 | 100 | 100 | 0 |
| 1 | R | 159/161 (98%) | -0.17 | 0 | 100 | 100 | 0 |
| 1 | S | 159/161 (98%) | -0.27 | 0 | 100 | 100 | 0 |
| 1 | T | 159/161 (98%) | -0.29 | 0 | 100 | 100 | 0 |
| 1 | U | 159/161 (98%) | -0.28 | 0 | 100 | 100 | 0 |
| 1 | V | 159/161 (98%) | -0.37 | 0 | 100 | 100 | 0 |
| 1 | W | 159/161 (98%) | -0.22 | 0 | 100 | 100 | 0 |
| 1 | X | 159/161 (98%) | -0.33 | 0 | 100 | 100 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | | OWAB(Å ²) | Q<0.9 |
|-----|-------|-----------------|--------|---------|-----|-----------------------|----------------|
| 1 | a | 159/161 (98%) | -0.29 | 0 | 100 | 100 | |
| 1 | b | 159/161 (98%) | -0.25 | 0 | 100 | 100 | |
| 1 | c | 159/161 (98%) | -0.32 | 0 | 100 | 100 | |
| 1 | d | 159/161 (98%) | -0.27 | 0 | 100 | 100 | |
| 1 | e | 159/161 (98%) | -0.28 | 0 | 100 | 100 | |
| 1 | f | 159/161 (98%) | -0.28 | 1 (0%) | 89 | 90 | |
| 1 | g | 159/161 (98%) | -0.24 | 0 | 100 | 100 | |
| 1 | h | 159/161 (98%) | -0.35 | 0 | 100 | 100 | |
| 1 | i | 159/161 (98%) | -0.36 | 0 | 100 | 100 | |
| 1 | j | 159/161 (98%) | -0.34 | 0 | 100 | 100 | |
| 1 | k | 159/161 (98%) | -0.22 | 0 | 100 | 100 | |
| 1 | l | 159/161 (98%) | -0.32 | 0 | 100 | 100 | |
| 1 | m | 159/161 (98%) | -0.26 | 0 | 100 | 100 | |
| 1 | n | 159/161 (98%) | -0.25 | 0 | 100 | 100 | |
| 1 | o | 159/161 (98%) | -0.29 | 0 | 100 | 100 | |
| 1 | p | 159/161 (98%) | -0.32 | 0 | 100 | 100 | |
| 1 | q | 159/161 (98%) | -0.22 | 0 | 100 | 100 | |
| 1 | r | 159/161 (98%) | -0.22 | 0 | 100 | 100 | |
| 1 | s | 159/161 (98%) | -0.34 | 0 | 100 | 100 | |
| 1 | t | 159/161 (98%) | -0.33 | 0 | 100 | 100 | |
| 1 | u | 159/161 (98%) | -0.29 | 0 | 100 | 100 | |
| 1 | v | 159/161 (98%) | -0.38 | 0 | 100 | 100 | |
| 1 | w | 159/161 (98%) | -0.28 | 0 | 100 | 100 | |
| 1 | x | 159/161 (98%) | -0.26 | 0 | 100 | 100 | |
| All | All | 7632/7728 (98%) | -0.28 | 1 (0%) | 100 | 100 | |
| | | | | | | | 12, 24, 33, 46 |
| | | | | | | | 0 |

All (1) RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 1 | f | 144 | LEU | 2.3 |

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|-----|-------|------|------|----------------------------|-------|
| 2 | HEM | C | 200 | 43/43 | 0.96 | 0.15 | 18,31,44,47 | 0 |
| 2 | HEM | P | 200 | 43/43 | 0.96 | 0.14 | 12,25,37,39 | 0 |
| 2 | HEM | R | 200 | 43/43 | 0.96 | 0.15 | 21,28,38,40 | 0 |
| 2 | HEM | n | 200 | 43/43 | 0.96 | 0.13 | 10,21,34,37 | 0 |
| 2 | HEM | q | 200 | 43/43 | 0.96 | 0.10 | 25,32,42,45 | 0 |
| 2 | HEM | v | 200 | 43/43 | 0.96 | 0.12 | 14,24,33,35 | 0 |
| 2 | HEM | x | 200 | 43/43 | 0.96 | 0.12 | 10,22,34,38 | 0 |
| 2 | HEM | X | 200 | 43/43 | 0.97 | 0.10 | 13,24,37,41 | 0 |
| 2 | HEM | a | 200 | 43/43 | 0.97 | 0.11 | 13,22,29,33 | 0 |
| 2 | HEM | c | 200 | 43/43 | 0.97 | 0.12 | 17,27,40,43 | 0 |
| 2 | HEM | e | 200 | 43/43 | 0.97 | 0.14 | 19,31,38,40 | 0 |
| 2 | HEM | g | 200 | 43/43 | 0.97 | 0.14 | 17,29,40,42 | 0 |
| 2 | HEM | k | 200 | 43/43 | 0.97 | 0.12 | 10,21,34,37 | 0 |
| 2 | HEM | H | 200 | 43/43 | 0.97 | 0.10 | 14,24,32,35 | 0 |
| 2 | HEM | o | 200 | 43/43 | 0.97 | 0.11 | 12,22,37,44 | 0 |
| 2 | HEM | L | 200 | 43/43 | 0.97 | 0.11 | 14,21,42,48 | 0 |
| 2 | HEM | t | 200 | 43/43 | 0.97 | 0.12 | 10,21,34,37 | 0 |
| 2 | HEM | B | 200 | 43/43 | 0.97 | 0.11 | 18,27,38,45 | 0 |
| 2 | HEM | F | 200 | 43/43 | 0.97 | 0.12 | 16,28,46,52 | 0 |
| 2 | HEM | U | 200 | 43/43 | 0.98 | 0.10 | 10,20,26,33 | 0 |
| 2 | HEM | I | 200 | 43/43 | 0.98 | 0.11 | 10,21,34,37 | 0 |
| 2 | HEM | j | 200 | 43/43 | 0.98 | 0.11 | 6,18,36,37 | 0 |
| 2 | HEM | M | 200 | 43/43 | 0.98 | 0.11 | 14,24,43,53 | 0 |
| 2 | HEM | S | 200 | 43/43 | 0.98 | 0.12 | 8,16,30,33 | 0 |


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different


orientation to approximate a three-dimensional view.




































































6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.