



wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 25, 2024 – 12:37 PM EDT

PDB ID : 5V12
Title : Crystal structure of Carbon Sulfoxide lyase, Egt2 Y134F with sulfenic acid intermediate
Authors : Irani, S.; Zhang, Y.
Deposited on : 2017-03-01
Resolution : 2.45 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	501	
1	B	501	
1	D	501	
1	E	501	
1	F	501	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	501	 4% 69% 18% 12%
1	H	501	 2% 72% 15% 13%
2	C	501	 6% 71% 16% 13%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 28363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hercynylcysteine sulfoxide lyase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	E	436	3475	2226	586	642	1	20	0	0	0
1	G	441	3506	2244	592	649	1	20	0	0	0
1	F	440	3499	2239	591	648	1	20	0	0	0
1	H	435	3470	2222	585	642	1	20	0	0	0
1	D	438	3486	2233	588	644	1	20	0	0	0
1	A	439	3491	2236	589	645	1	20	0	0	0
1	B	437	3483	2230	588	644	1	20	0	0	0

There are 210 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-6	MET	-	initiating methionine	UNP A7UX13
E	-5	GLY	-	expression tag	UNP A7UX13
E	-4	ASP	-	expression tag	UNP A7UX13
E	-3	ARG	-	expression tag	UNP A7UX13
E	-2	GLY	-	expression tag	UNP A7UX13
E	-1	PRO	-	expression tag	UNP A7UX13
E	0	GLU	-	expression tag	UNP A7UX13
E	1	PHE	-	expression tag	UNP A7UX13
E	134	PHE	TYR	conflict	UNP A7UX13
E	474	LEU	-	expression tag	UNP A7UX13
E	475	GLU	-	expression tag	UNP A7UX13
E	476	VAL	-	expression tag	UNP A7UX13
E	477	ASP	-	expression tag	UNP A7UX13
E	478	LEU	-	expression tag	UNP A7UX13
E	479	GLN	-	expression tag	UNP A7UX13

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	480	GLY	-	expression tag	UNP A7UX13
E	481	ASP	-	expression tag	UNP A7UX13
E	482	HIS	-	expression tag	UNP A7UX13
E	483	GLY	-	expression tag	UNP A7UX13
E	484	LEU	-	expression tag	UNP A7UX13
E	485	SER	-	expression tag	UNP A7UX13
E	486	ALA	-	expression tag	UNP A7UX13
E	487	TRP	-	expression tag	UNP A7UX13
E	488	SER	-	expression tag	UNP A7UX13
E	489	HIS	-	expression tag	UNP A7UX13
E	490	PRO	-	expression tag	UNP A7UX13
E	491	GLN	-	expression tag	UNP A7UX13
E	492	PHE	-	expression tag	UNP A7UX13
E	493	GLU	-	expression tag	UNP A7UX13
E	494	LYS	-	expression tag	UNP A7UX13
G	-6	MET	-	initiating methionine	UNP A7UX13
G	-5	GLY	-	expression tag	UNP A7UX13
G	-4	ASP	-	expression tag	UNP A7UX13
G	-3	ARG	-	expression tag	UNP A7UX13
G	-2	GLY	-	expression tag	UNP A7UX13
G	-1	PRO	-	expression tag	UNP A7UX13
G	0	GLU	-	expression tag	UNP A7UX13
G	1	PHE	-	expression tag	UNP A7UX13
G	134	PHE	TYR	conflict	UNP A7UX13
G	474	LEU	-	expression tag	UNP A7UX13
G	475	GLU	-	expression tag	UNP A7UX13
G	476	VAL	-	expression tag	UNP A7UX13
G	477	ASP	-	expression tag	UNP A7UX13
G	478	LEU	-	expression tag	UNP A7UX13
G	479	GLN	-	expression tag	UNP A7UX13
G	480	GLY	-	expression tag	UNP A7UX13
G	481	ASP	-	expression tag	UNP A7UX13
G	482	HIS	-	expression tag	UNP A7UX13
G	483	GLY	-	expression tag	UNP A7UX13
G	484	LEU	-	expression tag	UNP A7UX13
G	485	SER	-	expression tag	UNP A7UX13
G	486	ALA	-	expression tag	UNP A7UX13
G	487	TRP	-	expression tag	UNP A7UX13
G	488	SER	-	expression tag	UNP A7UX13
G	489	HIS	-	expression tag	UNP A7UX13
G	490	PRO	-	expression tag	UNP A7UX13
G	491	GLN	-	expression tag	UNP A7UX13

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	492	PHE	-	expression tag	UNP A7UX13
G	493	GLU	-	expression tag	UNP A7UX13
G	494	LYS	-	expression tag	UNP A7UX13
F	-6	MET	-	initiating methionine	UNP A7UX13
F	-5	GLY	-	expression tag	UNP A7UX13
F	-4	ASP	-	expression tag	UNP A7UX13
F	-3	ARG	-	expression tag	UNP A7UX13
F	-2	GLY	-	expression tag	UNP A7UX13
F	-1	PRO	-	expression tag	UNP A7UX13
F	0	GLU	-	expression tag	UNP A7UX13
F	1	PHE	-	expression tag	UNP A7UX13
F	134	PHE	TYR	conflict	UNP A7UX13
F	474	LEU	-	expression tag	UNP A7UX13
F	475	GLU	-	expression tag	UNP A7UX13
F	476	VAL	-	expression tag	UNP A7UX13
F	477	ASP	-	expression tag	UNP A7UX13
F	478	LEU	-	expression tag	UNP A7UX13
F	479	GLN	-	expression tag	UNP A7UX13
F	480	GLY	-	expression tag	UNP A7UX13
F	481	ASP	-	expression tag	UNP A7UX13
F	482	HIS	-	expression tag	UNP A7UX13
F	483	GLY	-	expression tag	UNP A7UX13
F	484	LEU	-	expression tag	UNP A7UX13
F	485	SER	-	expression tag	UNP A7UX13
F	486	ALA	-	expression tag	UNP A7UX13
F	487	TRP	-	expression tag	UNP A7UX13
F	488	SER	-	expression tag	UNP A7UX13
F	489	HIS	-	expression tag	UNP A7UX13
F	490	PRO	-	expression tag	UNP A7UX13
F	491	GLN	-	expression tag	UNP A7UX13
F	492	PHE	-	expression tag	UNP A7UX13
F	493	GLU	-	expression tag	UNP A7UX13
F	494	LYS	-	expression tag	UNP A7UX13
H	-6	MET	-	initiating methionine	UNP A7UX13
H	-5	GLY	-	expression tag	UNP A7UX13
H	-4	ASP	-	expression tag	UNP A7UX13
H	-3	ARG	-	expression tag	UNP A7UX13
H	-2	GLY	-	expression tag	UNP A7UX13
H	-1	PRO	-	expression tag	UNP A7UX13
H	0	GLU	-	expression tag	UNP A7UX13
H	1	PHE	-	expression tag	UNP A7UX13
H	134	PHE	TYR	conflict	UNP A7UX13

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	474	LEU	-	expression tag	UNP A7UX13
H	475	GLU	-	expression tag	UNP A7UX13
H	476	VAL	-	expression tag	UNP A7UX13
H	477	ASP	-	expression tag	UNP A7UX13
H	478	LEU	-	expression tag	UNP A7UX13
H	479	GLN	-	expression tag	UNP A7UX13
H	480	GLY	-	expression tag	UNP A7UX13
H	481	ASP	-	expression tag	UNP A7UX13
H	482	HIS	-	expression tag	UNP A7UX13
H	483	GLY	-	expression tag	UNP A7UX13
H	484	LEU	-	expression tag	UNP A7UX13
H	485	SER	-	expression tag	UNP A7UX13
H	486	ALA	-	expression tag	UNP A7UX13
H	487	TRP	-	expression tag	UNP A7UX13
H	488	SER	-	expression tag	UNP A7UX13
H	489	HIS	-	expression tag	UNP A7UX13
H	490	PRO	-	expression tag	UNP A7UX13
H	491	GLN	-	expression tag	UNP A7UX13
H	492	PHE	-	expression tag	UNP A7UX13
H	493	GLU	-	expression tag	UNP A7UX13
H	494	LYS	-	expression tag	UNP A7UX13
D	-6	MET	-	initiating methionine	UNP A7UX13
D	-5	GLY	-	expression tag	UNP A7UX13
D	-4	ASP	-	expression tag	UNP A7UX13
D	-3	ARG	-	expression tag	UNP A7UX13
D	-2	GLY	-	expression tag	UNP A7UX13
D	-1	PRO	-	expression tag	UNP A7UX13
D	0	GLU	-	expression tag	UNP A7UX13
D	1	PHE	-	expression tag	UNP A7UX13
D	134	PHE	TYR	conflict	UNP A7UX13
D	474	LEU	-	expression tag	UNP A7UX13
D	475	GLU	-	expression tag	UNP A7UX13
D	476	VAL	-	expression tag	UNP A7UX13
D	477	ASP	-	expression tag	UNP A7UX13
D	478	LEU	-	expression tag	UNP A7UX13
D	479	GLN	-	expression tag	UNP A7UX13
D	480	GLY	-	expression tag	UNP A7UX13
D	481	ASP	-	expression tag	UNP A7UX13
D	482	HIS	-	expression tag	UNP A7UX13
D	483	GLY	-	expression tag	UNP A7UX13
D	484	LEU	-	expression tag	UNP A7UX13
D	485	SER	-	expression tag	UNP A7UX13

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	486	ALA	-	expression tag	UNP A7UX13
D	487	TRP	-	expression tag	UNP A7UX13
D	488	SER	-	expression tag	UNP A7UX13
D	489	HIS	-	expression tag	UNP A7UX13
D	490	PRO	-	expression tag	UNP A7UX13
D	491	GLN	-	expression tag	UNP A7UX13
D	492	PHE	-	expression tag	UNP A7UX13
D	493	GLU	-	expression tag	UNP A7UX13
D	494	LYS	-	expression tag	UNP A7UX13
A	-6	MET	-	initiating methionine	UNP A7UX13
A	-5	GLY	-	expression tag	UNP A7UX13
A	-4	ASP	-	expression tag	UNP A7UX13
A	-3	ARG	-	expression tag	UNP A7UX13
A	-2	GLY	-	expression tag	UNP A7UX13
A	-1	PRO	-	expression tag	UNP A7UX13
A	0	GLU	-	expression tag	UNP A7UX13
A	1	PHE	-	expression tag	UNP A7UX13
A	134	PHE	TYR	conflict	UNP A7UX13
A	474	LEU	-	expression tag	UNP A7UX13
A	475	GLU	-	expression tag	UNP A7UX13
A	476	VAL	-	expression tag	UNP A7UX13
A	477	ASP	-	expression tag	UNP A7UX13
A	478	LEU	-	expression tag	UNP A7UX13
A	479	GLN	-	expression tag	UNP A7UX13
A	480	GLY	-	expression tag	UNP A7UX13
A	481	ASP	-	expression tag	UNP A7UX13
A	482	HIS	-	expression tag	UNP A7UX13
A	483	GLY	-	expression tag	UNP A7UX13
A	484	LEU	-	expression tag	UNP A7UX13
A	485	SER	-	expression tag	UNP A7UX13
A	486	ALA	-	expression tag	UNP A7UX13
A	487	TRP	-	expression tag	UNP A7UX13
A	488	SER	-	expression tag	UNP A7UX13
A	489	HIS	-	expression tag	UNP A7UX13
A	490	PRO	-	expression tag	UNP A7UX13
A	491	GLN	-	expression tag	UNP A7UX13
A	492	PHE	-	expression tag	UNP A7UX13
A	493	GLU	-	expression tag	UNP A7UX13
A	494	LYS	-	expression tag	UNP A7UX13
B	-6	MET	-	initiating methionine	UNP A7UX13
B	-5	GLY	-	expression tag	UNP A7UX13
B	-4	ASP	-	expression tag	UNP A7UX13

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	ARG	-	expression tag	UNP A7UX13
B	-2	GLY	-	expression tag	UNP A7UX13
B	-1	PRO	-	expression tag	UNP A7UX13
B	0	GLU	-	expression tag	UNP A7UX13
B	1	PHE	-	expression tag	UNP A7UX13
B	134	PHE	TYR	conflict	UNP A7UX13
B	474	LEU	-	expression tag	UNP A7UX13
B	475	GLU	-	expression tag	UNP A7UX13
B	476	VAL	-	expression tag	UNP A7UX13
B	477	ASP	-	expression tag	UNP A7UX13
B	478	LEU	-	expression tag	UNP A7UX13
B	479	GLN	-	expression tag	UNP A7UX13
B	480	GLY	-	expression tag	UNP A7UX13
B	481	ASP	-	expression tag	UNP A7UX13
B	482	HIS	-	expression tag	UNP A7UX13
B	483	GLY	-	expression tag	UNP A7UX13
B	484	LEU	-	expression tag	UNP A7UX13
B	485	SER	-	expression tag	UNP A7UX13
B	486	ALA	-	expression tag	UNP A7UX13
B	487	TRP	-	expression tag	UNP A7UX13
B	488	SER	-	expression tag	UNP A7UX13
B	489	HIS	-	expression tag	UNP A7UX13
B	490	PRO	-	expression tag	UNP A7UX13
B	491	GLN	-	expression tag	UNP A7UX13
B	492	PHE	-	expression tag	UNP A7UX13
B	493	GLU	-	expression tag	UNP A7UX13
B	494	LYS	-	expression tag	UNP A7UX13

- Molecule 2 is a protein called Hercynylcysteine sulfoxide lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P	S			
2	C	436	3485	2231	588	645	1	20	0	0	0

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-6	MET	-	initiating methionine	UNP A7UX13
C	-5	GLY	-	expression tag	UNP A7UX13
C	-4	ASP	-	expression tag	UNP A7UX13
C	-3	ARG	-	expression tag	UNP A7UX13
C	-2	GLY	-	expression tag	UNP A7UX13

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	PRO	-	expression tag	UNP A7UX13
C	0	GLU	-	expression tag	UNP A7UX13
C	1	PHE	-	expression tag	UNP A7UX13
C	134	PHE	TYR	conflict	UNP A7UX13
C	474	LEU	-	expression tag	UNP A7UX13
C	475	GLU	-	expression tag	UNP A7UX13
C	476	VAL	-	expression tag	UNP A7UX13
C	477	ASP	-	expression tag	UNP A7UX13
C	478	LEU	-	expression tag	UNP A7UX13
C	479	GLN	-	expression tag	UNP A7UX13
C	480	GLY	-	expression tag	UNP A7UX13
C	481	ASP	-	expression tag	UNP A7UX13
C	482	HIS	-	expression tag	UNP A7UX13
C	483	GLY	-	expression tag	UNP A7UX13
C	484	LEU	-	expression tag	UNP A7UX13
C	485	SER	-	expression tag	UNP A7UX13
C	486	ALA	-	expression tag	UNP A7UX13
C	487	TRP	-	expression tag	UNP A7UX13
C	488	SER	-	expression tag	UNP A7UX13
C	489	HIS	-	expression tag	UNP A7UX13
C	490	PRO	-	expression tag	UNP A7UX13
C	491	GLN	-	expression tag	UNP A7UX13
C	492	PHE	-	expression tag	UNP A7UX13
C	493	GLU	-	expression tag	UNP A7UX13
C	494	LYS	-	expression tag	UNP A7UX13

- Molecule 3 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	E	1	Total C O 3 1 2	0	0
3	G	1	Total C O 3 1 2	0	0
3	F	1	Total C O 3 1 2	0	0
3	H	1	Total C O 3 1 2	0	0
3	C	1	Total C O 3 1 2	0	0
3	D	1	Total C O 3 1 2	0	0
3	A	1	Total C O 3 1 2	0	0
3	B	1	Total C O 3 1 2	0	0

- Molecule 4 is (1S)-1-carboxy-2-[2-(hydroxysulfanyl)-1H-imidazol-4-yl]-N,N,N-trimethyletha-
n-1-aminium (three-letter code: 8QJ) (formula: C₉H₁₆N₃O₃S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	F	1	Total C N O S 16 9 3 3 1	0	0
4	A	1	Total C N O S 16 9 3 3 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	E	54	Total O 54 54	0	0
5	G	48	Total O 48 48	0	0
5	F	40	Total O 40 40	0	0
5	H	65	Total O 65 65	0	0
5	C	21	Total O 21 21	0	0
5	D	54	Total O 54 54	0	0
5	A	71	Total O 71 71	0	0
5	B	59	Total O 59 59	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hercynylcysteine sulfoxide lyase





- Molecule 1: Hercynylcysteine sulfoxide lyase





- Molecule 1: Hercynylcysteine sulfoxide lyase




• Molecule 1: Hercynylcysteine sulfoxide lyase




• Molecule 1: Hercynylcysteine sulfoxide lyase




- Molecule 1: Hercynylcysteine sulfoxide lyase




- Molecule 1: Hercynylcysteine sulfoxide lyase



- Molecule 2: Hercynylcysteine sulfoxide lyase





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	104.02Å 195.16Å 110.10Å 90.00° 91.47° 90.00°	Depositor
Resolution (Å)	49.58 – 2.45 49.58 – 2.45	Depositor EDS
% Data completeness (in resolution range)	91.0 (49.58-2.45) 91.0 (49.58-2.45)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.45Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
R, R_{free}	0.222 , 0.272 0.223 , 0.273	Depositor DCC
R_{free} test set	1988 reflections (1.36%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtrriage
Anisotropy	1.058	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.084 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	28363	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LLP, 8QJ, FMT, EXA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/3544	0.41	0/4800
1	B	0.31	1/3536 (0.0%)	0.45	1/4789 (0.0%)
1	D	0.27	0/3539	0.43	0/4793
1	E	0.26	0/3528	0.41	0/4778
1	F	0.30	0/3552	0.44	0/4811
1	G	0.26	0/3560	0.42	0/4822
1	H	0.27	0/3523	0.43	1/4772 (0.0%)
2	C	0.30	0/3532	0.44	0/4783
All	All	0.28	1/28314 (0.0%)	0.43	2/38348 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	394	LYS	CE-NZ	-5.99	1.34	1.49

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	178	LYS	CD-CE-NZ	-5.68	98.65	111.70
1	B	396	VAL	CA-CB-CG2	-5.47	102.69	110.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	247	EXA	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3491	0	3475	49	0
1	B	3483	0	3467	76	0
1	D	3486	0	3473	40	0
1	E	3475	0	3460	53	0
1	F	3499	0	3481	74	0
1	G	3506	0	3490	61	0
1	H	3470	0	3452	55	0
2	C	3485	0	3447	60	0
3	A	3	0	1	0	0
3	B	3	0	1	0	0
3	C	3	0	1	0	0
3	D	3	0	1	0	0
3	E	3	0	1	0	0
3	F	3	0	1	0	0
3	G	3	0	1	0	0
3	H	3	0	1	1	0
4	A	16	0	0	0	0
4	F	16	0	0	2	0
5	A	71	0	0	0	0
5	B	59	0	0	0	0
5	C	21	0	0	0	0
5	D	54	0	0	0	0
5	E	54	0	0	0	0
5	F	40	0	0	0	0
5	G	48	0	0	1	0
5	H	65	0	0	1	0
All	All	28363	0	27753	450	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 450 close contacts within the same asymmetric unit are listed below, sorted by

their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:342:ARG:NH1	1:G:365:ILE:O	1.67	1.27
2:C:378:VAL:O	2:C:433:ARG:NH1	1.93	1.01
1:D:380:GLU:OE2	1:D:433:ARG:NE	1.95	1.00
1:A:369:MET:HE1	1:A:438:ARG:HE	1.33	0.92
1:F:378:VAL:HG12	1:F:402:ILE:HD11	1.52	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	434/501 (87%)	416 (96%)	17 (4%)	1 (0%)	47	57
1	B	432/501 (86%)	419 (97%)	12 (3%)	1 (0%)	47	57
1	D	433/501 (86%)	414 (96%)	18 (4%)	1 (0%)	47	57
1	E	431/501 (86%)	417 (97%)	14 (3%)	0	100	100
1	F	435/501 (87%)	415 (95%)	19 (4%)	1 (0%)	47	57
1	G	436/501 (87%)	415 (95%)	20 (5%)	1 (0%)	47	57
1	H	430/501 (86%)	414 (96%)	15 (4%)	1 (0%)	47	57
2	C	431/501 (86%)	410 (95%)	20 (5%)	1 (0%)	47	57
All	All	3462/4008 (86%)	3320 (96%)	135 (4%)	7 (0%)	47	57

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	225	GLY
2	C	225	GLY
1	B	225	GLY
1	F	225	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	225	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/428 (88%)	375 (100%)	2 (0%)	88	93
1	B	377/428 (88%)	377 (100%)	0	100	100
1	D	377/428 (88%)	375 (100%)	2 (0%)	88	93
1	E	376/428 (88%)	375 (100%)	1 (0%)	92	95
1	F	378/428 (88%)	375 (99%)	3 (1%)	81	88
1	G	379/428 (89%)	376 (99%)	3 (1%)	81	88
1	H	376/428 (88%)	373 (99%)	3 (1%)	81	88
2	C	377/428 (88%)	373 (99%)	4 (1%)	73	82
All	All	3017/3424 (88%)	2999 (99%)	18 (1%)	86	91

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	218	SER
1	A	355	ARG
1	A	342	ARG
1	H	332	ARG
2	C	400	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	63	GLN
1	B	419	GLN
1	A	116	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	419	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LLP	F	247	1	23,24,25	2.63	6 (26%)	25,32,34	1.28	3 (12%)
1	LLP	G	247	1	23,24,25	2.63	6 (26%)	25,32,34	1.30	3 (12%)
1	LLP	A	247	1	23,24,25	2.64	6 (26%)	25,32,34	1.36	2 (8%)
2	EXA	C	247	2	28,30,31	2.80	6 (21%)	28,41,43	1.57	3 (10%)
1	LLP	H	247	1	23,24,25	2.66	5 (21%)	25,32,34	1.17	3 (12%)
1	LLP	B	247	1	23,24,25	2.63	6 (26%)	25,32,34	1.29	2 (8%)
1	LLP	D	247	1	23,24,25	2.66	5 (21%)	25,32,34	1.26	3 (12%)
1	LLP	E	247	1	23,24,25	2.65	7 (30%)	25,32,34	1.20	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	F	247	1	-	5/16/17/19	0/1/1/1
1	LLP	G	247	1	-	4/16/17/19	0/1/1/1
1	LLP	A	247	1	-	5/16/17/19	0/1/1/1
2	EXA	C	247	2	-	7/24/28/30	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	H	247	1	-	4/16/17/19	0/1/1/1
1	LLP	B	247	1	-	4/16/17/19	0/1/1/1
1	LLP	D	247	1	-	5/16/17/19	0/1/1/1
1	LLP	E	247	1	-	5/16/17/19	0/1/1/1

The worst 5 of 47 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	247	EXA	C9-C7	-9.10	1.32	1.49
1	H	247	LLP	C4-C4'	8.33	1.62	1.46
1	E	247	LLP	C4-C4'	8.28	1.62	1.46
1	B	247	LLP	C4-C4'	8.25	1.62	1.46
1	A	247	LLP	C4-C4'	8.21	1.62	1.46

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	247	EXA	C8-C7-N3	5.66	121.03	114.53
1	A	247	LLP	C4-C4'-NZ	-3.86	106.60	124.31
1	D	247	LLP	C4-C4'-NZ	-3.82	106.77	124.31
1	F	247	LLP	C4-C4'-NZ	-3.68	107.44	124.31
1	G	247	LLP	C4-C4'-NZ	-3.60	107.77	124.31

There are no chirality outliers.

5 of 39 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	E	247	LLP	C-CA-CB-CG
1	G	247	LLP	C-CA-CB-CG
1	F	247	LLP	C-CA-CB-CG
1	H	247	LLP	C-CA-CB-CG
2	C	247	EXA	C-CA-CB-CG

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	F	247	LLP	1	0
1	G	247	LLP	2	0
1	B	247	LLP	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	E	247	LLP	3	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FMT	E	501	-	2,2,2	0.72	0	1,1,1	0.29	0
3	FMT	A	502	-	2,2,2	0.72	0	1,1,1	0.25	0
3	FMT	F	502	-	2,2,2	0.71	0	1,1,1	0.23	0
3	FMT	C	501	-	2,2,2	0.72	0	1,1,1	0.24	0
3	FMT	D	501	-	2,2,2	0.70	0	1,1,1	0.24	0
4	8QJ	A	501	-	9,16,16	0.96	0	10,23,23	0.97	1 (10%)
4	8QJ	F	501	-	9,16,16	1.01	0	10,23,23	1.16	1 (10%)
3	FMT	H	501	-	2,2,2	0.73	0	1,1,1	0.27	0
3	FMT	B	501	-	2,2,2	0.71	0	1,1,1	0.25	0
3	FMT	G	501	-	2,2,2	0.71	0	1,1,1	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	8QJ	F	501	-	-	6/14/16/16	0/1/1/1
4	8QJ	A	501	-	-	5/14/16/16	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	501	8QJ	O17-C16-C15	3.20	119.47	111.87
4	A	501	8QJ	O17-C16-C15	2.13	116.94	111.87

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	F	501	8QJ	N11-C12-C14-C15
4	F	501	8QJ	C13-C12-C14-C15
4	F	501	8QJ	C12-C14-C15-C16
4	A	501	8QJ	C12-C14-C15-C16
4	A	501	8QJ	C12-C14-C15-N19

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	501	8QJ	2	0
3	H	501	FMT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/501 (87%)	0.09	7 (1%) 72 69	25, 37, 52, 70	0
1	B	436/501 (87%)	0.39	24 (5%) 25 22	24, 39, 76, 89	0
1	D	437/501 (87%)	0.08	7 (1%) 72 69	22, 36, 52, 70	0
1	E	435/501 (86%)	0.08	7 (1%) 72 69	25, 36, 53, 71	0
1	F	439/501 (87%)	0.33	10 (2%) 60 56	21, 41, 62, 75	0
1	G	440/501 (87%)	0.36	20 (4%) 33 30	24, 44, 66, 78	0
1	H	434/501 (86%)	0.19	9 (2%) 63 60	26, 38, 57, 84	0
2	C	435/501 (86%)	0.45	29 (6%) 17 14	24, 40, 76, 92	0
All	All	3494/4008 (87%)	0.25	113 (3%) 47 44	21, 39, 64, 92	0

The worst 5 of 113 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	422	PHE	6.4
1	A	400	TYR	4.4
2	C	465	ALA	4.4
2	C	386	VAL	4.4
1	B	398	GLY	4.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EXA	C	247	30/31	0.91	0.22	30,43,58,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	LLP	G	247	24/25	0.94	0.20	31,42,48,50	0
1	LLP	B	247	24/25	0.94	0.19	31,39,44,46	0
1	LLP	D	247	24/25	0.95	0.17	26,35,42,47	0
1	LLP	F	247	24/25	0.95	0.17	25,38,43,45	0
1	LLP	H	247	24/25	0.96	0.16	30,38,41,44	0
1	LLP	A	247	24/25	0.96	0.18	29,36,41,50	0
1	LLP	E	247	24/25	0.96	0.18	24,33,41,43	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	8QJ	A	501	16/16	0.86	0.21	43,65,72,73	0
3	FMT	D	501	3/3	0.88	0.16	33,33,38,44	0
3	FMT	E	501	3/3	0.89	0.20	40,40,44,54	0
3	FMT	C	501	3/3	0.90	0.20	44,44,46,48	0
4	8QJ	F	501	16/16	0.91	0.29	49,64,79,98	0
3	FMT	B	501	3/3	0.92	0.15	45,45,48,51	0
3	FMT	F	502	3/3	0.95	0.12	36,36,39,40	0
3	FMT	G	501	3/3	0.95	0.17	37,37,41,42	0
3	FMT	A	502	3/3	0.96	0.16	37,37,39,40	0
3	FMT	H	501	3/3	0.97	0.13	32,32,36,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.